



WE & MICRO



www.tmmedia.in



marketing@titanbiotechltd.com

PRICE LIST
2021-22



TITAN BIOTECH LIMITED

Manufacturer & Exporter



PRICE LIST 2021-22




CORPORATE OFFICE

903-909, 9th Floor, Bigjos Tower, Netaji Subhash Place, Delhi-110034, India

R. O. & WORKS

Unit I : A-902 A, RIICO Industrial Area, Phase-III, Bhiwadi-301019, (Raj.), India

Unit II : E-540, Industrial Area, Chopanki, Bhiwadi-301707, (Raj.), India



Mail Us

marketing@titanbiotechltd.com

Call Us

+91-11-71239900



Shop Online

www.amazon.in | www.mymicrolab.com



GENERAL TERMS AND CONDITIONS

SERVICES

A team of experts are dedicated to provide the highest levels of technical support and customer service. The Technical service department is available to answer questions about products. Along with it our technical sales representative is equipped with knowledge for product selection and evaluation.

ORDERS

The foremost mandatory point is that the order must carry complete details such as TM Product Code, Product Name, Pack Size and Price. In case the adequate information is not shared, the order will not be processed further. Orders, once placed, will not be edited or cancelled. Orders placed with us for execution, may be supplied directly through our stockist which is company's prerogative. All correspondence related to Purchase Orders should be done at our Headquarters (Delhi, India).

PRICE

The price mentioned in this list are applicable from 1st April 2021. No previous price list is applicable. This price list to be treated for further order and confirm these prices when placing an order. The prices are subject to change without prior notice. With mutual consent, the order will be finalized in case of change in price. All the amendments for the year 2021-22 will be updated on website www.tmmedia.in/ product catalogue

TAXES AND DUTIES

Good and Service Tax (GST) is applicable on the products above the prices mentioned. State Road Permit/ E-Way Bills is also essential (if applicable), without which order despatch will not be processed. In case of any exemptions from GST, the certificate must be shared with the order otherwise GST will be charged extra as applicable.

Our GST No. is 08AAACT0078J1ZA.

STANDARD PACK SIZE

The orders for Culture Media and Media Bases are accepted in lot of 12 X 500 gm, 20 X 100 gm. Order for liquid items like Inorganic Acids, Ammonia Solution, Organic Solvents, other chemicals are accepted in lots of 20 X 500 ml (Plastic Bottles), 4 X 2.5 ltr and 2 X 5 ltr. In case of chemical in powder form, the order size begins with 12 X 500gm. A similar standard is followed for Media supplements and other products. This is essential to avoid breakage during transit. Every possible care is taken care during packaging as a standard operating procedure. Though we cannot assure breakage / leakage on delivery, we accept no responsibility of transportation.

DANGEROUS GOODS

Highly inflammable and corrosive materials are not accepted by road carriers and passenger trains and hence quick delivery cannot be assured.

To know about material safety for product, Material Safety Data Sheet (MSDS) is available on website www.tmmedia.in.

INSURANCE

If requested, the goods can be insured and charged on the invoice.

DELIVERY & FREIGHT

TM Media takes pride to provide the best customer service. As a mandate, the orders are processed and delivered within the specified schedule shared on the sales quote. In case of orders that require special handling, an additional fee might be applicable. All orders of the net value (after discount) of Rs. 15,000/- or more will be supplied F.O.R destination by general road transporter (if the location falls under ODA location supply would be till transporter allows). For orders with net value less than Rs. 15,000/-, the consignment will be dispatched on freight to pay basis.

This is not applicable for the products on Page no.189-198. Freight charges will be prepaid and added to the invoice as a separate item. There is a minimum charge per shipment for shipping and handling. A hazardous charge will be processed for shipment of hazardous materials. We recommend consolidating all hazardous materials onto a single order if possible to minimize hazardous charges. Please report all questions regarding a shipment to Customer Service within 7 days of receipt.

PAYMENTS

The payment must be made along with orders. In case of credit of 30 days is given from the date of receipt of the consignment, the terms of payment must be met without any delay. In case the party fails to adhere, an interest of 24% will be charged from the due date. Payments must be made in demand draft, pay order, cheques drawn in favour of "Titan Biotech Ltd."

BANK DETAILS

A/C Name	Titan Biotech Limited
Bank Name	HDFC Bank
A/C No.	50200014683687
Branch Add.	B-34, Ashok Vihar, New Delhi-110052
IFSC Code	HDFC 0001261

STANDING ORDERS

Standing orders are welcome and such requests must be received at least 10 working days prior to the scheduled shipment.

DAMAGE

In the event of damaged goods, it is advised to retain goods and packaging. Kindly advise our office and the local carrier without delay.

RETURNS

Any issue related to product return must be coordinated with our representative. Request for returns must be made within 7 days of receipt. No returns will be entertained if there has been any error from customer. Perishable or temperature sensitive products cannot be returned for any reason. These items include but are not limited to:

- Blood Culture Media • Reagents • Diagnostic Tests • Prepared Culture Media
- Susceptibility and Differentiation Disks • Dehydrated Culture Media • Chemicals

The return will be accepted after due submission of adequate information, sufficing the reason of return. If the requested information is not received within 7 days we shall consider that we have dealt with complaint and the matter will be treated as "closed". Full and final replacement along with return invoice should be completed within 15 days.

COPYRIGHT

No imitation of our brand logo of TM Media or brand packaging is allowed. If found otherwise, TM Media has full authority to take such situation in court for legal action. Titan Biotech Ltd will take no responsibility of any damage caused by fake or imitated products. It is advised that the customers must avoid such sellers for their own best interests. To know if the product is authentic, please reach out to customercare@tmmedia.in

TECHNICAL SUPPORT AND DOCUMENTATION

All the product information and quality control specifications, which include ISO guidelines, cGMP guidelines, USP/JP/EP/BP and also CLSI guidelines are provided in the TM Media Manual. For a copy of the manual please contact your local Technical Sales Representative or Technical Service at customercare@titanbiotechltd.com Also, for Technical Data (TD), Material Safety Data Sheet (MSDS), Certificates of Analysis (COA) are available 24/7 on www.tmmedia.in.

DISCLAIMER

All the items listed here are for Laboratory use only and we assume no responsibility whatsoever, if used otherwise.

FORCE MAJURE

We and our authorized stockists shall not be responsible for any delay or part supply due to circumstances beyond our control such as riots, strikes, civil commotion, shortage of raw material, natural calamities, government restrictions and budgetary changes by the Government etc. However, the period of delay would be informed to the customers.

JURISDICTION

All disputes are subject to Alwar, Rajasthan jurisdiction only.

DIGITALLY, AROUND THE GLOBE

Our website www.tmmedia.in facilitates our customer with:

- ✓ Anytime access to Technical Data (TD), Certificate of Analysis (COA) and Material Safety Data Sheet (MSDS).
- ✓ Easy search and enquiry for the right product.
- ✓ Staying ahead with the relevant information via 'BLOGS' section on our website and regular emails.


Steps to view and download product related documents

Kindly fill your log in details after verifying your mail.

Kindly fill the details as asked if you are not still a member of TM Media family


1. Browse www.tmmedia.in and Log in your account. In case of new user, register and be part of TM Media family.

2. Find links to COA, MSDS and TD on the right side of screen. Click on the appropriate link.



3. Pop-up will appear. In case of TD and MSDS, enter Product Code or Product Name. In case of COA, enter Batch no. / Lot no. Click on 'Find'.

Enter Product Code or Product Name



4. The result page will allow to check the product code and name. The pdf icon is a link to particular document. The link will let you view/download it.

In case of any issue write a mail to customercare@titanbiotechltd.com.



TITAN BIOTECH LTD.

We at Titan Biotech Limited have committed our state of the art technology towards quality management and quality assurance. The motto of the company is to achieve customer satisfaction with the desired quality product at competitive cost. The company is invested with well-trained professionals to follow International Quality Standards. The management assures the compliance with periodic reviews and mystery audits. Mandatorily, every production batch is tested and its COA and MSDS are recorded in the pre-defined format.

Suresh Singla
MANAGING DIRECTOR



The Brand-TM Media

With pleasure, we introduce our updated Price list for the financial year 2021-22. As a commitment to this industry, even this year we have introduced newer products. Titan Biotech Ltd. started its journey in 1992 to pursue innovation in the field of biotechnology and advanced life science. The strong hold on technical expertise has given wings to our business journey with the remarkable market presence in more than 77 countries. Under the brand 'TM Media', Titan Biotech Limited has flourished with its microbiology products in full length around the world.

The Research and Development department supports our objective to evolve and keep pace with the industry's growing needs. The product range has emerged manifold with more than 1800 products for categories including Biological Media Bases, Dehydrated Culture Media, Media Supplements, Readymade Culture Media (in all forms), Molecular Bio Grade Chemicals, Antibiotic Sensitivity Discs, Plant Tissue Culture Media, Laboratory Chemicals and Microbiological Consumables. We understand our customers' choices very well, thus Culture Media are available from veg and non veg sources. TM Media has expatiated its product list for applications in various industries including Pharmaceutical, Nutraceutical, Medical & Diagnostics, Food & Beverages, Biotechnology & Fermentation, Cosmetic, Veterinary & Animal Feed, Agriculture industries as well as for research projects.

Our quality standards of production facility and products are regulated and certified by International organizations. We are glad to have support from Pharmexcil, Capexil, FIEO and AIFPA for trade relations. The entirety of the company is grounded with belief in relationship and quality. We own the responsibility to fulfill customers' particular requirements. The formula has been simple for us that our progress is when our customers progresses.

Suresh Singla

MANAGING DIRECTOR


CERTIFICATES



ISO 13485:2016



FSSC 22000



FSSAI

ISO 11133:2014




"We believe in Quality and relationship"

GMP




ISO 9001:2015

REGISTRATION CERTIFICATE EUROPEAN UNION



LABEL



1. Product Name
2. Synonym of Product Name
3. Use of the Product
4. Received/Opened Date
5. For in Vitro Diagnostics
6. ISO Certification Number 13485:2016
7. Caution
8. Expiry Date
9. Country of Origin
10. Copyright Clause
11. Company Name & Address
12. Company Logo
13. Symbol for Certification of Good Manufacturing Practices
14. Symbol for European Conformity
15. Manufacturer Symbol
16. Customer Care Cell (Contact No. & Email ID)
17. Website URL
18. ISO Certification 9001:2015 & 11133:2014
19. QR Code Scan for Technical Data
20. Product Code Number
21. Pack Size
22. Lot/Batch Number
23. Product's Brand Name
24. Disposal Procedure
25. Instructions for Preparation of Medium
26. pH Range
27. Composition of the Medium
28. Formula Weight

PACKAGING



Dehydrated Culture Media



Molecular Biology Grade Chemicals*



Lab Chemicals*



Viral Transport Kit



Antibiotic Disc



Ready to Use Culture Media



*Bulk quantity is available on request.



PHARMA MICROBIOLOGY SOLUTIONS

AIR SAMPLER

User- friendly and comprehensive technology

Features	Complete Package
Validated as per BS EN ISO 14698- Part 1, for Physical and Biological efficiency. PC connectivity to meet 21 CFR: Part 2 requirements. Inbuilt adaptors for 90 mm and 55 mm plates.	Air Sampler High Strength Carry Case Charger And Pc Cord Remote Two Petri Plates

For Price Follow Page No. 178

ABSOLUTE EM PLATES

Features	Pack Size
<ul style="list-style-type: none"> Available in 90 mm and 55 mm Gamma Irradiated Triple Packaging Sterility assurance level SAL 10⁻⁵ Gamma Indicator on label With β- Lactamase Enzyme 	Unit of 5 wrapped plates up to total of 20 or 50 plates.

For Price Follow Page No. 139-145

FLUID THIOGLYCOLLATE MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	Light straw colour, clear to slightly opalescent solution with upper 10% or less medium pink on standing	100 ml X 25	TMKH 001S

For Price Follow Page No. 147

SOYA CASEIN DIGEST MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For the evaluation of sterility in manufacturing processes.	Light yellow colour, clear solution.	100 ml X 10	TMKH 003S

For Price Follow Page No. 147

RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (TUBE)

Use	Appearance	Pack Size	Product Code
For the selective enrichment of <i>salmonellae</i> .	Greenish blue colour, clear to slightly opalescent solution	10 ml X 25	TMTH 010

For Price Follow Page No. 149

β - LACTAMASE ENZYME

Use	Pack Size	Product Code
For inactivation of a wide range of antibiotics like Penicillins, Cephalosporins, and Carbapenems. (depending upon on supplement)	1 Vial	TS 261 TS 262 TS 263 TS 263G TS 264

For Price Follow Page No. 125

CLINICAL MICROBIOLOGY SOLUTIONS



MacCONKEY AGAR

MacConkey in NEW avatar

Use	Appearance	Pack Size	Product Code
For cultivation and differentiation of enteric bacteria and gram positive microorganisms especially <i>Enterococcus faecalis</i> within 18 hours. F.wt: 55.00 gm/ltr	Powder: Light yellow to pink homogeneous free flowing powder Prepared Medium: Orange red coloured clear to slightly opalescent gel	500 gm	TM 1898

For Price Follow Page No. 62

VIRAL TRANSPORT KIT

Easy, Safe, Collect & Transport

Use	Appearance	Complete Package	Pack Size	Product Code
Easy, Collect and Transport of Viral Sample.	Red colour clear solution	Viral Transport Medium Throat swab or Nasopharyngeal swab (Provided as per product code)	50 nos.	TMVT 001 TMVT 002 TMVT 003

For Price Follow Page No. 155

MUELLER HINTON AGAR

Use	Appearance	Pack Size	Product Code
For Cultivation of <i>Neisseria</i> & for determination of susceptibility of microorganisms to antibiotics. Performance is acc. to CLSI (NCCLS) and complies with WHO, FDA and EUCAST. F.wt: 38.00	Powder: Cream to yellow homogeneous free flowing powder. Prepared Medium: Light amber coloured clear to slight opalescent gel	100 gm 500 gm	TM 339

For Price Follow Page No. 69

SHEEP BLOOD AGAR PLATE

Use	Appearance	Pack Size	Product Code
For isolation, cultivation and detection of fastidious microorganisms like streptococci and pneumococci. Best haemolysis.	Cherry red coloured opaque gel	Unit of 5 wrapped plates up to total of 20 or 50 plates	TMP 017

For Price Follow Page No. 142

CHROMOGENIC UTI AGAR

Use	Appearance	Pack Size	Product Code
For presumptive identification of microorganisms mainly causing urinary tract infections. F.wt:32.45 gms/ltr	Powder: White to cream homogeneous free flowing powder Prepared Medium: White coloured, opaque gel with precipitate	100gm 500gm	TM 1199

For Price Follow Page No. 26

ANTIBIOTIC DISCS

Use	Packaging
Used for Antimicrobial susceptibility testing (AST) as per CLSI (NCCLS). Filter Paper disc of 6.0 mm diameter. Abbreviation along with conc. printed on centre of both side of each disc.	Vials (vl) : 1 vl = 100 discs 5vl = 5 x 50 discs Blister (B.set) : 1 B.set = 5 x 50 discs Cartridges (ct) : 5ct= 5 x50disc


For Price Follow Page No. 157-163

ANAEROBIC JAR

Most Convenient, Rapid & Cost Effective System

Use	Complete Package
Used for cultivation of anaerobic and microaerophilic microorganisms	Polycarbonate jar- 1 unit Sturdy aluminium lid clamp and sealing ring with built in safety feature- 1 unit Aluminium lid with pressure valve, safety valve & 2 way pressure gauge - 1 unit Anaerobic indicator tablet -1x5 or 1x 10 Anaerobic gas pack- 1x 5 Petriplate carrier - 1 unit

For Price Follow Page No. 171



MOLECULAR TRANSPORT MEDIUM

Collect. Inactivate. Stabilize. Store

Molecular transport Medium (Viral Lysis Transport Medium) is a viral lysis transport system designed for safe transportation of the unprocessed nasal & throat swab samples suspected of containing infectious viruses.

The composition of the medium is customized in such a way that the lipid membrane is lysed, proteins including enzymes like nucleases are destroyed and only the naked RNA is preserved intact within the sample. Use of this medium allows inactivation of the viral particles at the point of collection, thereby, ensuring a safe & risk-free handling of the specimen. MTM is a ready to use Medium that is stable at room temperature until used.

MOLECULAR TRANSPORT KIT*

Appearance	Complete Package	Pack Size	Product Code	
Colorless, Clear Solution	Molecular Transport Medium, Throat swab/ Nasopharyngeal/ Polyester swab (Provided as per product code)	50 nos.	MTM 001 MTM 002 MTM 003	MTM 009 MTM 010 MTM 011

TM 426 | VIOLET RED BILE AGAR

Violet Red Bile Agar (VRBA) is a modification of the MacConkey's original formulation is used for the enumeration of coli-aerogenes bacterial group. It is recommended for the isolation and enumeration of coli-aerogenes from water, milk and other dairy products. The medium contains bile salts and crystal violet which serve as inhibitory agents toward some gram-positive microorganisms, especially *Staphylococci*. Neutral red employed as pH indicator. Violet Red Bile is a selective medium used to detect and enumerate lactose-fermenting coliform microorganisms. Lactose-fermenting microorganisms produce pink to red colonies that are generally surrounded by a reddish zone of precipitated bile. Non-lactose-fermenting microorganisms result in colorless colonies. It can be utilized for the presumptive identification of coliforms in milk and other food materials according to the APHA (Standard Methods for the Examination of Milk Products).



Escherichia coli




Aspergillus niger

TM 387 | SABOURAUD DEXTROSE AGAR

Sabouraud Dextrose Agar (SDA) modification of Sabouraud agar (Carlier) is a selective medium primarily used for the isolation of dermatophytes, other fungi and yeasts but also grow filamentous bacteria such as *Nocardia*. This medium is also employed to determine mycological evaluation of food, contamination in cosmetics and clinically to aid in the diagnosis of yeast and fungal infections. The medium's high dextrose concentration and acidic pH (about 5.0) inhibit the growth of bacteria but permits the growth of yeast and fungi. Antibacterial agents can also be added to augment the antibacterial effect. Antibiotics like chloramphenicol, gentamicin, and tetracycline can be added as selective agents to inhibit bacterial overgrowth of competing microorganisms while permitting the successful isolation of fungi and yeasts.

TM 269 | R-2A AGAR

R-2A Agar is designed by Reasoner and Geldreich for the heterotrophic plate count of treated potable water. It is also recommended in standard methods for pour plate, spread plate and membrane filtration technique. The medium's nutritional components favour the growth of injured or stressed organisms. It is also reported to show improved recovery of stress and chlorine tolerant bacteria from drinking water system.



Escherichia coli



Aspergillus brasiliensis

TM 344 | POTATO DEXTROSE AGAR

Potato Dextrose Agar (PDA) is a general-purpose medium used for isolation and enumeration of yeast and moulds. It is recommended for plate count method for foods, dairy products and testing cosmetics. It can also be used for growing clinically significant yeast and molds. The nutritionally rich base (potato infusion) encourages mold sporulation and pigment production in some dermatophytes. Whereas, it can be supplemented with acid or antibiotics to inhibit bacterial growth.

TM 339 | MUELLER HINTON AGAR

Mueller Hinton Agar is a non-differential standard culture medium, used for routine susceptibility testing of non-fastidious microorganisms to antibiotics. It is recommended by FDA, WHO and CLSI for testing the most commonly encountered aerobic and facultative anaerobic bacteria in clinical material. The good batch-to-batch reproducibility, low levels sulfonamide, trimethoprim, tetracycline inhibitors and the non-selective nature of the medium makes it an excellent choice for testing of antibiotics.



Staphylococcus aureus

TMP 017 | SHEEP BLOOD AGAR PLATE

Sheep Blood Agar Plate is ready to use culture media plate containing sheep blood agar which is both differential and enriched medium used for the isolation, cultivation and detection of haemolytic activity of fastidious organisms like *Streptococci*, and *Pneumococci*.

The nutritional components of the medium containing 5% defibrinated sheep blood allows for better recovery of the pathogenic organisms from clinical samples. This medium helps in differentiating the microorganism on the basis of their haemolytic reaction as α , β or γ -haemolytic organisms.



Staphylococcus aureus



Lactobacillus leichmannii


TM 146 | LACTOBACILLUS MRS AGAR

Lactobacillus MRS AGAR (MRS AGAR) is used for the isolation and cultivation of Lactobacilli species from dairy products, food samples, oral cavity, faeces and other sources. It was developed by de Man, Rogosa and Sharpe as an alternative for non-selective cultivation of fastidious lactobacilli.

Lactobacilli MRS Agar contain peptone and dextrose. These ingredients supply nitrogen, carbon and other elements necessary for growth. Polysorbate 80, acetate, magnesium and manganese provide growth factors for culturing a variety of lactobacilli. The above ingredients may inhibit the growth of some organisms other than lactobacilli.

TM 1199 | CHROMOGENIC UTI AGAR

Chromogenic UTI Agar is a differential medium used for presumptive identification of microorganisms causing urinary tract infections. The media facilitates identification of bacterial colonies on the basis of genus specific enzymatic reactions with chromogenic substrates that results in different contrasted colony colours. The media contains two specific chromogenic substrates which are cleaved by enzymes produced by Enterococcus spp., Escherichia coli and coliforms. Enterococci spp producing β -glucosidase grow as blue colonies as they are able to cleave one of the chromogen whereas E.coli cleaves the other chromogen and grow as pink colonies.



(A) *E. coli*, (B) *K. pneumoniae*, (C) *S. aureus*
(D) *E. faecalis*, (E) *P. aeruginosa*



Escherichia coli

TM 1898 | MacCONKEY AGAR

MacConkey agar is selective and differential medium for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples. The composition of the medium allows for rapid cultivation of Enterococcus faecalis within 18 hours of incubation. The medium is selective against most species of gram-positive bacteria because of the presence of sodium taurocholate. It also allows differentiation among different enteric bacteria on the basis of lactose fermentation, where the lactose fermenters grow as red colonies while the lactose non-fermenters appear as colourless colonies.

TM 386 | SALMONELLA SHIGELLA AGAR


Salmonella Shigella Agar (SS Agar) medium is recommended as differential and selective medium for the isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs and for microbial limit test. The medium inhibits gram positive bacteria and coliforms by the action of the selective inhibitory components brilliant green, bile salts, thiosulphate and citrate. Whereas, differentiation of enteric organisms is achieved by the incorporation of lactose in the medium. Organisms that ferment lactose produce acid which, in the presence of neutral red indicator, results in formation of red colonies. Lactose non fermenter forms colourless colonies. The latter group contains the majority of the intestinal pathogens, including *Salmonella* and *Shigella*. The sodium thiosulfate and ferric citrate enable the detection of hydrogen sulfide production as evidenced by colonies with black centers. This formulation, highly selective, is not recommended for the primary isolation of *Shigella*. Some *Shigella* spp. may be inhibited.




Salmonella Typhimurium

TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS

Chromogenic Coliform Agar w/ SLS is a selective medium recommended for the detection of *Escherichia coli* and total coliforms in water and food samples. The selectivity of the medium is attributed to Sodium Lauryl Sulphate (SLS) that helps in inhibiting the gram-positive organisms. This media contains a chromogenic mixture which is also known as chromogen i.e. Salmon-Gal and XGluc. The enzyme β -galactosidase produced by coliforms cleaves Salmon-Gal chromogen, resulting in the salmon red coloration of coliform colonies whereas *E. coli* forms dark blue to violet colored colonies due to cleavage of both the chromogens. Not only this, this medium can be used to confirm *E. coli* by adding a drop of Kovacs reagent (TR008) on dark-blue to violet colony which will change to cherry-red color.



(A) *E. coli*, (B) *S. Enteritidis*
(C) *K. pneumoniae*, (D) *E. aerogenes*



(A) *E. coli*, (B) *C. freundii*
(C) *S. Enteritidis*, (D) *E. aerogenes*

TM 1858 | CHROMOGENIC COLIFORM AGAR

Chromogenic coliform Agar helps in rapid enumeration and differentiation of coliforms and *Escherichia coli* isolated from water samples as per ISO 9308-1. This media is the improved formulations which utilizes a chromogenic substrate for making the detection more rapid & reliable. The media contain the combination of two chromogenic substrates allow the simultaneous detection of coliform bacteria and *E. coli*. The enzyme β -D-galactosidase cleaves salmon- β -D-galactoside, and gives a salmon to red colour to the coliform bacteria. *E. coli* have β -D galactosidase and β -D-glucuronidase enzymes to cleave both the chromogens, which give blue-violet colour to colonies.

TM 436 | TCBS AGAR

TCBS AGAR (VIBRIO SELECTIVE AGAR) is highly selective for the isolation of *Vibrio cholerae* and *V. parahaemolyticus* from clinical specimens and specified in standard methods for food testing. This highly selective medium meets the nutritional requirements of *Vibrio* species and allows competing with intestinal flora. This medium specifically isolates the *Vibrio* species on the basis of the organism's ability to grow at an alkaline pH and high salt concentration. Inhibition of gram-positive bacteria is achieved by the incorporation of Ox bile, which is a synthetic occurring substance and suppresses primarily Enterococci. Sodium citrate and Sodium thiosulphate are the selective agents, providing an alkaline pH to inhibit gram-positive organism and suppress coliforms. Luxuriant growth with yellow appearance is observed on TCBS agar. Whereas *Vibrio parahemolyticus* with Bluish green colonies.



Vibrio cholerae



Salmonella Typhimurium

TM 492 | XLD AGAR

Xylose Lysine Deoxycholate Agar (XLD) is a moderately selective and differential medium for the isolation and differentiation of gram-negative enteric pathogens from clinical specimens, food and other samples. XLD Agar was especially designed to allow the growth of *Shigella* species, and is a proven medium for the isolation of this organism. It has also been found to be an excellent medium for isolating *Salmonella* species as well. XLD Agar complies with ISO 6579: 2002. XLD agar is also included in the USP microbial limit test for screening specimens for the presence or absence of *Salmonella* and is recommended for the testing of foods, dairy products and water. The medium utilizes xylose fermentation, lysine decarboxylation and H₂S production reactions to differentiate the target organisms. Whereas, the selective agent i.e. sodium deoxycholate helps to inhibit the growth of gram-positive organisms.

TM 365 | BRILLIANT GREEN BILE BROTH 2%

Brilliant Green Bile Broth 2% is one of the most widely used medium for the detection of coliform bacteria in water, dairy products, food and waste water. Formulated as per APHA, this medium is recommended by the ISO 4831:2006 and ISO 4832:2006 for the enumeration of coliforms using the most probable number technique. This medium helps in indicating the presence of faecal coliform using a fermentation reaction, where the coliforms produce gas and this gas production is visible as a trapped bubble inside the inverted Durham's tube.




(A) Control, (B) *E. coli*, (C) *E. aerogenes*

TM 362 | BHI BROTH

BHI Medium is useful for cultivating a wide variety of microorganisms since it is a highly nutritive medium. This medium is recommended by Food and Drug Administration. It is also used to prepare the inocula for antimicrobial susceptibility testing. BHI Broth is a modification of the original formulation of Rosenow, where he added pieces of brain tissues to dextrose broth. BHI Broth is also the preferred medium for anaerobic bacteria, yeasts and moulds. This medium is nutritious and well buffered to support the growth of wide variety of organisms. With the addition of 10% defibrinated sheep blood, it is useful for isolation and cultivation of *Histoplasma capsulatum* and other fungi. For selective isolation of fungi, addition of gentamicin and/or chloramphenicol is recommended. This medium is not suitable for obtaining characteristic haemolytic reactions even after addition of blood because of its glucose content.



A) Control, (B) *S. pyogenes*
(C) *S. aureus*, (D) *S. pneumoniae*



(A) Control, (B) *S. Typhimurium*

TMH 111 | RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH

Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of *Salmonella* species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.

The medium selectively enriches *Salmonella* by utilizing its three properties which are; the capacity to survive at high osmotic pressure, to grow at slightly low pH and to be resistant to malachite green. *Salmonella typhi* and *S. Paratyphi A* are sensitive to malachite green and may be inhibited.

TM 348 | SIMMONS CITRATE AGAR

Simmons Citrate Agar is used for the differentiation between Enterobacteriaceae and the members of aerogens group on the basis of citrate utilization as sole carbon source by streaking either on slopes in test tubes or as a plate medium in petri dishes. It is recommended for the differentiation of coliforms isolated from water and clinical samples. The medium is virtually a solidified form of Koser citrate medium which, in its original form, suffered from the disadvantage that false appearance of growth occurred when large inoculum were employed. The microorganisms utilize the citrate increases the pH of the medium and cause a change in colour of the medium from green to blue, thus differentiating themselves from other bacteria. The bacteria which do not utilize citrate remain the colour of the medium remains unchanged.



(A) Control
(B) *E. aerogenes*



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

For
Enquiry

INDEX

Dehydrated Culture Media (Including Veg.)	1-124
Dehydrated Culture Media (A to Z)	1-110
Chromogenic Dehydrated Culture Media	111-113
Dehydrated Culture Media (as per BIS)	114-115
Dehydrated Culture Media (as per ISO)	116-121
Harmonized Culture Media (Pharmaceuticals Testing) (as per USP/JP/EP/BP)	122-123
Sterile Dehydrated Culture Media (γ - irradiated)	123-124
Media Supplements	125-135
Biological Media Bases (Including Veg.)	136-138
Ready-To- Use-Media	139-156
Ready-To-Use Media Plates (90mm & 55mm)	139-145
Ready-To-Use Agar & Broth Media	145-148
Ready-To-Use Liquid Medium (Tubes)	148-150
Combo Sterility Kit	150
Ready-To-Use Liquid Medium (Tubes) (2 - 2.5ml)	150
Ready-To-Use Kits & Slants / Butts	151-152
Blood Culturing System (Ready-To-Use Broth Media)	152
Transport Swab with Medium	153
Viral Transport Swab Kit	154-155
Universal Transport Kit	155-156
Molecular Transport Kit	156
Antibiotic Sensitivity Discs	157-163
Antibiotic Sensitivity Discs - DODECA Discs	164-165
Differentiation Discs & Test Strips	166
Staining and Indicator Solution & Readymade Staining Kits	167
Analytical Reagent & Standard Solutions	168
Culture Strain	169-170

INDEX

Microbiological Lab Consumables	171-176
Anaerobic Box System, Anaerobic Jar System, Spreaders, Disposable Loops/Needle, Inoculating Metal Loop Holder & Nicrome Loops	171-172
Culture Vessels and Accessories (Petri Plates (γ -Irradiated & Non γ -Irradiated), Stainless Steel Petri Plate Carrier (γ -irradiated), Durham Tubes, McCartney Bottle, Disposable Sterile Bottle)	172-173
Environmental Monitoring Aid, Sampling Aid, HDM Filtration Funnel, Swabs, Cryo Product & Marker Pen	173-175
Filtration Funnel, Membrane Filtration Funnel, Manifold System	175
Autoclave Accessories (Disposable Autoclavable Bags)	176
Microbiological Lab Equipments	177-178
Infrared Sterilizer for Inoculation Loops	177
Microbial Air Monitoring Systems (Air Sampler) & Accessories	177-178
Biological Indicators & Chemical Indicators	179-180
Plant Tissue Culture Media	181-183
Plant Tissue Culture Media Ingredients	184-191
Pure Antibiotic Powder	192-194
Molecular Biology Grade Chemicals	195-198
Laboratory Chemicals (EP & AR GRADE)	199-244
pH Indicator Paper Strips / pH Buffer Capsules	244-245
Acids & Solvents	245
Food Grade Chemicals	246-247
Food Additives	248
Agro Products	249-250
Biotechnology & Fermentation Products	251-253
Pharmaceuticals, Healthcare & Nutraceutical Products	254
Veterinary & Animal Feed Ingredients	255

DEHYDRATED CULTURE MEDIA

Dehydrated Culture Medium is a combination of complex nutrient substrates formulated for the cultivation of microorganisms. The components of dehydrated culture medium, must satisfy the nutritional requirements like nitrogen, carbon and trace elements of microorganisms, in order to live and replicate.

CONSTITUENTS	SOURCE
Amino-Nitrogen	Peptone, Protein Hydrolysate, Infusions and Extracts
Energy Sources	Blood Serum, Yeast Extract or Vitamins, Nicotinamide Adenine Dinucleotide
Buffer Salts	Phosphates, Acetates and Citrates
Mineral Salts and Metal	Phosphate, Sulfate, Magnesium, Calcium, Iron
Selective Agents	Chemicals, Antimicrobials and Dyes
Indicator Dyes	Phenol Red, Neutral Red
Gelling Agents	Agar, Gelatine, Alginate, Silica Gel, Gellan Gum

FEATURES

Longer Hydration time
Optimum pH range
Absolute clarity in the medium
Gel strength of about 300-500 dynes/cm²
Perfect composition of ingredients

BENEFITS

Equally spread and longer life of colony size
Better colony characteristic and performance
Healthy environment for microorganisms to grow
Balanced solidification of agar for streaking and spreading
Healthier and full size colony

GENERAL INSTRUCTIONS FOR USERS

Dissolving of medium: Accurately weigh the appropriate amount of dehydrated medium. Add part of the required amount of distilled water / deionized water and swirl to dissolve. Now add remaining water from the sides of container with gentle heating to dissolve it completely. While performing it one should avoid overheating, scorching or burning.

pH adjustment: The pH value of the media shall produce the equivalent value at 25°C as mentioned on the label. For best results, prepare the medium with distilled or deionised water only. If old material is being used, it is recommended to check pH and correct if necessary before use. pH adjustment (if required) should be carried out with 0.1N Hydrochloric Acid or Sodium Hydroxide Solution.

Sterilization: Generally, sterilization is done at 121°C for 15 mins at 15 psi using autoclave. Volume larger than 2 ltr may require more autoclaving time to achieve proper sterilization. Colour of the media may vary from other brands but the growth of microorganisms will be same as desired.

Pressure-Temperature Relations in autoclave

(Figure based on complete replacement of air by steam)

PRESSURE (IN PSI)	TEMPERATURE	
5	109 °C	228°F
10	115 °C	240°F
15	121 °C	250°F
20	126 °C	259°F
25	130 °C	267°F
30	135 °C	275°F

Note: Efficiency of the autoclave should be ascertained from time to time using various biological or chemical indicators (Refer to page 123 - 124)

Adding Enrichment and Supplement: Enrichments and Supplements are heat sensitive. Cool the medium to 45-55°C and add enrichments or supplement to the basal medium. Mix the enrichments or supplements thoroughly.

Dispensing of the Media: Cool the agar based medium to 40-50°C and pour as desired.

For Plating : After autoclaving pour into Petri plates, place them in upright position to cool under laminar flow & immediately cover with lid.

For Broth : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Sterile broth may be cooled to room temperature or laminar flow as desired.

For Slant : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Remove from autoclave and keep in slanted position to solidify.

Storage of prepared medium: If the prepared media are not to be used within 24 hours then these should be stored at low temperature i.e. 2-8°C in moisture proof container. Do not refrigerate the medium. Petri plates should be kept in upright position. Also, it is recommended to use Paraffin and then to keep in plastic zip bags when stored at 2-8°C. Ensure it does not retain moisture.

TROUBLESHOOTING GUIDE									
PROBLEM	A	B	C	D	E	F	G	H	OTHER CAUSES
Abnormal Color of Medium	★	★	★						
Incorrect pH	★	★	★	★	★	★	★		Storage at high temperature hydrolysis of ingredients pH determined at wrong temperature.
Nontypical Precipitate	★	★	★	★	★	★			
Incomplete Solubility					★				Inadequate heating inadequate convection in a too small flask.
Darkening	★			★	★	★			
Toxicity		★	★						Burning and Scorching
Tract Substances		★							Airborne or environmental sources of vitamins.
Loss of Gelation Property				★	★	★		★	Hydrolysis of agar due to pH shift not boiling medium.
Loss of Nutritive Value or Selective or Differential Properties	★			★	★	★	★	★	Burning or scorching presence of strong electrolyte, suger solutions, deterdents, antiseptics, metallic poisons, protein, materials or other substances that may inhibit the inoculums.
Contamination									Improper sterilization poor technique in adding enrichments and pouring plates. Non boiling agar containing medium.

- A - Deteriorated Dehydrated Medium
 B - Improperly Washed Glassware
 C - Impure Water
 D - Incorrect Weighing
E - Incomplete Mixing
 F - Overheating
 G - Repeated Remelting
 H - Dilution by Too Large Inoculum

DISPOSAL OF MEDIA







All samples and cultures should be handled carefully and should not be discard without autoclaving. These should be discarded after autoclaving at 15 psi (121°C) for 20 minutes. Whereas, high number of pathogenic organisms can be disastrous to mankind, hence they must be disposed off safely under the approved strict guidelines of biological safety and regulations.










CHECK LIST




- ✓ Read instructions carefully given over the labels and note the best before date of each lot before use.
- ✓ Confirm the physical characteristics of Dehydrated Culture Media, it should be homogenous and free flowing.
- ✓ Since the Culture Media are highly hygroscopic, store them in cool (preferred below 25°C, unless and otherwise specified) and dry place. Protect it from direct sunlight and humid place.
- ✓ Ensure proper capping box after use.
- ✓ Efficiency of the autoclave should be ascertained from time to time using various physical measurements or Biological/Chemicals indicators.
- ✓ Avoid contaminated apparatus and glassware.
- ✓ The petri plates should be sterilized by keeping washed and dried plates in oven at 150°C for 2 hours.
- ✓ Never store the prepared media at 0°C.
- ✓ Bring the stored media to room temperature before use or as per instructions for use.






SAFETY MEASURES



- ✓ Take care while using hazardous chemicals and use methods which reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing. To avoid mishappening wear protective clothing and equipment's.
- ✓ Do not eat, drink or smoke while handling and using chemicals.
- ✓ Wash hands and exposed areas thoroughly and change contaminated clothings.
- ✓ Consult doctor immediately if affected by chemicals and use appropriate first aid.




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 001	A-1 MEDIUM for determination of faecal coliforms in water and foods by MPN technique	31.50	100 gm 500 gm	1415 5980
TM 1938	AATCC BACTERIOSTASIS AGAR  for the detection of antibacterial activity of fabrics	35.00	500 gm	4215
TM 1939	AATCC BACTERIOSTASIS BROTH (FDA BROTH)  for routine antibacterial testing of antiseptics and disinfectants	20.00	500 gm	3975
TM 002	AC AGAR for cultivation of various microorganisms especially for sterility testing	35.20	500 gm	4065
TM 003	AC BROTH for cultivation of aerobes and sterility testing of biological products without mercurial preservatives	34.20	500 gm	3815
TM 401	ACETAMIDE AGAR (DOUBLE PACK) (Part I) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples (Part II)	10.00 22.63	500 gm	4550
TM 1942	ACETAMIDE AGAR, MODIFIED (DOUBLE PACK)  for confirmation of <i>Pseudomonas aeruginosa</i> in water samples (Part I) (Part II)	3.00 21.73	500 gm	4550
TM 351	ACETAMIDE BROTH (DOUBLE PACK) (Part I) for confirmation of <i>Pseudomonas aeruginosa</i> in water samples (Part II)	10.00 7.63	100 gm 500 gm	940 4005
TM 1943	ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018)  for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i> (Part I) (Part II)	2.00 1.40	100 gm 500 gm	905 3910
TM 1128	ACETAMIDE NUTRIENT BROTH (DOUBLE PACK) (Part I) for the detection of microbial utilization of acetamide (Part II)	0.56 2.00	100 gm 500 gm	910 4005
TM 1324	ACETATE AGAR * for the isolation and cultivation of <i>Leuconostoc</i> and <i>Pediococcus</i> species	61.90	500 gm	4380
TM 006	ACETATE DIFFERENTIAL AGAR for the differentiation of <i>Shigella</i> species from <i>E.coli</i> and non fermentative gram-negative bacilli	29.18	500 gm	3995
TM 1944	ACETATE DIFFERENTIAL AGAR, MODIFIED  for the differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> in accordance with FDA BAM	29.28	500 gm	4400
TM 1129	ACETOBACTER AGAR (GLUCOSE) for maintenance of dextrose positive <i>Acetobacter</i> species	38.00	500 gm	4040
TM 1911	ACETOBACTER BROTH (GLUCOSE) For glucose positive <i>Acetobacter</i> species	23.00	500 gm	3960
TM 1130	ACETOBACTER AGAR (MANNITOL) for maintenance of mannitol positive <i>Acetobacter</i> species	48.00	500 gm	4040
TM 1912	ACETOBACTER BROTH (MANNITOL) For mannitol positive <i>Acetobacter</i> species.	33.00	500 gm	3960
TM 1131	ACETOBACTER AGAR W/LIVER EXTRACT for maintenance of dextrose positive <i>Acetobacter</i> species	57.00	500 gm	3850
TM 1945	ACID AGAR  for cultivation of acid tolerant microorganisms from canned food	27.50	500 gm	3735
TM 1946	ACTIDIONE AGAR W/ACTIDIONE® *  for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds	75.26	500 gm	12150
TM 1947	ACTIDIONE AGAR BASE W/O ACTIDIONE®  for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds	75.25	500 gm	4345
TM 1133	ACTINOMYCES AGAR for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	77.22	500 gm	3825
TM 1134	ACTINOMYCES BROTH for cultivation and maintenance of anaerobic <i>Actinomyces</i> species	57.22	500 gm	3595



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 007	ACTINOMYCETE ISOLATION AGAR for isolation and propagation of Actinomycetes from soil and water	21.70	500 gm	4010
TM 1948	ADAMS AGAR  for examination of sporulation in yeasts.	22.70	500 gm	4100
TM 1136	AEROMONAS ISOLATION MEDIUM BASE for selective & differential isolation of <i>Aeromonas hydrophila</i> from clinical & environmental samples	56.30	500 gm	5580
TS 099	AEROMONAS SELECTIVE SUPPLEMENT *	#18 vl	5 vl	985
TM 1949	AEROMONAS SELECTIVE AGAR (BSIBG AGAR)  for the selective isolation of <i>Aeromonas</i> species from food.	45.48	500 gm	4835
TM 1137	AEROMONAS STARCH DNA AGAR BASE for selective isolation and enumeration of <i>Aeromonas</i> species from food and clinical samples	52.00	500 gm	4255
TS 097	AMPICILLIN SUPPLEMENT *	#10 vl	5 vl	1215
TM 1482	AEROMONAS PSEUDO SELECTIVE AGAR for detecting <i>Pseudomonas</i> and <i>Aeromonas</i> species in foodstuffs and waste water	44.86	500 gm	4610
TM 1950	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH CHLORAMPHENICOL) (as per EP/BP)  for selective cultivation of yeasts and moulds	61.41	500 gm	4325
TM 1951	AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS) (as per EP/BP)  for selective cultivation of yeasts and moulds	61.36	500 gm	4565
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl	945
TM 1952	AGAR MEDIUM F (CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE) (as per EP/BP)  for detection and enumeration of Enterobacteria	50.12	500 gm	3610
TM 977	AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.01	100 gm 500 gm	640 2695
TM 977	AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.01	100 gm 500 gm	640 2695
TM 1953	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per EP)  for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm	780 3300
TM 1954	AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per BP)  for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods, dairy products	57.58	100 gm 500 gm	780 3300
TM 1955	AGAR MEDIUM M (TRIPLE SUGAR, IRON AGAR) (as per BP/EP)  for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm	855 3650
TM 636	AGAR MEDIUM O (BAIRD PARKER AGAR BASE) (as per USP/EP/BP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1025 4135
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl	575 2050
TM 1956	AGAR MEDIUM S (R-2 A AGAR) (as per EP/BP)  for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm	4210
TM 1326	AK AGAR NO. 2 (SPORULATING AGAR) (ARRET AND KIRSHBAUM MEDIUM) for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of Penicillin and other antibiotics	30.80	500 gm	4305
TM 1340	AKI MEDIUM for identification of <i>Vibrio</i> species in accordance with FDA	24.00	500 gm	3850
TM 1889	ALEKSANDROW AGAR for isolation and detection of potassium solubilizing bacteria from soil sample	29.60	500 gm	3935
TM 1890	ALEKSANDROW BROTH for enrichment of potassium solubilizing bacteria from soil samples	9.60	500 gm	3570





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1443	ALOA LISTERIA AGAR BASE (L. MONO DIFFERENTIAL AGAR BASE) for selective and differential isolation of <i>Listeria monocytogenes</i>	72.00	100 gm 500 gm	1815 7280
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#14 vl	5 vl	1010
TS 228	L.MONO SELECTIVE SUPPLEMENT II *	#14 vl	5 vl	1235
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#14 vl	5 vl	3590
TM 647	ALGAE CULTURE AGAR for isolation and cultivation of algae from soil and water	16.87	500 gm	4060
TM 648	ALGAE CULTURE BROTH for isolation and cultivation of algae from soil and water	1.87	100 gm 500 gm	885 3920
TM 008	ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007) for detection and enrichment of <i>Vibrio</i> species.	50.00	500 gm	2950
TM 352	ALKALINE PEPTONE WATER (pH 8.4) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm	730 3290
TMV 352	ALKALINE PEPTONE WATER (pH 8.4) (VEG.) for enrichment of <i>Vibrio</i> species	20.00	100 gm 500 gm	730 3015
TM 649	ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio</i> species.	15.00	100 gm 500 gm	730 2985
TM 1878	ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007) for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm	740 3050
TM 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TMV 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.) for sterility testing of turbid or viscous biological products	28.50	100 gm 500 gm	360 1440
TM 302	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TMV 302	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) (VEG.) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TM 1957	ALTERNATIVE THIOGLYCOLLATE MEDIUM, STERILE POWDER  for evaluation of sterility in manufacturing process	29.00	500 gm	3850
TM 456	AMIES TRANSPORT MEDIUM W/O. CHARCOAL for transportation and preservation of bacteriological samples	10.00	100 gm 500 gm	855 3450
TM 009	AMIES TRANSPORT MEDIUM W/ CHARCOAL for transportation and preservation of bacteriological samples	19.75	100 gm 500 gm	855 3450
TM 556	AMMONIUM PHOSPHATE AGAR for detection of the ability of microorganisms to utilize ammonium phosphate as nitrogen source	26.50	500 gm	3660
TM 1958	AMPICILLIN DEXTRIN AGAR BASE  for differential and selective isolation of <i>Aeromonas</i> species from water samples	37.38	500 gm	4565
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#14 vl	5 vl	1095
TM 1959	AMPICILLIN DEXTRIN BROTH BASE  for differential and selective isolation of <i>Aeromonas</i> species from water samples	22.38	500 gm	4245
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT	#22 vl	5 vl	1095
TM 010	ANAEROBIC AGAR for cultivation of anaerobic bacteria especially <i>Clostridium</i> species	58.00	100 gm 500 gm	995 4035
TM 011	ANAEROBIC AGAR (BREWER) for isolation and sensitivity testing of anaerobic and microaerophilic organisms	53.00	500 gm	4035
TM 1497	ANAEROBIC BASAL AGAR for cultivation of anaerobic microorganisms, like <i>Bacteroides</i> and other fastidious anaerobes	46.00	500 gm	5250
TM 1498	ANAEROBIC BASAL BROTH for cultivation of anaerobic microorganisms like <i>Bacteroides</i> and other fastidious anaerobes	35.40	500 gm	4765







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 927	ANAEROBIC BLOOD AGAR BASE for isolation and cultivation of Group A and B Streptococci from clinical samples	40.00	500 gm	4035
TS 095	NEOMYCIN SUPPLEMENT *	#13 v1	5 v1	1095
TM 1960	ANAEROBIC BLOOD AGAR BASE  for cultivation of anaerobic microorganisms, including very fastidious organisms from clinical specimens	44.00	500 gm	4315
TS 266	VITAMIN K1 SUPPLEMENT *	#12 v1	5 v1	950
TM 1961	ANAEROBIC CNA AGAR BASE  for selective isolation of anaerobic Streptococci	44.14	100 gm	7770
TM 1962	ANAEROBIC EGG AGAR BASE  Anaerobic Egg Agar Base supplemented with egg yolk emulsion is recommended for detection of <i>Clostridium perfringens</i> in foods	55.00	500 gm	5080
TS 002	EGG YOLK EMULSION (100 ml/v1) *	#15 v1	5 v1	1875
TM 651	ANAEROBIC FERMENTATION MEDIUM BASE for detection of fermentation reactions of anaerobic microorganisms	40.00	500 gm	3960
TM 1499	ANAEROBIC THIOGLYCOLLATE MEDIUM BASE for cultivation of anaerobes	40.50	500 gm	3390
TM 557	ANAEROBIC TRYPTONE SOYA AGAR for screening anaerobes in cosmetic products like talcum powder	50.41	500 gm	4145
TM 1859	ANDRADE 0.5% LACTOSE PEPTONE WATER for determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	15.01	100 gm 500 gm	705 3005
TM 1797	ANDRADE LACTOSE PEPTONE WATER to study fermentation reactions of members of the Enterobacteriaceae	25.01	500 gm	3005
TM 012	ANDRADE PEPTONE WATER a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	707 3005
TMV 012	ANDRADE PEPTONE WATER (VEG.) a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	735 3005
TM 936	ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005) A basal medium to study fermentation reactions by adding carbohydrates.	15.10	100 gm 500 gm	705 3040
TM 652	ANDRADE PEPTONE WATER W/ MEAT EXTRACT a basal medium to study fermentation reactions of members of the Enterobacteriaceae	18.10	500 gm	3430
TM 1963	ANDRADE PEPTONE WATER, MODIFIED  for carbohydrate fermentation studies of particularly Enterobacteriaceae members in accordance with FDA BAM, 1998.	23.02	500 gm	4035
TM 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm	880 3535
TMV 390	ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) (VEG.) for microbiological assay of β -lactam and other antibiotics	30.50	100 gm 500 gm	925 3715
TM 1729	ANTIBIOTIC ASSAY MEDIUM NO.1 (as per USP) for microbiological assay of β -lactam & other antibiotics	30.50	100 gm 500 gm	945 3795
TM 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) for microbiological assay of antibiotics	25.50	500 gm	4015
TMV 359	ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) (VEG.) for microbiological assay of antibiotics	25.50	500 gm	4210
TM 1731	ANTIBIOTIC ASSAY MEDIUM NO.2 (as per USP) for microbiological assay of antibiotics	25.50	500 gm	4320
TM 1732	ANTIBIOTIC ASSAY MEDIUM B (as per IP) for microbiological assay of antibiotics	25.50	500 gm	4320
TM 1964	ANTIBIOTIC ASSAY MEDIUM B (as per BP)  for the microbiological assay of Colistimethate sodium sulphate using <i>Bordetella bronchiseptica</i> and <i>Escherichia coli</i>	44.77	500 gm	4600

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) for microbiological assay of antibiotics	17.50	100 gm 500 gm	755 3350
TMV 015	ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) (VEG.) for microbiological assay of antibiotics	17.50	100 gm 500 gm	795 3505
TM 1734	ANTIBIOTIC ASSAY MEDIUM NO. 3 (as per USP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	820 3635
TM 1735	ANTIBIOTIC ASSAY MEDIUM C (as per IP) for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	820 3635
TM 1965	ANTIBIOTIC ASSAY MEDIUM C (as per BP)  NEW for turbidimetric assay of a wide variety of antibiotics	19.90	500 gm	4580
TM 427	ANTIBIOTIC ASSAY MEDIUM NO. 4 (YEAST MEAT AGAR) for detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm	4275
TMV 427	ANTIBIOTIC ASSAY MEDIUM NO.4 (VEG.) detection of Penicillin-G in milk using <i>Bacillus stearothermophilus</i>	26.50	500 gm	4480
TM 1737	ANTIBIOTIC ASSAY MEDIUM NO. 4 (as per USP) for detection of Penicillin in milk and for microbiological assay of different antibiotics	26.50	500 gm	4340
TM 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT) (as per IP/ USP) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	4195
TMV 017	ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR) (VEG.) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	4410
TM 1967	ANTIBIOTIC ASSAY MEDIUM E  NEW used in the microbiological assay of Neomycin sulphate and Framycetin sulphate using <i>Bacillus subtilis</i> and <i>Bacillus pumilus</i>	28.67	500 gm	4200
TM 1740	ANTIBIOTIC ASSAY MEDIUM E (as per IP) for microbiological assay of Framycetin and Kanamycin using <i>Bacillus subtilis</i>	25.50	500 gm	4315
TM 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm	3720
TMV 018	ANTIBIOTIC ASSAY MEDIUM NO. 6 (VEG.) for induction of spore production in <i>Bacillus subtilis</i> strains used in antibiotic assay	30.00	500 gm	3905
TM 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	3830
TMV 019	ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) (VEG.) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4025
TM 1743	ANTIBIOTIC ASSAY MEDIUM NO. 8 (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4125
TM 1968	ANTIBIOTIC ASSAY MEDIUM F  NEW for microbiological assay of Amphoterin B and Nystatin using <i>Saccharomyces cerevisiae</i> and <i>Candida tropicalis</i>	60.00	500 gm	4370
TM 1744	ANTIBIOTIC ASSAY MEDIUM F (as per IP) for microbiological assay of Tetracycline & Oxytetracyline	25.50	500 gm	4125
TM 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) for assaying the products containing Polymyxin-B	50.00	500 gm	4000
TMV 020	ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR) (VEG.) for assaying the products containing Polymyxin-B	50.00	500 gm	4195
TM 1746	ANTIBIOTIC ASSAY MEDIUM NO. 9 (as per USP) for microbiological plate assay of Carbenicillin, Colistimethate sodium and Polymyxin-B	50.00	500 gm	4315







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (Part I) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium (Part II)	42.00 Polysorbate 80	500 gm	4000
TMV 021	ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (VEG.) (Part I) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate sodium (Part II)	42.00 Polysorbate 80	500 gm	4195
TM 1748	ANTIBIOTIC ASSAY MEDIUM NO. 10 (as per USP) (Part I) for antibiotic assay of Carbenicillin, Colistimethate sodium and Polymyxin-B (Part II)	42.00 Polysorbate 80	500 gm	4315
TM 1970	ANTIBIOTIC ASSAY MEDIUM H  NEW for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i>	18.00	500 gm	4360
TM 1749	ANTIBIOTIC ASSAY MEDIUM H (as per IP) (Part I) for microbiological plate assay of Carbenicillin and Polymyxin-B (Part II)	42.00 Polysorbate 80	500 gm	4315
TM 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) for microbiological assay of antibiotics	30.50	100 gm 500 gm	795 3585
TMV 022	ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (VEG.) for microbiological assay of antibiotics	30.50	100 gm 500 gm	930 3795
TM 1751	ANTIBIOTIC ASSAY MEDIUM NO. 11 (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	930 3795
TM 1966	ANTIBIOTIC ASSAY MEDIUM D  NEW for the microbiological assay of Erythromycin estolate using <i>Klebsiella pneumoniae</i>	19.40	100 gm	4185
TM 653	ANTIBIOTIC ASSAY MEDIUM D (as per IP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	930 3795
TM 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>	62.50	500 gm	4195
TMV 023	ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) (VEG.) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>	62.50	500 gm	4410
TM 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>	30.00	500 gm	3880
TMV 024	ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) (VEG.) for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>	30.00	500 gm	4070
TM 1753	ANTIBIOTIC ASSAY MEDIUM NO. 13 (as per USP) for turbidimetric microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i> and to study the effectiveness of antibiotics on yeasts and molds	30.00	500 gm	4070
TM 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>	60.00	500 gm	3925
TMV 025	ANTIBIOTIC ASSAY MEDIUM NO. 19 (VEG.) for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>	60.00	500 gm	4125
TM 1755	ANTIBIOTIC ASSAY MEDIUM NO. 19 (as per USP) for microbiological assay of Amphotericin B, Netamycin & Nystatin using <i>Saccharomyces cerevisiae</i>	60.00	500 gm	4070
TM 1969	ANTIBIOTIC ASSAY MEDIUM G  NEW for the microbiological assay of Bleomycin sulphate using <i>Mycobacterium smegmatis</i>	38.00	500 gm	4360
TM 1757	ANTIBIOTIC ASSAY MEDIUM G (as per IP) for microbiological assay of Amphotericin B, and Netamycin using <i>Saccharomyces cerevisiae</i>	60.00	500 gm	4070
TM 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm	3995
TMV 026	ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) (VEG.) for microbiological assay of Amphotericin B using <i>Candida tropicalis</i>	42.50	500 gm	4190





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm	3925
TMV 654	ANTIBIOTIC ASSAY MEDIUM NO. 32 (VEG.) for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of <i>Bacillus subtilis</i> ATCC 6633	30.80	500 gm	4125
TM 1760	ANTIBIOTIC ASSAY MEDIUM NO. 32 (as per USP) for assay of dihydrostreptomycin and Vancomycin by plate assay method by preparing inoculum of <i>Bacillus subtilis</i>	30.80	500 gm	4070
TM 655	ANTIBIOTIC ASSAY MEDIUM NO. 34 for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm	3720
TM 1761	ANTIBIOTIC ASSAY MEDIUM NO. 34 (as per USP) for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	23.00	500 gm	4070
TM 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm	3925
TMV 656	ANTIBIOTIC ASSAY MEDIUM NO. 35 (VEG.) for microbiological assay of Bleomycin using <i>Mycobacterium smegmatis</i>	40.00	500 gm	4125
TM 1763	ANTIBIOTIC ASSAY MEDIUM NO. 35 (as per USP) for microbiological assay of Bleomycin by using <i>Mycobacterium smegmatis</i>	40.00	500 gm	4070
TM 1971	ANTIBIOTIC ASSAY MEDIUM I  for the microbiological turbidimetric assay of Apramycin using <i>Salmonella choleraesuis</i>	18.00	500 gm	4490
TM 1974	ANTIBIOTIC ASSAY MEDIUM NO. 36  a general purpose medium for cultivation of a wide variety of fastidious microorganisms	40.00	100gm 500 gm	800 3260
TM 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	760 3125
TMV 345	ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP) (VEG.) for isolation of various fastidious microorganisms with or without added blood	40.00	100 gm 500 gm	795 3205
TM 1767	ANTIBIOTIC ASSAY MEDIUM J (as per IP) for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	795 3330
TMV 1767	ANTIBIOTIC ASSAY MEDIUM J (as per IP) (VEG.) for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	795 3330
TM 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	350 1570
TMV 332	ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	395 1600
TM 1476	ANTIBIOTIC ASSAY MEDIUM NO. 37 (as per USP) for sterility testing of molds and cultivation of various microorganisms	30.00	100 gm 500 gm	395 1630
TM 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	3925
TMV 658	ANTIBIOTIC ASSAY MEDIUM NO. 38 (VEG.) for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	4125
TM 1770	ANTIBIOTIC ASSAY MEDIUM NO. 38 (as per USP) for microbiological assay of Ticarcillin using <i>Pseudomonas aeruginosa</i>	45.40	500 gm	4070
TM 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 for microbiological assay of Neomycin and Streptomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	3720
TMV 659	ANTIBIOTIC ASSAY MEDIUM NO. 39 (VEG.) for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	3905
TM 1772	ANTIBIOTIC ASSAY MEDIUM NO. 39 (as per USP) for microbiological assay of Neomycin using <i>Klebsiella pneumoniae</i>	17.50	500 gm	4070





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> (<i>Enterococcus faecium</i>)	47.10	500 gm	3925
TMV 660	ANTIBIOTIC ASSAY MEDIUM NO. 40 (VEG.) for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm	4125
TM 1774	ANTIBIOTIC ASSAY MEDIUM NO. 40 (as per USP) for microbiological assay of Thiostrepton using <i>Streptococcus faecium</i>	47.10	500 gm	4070
TM 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	3720
TMV 661	ANTIBIOTIC ASSAY MEDIUM NO. 41 (VEG.) for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	3905
TM 1776	ANTIBIOTIC ASSAY MEDIUM NO. 41 (as per USP) for the microbiological assay of Thiostrepton using <i>Streptococcus faecium</i> as the test organism	46.00	500 gm	4070
TM 1972	ANTIBIOTIC ASSAY MEDIUM L - AOAC  for microbiological assay of Monensin using <i>Bacillus subtilis</i>	28.64	500 gm	4360
TM 1973	ANTIBIOTIC ASSAY MEDIUM M - AOAC  for microbiological assay of Lasalocid using <i>Bacillus subtilis</i>	33.64	500 gm	4360
TM 1460	ANTIBIOTIC SULPHONAMIDE SENSITIVITY TEST AGAR (ASS AGAR) for testing antimicrobial activity of antibiotics and sulphonamides and also for detecting the presence of antimicrobial substances	40.04	500 gm	4050
TM 027	ANTIFUNGAL ASSAY AGAR for assay of antifungal activity in pharmaceutical and other products by cylinder plate/disc method	75.76	500 gm	3970
TM 1975	ANTIMICROBIAL INHIBITOR TEST AGAR pH 6.0  for residual analysis of antimicrobial components in meat and organ samples, using <i>Bacillus subtilis</i>	25.00	500 gm	5490
TM 1976	ANTIMYCOTIC SENSITIVITY TEST AGAR  for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs	85.00	500 gm	4710
TM 1329	APRY AGAR BASE for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	107.50	500 gm	3870
TS 137	POTASSIUM SORBATE 10% (10ml/vl)	#5 vl	5 vl	1000
TM 1330	APRY BROTH BASE for detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bacillii</i> and <i>Zygosaccharomyces rouxii</i> in food products	82.55	500 gm	3625
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl	945
TM 1323	APT AGAR for cultivation of hetero-fermentative Lactobacilli and other organisms by extra thiamine content	61.20	500 gm	4060
TM 1462	APT BROTH for cultivation of hetero-fermentative Lactic acid bacteria by extra thiamine content	46.20	500 gm	3815
TM 1470	ARABINOSE AGAR BASE for differentiation between <i>Enterococcus faecium</i> & <i>Streptococcus faecalis</i>	54.10	500 gm	4345
TS 168	ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl	1735
TM 1140	ARGININE DIHYDROLASE BROTH for detection of Arginine dihydrolase producing microorganisms	19.3	500 gm	4190
TM 1505	L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006) for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	9.01	500 gm	4190





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1141	ASCOSPORE AGAR for detection of ascosporegenous yeasts	43.50	500 gm	3975
TM 1977	ASEPTIC PACKING LINE MEDIUM  a fluid medium used in validating aseptic packing lines	17.50	500 gm	4105
TM 662	ASHBY'S GLUCOSE AGAR for cultivation of <i>Azotobacter</i> species by using glucose as carbon source	40.70	500 gm	4155
TM 663	ASHBY'S MANNITOL AGAR for isolation of <i>Azotobacter</i> species from soil	40.70	500 gm	4155
TM 1978	ASHBY'S SUCROSE AGAR  for growth and maintenance of <i>Azotobacter</i> species from soil samples	40.70	500 gm	3745
TM 1979	ASHBY'S SUCROSE BROTH  for growth and maintenance of <i>Azotobacter</i> species	25.07	500 gm	3435
TM 1980	ASPARAGINE BROTH FOR PSEUDOMONAS  for presumptive identification and enumeration of <i>Pseudomonas aeruginosa</i> by MPN method	04.24	100 gm 500 gm	1330 5340
TM 1331	ASLA AGAR BASE for selective isolation and cultivation of <i>Propionibacterium</i> species	16.19	500 gm	4050
TS 139	PROPIONIBACTERIA GROWTH SUPPLEMENT	#62 vI	5 vI	865
TM 664	ASPARAGINE BROTH * for identification and enumeration of <i>Pseudomonas aeruginosa</i>	28.00	100 gm 500 gm	1250 4990
TM 665	ASPARAGINE GELATIN LACTATE MEDIUM BASE for isolation of sulphur bacteria	152.00	100 gm	3115
TM 599	ASPARAGINE NITRATE MEDIUM for cultivation and isolation of denitrifying bacteria from soil	27.70	100 gm	3115
TM 666	ASPARAGINE PROLINE BROTH for cultivation of <i>Pseudomonas aeruginosa</i> from water by membrane filter technique	14.50	100 gm 500 gm	1250 4990
TMV 666	ASPARAGINE PROLINE BROTH (VEG.) for cultivation of <i>Pseudomonas aeruginosa</i> from water by membrane filter technique	14.50	100 gm 500 gm	1250 4990
TM 667	ASPERGILLUS DIFFERENTIATION MEDIUM BASE detection of aflatoxin producing <i>Aspergillus</i> species from foods	45.50	500 gm	4460
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#22 vI	5 vI 25 vI	905 2745
TM 1941	ATCC 2039 BROTH (DOUBLE PACK)  for maintenance of cultures of Streptococci and other microorganisms	22.05	500 gm	5070
TM 431	AYERS AND JOHNSON AGAR (STOCK CULTURE AGAR) for maintenance of cultures of Streptococci and other microorganisms	50.00	500 gm	4020
TM 028	AZIDE BLOOD AGAR BASE for selective isolation and cultivation of Staphylococci & Streptococci from mixed bacterial flora	33.20	500 gm	3865
TM 412	AZIDE DEXTROSE BROTH for detection of faecal Streptococci in water, sewage, food and other materials	34.70	500 gm	3680
TM 029	AZIDE DEXTROSE BROTH W/ BCP for cultivation of faecal Streptococci in water	34.70	500 gm	4145
TM 638	AZOSPIRILLUM MEDIUM W/ 0.17% AGAR (DOUBLE PACK) for cultivation of <i>Azospirillum</i> species	(Part I) 8.08 (Part II) 4.00	100 gm 500 gm	1060 4245
TM 1981	AZOSPIRILLUM MEDIUM W/O AGAR (DOUBLE PACK)  for cultivation of <i>Azospirillum</i> species.	(Part I) 6.33 (Part II) 4.00	500 gm	4540








CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1982	AZOTOBACTER AGAR (GLUCOSE)  for isolation and cultivation of Glucose positive <i>Azotobacter</i> species from soil	31.40	500 gm	3505
TM 353	AZOTOBACTER AGAR (DEXTROSE) for isolation and cultivation of dextrose positive <i>Azotobacter</i> species from soil	31.40	500 gm	3505
TM 1648	AZOTOBACTER BROTH (DEXTROSE) for enrichment & cultivation of <i>Azotobacter</i> species from soil	16.40	500 gm	3970
TM 354	AZOTOBACTER AGAR (MANNITOL) for isolation, cultivation and identification of mannitol positive <i>Azotobacter</i> species from soil	41.40	500 gm	4000
TM 1983	AZOTOBACTER BROTH (MANNITOL)  for cultivation of mannitol positive <i>Azotobacter</i> species from soil.	26.40	500 gm	4200
TM 1649	AZOTOBACTER MEDIUM (MANNITOL) for isolation, cultivation and enrichment of <i>Azotobacter</i> species	31.20	500 gm	3925
TM 1877	AZOTOBACTER AGAR (SUCROSE) for isolation, cultivation and identification of sucrose positive <i>Azotobacter</i> species from soil.	36.37	500 gm	4200
TM 1865	B12 ASSAY AGAR (using <i>E.coli</i> mutant Culture) * for microbiological assay of Vitamin B12 by plate method using <i>E.coli</i> mutant as test organism	51.50	100 gm	3920
TM 1866	B12 ASSAY AGAR (using <i>L.leichmannii</i>) * for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i> as test organism	84.50	100 gm	2935
TM 1985	B12 ASSAY MEDIUM (using <i>L.leichmannii</i>) *  for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	84.53	100 gm	3195
TM 1986	B12 ASSAY MEDIUM *  for microbiological assay of Vitamin B12 by using <i>Lactobacillus leichmannii</i>	79.36	100 gm	3110
TM 1879	B12 CULTURE AGAR (E.coli Maintenance Medium) (E. coli Mutant Culture Agar) for propagation, cultivation and maintenance of <i>E. coli</i> mutant used in microbiological assay of Vitamin B12	37.85	100 gm	1900
TM 1880	B12 CULTURE AGAR (L.leichmannii Maintenance Medium) for propagation, cultivation and maintenance of <i>L.leichmannii</i> ATCC 7830	42.10	100 gm	1545
TM 030	B.A.G.G BROTH BASE (BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE) for detection of faecal Streptococci from various clinical and non-clinical samples	36.00	500 gm	3795
TM 1984	B.C.P. - D.C.L.S. Agar  for the selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	67.52	500 gm	4435
TM 2442	BAT AGAR (ALICYCLOBACILLUS AGAR)  for the isolation of <i>Alicyclobacillus</i> species in fruit juices	28.95	500 gm	4950
TM 938	B.C. MOTILITY TEST MEDIUM (BC MOTILITY MEDIUM) for motility testing of <i>Bacillus cereus</i>	23.00	500 gm	3625
TM 035	B.C.G. DEXTROSE AGAR (SNYDER TEST AGAR) for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm	3880
TM 1987	B.D.G - BROTH HAJNA  for the detection of enteric bacilli from food and in treated drinking water	35.60	500 gm	3950
TM 033	BG SULPHA AGAR (BRILLIANT GREEN SULPHA AGAR) for isolation and detection of <i>Salmonella</i> species from food	59.00	100 gm 500 gm	920 4185
TM 1988	BHI CC AGAR (BRAIN HEART CC AGAR) *  for selective isolation and cultivation of fastidious pathogenic fungi from specimens heavily contaminated with bacteria	52.50	100 gm	9720
TM 1989	BHI AGAR (BRAIN HEART INFUSION AGAR) (SPECIAL INFUSION AGAR)  for the cultivation of fastidious pathogenic bacteria, yeasts and moulds from clinical and non clinical samples	52.00	100 gm 500 gm	720 3290
TM 1990	BHI AGAR MODIFIED (BRAIN HEART INFUSION AGAR, MODIFIED)  for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm	3865
TM 1991	BHI AGAR (BRAIN HEART INFUSION AGAR WITH 1% AGAR)  for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm	3865






CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1992	BHI W/ 0.1% AGAR (BRAIN HEART INFUSION W/ 0.1% AGAR)  for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm	3985
TM 1993	BHI W/ 6.5% NaCl (BRAIN HEART INFUSION BROTH WITH 6.5 % NaCl)  for the selective cultivation of salt tolerant microorganisms	97.00	500 gm	3730
TM 1994	BHI AGAR W/ 3.0% AGAR (BRAIN HEART INFUSION AGAR WITH 3.0% AGAR)  for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm	4565
TM 1995	BHI W/ PABA(BRAIN HEART INFUSION W/ PABA)  for examination of blood from patients under Sulphonamide therapy	37.05	500 gm	4300
TM 1996	BHI AGAR W/ PABA (BRAIN HEART INFUSION W/ PABA AND AGAR)  for culturing blood from patients under Sulphonamide therapy	38.05	500 gm	4380
TM 668	B.T.B. LACTOSE AGAR for isolation of pathogenic Staphylococci	33.17	100 gm 500 gm	1035 4145
TM 669	B.T.B. LACTOSE AGAR, MODIFIED for differentiating lactose positive and lactose negative colonies of Enterobacteriaceae	40.54	500 gm	4145
TM 045	BPL AGAR (BRILLIANT GREEN PHENOL RED LACTOSE AGAR) for isolation and identification of Salmonellae except <i>Salmonella Typhi</i> in faeces, urine and milk	40.04	500 gm	3850
TM 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	2615
TMV 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ VEG. EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	2830
TM 1998	BYE AGAR  for the cultivation of <i>Mycoplasma</i> or Pleuropneumonia like organisms and L-forms of bacteria	52.00	500 gm	3940
TM 1120	BACILLUS CEREUS AGAR BASE selective isolation and enumeration of <i>Bacillus cereus</i>	41.00	100 gm 500 gm	875 3935
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#25 vl	5 vl 25 vl	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl	1875
TM 1881	BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004) selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm	5430
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	1875
TM 941	BACILLUS DIFFERENTIATION AGAR for differentiation of <i>Bacillus cereus</i> and <i>Bacillus subtilis</i> based on mannitol fermentation	22.00	500 gm	4610
TM 942	BACILLUS MEDIUM (DOUBLE PACK) for cultivation of <i>Bacillus licheniformis</i>	(Part I) 7.50 (Part II) 20.00	100 gm 500 gm	705 3075
TM 1144	BACTEROIDES BILE ESCULIN AGAR BASE (BBE AGAR BASE) for selective isolation, identification and cultivation of <i>Bacteroides fragilis</i> group	61.51	500 gm	10735
TS 100	BACTEROIDES SELECTIVE SUPPLEMENT *	#17 vl	5 vl	905
TM 358	BAIRD PARKER AGAR BASE for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm	840 3790
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#4 vl	5 vl	1875
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	620
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	915
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	4665 15850


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 358	BAIRD PARKER AGAR BASE (VEG.) for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm	1015 4155
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#4 vl	5 vl	1875
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	620
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	915
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	4665 15850
TM 1999	BAIRD PARKER AGAR BASE (FPT)  NEW for the isolation and enumeration of coagulase positive Staphylococci from food and other materials	63.00	100 gm 500 gm	895 4055
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	4665 15850
TM 1579	BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999) for isolation & enumeration of coagulase positive Staphylococci from foods & pharma products	56.00	500 gm	4280
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#10 vl	5 vl	1950
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	4665 15850
TM 635	BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005.) for isolation and enumeration of coagulase positive Staphylococci from food and other products.	65.00	100 gm 500 gm	1020 4185
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#4 vl	5 vl	1875
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	620
TM 636	BAIRD PARKER AGAR BASE (AGAR MEDIUM O) (as per USP/EP) for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1025 4135
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl	575 2050
TMH 119	BAIRD PARKER AGAR BASE (as per EP/IP/BP)  NEW for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1085 4475
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl	575 2050
TM 2000	BAIRD PARKER AGAR W/O EGG YOLK EMULSION  NEW recommended for direct enumeration of coagulase positive Staphylococci	47.73	100 gm 500 gm	1090 4385
TM 943	BAIRD PARKER AGAR BASE W/ SULPHA for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	500 gm	5065
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	1950
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	1875
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	620
TM 670	BAIRD STAPHYLOCOCCUS ENRICHMENT BROTH BASE for selective enrichment of pathogenic Staphylococci	43.00	500 gm	4660
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#12 vl	5 vl 25 vl	575 2050
TM 032	BALANCED SENSITIVITY TEST MEDIUM for antimicrobial susceptibility testing by agar diffusion	65.02	500 gm	4420
TM 2001	BASAL MINERAL MEDIUM  NEW for cultivation of <i>Beggiatoa</i> species	01.53	500 gm	4785
TM 359	BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 2) (as per IP) for microbiological assay of antibiotics	25.50	500 gm	4015
TM 019	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	3830
TM 1743	BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) (as per USP) for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4125





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2002	BEER SPOILAGE ISOLATION BROTH  for recommended as a selective medium for the detection of contaminating/spoilage microorganisms	109.08	100 gm	1975
TM 2003	BEER SPOILAGE ISOLATION AGAR  for selective medium recommended for the detection of contaminating/spoilage microorganisms	69.90	100 gm	2140
TM 2004	BENNET'S AGAR  for the sporulation and cultivation of <i>Nocardia</i> and <i>Streptomyces</i> species	29.00	500 gm	4790
TM 1997	BENNET'S BROTH  for the cultivation and maintenance of species of <i>Nocardia</i> , <i>Streptomyces</i> and <i>Micromonospora</i>	14.00	500 gm	4575
TM 671	B. MEAT EXTRACT AGAR general purpose medium	33.00	100 gm 500 gm	920 3790
TM 672	B. MEAT EXTRACT BROTH general purpose medium	18.00	500 gm	3735
TM 1891	BIFIDOBACTERIUM AGAR for the cultivation and maintenance of <i>Bifidobacterium</i> species	49.30	500 gm	4750
TM 1892	BIFIDOBACTERIUM BROTH for the cultivation of <i>Bifidobacterium</i> species	78.65	500 gm	4660
TM 238	Bi.G.G.Y AGAR (NICKERSON MEDIUM) for detection, selective isolation, differentiation & presumptive identification of <i>Candida tropicalis</i>	45.00	500 gm	4290
TM 303	BILE BROTH BASE for cultivation of Enterobacteriaceae group	30.00	100 gm 500 gm	995 3975
TM 036	BILE ESCULIN AGAR (ISO 10273:1994) for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm	1850 7205
TM 673	BILE ESCULIN AGAR W/ KANAMYCIN for selective isolation and presumptive identification of <i>Bacteroides fragilis</i> from mixed flora	44.60	100 gm 500 gm	2000 8010
TM 037	BILE ESCULIN AGAR BASE for differential & presumptive identification of group D Streptococci from food & pharma products	63.50	500 gm	4565
TS 090	ESCULIN SUPPLEMENT (0.5g/vl)	#16 vl	5 vl	2300
TM 2005	BILE ESCULIN AGAR, MODIFIED  for isolation and presumptive identification of group D Streptococci/Enterococci from food and pharmaceutical products	44.50	500 gm	7710
TM 038	BILE ESCULIN AZIDE AGAR for selective isolation and presumptive identification of faecal Streptococci	56.65	500 gm	7325
TM 1883	BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000) for isolation and presumptive identification of faecal streptococci.	56.65	500 gm	7325
TM 2006	BILE ESCULIN AZIDE AGAR, MODIFIED  for rapid, selective detection and enumeration of Enterococci and Group D Streptococci	56.25	500 gm	8085
TM 1793	BILE ESCULIN AZIDE BROTH for selective isolation and presumptive identification of faecal Enterococci	43.00	500 gm	7420
TM 2007	BILE ESCULIN AZIDE BROTH, MODIFIED  used to differentiate between Enterococci and Group D Streptococci	42.75	500 gm	7940
TM 304	BILE PEPTONE TRANSPORT MEDIUM for transporting specimens in hot climates prone to Cholera outbreak	25.00	500 gm	3990
TM 410	BILE SALT AGAR for isolation and enumeration of bile tolerant enteric bacilli	43.00	100 gm 500 gm	900 4050
TM 674	BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005.) for isolation and enumeration of bile tolerant enteric bacilli.	40.00	100 gm 500 gm	900 4050
TM 039	BISMUTH SULPHITE AGAR for selective isolation of Salmonellae from faeces, urine, sewage and other materials	52.33	100 gm 500 gm	780 3505
TMV 039	BISMUTH SULPHITE AGAR (VEG.) for selective isolation of Salmonellae from faeces, urine, sewage and other materials	52.33	100 gm 500 gm	925 3790
TM 946	BISMUTH SULPHITE AGAR (as per USP) for selective isolation of Salmonellae from faeces, urine, sewage and other materials	52.32	100 gm 500 gm	880 3615







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 414	BISMUTH SULPHITE AGAR (as per IP) (DOUBLE PACK) (Part I) for selective isolation and identification of Salmonellae (Part II)	40.41 22.54	100 gm 500 gm	920 3690
TM 2008	BISMUTH SULPHITE AGAR MEDIUM (as per USP)  NEW for the selective isolation of Salmonellae from faeces, urine, sewage and other materials	52.32	100 gm 500 gm	935 3870
TM 2009	BISMUTH SULPHITE AGAR MODIFIED  NEW for the selective isolation and preliminary identification of <i>Salmonella Typhi</i> and other Salmonellae from pathological materials, sewage, water supplies, food etc.	40.00	100 gm 500 gm	1010 4055
TM 360	BLOOD AGAR BASE (INFUSION AGAR) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm	660 2990
TMV 360	BLOOD AGAR BASE (INFUSION AGAR) (VEG.) for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood	40.00	100 gm 500 gm	840 3390
TM 2010	BLOOD AGAR BASE, MODIFIED  NEW for recommended as a base to which blood may be added for use in the isolation and cultivation of fastidious pathogenic microorganisms	33.64	500 gm	3530
TM 040	BLOOD AGAR BASE W/ LOW pH for isolation and cultivation of fastidious organisms after addition of blood	40.00	100 gm 500 gm	795 3190
TM 041	BLOOD AGAR BASE No. 2 for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	635 2870
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#24 vl	5 vl 25 vl	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#24 vl	5 vl	1070
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	# 24 vl	5 vl 25vl	1290 3635
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#24 vl	5 vl	1155
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#24 vl	5 vl	1155
TS 011	STREPTO SUPPLEMENT *	#24 vl	5 vl 25 vl	970 3045
TM 1842	BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017) for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	635 2870
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#26 vl	5 vl	1105
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	# 26 vl	5 vl 25vl	1350 3770
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	1195
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	1195
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl	1005 3160
TM 2011	BLOOD AGAR BASE NO. 2 WITH 1.2% AGAR  NEW especially to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions	39.50	500 gm	3470
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vl	5 vl 25 vl	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#26 vl	5 vl	1105
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	# 26 vl	5 vl 25vl	1350 3770
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 vl	5 vl	1195
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vl	5 vl	1195
TS 011	STREPTO SUPPLEMENT *	#26 vl	5 vl 25 vl	1005 3160
TM 1145	BLOOD FREE CAMPYLOBACTER BROTH BASE for selective isolation of <i>Campylobacter species</i>	33.50	500 gm	4195
TS 101	CCDA SELECTIVE SUPPLEMENT *	#30 vl	5 vl	1305
TM 1146	BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017) for selective isolation and differentiation of <i>Campylobacter species</i>	45.50	500 gm	4505
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) *	#22 vl	5 vl	1405
TS 103	CAT SELECTIVE SUPPLEMENT *	#22 vl	5 vl	1275

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 947	BLUE AGAR for study of carbohydrate fermentation by adding carbohydrates	35.08	500 gm	4275
TM 1510	BOLTON BROTH BASE (ISO 10272-1:2017) for selective enrichment of <i>Campylobacter</i> species from foods	27.60	500 gm	4235
TS 179	BOLTON SELECTIVE SUPPLEMENT *	#37 vl	5 vl	1325
TM 044	BORDET GENGOU AGAR BASE for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	40.00	500 gm	4320
TS 012	BRODETELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl	1105
TM 1147	BORDET GENGOU AGAR BASE W/ 1.6% AGAR for detection and isolation of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	36.00	500 gm	4320
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#28 vl	5 vl	1107
TM 2012	BORDET GENGOU BROTH  for the selective enrichment of <i>Bordetella pertussis</i> and <i>Bordetella parapertussis</i>	20.00	500 gm	4285
TM 948	BORIC ACID BROTH for detection and presumptive identification of <i>E.coli</i> on the basis of the ability to grow at 43°C and gas production	34.60	500 gm	3735
TM 581	BRAIN HEART CC AGAR * for selective isolation and cultivation of fastidious fungi like <i>Histoplasma capsulatum</i> and <i>Blastomyces dermatiditis</i> from samples heavily contaminated with bacteria	52.50	100 gm	9085
TM 361	BRAIN HEART INFUSION AGAR for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm	675 3075
TMV 361	BRAIN HEART INFUSION AGAR (VEG.) for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm	820 3280
TM 1990	BRAIN HEART INFUSION AGAR, MODIFIED (BHI AGAR MODIFIED)  for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm	3865
TM 1991	BRAIN HEART INFUSION AGAR WITH 1% AGAR (BHI AGAR W/ 1% AGAR)  for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm	3865
TM 1992	BRAIN HEART INFUSION W/ 0.1% AGAR (BHI W/ 0.1% AGAR)  for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm	3795
TM 1993	BRAIN HEART INFUSION BROTH WITH 6.5 % NaCl (BHI W/ 6.5% NaCl)  for the selective cultivation of salt tolerant microorganisms	97.00	500 gm	3730
TM 1994	BRAIN HEART INFUSION AGAR WITH 3.0% AGAR (BHI AGAR W/ 3.0% AGAR)  for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm	4565
TM 362	BRAIN HEART INFUSION BROTH for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	655 2960
TMV 362	BRAIN HEART INFUSION BROTH (VEG.) for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	805 3225
TM 1995	BRAIN HEART INFUSION W/ PABA (BHI W/ PABA)  for examination of blood from patients under Sulphonamide therapy	37.05	500 gm	4300
TM 1913	BRAIN HEART INFUSION BROTH (ISO 6880-1983) for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and for enrichment of <i>Staphylococcus aureus</i>	37.00	500 gm	3720
TM 305	BREWER THIOGLYCOLLATE MEDIUM for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	590 2575
TMV 305	BREWER THIOGLYCOLLATE MEDIUM (VEG.) for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	625 2705
TM 306	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	615 2585
TMV 306	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) (VEG.) for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	640 2720
TM 677	BREWER THIOGLYCOLLATE MEDIUM, MODIFIED for sterility testing of biological products and for isolation of aerobes and anaerobes	20.60	100 gm 500 gm	590 2720





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 364	BRILLIANT GREEN AGAR BASE, MODIFIED for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces and foods etc	58.09	100 gm 500 gm	700 2915
TS 013	SULPHA SUPPLEMENT *	#18 vl	5 vl	1275
TM 951	BRILLIANT GREEN AGAR MEDIUM (BRILLIANT GREEN AGAR, MODIFIED) (as per USP) for isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods and dairy products	58.09	100 gm 500 gm	725 2995
TM 1953	BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR (AGAR MEDIUM L) (as per EP)  for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods, dairy products	57.59	100 gm 500 gm	780 3300
TM 2106	BRILLIANT GREEN AGAR MEDIUM 16. (as per IP)  for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods, dairy products etc.	50.09	100 gm 500 gm	770 3205
TM 047	BRILLIANT GREEN AGAR BASE W/ 1.2% AGAR for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> from faeces, foods & dairy products	50.09	100 gm 500 gm	725 3110
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl	1275
TM 046	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES for selective isolation & cultivation of Salmonellae by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas species</i>	52.00	500 gm	3765
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl	1275
TM 1512	BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975) for selective isolation of Salmonella	54.69	500 gm	3790
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl	1275
TM 952	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005) for selective isolation of Salmonellae by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas species</i> .	52.00	100 gm 500 gm	840 3790
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl	1275
TM 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	700 3200
TMV 048	BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) (VEG.) for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	730 3370
TM 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	635 2850
TMV 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (VEG.) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	735 3085
TM 678	BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012 for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	705 2935
TM 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) for isolation and detection of <i>Salmonella</i> species from foods	59.09	100 gm 500 gm	920 4185
TMV 033	BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) (VEG.) for isolation and detection of <i>Salmonella</i> species from foods	59.00	100 gm 500 gm	970 4400
TM 2021	BRILLIANT GREEN PHENOL RED LACTOSE AGAR  for selective isolation of <i>Salmonella</i> species from water samples	46.69	500 gm	4205
TM 1463	BROMO CRESOL PURPLE AGAR W/O CARBOHYDRATE (LACTOSE) for detection and confirmation of coliform bacteria in water and foods	31.02	100 gm 500 gm	885 3550
TM 2016	BROMO CRESOL PURPLE AGAR W/LACTOSE  for the isolation of coliforms	28.03	100 gm 500 gm	940 3800
TM 049	BROMO CRESOL PURPLE AZIDE BROTH for confirmation of the presence of faecal Streptococci in water	35.93	500 gm	3795
TM 568	BROMO CRESOL PURPLE BROTH BASE (YEAST FERMENTATION BROTH BASE) for differentiation of various microorganisms based on their fermentation of specific carbohydrates	18.04	500 gm	3955
TM 2013	BROMO CRESOL PURPLE BROTH W/DEXTROSE  for identification of <i>Escherichia coli</i> and coliform bacteria from water samples	28.02	500 gm	3495

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2014	BROMOTHYMOL LACTOSE BLUE AGAR  It is a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	72.73	500 gm	4665
TM 514	BRUCELLA AGAR BASE for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm	850 3690
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#24 vL	5 vL 25 vL	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER WANG) *	#24 vL	5 vL	1070
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLAR) *	#24 vL	5 vL 25 vL	1290 3635
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#24 vL	5 vL	1155
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#24 vL	5 vL	1155
TS 014	HORSE SERUM *	600 ml	100 ml	3980
TMV 514	BRUCELLA AGAR BASE (VEG.) for selective isolation and cultivation of <i>Brucella</i> or <i>Campylobacter</i> species	43.10	100 gm 500 gm	940 4145
TM 680	BRUCELLA AGAR BASE, MODIFIED for cultivation of <i>Campylobacter</i> species	44.10	500 gm	3690
TS 009	CAMPYLOBACTER SUPPLEMENT-III, (SKIRROW) *	#23 vL	5 vL	1155
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#23 vL	5 vL	1155
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#24 vL	5 vL 25 vL	1260 3160
TS 014	HORSE SERUM *	600 ml	100 ml	3980
TM 1513	BRUCELLA AGAR BASE W/ 1.0% DEXTROSE for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	45.00	500 gm	3735
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#36 vL	5 vL 25 vL	1260 3160
TS 014	HORSE SERUM *	900 ml	100 ml	3980
TM 681	BRUCELLA AGAR BASE W/ HEMIN AND VITAMIN K for cultivation of <i>Brucella</i> species and for isolation and subculture of anaerobes by adding blood	43.12	500 gm	4430
TM 050	BRUCELLA BROTH BASE for cultivation & enrichment of <i>Brucella</i> or <i>Campylobacter</i> species	28.10	100 gm 500 gm	830 3635
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#36 vL	5 vL 25 vL	1260 3160
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#36 vL	5 vL	1155
TS 014	HORSE SERUM *	890 ml	100 ml	3980
TM 682	BRUCELLA SELECTIVE MEDIUM BASE for isolation and identification of <i>Brucella</i> species	43.50	500 gm	3815
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vL	5 vL 25 vL	1260 3160
TM 1514	BRYANT AND BURKEY AGAR for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	34.05	500 gm	3715
TM 683	BRYANT AND BURKEY MEDIUM for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	33.00	500 gm	3640
TM 1464	BRYANT AND BURKEY BROTH BASE (WITH RESAZURIN) for detection and enumeration of spores of lactate fermenting <i>Clostridium</i> in dairy products	38.00	500 gm	3640
TM 030	BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE (B.A.G.G BROTH BASE) for detection of faecal Streptococci from various clinical and non-clinical samples	36.01	500 gm	3795
TM 684	BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and cultivation of <i>Legionella</i> species	40.00	500 gm	4530
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vL	5 vL 25 vL	1110 3345
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT II *	#5 vL	5 vL	1350
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT III *	#5 vL	5 vL	1275
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWV) *	#5 vL	5 vL	1495
TS 019	LEGIONELLA SUPPLEMENT (Twin Pack) (Part A & B) *	#5 vL	5 vL	975










CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1894	BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017) For selective isolation and cultivation of <i>Legionella</i> species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm	4040 16160
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl	1495
TS 019	LEGIONELLA SUPPLEMENT (Twin Pack) (Part A & B) *	#5 vl	5 vl	975
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#5 vl	5 vl	1110
TS 254	PCP SUPPLEMENT *	#5 vl	25 vl 5 vl	3345 1350
TM 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	575 2470
TMV 324	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	600 2550
TM 685	BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (IS: 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	575 2470
TM 2015	BUFFERED GLYCEROL SALINE BASE  NEW for collection and transportation of faecal specimens	08.30	100 gm 500 gm	810 3690
TM 1333	BUFFERED LISTERIA ENRICHMENT BROTH BASE (BLE Broth Base) (as per FDA) for selective isolation of <i>Listeria monocytogenes</i>	48.00	500 gm	3635
TS 092	LISTERIA SELECTIVE SUPPLEMENT II *	#21 vl	5 vl 25 vl	1070 3755
TMH 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	665 2835
TMHV 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	665 2835
TM 307	BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm	575 2620
TMV 307	BUFFERED PEPTONE WATER (VEG.) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm	710 2845
TM 2017	BUFFERED PEPTONE WATER for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	20.00	100 gm 500 gm	595 2680
TS 248	EC O157:H7 SELECTIVE SUPPLEMENT *	#17 vl	5 vl 25 vl	575 2050
TM 686	BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005) for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation.	20.07	100 gm 500 gm	610 2620
TM 1837	BUFFERED PEPTONE WATER (as per EP) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	16.10	500 gm	2620
TM 2018	BUFFERED PEPTONE WATER (6 FOLD STRENGTH PHOSPHATE BUFFER)  NEW a pre-enrichment medium used for increasing the recovery of injured <i>Salmonella</i> species from foods prior to selective enrichment and isolation	45.41	500 gm	3265
TM 2019	BUFFERED PEPTONE WATER WITH NaCl  NEW recommended as a diluent for carrying microbial limit test from clinical and non clinical specimens	16.09	500 gm	3030
TM 687	BUFFERED PEPTONE WATER W/ NaCl (as per IP) used as diluents for carrying out microbial limit test	16.09	500 gm	2835
TM 2020	BUFFERED PEPTONE WATER W/ PYRUVATE  NEW for the isolation of Enterohemorrhagic <i>E. coli</i> (EHEC)	21.05	100 gm 500 gm	955 3935
TS 267	ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) *	#24 vl	5 vl	3710
TM 688	BUFFERED TRYPTONE GLUCOSE YEAST EXTRACT BROTH for cultivation and characterization of Clostridia isolated from food samples	85.00	500 gm	3595
TM 567	BUFFERED YEAST AGAR for cultivation of yeasts and molds in brewery	41.00	500 gm	3660

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
C TM 1934	BURKHOLDERIA CEPACIA AGAR BASE  for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	36.52	500 gm	4290
TM 2022	BURKHOLDERIA CEPACIA SELECTIVE AGAR BASE  for isolation of <i>Burkholderia cepacia</i> from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	50.06	500 gm	3485
TM 558	BURK'S MEDIUM for isolation and cultivation of nitrogen fixing bacteria like <i>Azotobacter</i> species	21.30	500 gm	3615
TM 559	BUSHNELL HAAS AGAR for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	23.27	500 gm	3880
TM 053	BUSHNELL HAAS BROTH for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	3.27	100 gm 500 gm	885 3815
TM 1151	CAE AGAR BASE (CITRATE AZIDE ENTEROCOCCUS AGAR BASE) for detection of Enterococci in Meat, dairy product and other food products	58.40	500 gm	3880
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	905 2825
TM 1152	CAL AGAR (CELLOBIOSE ARGININE LYSINE AGAR) for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	46.00	100 gm	6095
TM 1153	CAL BROTH (CELLOBIOSE ARGININE LYSINE BROTH) for isolation and biochemical identification of <i>Yersinia enterocolitica</i>	26.00	100 gm	5660
TM 1154	C. BOTULINUM ISOLATION AGAR BASE for isolation of <i>Clostridium botulinum</i> from food and clinical samples	74.00	500 gm	3880
TS 104 TS 002	C.B.I. SUPPLEMENT * EGG YOLK EMULSION (100 ml/vl) *	#14 vl #7 vl	5 vl 5 vl	1135 1875
TM 2023	CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR)  for selective isolation of <i>Pseudomonas</i> species	52.40	100 gm 500 gm	900 4165
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl	1225
TM 2024	CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR)  for selective isolation of <i>Pseudomonas</i> species	37.40	500 gm	4435
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT *	#20 vl	5 vl	1225
TM 930	CHO MEDIUM BASE (FERMENTATION BROTH) for studies of anaerobic fermentation by adding carbohydrates	26.00	500 gm	3505
TM 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm	770 3100
TMV 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) (VEG.) for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm	810 3255
TM 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm	690 3110
TMV 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) (VEG.) for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm	835 3515
TM 2025	C.L.E.D. AGAR BASE W/O INDICATOR  for isolation, enumeration and presumptive identification of bacterial flora in the urinary tract	36.13	100 gm 500 gm	815 3390
TS 269	BROMO THYMOL BLUE SUPPLEMENT *	#14 vl	5 vl	425
TM 2026	C.L.E.D. AGAR W/BROMO THYMOL BLUE  for isolation, enumeration and identification of urinary pathogens on the basis of lactose fermentation	36.15	100 gm 500 gm	920 3995
TM 1422	CPC AGAR BASE for cultivation of <i>Vibrio</i> species from foods	65.08	100 gm	5445
TS 141	CPC SUPPLEMENT *	#4 vl	5 vl	1805
TM 2027	CPC AGAR BASE W/ 1% CELLOBIOSE for the cultivation and identification of <i>Vibrio</i> species from foods in accordance with FDA BAM, 1998	60.08	100 gm	6535
TS 270	MODIFIED CPC SUPPLEMENT *	#4 vl	5 vl	1960
TS 271	COLISTIN SELECTIVE SUPPLEMENT *	#10 vl	5 vl	1750




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1423	C. PERFRINGENS SPORULATION BROTH for promoting sporulation in <i>Clostridium perfringens</i>	33.10	500 gm	3595
TM 1424	CRAMP AGAR BASE (CONGO RED-ACID MORPHOLINE PROPANE SULPHONIC ACID PIGMENTATION AGAR) for cultivation of <i>Yersinia</i> species with plasmids	32.54	100 gm	4690
TM 954	CSMA BROTH (DISINFECTANT TEST MEDIUM) for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm	3890
TM 2028	C.T. AGAR NEW for cultivation of <i>Myxobacteria</i> species	41.71	500 gm	4335
TM 1155	CVTR MEDIUM (VIRAL TRANSPORT MEDIUM W/ CHARCOAL) for transportation of viral specimens at ambient temperature	20.00	500 gm	4315
TM 1156	CAFFEIC ACID FERRIC CITRATE TEST AGAR (CAFC MEDIUM) for selective and presumptive identification of <i>Cryptococcus neoformans</i> and its differentiation from other species	33.70	100 gm	2280
TM 2029	CALCIUM CARBONATE AGAR NEW for the differentiation of microorganisms especially yeasts based on the production of acid from glucose	75.00	500 gm	3610
TM 560	CALCIUM CASEINATE AGAR for detection and enumeration of proteolytic microorganism in food	30.20	500 gm	4315
TM 1157	CAMPYLO THIOGLYCOLLATE MEDIUM BASE (CAMPY-THIO MEDIUM) for isolation, maintenance and transport of <i>Campylobacter</i> species	26.80	500 gm	3570
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#38 vl	5 vl	1070
TM 056	CAMPYLOBACTER AGAR BASE for selective isolation of <i>Campylobacter</i> species from faecal, food and environmental samples	39.50	500 gm	4255
TS 007	CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG) *	#26 vl	5 vl	1070
TS 009	CAMPYLOBACTER SUPPLEMENTS III (SKIRROW) *	#26 vl	5 vl	1155
TM 1158	CAMPYLOBACTER CEFEX AGAR BASE for isolation and cultivation of <i>Campylobacter</i> species	49.35	500 gm	4245
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B *	#11 vl	5 vl	1890
TM 1335	CAMPYLOBACTER CEFEX BROTH BASE for selective isolation of <i>Campylobacter</i> species from faecal samples, foods and environment	33.35	500 gm	4140
TS 073	PARK AND SENDER'S SELECTIVE SUPPLEMENT A	#15 vl	5 vl	1290
TS 074	PARK AND SENDER'S SELECTIVE SUPPLEMENT B	#15 vl	5 vl	1890
TM 956	CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE) for cultivation of <i>Campylobacter</i> species	37.00	500 gm	4000
TS 067	CAMPYLOBACTER SUPPLEMENT IV (Preston) *	#27 vl	5 vl	1045
TM 603	CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE) for selective enrichment and cultivation of <i>Campylobacter</i> species	25.00	500 gm	3800
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON) *	#40 vl	5 vl	1045
TM 690	CAMPYLOBACTER NITRATE BROTH for identification of <i>Campylobacter</i> species by Nitrate reduction	27.00	500 gm	3200
TM 1517	CANDIDA AGAR for isolation and differentiation of <i>Candida albicans</i>	41.10	500 gm	4010
TM 057	CANDIDA BCG AGAR BASE for primary isolation and identification of <i>Candida</i> species	66.00	500 gm	4010
TM 691	CANDIDA MEDIUM for selective isolation and cultivation of <i>Candida</i> species	35.50	500 gm	3935
TM 1159	CARBOHYDRATE CONSUMPTION BROTH BASE for cultivation and differentiation of <i>Listeria</i> species	16.10	500 gm	3580

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 523	CARBON UTILIZATION AGAR (ISP MEDIUM NO. 9) for characterization of Streptomyces based on carbon utilization	24.83	100 gm 500 gm	1915 7680
TM 2030	CARROT AGAR  for sporangial production and study of mating techniques of <i>Phytophthora</i> spp.	19.00	500 gm	4970
TM 415	CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY & BLAIR TRANSPORT MEDIUM) for collection and shipment of clinical specimen	12.60	100 gm 500 gm	895 3960
TM 569	CASEIN HYDROLYSATE AGAR W/ 1.5% AGAR used as a general purpose culture medium	35.50	500 gm	3615
TM 692	CASEIN HYDROLYSATE AGAR W/ 2.5% AGAR for large scale cultivation of <i>Vibrio cholerae</i> for cholera vaccine production	45.50	500 gm	3660
TM 2031	CASITOSE BROTH  for production of staphylococcal enterotoxin for use in Cat test and in serological studies	29.33	500 gm	3850
TM 2032	CASITOSE BROTH, MODIFIED  used as a general purpose medium	20.50	500 gm	3535
TM 2033	CASITOSE YEAST EXTRACT BROTH (CAYE)  for cultivation of <i>Vibrio cholerae</i> cultures while testing their enterotoxigenicity	36.50	500 gm	3810
TM 2034	CASITOSE YEAST EXTRACT SALTS BROTH BASE (CAYES)  for isolation of <i>Escherichia coli</i> in food in accordance with APHA	37.21	500 gm	3950
TM 570	CASEIN HYDROLYSATE BROTH for production of <i>Staphylococcus</i> enterotoxin for use in Cat test and in serological studies	29.33	500 gm	3595
TM 693	CASEIN HYDROLYSATE BROTH, MODIFIED used as general purpose culture medium	20.50	500 gm	3595
TM 694	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYE) (CASAMINO ACID YEAST EXTRACT BROTH) for cultivation of <i>Bacillus cereus</i> to enhance toxin production and use in the Enterotoxins Test	36.50	500 gm	3560
TM 695	CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYES) (CASAMINO ACID YEAST EXTRACT SALT BROTH) for cultivation of <i>Bacillus cereus</i> to enhance toxin production and use in the Enterotoxins Test	37.20	500 gm	3750
TM 958	CASEIN MAGNESIUM BROTH for cultivation of recombinant strains of <i>E.coli</i>	16.00	500 gm	4920
TM 345	CASEIN SOYA PEPTONE DIGEST AGAR (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm 5 kg	760 3125 POR
TMV 345	CASEIN SOYA PEPTONE DIGEST AGAR (VEG.) (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (VEG.) (ANTIBIOTIC ASSAY MEDIUM NO. 36) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	795 3205
TM 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	350 1570
TMV 332	CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	395 1600
TM 696	CASEIN YEAST MAGNESIUM AGAR (NZYM AGAR) for cultivation of recombinant strains of <i>Escherichia coli</i>	35.98	500 gm	4830
TM 697	CASEIN YEAST MAGNESIUM BROTH (NYZM BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	21.00	500 gm	4595
TM 513	CASMAN AGAR for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	43.60	500 gm	3680
TM 611	CASMAN BROTH BASE for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	29.60	500 gm	3450


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2035	CETRIMIDE AGAR BASE (W 1.3% AGAR) for the selective isolation of <i>Pseudomonas aeruginosa</i> from various materials	44.70	100 gm 500 gm	770 3420
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#12 vI	5 vI	940
TM 060	CETRIMIDE AGAR BASE for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm	675 3065
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vI	5 vI	905
TMV 060	CETRIMIDE AGAR BASE (VEG.) for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical samples	46.70	100 gm 500 gm	735 3245
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT *	#11 vI	5 vI	905
TM 416	CETRIMIDE AGAR BASE (AGAR MEDIUM) (as per IP) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	665 3020
TMH 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	665 3020
TMHV 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	760 3150
TM 422	CETRIMIDE BROTH for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm	725 3005
TMV 422	CETRIMIDE BROTH (VEG.) for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.30	100 gm 500 gm	760 3150
TM 1522	CETRIMIDE BROTH BASE (ISO 8360-2:1988) for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique	31.90	500 gm	3675
TM 061	CHAPMAN STONE AGAR for selective isolation of Staphylococci causing food poisoning	202.50	500 gm	3635
TM 062	CHARCOAL AGAR BASE for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> for vaccine production	62.50	500 gm	3890
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#16 vI	5 vI	1105
TM 1160	CHARCOAL BLOOD AGAR BASE for cultivation of <i>Bordetella pertussis</i> for vaccine production & also for maintenance of stock cultures	54.50	500 gm	4000
TM 063	CHARCOAL AGAR BASE W/ NIACIN for cultivation & isolation of <i>Bordetella pertussis</i> & <i>Haemophilus influenzae</i>	51.00	500 gm	3955
TS 012	BORDETELLA SELECTIVE SUPPLEMENT *	#20 vI	5 vI	1105
TM 604	CHINA BLUE LACTOSE AGAR for differentiation and enumeration of microorganisms in milk	38.30	500 gm	3880
TM 962	CHLAMYDOSPORE AGAR for differentiation of <i>Candida albicans</i> from other Candida on the basis of chlamydospore formation	37.10	100 gm 500 gm	1265 5740
TM 498	CHLORAMPHENICOL YEAST GLUCOSE AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	760 3395
TMV 498	CHLORAMPHENICOL YEAST GLUCOSE AGAR (VEG.) for selective enumeration of yeasts and molds in milk and milk products	40.00	100 gm 500 gm	795 3550
TM 2036	CHLORELLA AGAR for the isolation and maintenance of <i>Chlorella</i> species	34.60	500 gm	4930
TM 2037	CHLORELLA BROTH for the cultivation & enumeration of <i>Chlorella</i> species	17.60	500 gm	4580
TM 064	CHOCOLATE AGAR BASE for isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i>	45.50	500 gm	3880
TS 021	HAEMOGLOBIN POWDER *		100 gm	2100
TS 022	VITAMINS GROWTH SUPPLEMENT VITAMINS AND AMINO ACIDS MIXTURE (DOUBLE PACK) *	#22 vI	5 vI	1790
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#22 vI	5 vI	850
			25 vI	2745

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2264	CHOCOLATE NO. 2 AGAR BASE  for the cultural isolation of <i>Neisseria</i> and <i>Haemophilus</i> species from a variety of clinical specimens	38.00	500 gm	4580
TS 021	HAEMOGLOBIN POWDER *		100 gm	2100
TS 272	VITAMINO GROWTH SUPPLEMENT, MODIFIED	#27 vL	5 vL	1320
TM 411	CHOLERA MEDIUM BASE for selective isolation of <i>Vibrio</i> species from samples contaminated with Enterobacteriaceae	65.10	500 gm	3865
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#2 vL	5 vL 25 vL	575 2050
TM 2038	CHOPPED LIVER BROTH (CL BROTH)  for the cultivation and enrichment of anaerobic bacteria from food specimen	112.00	500 gm	3895
TM 065	CHRISTENSEN CITRATE AGAR for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm	910 3900
TMV 065	CHRISTENSEN CITRATE AGAR (VEG.) for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm	950 4080
TM 066	CHRISTENSEN CITRATE SULPHITE AGAR for differentiation of enteric bacilli based on citrate utilization and H ₂ S production	24.29	500 gm	3900
TM 2039	CHRISTENSEN CITRATE SULPHITE AGAR, W/ 1.5% AGAR  For differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production in accordance with FDA BAM, 1998	25.29	500 gm	4465
TM 1841	CHROMOGENIC A. RAMBACH AGAR (Part I) For detection and isolation of <i>Salmonella</i> species in clinical sample *	30.70 10 ml	500 gm	17630
TM 1523	CHROMOGENIC BACILLUS AGAR * for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates	49.20	100 gm 500 gm	1245 4985
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT	#21 vL	5 vL 25 vL	1010 2905
TM 2110	CHROMOGENIC BACILLUS AGAR BASE *  for isolation and differentiation between various species of <i>Bacillus</i> by chromogenic method	49.22	100 gm 500 gm	1350 5435
TS 281	BACILLUS SELECTIVE SUPPLEMENT	#11 vL	5 vL	1375
TM 1885	CHROMOGENIC BACILLUS CEREUS AGAR * for isolation and differentiation of <i>Bacillus cereus</i> from food	40.98	100 gm 500 gm	1215 4965
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT *	#25 vL	5 vL	1600
TM 2111	CHROMOGENIC BIFIDOBACTERIUM AGAR *  for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species	59.48	100 gm 500 gm	1950 8540
TM 2112	CHROMOGENIC CAMPYLOBACTER AGAR BASE *  for selective isolation and presumptive identification of <i>Campylobacter</i> species	59.53	100 gm 500 gm	1850 7800
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) *	#01 vL	5 vL 25 vL	1380 2885
TM 1197	CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) * for fast isolation and identification of <i>Candida</i> species from mixed flora	42.70	100 gm 500 gm	3815 17175
TM 2113	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE *  selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures	31.02	100 gm 500 gm	5065 20280
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *	#32 vL	5 vL	940
TM 1588	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED * for fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens	42.05	100 gm 500 gm	4425 17715
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *	#24 vL	5 vL 25 vL	1265 3015
TM 1833	CHROMOGENIC CLED AGAR BASE for isolation and differentiation of UTI pathogens	43.00	500 gm	16520
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) for determination of coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm	6225 27975
TM 2114	CHROMOGENIC CLOSTRIDIAL AGAR BASE *  for selective isolation and presumptive identification of <i>Clostridium</i> species	47.81	100 gm 500 gm	1715 7255
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014)  for recommended for detection of total coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm	6770 30495




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1338	CHROMOGENIC COLIFORM AGAR W/SLS * for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	27.00	100 gm 500 gm	4565 18255
TM 2116	CHROMOGENIC COLIFORM AGAR MODIFIED * recommended for the simultaneous detection of <i>Escherichia coli</i> and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm	4455 20470
TM 2117	CHROMOGENIC COLISTIN RESISTANT AGAR BASE * recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.50	500 gm	9565
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *	#13 vL	5 vL	1735
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017) recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	32.40	500 gm	11660
TM 1854	CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food and environmental samples	28.85	100 gm 500 gm	4855 21080
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *	#17 vL	5 vL 25 vL	575 2050
TM 1340	CHROMOGENIC ECC AGAR * for presumptive identification of <i>Escherichia coli</i> and other coliforms in food and environmental samples	55.83	100 gm 500 gm	3855 15725
TM 1341	CHROMOGENIC ECC SELECTIVE AGAR BASE * for detection of <i>Escherichia coli</i> and coliforms in water and food samples	26.48	100 gm 500 gm	6250 25005
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT *	#19 vL	5 vL	1070
TM 2119	CHROMOGENIC E. COLI AGAR * for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm	2195 10110
TM 1339	CHROMOGENIC E. COLI AGAR (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (TBX AGAR) (ISO 16649-1 & 2:2001, ISO 16649-3:2015, ISO 11133:2014) * for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	2020 9270
TM 2120	CHROMOGENIC EC BROTH W/ RUG * recommended for detection of <i>Escherichia coli</i> in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm	5885
TM 2121	CHROMOGENIC EC O157:H7 AGAR, MODIFIED * recommended for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm	5630 22980
TS 005	POTASSIUM TELLURITE 1% (1ml /vL) *	#5 vL	5 vL 25 vL	575 2050
TM 2441	CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED * for presumptive enumeration of <i>Escherichia coli</i> O157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm	5100 20700
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED *	#8 vL	5 vL	750
TM 2122	CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED * for detection of <i>Escherichia coli</i> and coliforms in water and food samples	39.30	500 gm	30455
TM 2123	CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 * for isolation and selective differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm	7400 31750
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I *	#44 vL	5 vL	575
TM 1343	CHROMOGENIC ECD W/ MUG * for detection of <i>Escherichia coli</i> by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm	4000 18445
TM 1631	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR * for isolation and identification of <i>Enterobacter sakazakii</i> from dairy and food products	51.67	100 gm 500 gm	1640 6660
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm	2635 10960
TM 1344	CHROMOGENIC ENTEROCOCCI BROTH * for identification and differentiation of Enterococci from water	18.59	100 gm 500 gm	1575 6420

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1632	CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE * for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	54.20	100 gm 500 gm	1610 6545
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 v1	5 v1	1735
TM 1633	CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE * for selective isolation of <i>Klebsiella</i> species from water can be used by membrane filter technique	40.80	100 gm 500 gm	2125 8745
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *	#25 v1	5 v1	1160
TM 2124	CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE *  for the selective and differential isolation, enumeration and identification of <i>Listeria monocytogenes</i> and <i>Listeria species</i> based on PCPLC activity	67.20	500 gm	8485
TS 285	LECITHIN SOLUTION *	#16 v1	5 v1	3085
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT *	#16 v1	5 v1	1715
TM 1845	CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR * for selective identification and differentiation of <i>Listeria monocytogenes</i>	70.30	100 gm	7785
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 v1	5 v1	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 v1	5 v1	1655
TM 1634	CHROMOGENIC LISTERIA AGAR BASE (Modified) * for selective identification and differentiation of <i>Listeria species</i>	67.25	100 gm 500 gm	1665 6855
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 v1	5 v1	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 v1	5 v1	1655
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of <i>Listeria species</i> .	70.05	100 gm 500 gm	2060 7490
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 v1	5 v1	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 v1	5 v1	1655
TM 1635	CHROMOGENIC MeReSA AGAR BASE * for isolation and identification of Methicillin resistant <i>Staphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm	2520 10835
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT *	#12 v1	5 v1	1325
TS 219	CEFOXITIN SUPPLEMENT *	#12 v1	5 v1	1325
TM 1636	CHROMOGENIC MM AGAR * for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples	49.13	100 gm 500 gm	1545 6275
TM 2127	CHROMOGENIC M-COLICONFIRM BROTH *  recommended for detection of <i>E.coli</i> & other total coliforms in water samples by membrane filtration	17.43	500 gm	24465
TS 287	ECC SELECTIVE SUPPLEMENT MODIFIED *	#29 v1	5 v1	1020
TS 042	TTC SOLUTION 1% (10 ml/v1) *	#21 v1	5 v1 25 v1	905 2825
TM 1638	CHROMOGENIC M-LAURYL SULPHATE AGAR * for enumeration and differentiation of <i>E. coli</i> and other coliforms by membrane filter technique	88.00	100 gm 500 gm	5240 20905
TM 1198	CHROMOGENIC OGYE AGAR BASE * for isolation and enumeration of yeasts and moulds from milk and milk products using chromogenic substrates	37.10	100 gm 500 gm	3910 16745
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	820 2695
TM 2125	CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) *  for identification and differentiation of <i>Salmonella</i> species from among the members of Enterobacteriaceae, especially <i>Proteus</i> species	46.82	100 gm 500 gm	4185 19215
TM 1426	CHROMOGENIC SALMONELLA AGAR * for isolation and differentiation of <i>Salmonella</i> species from coliforms	27.90	100 gm 500 gm	8520 37805
TM 1839	CHROMOGENIC SALMONELLA AGAR * for identification of <i>Salmonella</i> species from other organisms in the family Enterobacteriaceae	54.00	100 gm 500 gm	8860 40145
TS 252	SALMONELLA SELECTIVE SUPPLEMENT	#10 v1	5 v1	1035
TM 1824	CHROMOGENIC SALMONELLA AGAR, MODIFIED * for identification and differentiation of <i>Salmonella</i> species from among the members of Enterobacteriaceae, especially <i>Proteus</i> species	42.34	100 gm 500 gm	3730 16980
TM 1337	CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE * for isolation and identification of Staphylococci	63.00	100 gm 500 gm	1065 4255
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/v1) *	#4 v1	5 v1	1950
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	2020 9270


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2126	CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM * recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm	2515 10310
TM 1199	CHROMOGENIC UTI AGAR * for identification and confirmation of microorganisms causing urinary tract infections.	32.45	100 gm 500 gm	2185 9300
TM 1909	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections	56.8	100 gm 500 gm	2290 9440
TM 1639	CHROMOGENIC UTI AGAR, MODIFIED * for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm	1395 6255
TS 207	DMACA REAGENT (10 ml/vl)		1 vl	635
TS 208	TDA REAGENT (10 ml/vl)		1 vl	275
TM 1825	CHROMOGENIC UTI SELECTIVE AGAR * for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm	2215 9150
TM 1640	CHROMOGENIC VIBRIO AGAR * for selective isolation and differentiation of <i>Vibrio</i> species	67.50	100 gm 500 gm	2435 9920
TM 1907	CHROMOGENIC VRE MEDIA BASE * for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm	1805 8275
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT *	#20 vl	5 vl	1375
TM 2266	CHRYSOIDIN AGAR WITH MUG (OXGALL CHRYSOIDIN AGAR WITH MUG) for the isolation and differentiation of <i>Enterobacteriaceae</i> and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm	7305
TM 637	CHU'S MEDIUM NO. 10 for cultivation of Blue Green Algae	0.123	100 gm	1455
TM 501	CIN AGAR (YERSINIA SELECTIVE AGAR BASE) for selective isolation and enumeration <i>Yersinia enterocolitica</i> from clinical and food samples	58.00	500 gm	4115
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	1070 3235
TM 067	CITRATE AGAR for cultivation of iron bacteria from soil	27.20	100 gm 500 gm	740 3150
TMV 067	CITRATE AGAR (VEG.) for cultivation of iron bacteria from soil	27.20	100 gm 500 gm	775 3305
TM 2040	CITRATE AZIDE AGAR for selective cultivation of Enterococci in dairy products	55.41	100 gm 500 gm	1040 4375
TM 2041	CITRATE AZIDE TWEEN CARBONATE BASE for the identification of Enterococci in meat, meat products, dairy products and other foodstuffs	56.00	500 gm	3980
TS 273	CATC SUPPLEMENT *	#18 vl	5 vl	1195
TM 1525	CLAUSEN MEDIUM used as sterility medium as per Nordic Pharmacopoeia Board	40.00	500 gm	3850
TM 644	CLOSTRIDIAL AGAR for selective isolation of pathogenic Clostridia from mixed flora	46.00	100 gm 500 gm	905 3975
TM 645	CLOSTRIDIUM BROTH BASE for identification of spores of <i>Clostridium tyrobutyricum</i>	35.50	500 gm	3530
TM 2042	CLOSTRIDIUM BRAZIER AGAR BASE for isolation and differentiation of <i>Clostridium difficile</i> with added supplements	47.66	500 gm	5600
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9vl	5 vl	1875
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#21vl	5 vl	1160
TM 068	CLOSTRIDIUM DIFFICILE AGAR BASE for isolation of <i>Clostridium difficile</i> from food and pathological specimens	69.10	500 gm	3980
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#15 vl	5 vl 25 vl	1160 3045
TM 2043	CLOSTRIDIUM DIFFICILE MANNITOL TAUROCHOLATE BROTH BASE for cultivation of <i>Clostridium difficile</i> from certain clinical specimens	55.63	500 gm	4575
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT *	#9 vl	5 vl	1800


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1886	CLOSTRIDIUM PERFRINGENS AGAR for identification and enumeration of <i>Clostridium perfringens</i> from food	60.05	100 gm	1260
TS 002	EGG YOLK EMULSION (100 ml/vl)	#9 vl	500 gm 5 vl	4735 1875
TM 1836	COAGULASE MANNITOL AGAR BASE for isolation and differentiation of pathogenic staphylococci from clinical specimens	47.02	100 gm 500 gm	905 3980
TM 070	COAGULASE MANNITOL BROTH BASE for detection of coagulase production and mannitol fermentation in differentiation of Staphylococci	35.00	100 gm 500 gm	795 3990
TM 698	COLIFORM BROTH for isolation and cultivation of coliform organisms from milk and milk products	57.14	500 gm	3290
TM 2132	COLIFORM BROTH, MODIFIED *  for the detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	100 gm 500 gm	1945 7790
TM 1908	COLIFORM BROTH W/ SLS for detection of <i>E. coli</i> and other Enterobacteriaceae in water samples	15.10	100 gm 500 gm	3650 16770
TM 699	COLIFORM PA BROTH for determination of presence or absence of coliform bacteria in treated water	92.40	500 gm	3435
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP) for detection of <i>Clostridium sporogenes</i> from pharmaceutical products.	44.00	100 gm 500 gm	855 3505
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	820
TMHV116	COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG) for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	100 gm 500 gm	955 3560
TS 217	GENTAMYCIN SUPPLEMENT		5 vl	820
TM 701	COLUMBIA AGAR (MEDIUM Q) (as per BP) for detection of <i>Clostridium perfringens</i> from pharma products	44.00	500 gm	3440
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	820
TM 071	COLUMBIA BLOOD AGAR BASE for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm	855 3505
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl	1070
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl	1290 3635
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl	1155
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#23 vl	5 vl	1155
TS 011	STREPTO SUPPLEMENT *	#23 vl	5 vl 25 vl	970 3045
TS 089	STAPH-STREPTO SUPPLEMENT *	#23 vl	5 vl	1205
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1010
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1260
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *	#23 vl	5 vl 25 vl	1375 3635
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23 vl	5 vl 25 vl	1240 3040
TMV 071	COLUMBIA BLOOD AGAR BASE (VEG.) for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm	855 3505
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl	1070
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl	1290 3635
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl	1155
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#23 vl	5 vl	1155
TS 011	STREPTO SUPPLEMENT *	#23 vl	5 vl 25 vl	970 3045
TS 089	STAPH-STREPTO SUPPLEMENT *	#23 vl	5 vl	1205
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1010
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1260
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *	#23 vl	5 vl 25 vl	1375 3635
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#23 vl	5 vl 25 vl	1240 3040



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 072	COLUMBIA BLOOD AGAR BASE W/ HEMIN an efficient and enriched base for fastidious microorganisms	44.00	500 gm	7565
TM 2044	COLUMBIA BLOOD AGAR BASE W/ 1% AGAR NEW for isolation and cultivation of fastidious bacteria	39.00	500 gm	4035
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 vL	5 vL	1260
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#26 vL	25 vL	3160
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#26 vL	5 vL	1105
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#26 vL	5 vL	1340
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 vL	25 vL	3770
TS 011	STREPTO SUPPLEMENT *	#26 vL	5 vL	1195
TS 089	STAPH-STREPTO SUPPLEMENT *	#26 vL	5 vL	1195
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#26 vL	5 vL	1015
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#26 vL	25 vL	3160
TS 027	CAMPYLOBACTER SUPPLEMENT VI (BUTZLER) *	#26 vL	5 vL	1245
TS 256	STREPTOCOCCUS SELECTIVE SUPPLEMENT	#26 vL	5 vL	1045
			25 vL	1305
			5 vL	1425
			25 vL	3770
			5 vL	1285
			25 vL	3155
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017) NEW recommended for selective detection and enumeration of <i>Campylobacter species</i> from food chain	44.00	500 gm	3850
TM 073	COLUMBIA BROTH BASE for cultivation of fastidious microorganisms from clinical sources	35.00	500 gm	3260
TM 074	COLUMBIA C.N.A. AGAR BASE * for selective isolation of gram positive cocci from clinical and non clinical samples	44.00	500 gm	8630
TM 970	COLUMBIA C.N.A. AGAR BASE (1% AGAR) * for selective isolation of pathogenic gram-positive cocci from clinical and non clinical samples	39.00	500 gm	8630
TM 971	CONN'S AGAR for cultivation of fungi	38.00	500 gm	7915
TM 075	COOKE ROSE BENGAL AGAR BASE for selective isolation and cultivation of fungi	36.54	500 gm	4345
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	3630
TM 076	CORN MEAL AGAR for production of chlamydo spores by <i>Candida albicans</i> & maintenance of fungal stock cultures	17.00	100 gm 500 gm	885 3625
TMV 076	CORN MEAL AGAR (VEG.) for production of chlamydo spores by <i>Candida albicans</i> & maintenance of fungal stock cultures	17.00	100 gm 500 gm	960 3795
TM 2046	CORN MEAL AGAR W/ DEXTROSE NEW for cultivation of phytopathological and other fungi	19.00	500 gm	3880
TM 972	CORN MEAL PEPTONE YEAST AGAR for cultivation of fungi	64.00	500 gm	3625
TM 1164	CRAIG'S MEDIUM for cultivation of <i>Vibrio cholerae</i> to determine its enterotoxigenicity	34.50	500 gm	3635
TM 2047	CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017) NEW for screening <i>Cronobacter</i> (formerly <i>Enterobacter sakazakii</i>) from food	28.04	100 gm 500 gm	625 2615
TS 218	VANCOMYCIN SUPPLEMENT *	#18 vL	5 vL	1540
TM 705	CRYSTAL VIOLET LACTOSE AGAR for differentiation of pure cultures of pathogenic and nonpathogenic Staphylococci	33.00	500 gm	3850
TM 706	CRYSTAL VIOLET LACTOSE BROTH for detection of coliforms in water filtration control works	16.00	500 gm	3560
TMV 706	CRYSTAL VIOLET LACTOSE BROTH (VEG.) for detection of coliforms in water filtration control works	16.00	500 gm	3720
TM 1952	CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE (AGAR MEDIUM F) (as per EP/BP) NEW for detection and enumeration of Enterobacteria	50.12	500 gm	3610

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
D TM 516	CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM) for determination of phenol coefficients of disinfectants using <i>Salmonella Typhi</i> as a test organism	50.00	100 gm 500 gm	880 3790
TM 2048	CRYSTAL VIOLET TETRAZOLIUM AGAR BASE  NEW for detection of gram-negative psychrotrophic bacteria causing food spoilage	23.50	500 gm	4135
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#11 vl	5 vl 25 vl	905 2825
TM 973	CYANOPHYCEAN AGAR for isolation and cultivation of Blue Green algae	20.30	500 gm	9015
TM 2446	CYCLOSERINE-CEFOXITIN FRUCTOSE AGAR (CCFA)  NEW for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembraneous (antimicrobial agent-associated) colitis	69.20	500 gm	7650
TS 315	CYCLOSERINE –CEFOXITIN SUPPLEMENT *	#8 vl	5 vl	1850
TM 078	CYSTINE HEART AGAR BASE for isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	51.00	500 gm	3615
TM 707	CYSTINE TELLURITE AGAR BASE for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i> types	40.05	500 gm	3790
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#25 vl	5 vl 25 vl	575 2050
TM 079	CYSTINE TRYPTONE AGAR for detection & maintenance and subculturing of motility and fermentation studies with the addition of various sugars	28.50	100 gm 500 gm	855 3480
TM 367	CZAPEK DOX AGAR semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm	740 3160
TMV 367	CZAPEK DOX AGAR (VEG.) semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm	775 3320
TM 080	CZAPEK DOX AGAR, MODIFIED for cultivation and maintenance of fungi	45.36	500 gm	3940
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl)	#22 vl	5 vl 25 vl	820 2640
TM 368	CZAPEK DOX BROTH semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm	635 2625
TMV 368	CZAPEK DOX BROTH (VEG.) semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm	665 2755
TM 1528	CZAPEK DOX LIQUID MEDIUM for cultivation of fungi and bacteria by utilizing sodium nitrate as a nitrogen source	33.40	500 gm	3550
TM 708	CZAPEK MALT AGAR For isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	94.00	100 gm 500 gm	790 3295
TM 2049	CZAPEK YEAST AUTOLYSATE AGAR (CYA AGAR)  NEW for the isolation and cultivation of heat resistant filamentous fungi (molds) from foods	54.75	500 gm	4140
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl)	#20 vl	5 vl 25 vl	820 2640
TM 709	CZAPEK YEAST EXTRACT AGAR for cultivation and maintenance of <i>Aspergillus brasiliensis</i>	51.40	500 gm	4000
TM 081	DNASE TEST AGAR BASE (W/O INDICATOR) * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	42.00	100 gm	5800
TS 063	TOLUIDINE BLUE (0.1gm/vl)	#12 vl	5 vl 25 vl	560 945
TM 974	DNASE TEST AGAR W/ METHYL GREEN * for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	42.05	100 gm	5445
TM 580	DNASE TEST AGAR W/ TOLUIDINE BLUE * for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	6875
TMV 580	DNASE TEST AGAR W/ TOLUIDINE BLUE (VEG.) * for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	7220
TM 710	DNASE TEST AGAR BASE (W/O. DNA AND TOLUIDINE BLUE) with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi	40.00	100 gm 500 gm	1700 7040




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 082	D.C.L.S. AGAR for selective isolation and detection of <i>Salmonella</i> and <i>Shigella</i> species from faecal samples	49.50	100 gm 500 gm	780 3120
TM 711	D.C.L.S. AGAR, HAJNA for isolation of gram negative enteric bacilli	73.52	100 gm 500 gm	780 3120
TM 083	D.T.M. AGAR BASE (DERMATOPHYTE TEST AGAR BASE) for selective isolation of dermatophytes	40.20	100 gm 500 gm	880 3690
TS 028	DERMATO SUPPLEMENT *	#25 vl	5 vl	1160
TM 976	DAVIS SUPPLEMENTED MINIMUM MEDIUM W/O DEXTROSE for enrichment and determination of titre coliforms in water samples	30.60	500 gm	3925
TM 084	DECARBOXYLASE AGAR BASE for differentiation of bacteria based on their ability to decarboxylate the amino acid	24.00	500 gm	3455
TM 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm	1940 7985
TMV 085	DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) (VEG.) for differentiation of bacteria on the basis of their ability to decarboxylate the amino acid	10.52	100 gm 500 gm	2045 8380
TM 086	DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005) for cultivation and differentiation of bacteria based on their decarboxylase activity.	9.00	100 gm 500 gm	840 3375
TM 087	DEOXYCHOLATE AGAR for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm	840 3375
TM 369	DEOXYCHOLATE CITRATE AGAR for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm	655 2750
TMV 369	DEOXYCHOLATE CITRATE AGAR (VEG.) for isolation of enteric pathogens especially <i>Salmonella</i> and <i>Shigella</i> species	70.52	100 gm 500 gm	675 2820
TM 1870	DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005) for isolation of <i>Shigella</i> species from food samples.	55.45	100 gm 500 gm	655 2750
TM 977	DEOXYCHOLATE CITRATE AGAR (AGAR MEDIUM J) (as per BP/EP/IP) for selective isolation of enteric pathogens	69.02	100 gm 500 gm	640 2695
TM 2051	DESOXYCHOLATE-CITRATE AGAR MEDIUM 14 (as per IP) for the a selective isolation and identification of Salmonellae in accordance	69.02	100 gm 500 gm	680 2880
TM 1529	DEOXYCHOLATE CITRATE AGAR W/ 1.5% AGAR for the isolation of enteric pathogens	48.50	500 gm	2765
TM 088	DEOXYCHOLATE CITRATE AGAR, MODIFIED (HYNES) for selective isolation of <i>Salmonella</i> and <i>Shigella</i> species	52.00	500 gm	4010
TM 714	DEOXYCHOLATE CITRATE AGAR W/O SUCROSE for isolation and identification of enteric pathogens	45.00	100 gm 500 gm	800 3220
TM 089	DEOXYCHOLATE LACTOSE AGAR for isolation and enumeration of coliforms in water, milk and dairy products	42.50	100 gm 500 gm	840 3190
TM 1546	DEV GELATIN AGAR (GELATIN DEV AGAR) for determination of total microbial count and detection of gelatin liquefying microorganisms	50.00	500 gm	3760
TM 712	DEV GLUCOSE BROTH for detection of microbial decomposition of glucose	28.02	500 gm	3425
TM 713	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	25.01	500 gm	3425
TM 1617	DEV LACTOSE PEPTONE BROTH for enrichment and determination of titre coliforms in water samples	35.62	500 gm	3425
TM 2050	DEV NUTRIENT AGAR for the enumeration of microorganisms in water, food and other materials	43.00	500 gm	4155
TM 1846	DEV TRYPTOPHAN BROTH for subcultivation of Coliform, differentiation & for indole testing in bacteriological examination of water	16.00	500 gm	2645

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 334	DEXTROSE AGAR for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	725 3255
TMV 334	DEXTROSE AGAR (VEG.) for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	755 3415
TM 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	915 3790
TS 275	CC SUPPLEMENT *	#22 v1	5 v1	1105
TMV 090	DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) (VEG.) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	965 3990
TM 308	DEXTROSE BROTH (GLUCOSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	765 3265
TMV 308	DEXTROSE BROTH (GLUCOSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	805 3425
TM 631	DEXTROSE MANNITOL AGAR (GILLIES AGAR NO. 1) for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation	46.05	500 gm	4215
TM 335	DEXTROSE PEPTONE AGAR (GLUCOSE PEPTONE AGAR) for general cultivation of microorganisms	50.00	500 gm	3275
TM 309	DEXTROSE PEPTONE BROTH for routine sterility testing and for cultivation of fastidious organisms	35.00	500 gm	3140
TM 1165	DEXTROSE PROTEOSE PEPTONE AGAR BASE for isolation of <i>Corynebacterium diphtheriae</i>	42.00	500 gm	3615
TS 005	POTASSIUM TELLURITE 1% (10ml /v1) *	#24 v1	5 v1 25 v1	575 2050
TM 517	DEXTROSE SALT AGAR for enumeration of yeasts & molds in butter and other dairy products	35.00	500 gm	3655
TM 310	DEXTROSE SALT BROTH for enumeration of yeasts & molds in butter and other dairy products	20.00	500 gm	3340
TM 2052	DEXTROSE STARCH AGAR  NEW for propagating pure cultures of <i>Neisseria gonorrhoeae</i> and other fastidious organisms	65.00	500 gm	3905
TM 092	DEXTROSE TRYPTONE AGAR for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods	30.04	500 gm	3610
TM 2053	DEXTROSE TRYPTONE AGAR, MODIFIED  NEW for the isolation and cultivation of aciduric and thermophilic aerobic flat-sour sporeformers from canned food, sugar etc	32.29	500 gm	4015
TM 311	DEXTROSE TRYPTONE BROTH for enrichment and cultivation of mesophilic and thermophilic organisms in foods	15.00	500 gm	3505
TM 2054	DEXTROSE TRYPTONE BROTH, MODIFIED  NEW for the detection and enumeration of mesophilic and thermophilic aerobic microorganisms in foods	17.29	500 gm	3750
TM 715	DEY-ENGLY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm	4505
TMV 715	DEY-ENGLY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) (VEG.) for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm	4660
TM 716	DEY-ENGLY NEUTRALIZING BROTH for neutralizing and testing antiseptics and disinfectants	39.00	500 gm	4220
TMV 716	DEY-ENGLY NEUTRALIZING BROTH (VEG.) for neutralizing and testing antiseptics and disinfectants	39.00	500 gm	4340
TM 1530	DEY-ENGLY (D/E) NEUTRALIZING BROTH (W/O BROMO CRESOL PURPLE) (as per USP) for neutralization of antiseptics and disinfectants in determining its bactericidal activity	39.00	500 gm	4180












CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 717	DEY-ENGLEY NEUTRALIZING BROTH BASE For disinfectant testing where the neutralization of the antiseptics and disinfectants is important for determining its bactericidal activity.	17.50	500 gm	3545
TM 1900	DEY-ENGLEY NEUTRALIZING BROTH W/ 1.0% SLS & 1.0% TWEEN 80 For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	54.00	500 gm	4680
TM 1904	DEY-ENGLEY NEUTRALIZING BROTH W/ 10.0% TWEEN 80 (DOUBLE PACK) For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	40.00 10 ml Tween 80	500 gm	4680
TM 605	DIAGNOSTIC SENSITIVITY TEST AGAR (DST AGAR) for antibiotic sensitivity testing of fastidious pathogens like <i>Neisseria</i> , <i>Streptococcus</i> and <i>Haemophilus</i> species with blood enrichment	43.00	100 gm 500 gm	1065 4320
TM 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm	880 3625
TS 030		UREA 40% (5 ml/vl) *	#268 vl 5 vl 25 vl	400 1620
TMV 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm	925 3755
TS 030		UREA 40% (5 ml/vl) *	#268 vl 5 vl 25 vl	400 1620
TM 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	2850
TMV 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	2995
TM 980	DIAMALT AGAR (as per APHA) for isolation and identification of yeasts from water sample	170.00	500 gm	4405
TM 981	DICHLORAN GLYCEROL MEDIUM BASE for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm	800 3615
TM 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL for selective isolation and enumeration of yeasts and moulds from food samples	31.50	100 gm 500 gm	1180 4705
TS 053		CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl 5 vl 25 vl	905 2745
TMV 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL (VEG.) for selective isolation and enumeration of yeasts and moulds from food samples	31.50	100 gm 500 gm	1210 4945
TS 053		CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl 5 vl 25 vl	905 2745
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm	1230 4640
TM 983	DIFFERENTIAL BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and differentiation of <i>Legionella</i> species	37.37	100 gm	1180
TS 276		V.P. SUPPLEMENT *	#3 vl 5 vl	1285
TM 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR for enumeration and cultivation of Clostridia from water.	42.50	500 gm	4405
TMV1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR (VEG.) for enumeration and cultivation of Clostridia from water.	42.50	500 gm	4600
TM 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE for cultivation of Clostridia from water	29.00	100 gm 500 gm	805 3625
TMV 625		DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (VEG.) for cultivation of Clostridia from water	29.00	100 gm 500 gm
TM 2055	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (ISO 6461-1:1986) 	29.00	500 gm	4085
TM 1166	DIHYDROLASE BROTH BASE for detection of dihydrolase reaction of <i>Vibrio parahaemolyticus</i>	43.00	500 gm	3590

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 718	DILUTING FLUID A (as per USP) for sterility testing of pharma products	1.00	500 gm	2990
TM 1531	DILUTING FLUID D (as per USP) for sterility testing of pharma products	2.00	500 gm	3265
TM 719	DILUTING FLUID K (as per USP) for sterility testing of pharma products	18.00	500 gm	2990
TM 984	DIPHtheria VIRULENCE AGAR BASE for determination of toxigenicity of <i>Corynebacterium diphtheriae</i>	37.50	500 gm	3440
TS 134	K L VIRULENCE ENRICHMENT (20ml /vl) *	#134 vl	5 vl	1135
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#67 vl	5 vl	2960
			25 vl	575
			25 vl	2050
TM 516	DISINFECTANT TEST BROTH (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using <i>Salmonella Typhi</i> as a test organism	50.00	100 gm 500 gm	880 3790
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS as TEST ORGANISM) for enrichment of <i>Staphylococcus aureus</i>	20.00	500 gm	3770
TM 312	DISINFECTANT TEST BROTH (as per AOAC) for checking disinfectants	20.00	500 gm	3560
TM 954	DISINFECTANT TEST MEDIUM (CSMA BROTH) for testing of disinfectants, as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm	3890
TM 2056	DOUBLE MODIFIED LYSINE IRON AGAR BASE  for selective and differential cultivation of <i>Salmonella</i> species	63.12	100 gm 500 gm	865 3495
TS 151	NOVOBIOCIN SUPPLEMENT *	#100gm #500gm	5 vl 25 vl	1220 3045
TM 986	DOUBLE SUGAR AGAR, RUSSELL for differentiation of gram-negative enteric bacilli based on their ability to ferment dextrose and lactose, with or without gas formation	44.00	500 gm	4060
TM 987	DOYLE'S ENRICHMENT BROTH BASE for selective enrichment of <i>Campylobacter</i> species	31.20	500 gm	3790
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT *	#32 vl	5 vl 25 vl	1000 3205
TM 1167	DRAKE'S MEDIUM 10 for cultivation of <i>Pseudomonas</i> species from water	23.20	500 gm	4530
TM 1168	DRIGALSKI LACTOSE AGAR, MODIFIED for detection and differentiation of enteric pathogens	40.04	500 gm	4185
TM 1169	DRIGALSKI LITMUS LACTOSE AGAR for detection and differentiation of enteric pathogens	41.20	500 gm	3850
TM 2057	DRIGALSKI SELECTIVE AGAR  for the selective isolation of Enterobacteria from urine stool and other clinical samples on the basis of their ability to ferment lactose	49.09	500 gm	5060
TM 1170	DROSOPHILA MEDIUM for cultivation of <i>Drosophila</i>	340.00	500 gm	3735
TM 099	DUBOS BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i> and other <i>Mycobacterium</i> species	6.50	100 gm 500 gm	810 3415
TS 178	ALBUMIN GLUCOSE SUPPLEMENT *	#385 vl	5 vl	1170
TM 100	DUBOS OLEIC AGAR BASE for cultivation of <i>Mycobacterium tuberculosis</i>	20.00	100 gm 500 gm	830 3680
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#125 vl	5 vl 25 vl	1120 4000
TM 720	DUBOS OLEIC BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i>	5.00	100 gm 500 gm	770 3415
TS 062	OLEIC ALBUMIN SUPPLEMENT *	#500 vl	5 vl 25 vl	1120 4000

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)	
TM 721	DULCITOL SELENITE BROTH (SELENITE BROTH WITH DULCITOL) (DOUBLE PACK) (Part I) for selective enrichment of <i>Salmonella</i> species (Part II)	19.00 4.00	500 gm	6770	E
TM 985	E.T. MEDIUM for production of Clostridia for enterotoxin production	39.00	500 gm	3190	
TM 417	EC BROTH (ISO 7251:2005, 11866-1:1997) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	795 3370	
TMV 417	EC BROTH (VEG.) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	835 3450	
TM 2058	EC BLUE BROTH * for detection and confirmation of <i>Escherichia coli</i> and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates	17.40	500 gm	7330	
TM 2059	EC0157:H7 ENRICHMENT BROTH recommended as an enrichment broth for the rapid growth of <i>E. coli</i> O157:H7 from food samples	22.50	500 gm	3655	
TM 2060	EC 0157:H7 SELECTIVE BROTH (TWIN PACK) recommended for the isolation of <i>Escherichia coli</i> O157:H7 from food samples	23.44	500 gm	4475	
TM 988	ECD AGAR for selective isolation of coliforms, especially <i>E.coli</i> in water & food by membrane filter technique	53.00	500 gm	4215	
TM 1368	ECD MUG AGAR (ISO 21528-2017) * for confirmatory presence of <i>Escherichia coli</i> by fluorescence in UV and positive indole test while inhibiting accompanying intestinal flora	53.07	500 gm	6855	
TM 1804	EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993) for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	100 gm 500 gm	840 3785	
TMH 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	840 3785	
TMHV 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	840 3785	
TM 989	EE BROTH, MODIFIED for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods	45.00	500 gm	3785	
TM 336	EMB AGAR differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm	635 2850	
TMV 336	EMB AGAR (VEG.) differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm	634 2850	
TM 723	EMB AGAR BASE for study of different enteric bacteria by adding different carbohydrates	27.50	100 gm 500 gm	850 3415	
TM 371	EMB AGAR, LEVINE for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm	635 2830	
TMV 371	EMB AGAR, LEVINE (VEG.) for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm	710 2915	
TM 1171	EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005) for isolation, enumeration and differentiation of Enterobacteriaceae	37.50	100 gm 500 gm	755 3070	
TM 2061	EMB AGAR, LEVINE (LEVIN EOSIN- METHYLENE BLUE AGAR) (as per IP) for the isolation, enumeration and differentiation of members of <i>Enterobacteriaceae</i> in accordance with Indian Pharmacopoeia	37.46	100 gm 500 gm	835 3495	
TM 1678	EMB AGAR, LEVINE (as per USP) for isolation, enumeration and differentiation of Enterobacteriaceae	37.45	100 gm 500 gm	765 3170	

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 314	EMB BROTH for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	665 2920
TMV 314	EMB BROTH (VEG.) for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	705 3085
TM 1838	ENTEROBACTERIA ENRICHMENT BROTH MOSSEL (as per USP/EP/BP/JP) for enrichment of Enterobacteriaceae of food products	42.93	100 gm 500 gm	840 3825
TM 955	EDWARD'S MEDIUM BASE, MODIFIED for isolation of <i>Streptococcus agalactiae</i> and other Streptococci associated with bovine mastitis	41.33	100 gm	2105
TM 1173	EDWARDS AND BRUNER SEMISOLID MEDIUM for detection of motility and separation of H and O phases of enteric bacilli	102.00	500 gm	4080
TM 2062	EGG MEAT MEDIUM  for the determination of proteolytic activity and maintaining stock cultures of anaerobic	150.00	500 gm	4175
TM 724	EGG YOLK AGAR BASE for isolation and identification of Clostridia and certain other anaerobes	75.00	500 gm	3780
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl	1875
TM 2063	EGG YOLK AGAR BASE, MODIFIED  for identification of anaerobic bacteria by means of their egg yolk reaction	50.41	500 gm	4475
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#10 vl	5 vl	1875
TM 315	EIJKMAN LACTOSE BROTH for differentiating <i>E. coli</i> from other coliforms based on their ability to liberate gas from lactose	28.50	500 gm	3320
TM 316	ELLIKER BROTH (LACTOBACILLI BROTH) for cultivation of Lactobacilli & Streptococci which are important in dairy industry	48.50	500 gm	3515
TM 1174	ELLNERS BROTH for induction of spore formation in <i>Clostridium perfringens</i>	67.60	500 gm	3425
TM 1175	EMERSON AGAR for cultivation of Actinomycetaceae, Streptomycetaceae and molds	41.50	500 gm	3680
TM 1176	EMERSON YSS AGAR for isolation of Actinomycetes and other fungi	40.50	500 gm	3790
TM 372	ENDO AGAR for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm	720 2940
TM 373	ENDO AGAR BASE for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	735 3080
TS 211	BASIC FUCHSIN (6 gm /vl)	#1 vl	1 vl	545
TMV 373	ENDO AGAR BASE (VEG.) for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	765 3230
TS 211	BASIC FUCHSIN (6 gm /vl)	#1 vl	1 vl	545
TM 2064	ENDO AGAR W/ NAACL  for detection and isolation of pathogenic enteric bacilli	37.70	500 gm	3720
TM 2065	ENDO AGAR MODIFIED  for the detection of coliform and other enteric organisms	38.60	500 gm	4435
TM 518	ENDO BROTH for cultivation and enumeration of coliform bacteria from water	23.00	500 gm	3080
TM 1533	ENDO DEV AGAR for isolation and differentiation of <i>Escherichia coli</i> in the bacteriological analysis of water	58.00	500 gm	3370
TM 2066	ENRICHMENT BROTH FOR ECO157:H7  used as an enrichment broth for the growth of <i>E. coli</i> O157:H7	26.50	500 gm	8745












CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 627	ENRICHMENT MEDIUM a highly nutritive medium which can be used for enrichment purpose	64.00	500 gm	3625
TM 2067	ENRICHED THIOGLYCOLLATE BROTH NEW for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria	31.06	500 gm	3690
TM 726	ENTAMOEBA MEDIUM for cultivation of <i>Entamoeba histolytica</i>	33.00	500 gm	4300
TM 2068	ENTERIC FERMENTATION BASE NEW used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions	18.00	500 gm	2905
TM 2069	ENTEROCOCCUS AGAR BASE NEW for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	54.77	500 gm	4405
TS 042	TTC SOLUTION 1% (10 ml/vl)	#10 vl	5 vl 25 vl	905 2825
TM 727	ENTEROCOCCUS CONFIRMATORY AGAR for confirmation of the presence of Enterococci in water	30.40	500 gm	3570
TM 728	ENTEROCOCCUS CONFIRMATORY BROTH for confirmation of the presence of Enterococci in water	80.40	500 gm	3505
TM 2070	ENTEROCOCCUS DIFFERENTIAL AGAR BASE (TITG AGAR BASE) NEW for selective isolation and differentiation of <i>Enterococcus faecalis</i> and <i>Enterococcus faecium</i>	43.00	500 gm	4215
TS 042	TTC SOLUTION 1% (10 ml/vl)	#12 vl	5 vl 25 vl	905 2825
TM 729	ENTEROCOCCUS PRESUMPTIVE BROTH for detection of Enterococci in water and other materials of sanitary importance	15.40	500 gm	3505
TM 022	ERYTHROMYCIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	795 3585
TM 730	ESCULIN AGAR for cultivation and differentiation of bacteria hydrolysing esculin and producing H ₂ S	41.50	500 gm	5315
TM 731	ESCULIN AZIDE BROTH for selective cultivation and identification of Streptococci	37.80	500 gm	4090
TMV 731	ESCULIN AZIDE BROTH (VEG.) for selective cultivation and identification of Streptococci	37.80	500 gm	4295
TM 732	ESCULIN FERMENTATION BROTH for cultivation and differentiation of bacteria based on their ability to hydrolyze esculin	34.50	500 gm	4980
TM 102	ESCULIN IRON AGAR for cultivation and identification of Enterococci based on their ability to hydrolyze esculin	16.50	100 gm	4165
TM 2071	ESCULIN MANNITO AGAR NEW recommended as a selective and differential media for the isolation of Staphylococci and Enterococci based on mannitol fermentation and esculin hydrolysis	54.04	500 gm	8985
TM 103	ETHYL VIOLET AZIDE BROTH (E.V.A BROTH) for selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water	35.80	500 gm	3240
TM 1179	ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005) For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water.	35.80	100 gm 500 gm	830 3735
TM 991	ETHYL VIOLET AZIDE DEXTROSE AGAR for detecting & confirming Streptococci and faecal pollution indication in water	51.10	500 gm	4255
TM 105	EUGONIC AGAR for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	44.40	500 gm	3850
TM 104	EUGONIC BROTH for cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasteurella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	29.40	500 gm	3530

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2072	EUGONIC LT 100 MEDIUM BASE W/O TWEEN 80  for the cultivation of fastidious microorganisms like <i>Haemophilus</i> , <i>Neisseria</i> , <i>Pasturella</i> , <i>Brucella</i> and <i>Lactobacillus</i> species	47.40	500 gm	3780
TM 2073	EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)  for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm	3780
TM 154	EXTRACT AGAR (FDA AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	4060
TM 965	FAGI AGAR for detection of <i>Escherichia coli</i> in water	23.20	500 gm	4215
TM 966	FAGI BROTH for detection of <i>Escherichia coli</i> in water	3.20	100 gm 500 gm	920 3920
TM 154	FDA AGAR (EXTRACT AGAR) general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	4060
TM 935	FDA BROTH (ATCC BACTERIOSTASIS BROTH) for routine antimicrobial testing of antiseptics and disinfectants	20.00	500 gm	3975
TM 630	FNA MEDIUM (FLUORESCEIN DENITRIFICATION AGAR) for differentiation of <i>Pseudomonas</i> from other bacilli based on their ability to reduce nitrates or nitrites to nitrogen gas (denitrification) and detection of fluorescein pigment	30.50	500 gm	3870
TM 2074	FEELEY GORMAN AGAR  for the isolation and presumptive identification of <i>Legionella</i> species	39.65	500 gm	4405
TM 2075	FEELEY GORMAN BROTH (F.G. BROTH)  for the cultivation of <i>Legionella</i> species	22.65	500 gm	4085
TM 2076	FERMENTATION MEDIUM BASE FOR C. PERFRINGENS  for determination of fermentation reaction of <i>Clostridium perfringens</i> with added carbohydrate	22.25	500 gm	4085
TM 2077	FERMENTATION MEDIUM FOR NEISSERIA  for studying fermentation reaction of fastidious microorganism such as <i>Neisseriae</i>	29.52	500 gm	4195
TM 2078	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS  for studying fermentation by <i>Staphylococcus</i> and <i>Micrococcus</i> species	23.24	500 gm	4315
TM 2079	FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS, W/ 0.2% AGAR  for studying fermentation by <i>Staphylococcus</i> species in accordance with FDA BAM, 1998.	23.04	500 gm	4835
TM 106	FLETCHER LEPTOSPIRA MEDIUM BASE (LEPTOSPIRA MEDIUM BASE, FLETCHER) for isolation and maintenance of <i>Leptospira</i> species	2.50	100 gm 500 gm	925 4070
TS 014	HORSE SERUM *	16 ltr	100 ml	3980
TM 2080	FLUCONAZOLE TESTING MEDIUM (TWIN PACK) *  (Part I) for fluconazole susceptibility testing using <i>Candida</i> species (Part II)	2.00 29.31	100 gm 500 gm	1125 4735
TM 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (Part I) for sanitary testing of surfaces (Part II)	25.00 40.00 ml	100 gm 500 gm	1895 7575
TMV 733	FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (VEG.) (Part I) for sanitary testing of surfaces (Part II)	25.00 40.00 ml	100 gm 500 gm	1893 7576
TM 1536	FLUID CASEIN DIGEST SOYA-LECITHIN POLYSORBATE 20 MEDIUM (DOUBLE PACK) (as per USP/IP) (Part I) for sanitary testing of surfaces (Part II)	25.00 40.00 ml	100 gm 500 gm	1965 8530
TM 2081	FLUID LACTOSE MEDIUM  as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples	13.00	100 gm 500 gm	510 2205
TMV 2081	FLUID LACTOSE MEDIUM (VEG.)  as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples	13.00	100 gm 500 gm	535 2315
TM 1537	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per USP) for detection of coliform bacteria in water, foods and dairy products	13.00	100 gm 500 gm	480 2060

Dehydrated Culture Media




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1538	FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per IP) or detection of coliform bacteria in water, foods and dairy products.	13.00	100 gm 500 gm	480 2060
TM 734	FLUID LACTOSE MEDIUM W/ SOYA LECITHIN AND POLYSORBATE 20 (DOUBLE PACK) * (Part I) for microbial evaluation of oral hygiene products (Part II)	18.00 40.00	100 gm 500 gm	2045 8175
TM 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) Sterility testing medium for molds and lower bacteria in pharmaceutical preparations	30.00	100 gm 500 gm	445 2040
TMV 317	FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) (VEG.) sterility testing medium for molds and lower bacteria in pharmaceutical preparations	30.00	100 gm 500 gm	470 2135
TM 2082	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples (Part II)	19.01 4.00	100 gm 500 gm	1065 4495
TM 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6579:1993) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples (Part II)	19.01 4.00	100 gm 500 gm	990 3790
TMV 294	FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (VEG.) (DOUBLE PACK) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy & clinical samples (Part II)	19.00 4.00	100 gm 500 gm	990 3790
TM 1539	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per USP) (DOUBLE PACK) (Part I) for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples (Part II)	19.00 4.00	100 gm 500 gm	990 3950
TM 1540	FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per IP) (DOUBLE PACK) (Part I) for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples. (Part II)	19.00 4.00	100 gm 500 gm	990 3950
TM 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) for isolation of salmonellae from food, urine, faeces and other material of sanitary importance	46.00	100 gm 500 gm	565 2335
TMV 423	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) (VEG.) for isolation of salmonellae from food, urine, faeces and other material of sanitary importance	46.00	100 gm 500 gm	590 2450
TM 1684	FLUID TETRATHIONATE MEDIUM (as per USP) an enrichment medium for isolation of Salmonellae from samples contaminated with Salmonellae	46.00	100 gm 500 gm	560 2290
TM 2083	FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG, MODIFIED for the selective enrichment method for isolating Salmonellae from food and other materials of sanitary importance in accordance with FDA BAM, 1998	35.11	500 gm	2745
TM 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm	355 1590
TMV 2084	FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) (VEG.) for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm	395 1620
TM 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	360 1440
TMV 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) (VEG.) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	375 1510
TM 319	FLUID THIOGLYCOLLATE MEDIUM (as per IP) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	375 1475
TMV 319	FLUID THIOGLYCOLLATE MEDIUM (as per IP) (VEG.) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	380 1510
TM 320	FLUID THIOGLYCOLLATE MEDIUM W/ MEAT EXTRACT for sterility testing and for cultivation of aerobic, anaerobic and microaerophilic organisms	34.75	500 gm	2565
TM 2085	FLUID THIOGLYCOLLATE MEDIUM W/0.5% SOYALECITHIN & 4% POLYSORBATE 20 (DOUBLE PACK) this medium is used for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophilic organisms	29.75	500 gm	4315



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1689	FLUOROGENIC LMX BROTH MODIFIED (as per MANAFI & OSSMER) selective medium for detection of total coliforms and <i>E.coli</i> from foods and water	17.00	100 gm	8890
TM 1200	FLUOROGENIC PSEUDOMONAS AGAR BASE (MUG PSEUDOMONAS AGAR) * for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm	1715 6810
TM 2086	FOLIC ACID ASSAY MEDIUM *  for microbiological assay of Folic Acid using <i>Enterococcus hirae</i> ATCC 8043 as the test organism	74.93	100 gm	3005
TM 2087	FOLIC ACID CASEI MEDIUM, MODIFIED *  for the microbiological assay of folic acid in blood serum using <i>Lactobacillus casei</i> ATCC 7469 as the test organism	93.72	100 gm	5280
TM 2088	FOLIC ACID CULTURE AGAR  for the maintenance of <i>Enterococcus hirae</i> ATCC 8043	48.00	100 gm	1285
TM 2089	FOLIC ACID INOCULUM MEDIUM  for the preparation of inoculum of <i>Enterococcus hirae</i> ATCC 8043	38.00	100 gm	1350
TM 2090	FOLIC ACID MEDIUM, AOAC  for the microbiological assay of folic acid using <i>Enterococcus hirae</i> ATCC 8043	111.58	100 gm	4650
TM 2091	FORGET FREDETTE AGAR  for selective isolation of anaerobic microorganisms from a mixture of aerobic and anaerobic flora	40.50	500 gm	4150
TM 2092	FRASER BROTH BASE  recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	54.92	100 gm 500 gm	1240 4965
TS 034	FRASER SUPPLEMENT *	#18 v1	5 v1	875
TS 035	FRASER SELECTIVE SUPPLEMENT *	#18 v1	5 v1	1385
TM 1472	FRASER BROTH BASE (ISO 11290-1: 2017) for isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	57.35	100 gm 500 gm	1160 4640
TS 034	FRASER SUPPLEMENT *	#19 v1	5 v1	875
TS 035	FRASER SELECTIVE SUPPLEMENT *	#19 v1	5 v1	1385
TM 2093	FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH)  for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm	5410
TS 034	FRASER SUPPLEMENT *	#18 v1	5 v1	875
TM 2094	FRASER BROTH W/ SUPPLEMENTS  for the selective enrichment of <i>Listeria</i> species from food samples	55.47	500 gm	5795
TM 113	FRASER SECONDARY ENRICHMENT BROTH BASE for isolation, cultivation & enrichment of <i>Listeria monocytogenes</i> from foods & environmental samples	57.85	100 gm 500 gm	1350 5415
TS 033	FRASER ENRICHMENT SUPPLEMENT *	#9 v1	5 v1	1060
TS 035	FRASER SELECTIVE SUPPLEMENT *	#9 v1	5 v1	1385
TM 1544	FREY MYCOPLASMA BROTH BASE for cultivation of avian Mycoplasma	22.30	500 gm	3750
TS 014	HORSE SERUM *	2.25 ltr	100 ml	3980
TM 2095	FRIIS LIQUID MEDIUM BASE  for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	18.01	500 gm	5400
TS 277	FRIIS SUPPLEMENT *	#28 v1	5 v1	1580
TM 2096	FRIIS SOLID MEDIUM BASE  for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	08.80	500 gm	6120
TM 967	FUCHSIN LACTOSE BROTH for detection of coliforms in water	13.00	500 gm	3450
TM 340	FUNGAL AGAR (MYCOLOGICAL AGAR) or cultivation and maintenance of fungi	35.00	500 gm	4035
TS 049	10% LACTIC ACID SOLUTION (10 ml/v1)	#15 v1	5 v1 25 v1	820 2640

Dehydrated Culture Media

F







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 114	FUNGAL AGAR W/ LOW pH (MYCOLOGICAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	4035
TM 326	FUNGAL BROTH (MYCOLOGICAL BROTH) for cultivation of fungi	50.00	500 gm	3750
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl)	#15 vl	5 vl 25 vl	820 2640
TM 115	FUNGAL BROTH W/ LOW pH (MYCOLOGICAL BROTH W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	3750
TM 1189	FUNGI KIMMIG AGAR BASE for cultivation, isolation, identification and preservation of fungal strains	50.00	500 gm	4035
TM 1542	FUNGOBIOTIC AGAR (MYCOBIO AGAR) for isolation of dermatophytes and other pathogenic fungi	35.55	100 gm	6270
TM 1691	GANB MEDIUM (GENERAL ANAEROBIC BACTERIAL MEDIUM) for cultivation of general anaerobic bacteria in saline water	55.40	500 gm	4675
TM 1347	GARROD ACTINOMYCES MEDIUM for cultivation of pathogenic anaerobic species, like <i>Actinomyces israeli</i> and <i>Actinomyces bovis</i>	39.00	500 gm	3720
TM 1545	GBS MEDIUM BASE for fast detection of group B Streptococci in pathological samples	110.20	500 gm	3735
TS 184	GBS SUPPLEMENT *	#10 vl	5 vl	825
TS 014	HORSE SERUM *	2.25 ltr	100 ml	4040
TM 116	GC AGAR BASE for selective isolation and cultivation of Gonococci	72.00	100 gm 500 gm	725 3050
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	# 14 vl	5 vl 25vl	1290 3270
TS 021	HAEMOGLOBIN POWDER *	# 14 vl	100 gm	2100
TS 038	V.C.N. SUPPLEMENT *	# 14 vl	5 vl 25 vl	1790 6645
TS 039	V.C.N.T. SUPPLEMENT *	# 14 vl	5 vl 25 vl	1790 7055
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) (DP) *	# 14 vl	5 vl 25vl	1790 7055
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	# 14 vl	5 vl 25 vl	1260 3665
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	# 14 vl	5 vl 25 vl	850 2745
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	# 14 vl	5vl 25 vl	1515 3665
TMV 116	GC AGAR BASE (VEG.) for selective isolation and cultivation of Gonococci	72.00	100 gm 500 gm	755 3215
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	# 14 vl	5 vl 25vl	1290 3270
TS 021	HAEMOGLOBIN POWDER *	# 14 vl	100 gm	2100
TS 038	V.C.N. SUPPLEMENT *	# 14 vl	5 vl 25 vl	1790 6645
TS 039	V.C.N.T. SUPPLEMENT *	# 14 vl	5 vl 25 vl	1790 7055
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) (DP) *	# 14 vl	5 vl 25vl	1790 7057
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	# 14 vl	5 vl 25 vl	1260 3665
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	# 14 vl	5 vl 25 vl	850 2745
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	# 14 vl	5vl 25 vl	1515 3665
TM 117	GN BROTH, HAJNA for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	590 2655
TMV 117	GN BROTH, HAJNA (VEG.) for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	710 2845
TM 1935	GN BROTH MEDIUM 11 (as per IP)  for enrichment of <i>Shigella</i> from pharmaceutical products	34.00	100 gm 500 gm	720 2895




G





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1190	GTC AGAR BASE for cultivation of Enterococci from food within 18 hours	48.75	500 gm	3685
TS 109	GTC SUPPLEMENT *	#21 vI	5 vI	950
TS 108	SODIUM BICARBONATE SOLUTION (20 ml/vI) *	#11 vI	5 vI	370
TM 1191	GASSNER LACTOSE AGAR for detection and isolation of pathogenic Enterobacteriaceae from foodstuffs	76.87	500 gm	3770
TM 735	GELATIN AGAR for cultivation and identification of <i>Vibrio</i> species	65.00	500 gm	3770
TM 1122	GELATIN IRON AGAR for detection of gelatin liquefaction and H ₂ S production	159.00	500 gm	3690
TM 2098	GELATIN PEPTONE AGAR  NEW for the cultivation of non fastidious bacteria	20.00	500 gm	4030
TM 300	GELATIN MANNITOL SALT AGAR (STAPHYLOCOCCUS AGAR NO. 110) for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm	785 3225
TM 1192	GELATIN PHOSPHATE BUFFER for detection of toxin in food products suspected with <i>Clostridium botulinum</i>	6.00	100 gm 500 gm	925 3845
TM 992	GELATIN PHOSPHATE SALT AGAR (GPS AGAR) for cultivation and characterization of <i>Vibrio cholerae</i> from foods	40.00	500 gm	4145
TM 993	GELATIN SALT AGAR for cultivation and differentiation of <i>Vibrio</i> species from foods	65.00	500 gm	4145
TM 631	GILLIES AGAR NO. 1 (DEXTRROSE MANNITOL AGAR) for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation	42.50	500 gm	4215
TM 736	GILLIES AGAR NO. 2 (SUCROSE SALICIN AGAR) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.30	100 gm	5695
TM 118	GIOLITTI-CANTONI BROTH BASE for selective enrichment of <i>Staphylococcus aureus</i> from foods	54.20	500 gm	3775
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vI) *	#18 vI	5 vI	620
TM 118A	GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003) for selective enrichment of <i>Staphylococcus aureus</i> from foods	55.20	500 gm	4025
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vI) *	#18 vI	5 vI	620
TM 994	GLUCONATE TEST MEDIUM for detection of gluconate oxidizing microorganisms	43.50	500 gm	3330
TM 2099	GLUCOSE AGAR  NEW for differentiation of <i>Enterobacteriaceae</i> in urine, water and food samples	20.88	500 gm	4865
TM 1547	GLUCOSE AGAR for determining the fermentation reaction of presumptive <i>Enterobacteriaceae</i>	41.52	500 gm	4550
TM 1548	GLUCOSE AGAR, MODIFIED maintenance medium for stock cultures of a variety of microorganisms	35.00	500 gm	3410
TM 1193	GLUCOSE AZIDE BROTH for enumeration of faecal Streptococci from water by MPN technique	30.30	500 gm	3475
TM 308	GLUCOSE BROTH (DEXTRROSE BROTH) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	765 3265
TMV 308	GLUCOSE BROTH (DEXTRROSE BROTH) (VEG.) for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	805 3425
TM 737	GLUCOSE BROTH (W/O pH indicator) for study of dextrose fermentation	20.00	100 gm 500 gm	790 3225

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 738	GLUCOSE CITRATE BROTH BASE for cultivation of fastidious microorganisms	23.00	500 gm	3265
TM 739	GLUCOSE CYSTEINE AGAR BASE W/ THIAMINE for cultivation and enumeration of <i>Pasteurella tularensis</i> by adding blood or Hemin	58.00	100 gm 500 gm	900 3790
TM 2100	GLUCOSE OF MEDIUM (ISO 21528-2:2017) NEW Recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria.	20.38	500 gm	3550
TM 335	GLUCOSE PEPTONE AGAR (DEXTRROSE PEPTONE AGAR) for general cultivation of microorganisms	50.00	500 gm	3275
TM 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	575 2470
TMV 324	GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) (VEG.) used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	600 2550
TM 1194	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (Part I) for enrichment of <i>Vibrio parahaemolyticus</i> and marine isolates (Part II)	48.00 4.00	100 gm 500 gm	795 3720
TM 119	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) (Part I) for enrichment of <i>Vibrio parahaemolyticus</i> in drinking water. It is recommended by BIS committee under specification (Part II)	48.00 4.00	100 gm 500 gm	795 3720
TM 931	GLUCOSE STARCH AGAR (as per AOAC) for sterility testing of canned foods	68.00	500 gm	3680
TM 1549	GLUCOSE YEAST EXTRACT ACETATE BROTH for cultivation of <i>Lactobacillus</i> species	40.60	500 gm	3450
TM 585	GLUCOSE YEAST EXTRACT AGAR for cultivation of Lactobacilli in pharma products	28.40	100 gm 500 gm	920 3775
TM 2101	GLUCOSE YEAST EXTRACT BC AGAR MEDIUM NEW recommended for cultivation and enumeration of <i>Bacillus coagulans</i>	31.30	100 gm 500 gm	920 4335
TM 586	GLUCOSE YEAST PEPTONE AGAR for isolation of yeasts from soil samples	50.00	500 gm	3775
TM 130	GLYCEROL ASPARAGINE AGAR BASE (ISP MEDIUM NO. 5) for cultivation of <i>Streptomyces</i> species as per International Streptomyces Project	23.00	100 gm 500 gm	1295 5295
TM 2102	GLYCEROL MANNITOL ACETAMIDE CETRIMIDE AGAR (DOUBLE PACK) NEW (Part I) for the enumeration of <i>Pseudomonas aeruginosa</i> from contaminated materials (Part II)	31.16 10.01	500 gm	4390
TM 2103	GUM LISTERIA MEDIUM NEW for the isolation of <i>Listeria monocytogenes</i> from clinical and non-clinical specimens	18.44	500 gm	3975
TM 519	GREEN YEAST & MOLD BROTH for cultivation of fungi from beverages	73.20	500 gm	4080
TM 1348	H BROTH for preparation of 'H' antigen, used in the identification and differentiation of <i>Salmonella</i> species	21.50	500 gm	3525
TM 1349	HC AGAR BASE for enumeration of molds in cosmetic products supplemented with Polysorbate 80	54.50	500 gm	4145
TM 1350	HS MEDIUM for cultivation of aerobic as well as anaerobic bacteria and sterility testing	29.50	500 gm	3050

H




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm	2400
TMV 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) (VEG.) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm	2560
TM 1352	HAEMOPHILUS TEST AGAR BASE for the susceptibility testing of <i>Haemophilus influenzae</i>	43.00	500 gm	4585
TS 144	HAEMOPHILUS GROWTH SUPPLEMENT *	#24 vl	5 vl	1160
TM 2093	HALF FRASER BROTH (FRASER BROTH BASE, MODIFIED)  for the selective enrichment of <i>Listeria</i> species from foods	54.97	500 gm	5410
TS 034	FRASER SUPPLEMENT *	#18 vl	5 vl	875
TM 1937	HALF FRASER BROTH BASE (ISO 11290-1:2017)  for the selective enrichment of <i>Listeria</i> species from foods	55.00	500 gm	5190
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl	875
TS 035	FRASER SELECTIVE SUPPLEMENT *	#10 vl	5 vl	1385
TM 1871	HALOPHILIC AGAR for isolation and cultivation of halophilic bacteria	325.00	500 gm	6115
TM 1872	HALOPHILIC BROTH for isolation and cultivation of halophilic bacteria	305.00	500 gm	6000
TM 1195	HANAHAN'S BROTH (SOB MEDIUM) for cultivation of recombinant strains of <i>Escherichia coli</i>	28.00	500 gm	3715
TM 374	HARTLEY'S DIGEST BROTH for cultivation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm	790 3320
TMV 374	HARTLEY'S DIGEST BROTH (VEG.) for cultivation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i>	29.00	100 gm 500 gm	830 3485
TM 120	HEART INFUSION AGAR (BEEF HEART INFUSION AGAR) for isolation and cultivation of various fastidious microorganisms	40.00	100 gm 500 gm	880 3855
TM 2104	HEART INFUSION AGAR, MODIFIED  for isolation and cultivation of fastidious pathogenic microorganisms like <i>Neisseria</i> , <i>Streptococci</i> etc. and for confirmation of diarrheagenic <i>Escherichia coli</i> in accordance with FDA BAM, 1998.	37.50	500 gm	3800
TM 2105	HEART INFUSION YEAST EXTRACT AGAR BASE  for the isolation and cultivation of <i>Campylobacter</i> in accordance with FDA BAM 1998.	42.00	500 gm	4670
TS 278	CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA *	#24 vl	5 vl	1465
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#24 vl	5 vl	1155
TM 520	HEART INFUSION BROTH (BEEF HEART INFUSION BROTH) for isolation and cultivation of various fastidious microorganisms	25.00	100 gm 500 gm	885 3890
TM 121	HEKTOEN ENTERIC AGAR (ISO 21567:2004) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm	810 3400
TMV 121	HEKTOEN ENTERIC AGAR (VEG.) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens	76.67	100 gm 500 gm	855 3570
TM 2107	HEKTOEN ENTERIC AGAR MEDIUM (as per USP)  for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from enteric pathological specimens	72.66	100 gm 500 gm	865 3640
TM 2108	HEKTOEN ENTERIC AGAR, W/ 1.4% AGAR  for the differential isolation of <i>Shigella</i> and <i>Salmonella</i> from food specimens in accordance with FDA BAM, 1998	75.67	500 gm	3800
TM 1196	HEMMES MEDIUM for biochemical differentiation of <i>Salmonella</i> and <i>Shigella</i> on the basis of dextrose, lactose, sucrose fermentation, motility, H ₂ S, indole and urease production	43.00	500 gm	7120
TS 030	UREA 40 % (5ml/vl) *		5 vl 25 vl	400 1620
TM 1355	HEMORRHAGIC COLI (HC) AGAR for isolation and enumeration with an enzyme labeled monoclonal antibody of <i>Escherichia coli</i>	61.13	500 gm	4325




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1356	HERELLEA AGAR for the selective isolation and differentiation of gram-negative, fermentative and non-fermentative organisms especially for differentiation of organisms of Mima and Herellea group	62.27	500 gm	4325
TM 2109	HETEROTROPHIC PLATE COUNT AGAR  for heterotrophic plate count of bacteria in water	18.75	100 gm 500 gm	885 3670
TM 2133	HIGH PLATE COUNT AGAR  for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75	500 gm	4315
TM 2134	HIGH SALT NUTRIENT AGAR  for the isolation, cultivation and confirmation of salt tolerant <i>Vibrio</i> species	55.00	500 gm	3540
TM 123	HIGH SENSITIVITY TEST AGAR for determination of antibiotic susceptibility of fastidious microorganism	32.00	100 gm 500 gm	1115 4565
TM 1805	HIGH SENSITIVITY TEST BROTH for antimicrobial susceptibility tests	23.40	100 gm 500 gm	1035 4280
TM 969	HIPPURATE HYDROLYSIS BROTH for detection of hippurate hydrolysing microorganisms	35.00	100 gm	2965
TM 996	HOFER'S ALKALINE MEDIUM for selective isolation of <i>Agrobacteria</i> while inhibiting <i>Rhizobium</i> species from soil	26.80	100 gm	1415
TM 1552	HORIE ARABINOSE ETHYL VIOLET BROTH for cultivation and enrichment of <i>Vibrio</i> species	43.00	500 gm	4320
TM 997	HOTTINGER BROTH for cultivation of less fastidious microorganisms and determination of indole production	23.00	100 gm	2810
TM 522	HOYLE MEDIUM BASE for differentiation and isolation of <i>Corynebacterium diphtheriae</i>	40.00	100 gm 500 gm	920 3955
TS 003	POTASSIUM TELLURITE 3.5% (10ml/vl) *	#13 vl	5 vl	620
TM 741	HUGH LEIFSON GLUCOSE MEDIUM for differentiation of Staphylococci from Micrococci by anaerobic fermentation of glucose	45.52	100 gm 500 gm	920 3750
TM 125	HUGH LEIFSON MEDIUM for detecting aerobic and anaerobic breakdown of glucose	19.35	100 gm 500 gm	915 3750
TMV 125	HUGH LEIFSON MEDIUM (VEG.) for detecting aerobic and anaerobic breakdown of glucose	19.40	100 gm 500 gm	970 3930
TM 742	HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005) for detecting aerobic and anaerobic breakdown of glucose.	20.33	100 gm 500 gm	930 3960
TM 1351	HYA AGAR for differentiation of <i>Lactobacillus bulgaricus</i> and <i>Streptococcus thermophilis</i> on the basis of colony morphology from yoghurt cultures	36.00	100 gm	1360
TM 126	ISP MEDIUM NO.1 (TRYPTONE YEAST EXTRACT BROTH) a general purpose enrichment medium for fastidious and non fastidious microorganisms	8.00	100 gm 500 gm	1160 4725
TM 397	ISP MEDIUM NO. 2 (YEAST MALT AGAR) for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1020 4195
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl	820 2640
TM 128	ISP MEDIUM NO. 3 for cultivation and characterization of Streptomyces as per International Streptomyces Project	38.00	100 gm 500 gm	1245 5130
TM 129	ISP MEDIUM NO. 4 (INORGANIC SALT STARCH AGAR) for cultivation and characterization of Streptomyces as per International Streptomyces Project	37.00	100 gm 500 gm	1265 5225
TM 130	ISP MEDIUM NO. 5 (GLYCEROL ASPARAGINE AGAR BASE) for cultivation of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm	1295 5295

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
J TM 131	ISP MEDIUM NO.6 (PEPTONE YEAST EXTRACT IRON AGAR) for cultivation and maintenance of <i>Streptomyces</i> as per International Streptomyces project	37.50	100 gm 500 gm	970 3970
TM 132	ISP MEDIUM NO. 7 (TYROSINE AGAR) for isolation and characterization of <i>Streptomyces</i> as per International Streptomyces Project	23.00	100 gm 500 gm	1000 4060
TM 523	ISP MEDIUM NO. 9 (CARBON UTILIZATION AGAR) for characterization of Streptomyces based on carbon utilization	26.67	100 gm 500 gm	1915 7680
TM 1358	ISOLATION MEDIUM FOR IRON BACTERIA for isolation of iron bacteria, especially those belonging to Sphaerotilus-Leptothrix group	10.90	100 gm 500 gm	920 3795
TM 1357	ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm	4580
TS 131 TS 132	TICARCILLIN SUPPLEMENT * POTASSIUM CHLORATE SUPPLEMENT *	#7 v1	5 v1 5 v1	1190 720
TM 2136	IUT MEDIUM BASE  for cultivation of <i>Mycobacterium tuberculosis</i>	27.71	100 gm 500 gm	1290 5955
TM 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	705 2900
TMV 468	INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) (VEG.) for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	735 3040
TM 1205	INHIBITORY MOLD AGAR, ULRICH * for selective isolation of pathogenic fungi	36.17	500 gm	4000
TM 743	INORGANIC SALT MEDIUM (MODIFIED RAGGIOS MEDIUM) for studying soil microorganisms such as <i>Rhizobium</i> species	4.73	100 gm 500 gm	920 3790
TM 129	INORGANIC SALT STARCH AGAR (ISP MEDIUM NO. 4) for cultivation and characterization of <i>Streptomyces</i> species as per International <i>Streptomyces</i> Project	37.00	100 gm 500 gm	1265 5225
TM 745	INOSITOL GELATIN MEDIUM (as per APHA) for cultivation of <i>Plesiomonas shigelloides</i> from food samples in accordance with APHA	140.00	500 gm	4000
TM 2137	IRON MEDIUM BASE  for presumptive confirmation of <i>Clostridium perfringens</i> from food in accordance with FDA BAM, 1998	1.00	500 gm	465
TM 133	IRON OXIDIZING MEDIUM (DOUBLE PACK) for isolation, cultivation and enrichment of <i>Thiobacillus ferrooxidans</i>	4.11 44.22	100 gm 500 gm	925 3715
TM 109	IRON MILK MEDIUM for cultivation of <i>Clostridium perfringens</i> from foods	101.00	500 gm	3750
TM 296	IRON SULPHITE AGAR for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm	935 3870
TMV 296	IRON SULPHITE AGAR (VEG.) for detection of thermophilic anaerobic organisms causing sulphide spoilage in foods	26.00	100 gm 500 gm	985 4060
TM 2138	IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)  for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions	42.00	500 gm	4435
TM 2139	ISLAMIS MEDIUM BASE FOR GROUP B STREPTOCOCCI  for identification and cultivation of group B Streptococci from clinical specimens	45.23	500 gm	4445
TM 1359	J. AGAR BASE for cultivation of Bacillus and Sporolactobacillus species	43.00	500 gm	4120
TM 1360	J. BROTH BASE for cultivation of Bacillus and Sporolactobacillus species	20.00	500 gm	3910
TM 134	JENSEN SEEDLING AGAR for germinating seeds of leguminous plants for studying nodulating ability of <i>Rhizobium</i> isolates	16.70	100 gm 500 gm	935 3805

Dehydrated Culture Media



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 746	JENSEN'S BROTH for detection and cultivation of nitrogen fixing bacteria	24.10	100 gm 500 gm	830 3805
TM 135	JENSEN'S MEDIUM for detection and cultivation of nitrogen fixing bacteria	39.00	100 gm 500 gm	880 3660
TM 2140	K AGAR  for isolation and cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with Official method of IFU	24.50	100 gm	4405
TM 1206	K.R.A.N.E.P. AGAR BASE for selective enumeration of total Staphylococci from foods	72.00	100 gm	3950
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#7 vl	5 vl	1875
TM 136	KF STREPTOCOCCAL AGAR BASE for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter technique	76.40	100 gm 500 gm	915 3655
TS 042	TTC SOLUTION 1% (10 ml/vl)	#7 vl	5 vl	905
TS 045	BROMO CRESOL PURPLE (15 mg/vl)	#7 vl	25 vl 5 vl	2825 595
TM 747	KF STREPTOCOCCAL BROTH BASE for detection and enumeration of faecal Streptococci in water and examination of faeces	57.00	100 gm 500 gm	840 3375
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	905 2825
TM 138	KF STREPTOCOCCUS AGAR BASE W/ BCP for detection and enumeration of faecal Streptococci	76.40	100 gm 500 gm	1130 4545
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#7 vl	5 vl 25 vl	905 2825
TM 139	KF STREPTOCOCCUS BROTH BASE W/ BCP for detection and enumeration of faecal Streptococci	56.40	500 gm	4255
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	905 2825
TM 1207	KG AGAR BASE for differentiation of <i>Bacillus cereus</i> and <i>Bacillus thuringiensis</i> based on fast sporulation	19.53	500 gm	4245
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#26 vl	5 vl	1875
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#52 vl	5 vl 25 vl	1010 2905
TM 2141	KANAMYCIN ESCULIN AZIDE AGAR  for selective isolation and identification of group D Streptococci in foodstuff	44.67	100 gm	3420
TM 748	KANAMYCIN ESCULIN AZIDE AGAR BASE for selective isolation and identification of group D Streptococci in foods	44.67	100 gm	3205
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1215
TM 2142	KANAMYCIN ESCULIN AZIDE BROTH  for selective isolation and identification of group D Streptococci in foodstuff	32.67	100 gm	3225
TM 749	KANAMYCIN ESCULIN AZIDE BROTH BASE for selective isolation and identification of group D Streptococci in foodstuffs	32.65	100 gm	3015
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT *	#31 vl	5 vl	1215
TM 1208	KAPER'S MEDIUM (as per APHA) for enumeration and identification of <i>Aeromonas hydrophila</i> from foodstuffs	37.92	500 gm	4510
TM 1361	KARMALI CAMPYLOBACTER AGAR BASE for selective isolation and cultivation of thermotolerant <i>Campylobacter</i> species from food and animal feeds	45.00	500 gm	3870
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) *	#23 vl	5 vl 25 vl	1380 2885
TS 146	CAMPYLOBACTER SELECTIVE SUPPLEMENT W/HEMIN (KARMALI) *	#23 vl	5 vl 25 vl	1325 3720




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2143	KAUFFMAN MULLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999)  recommended as selective enrichment medium for isolation of <i>Shigella</i> species from food samples	132.50	500 gm	3040
TM 1209	KENKNIGHT & MUNAIER'S MEDIUM for isolation of <i>Actinomyces</i> species from soil	16.40	500 gm	4035
TM 2144	KETOGLUCONATE BROTH  for use in identifying bacteria that can utilize a-ketogluconate to form α-ketogluconate	27.40	500 gm	3555
TM 1211	KIMMIG FUNGI AGAR BASE for isolation, identification and cultivation of fungi.	50.40	500 gm	4430
TS 110	KIMMIG SELECTIVE SUPPLEMENT *	#20 vI	5 vI	1565
TS 111	GEORGE KIMMIG SELECTIVE SUPPLEMENT *	#20 vI	5 vI	1115
TM 562	KING'S OF MEDIUM BASE for studying oxidation fermentation of carbohydrates by <i>Campylobacter</i> species	0.50	100 gm 500 gm	810 3370
TM 1362	KING'S MEDIUM A BASE for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	46.60	500 gm	3450
TM 1363	KING'S MEDIUM B BASE for non-selective isolation, cultivation and pigment production by <i>Pseudomonas</i> species	43.00	500 gm	3450
TM 2145	KING'S MEDIUM B BASE W/ 1.5% AGAR (FDA BAM, 1998)  for non-selective isolation, cultivation and pigment production of <i>Pseudomonas</i> species	38.00	500 gm	4135
TM 1869	KING'S MEDIUM B BROTH for detection of pigment production by <i>Pseudomonas</i> species	23.00	500 gm	3450
TM 1366	KIRCHNER MEDIUM BASE, MODIFIED for cultivation of <i>Mycobacterium tuberculosis</i>	15.10	500 gm	3790
TS 014	HORSE SERUM *	3.3 ltr	100 ml	3980
TM 141	KLIGLER IRON AGAR for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm	705 2905
TMV 141	KLIGLER IRON AGAR (VEG.) for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H ₂ S production	57.50	100 gm 500 gm	735 3050
TM 142	KLIGLER IRON AGAR, MODIFIED for identification of <i>Yersinia enterocolitica</i> and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	57.30	500 gm	3285
TM 1553	KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003) for identification of <i>Pseudomonas</i> species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	58.02	500 gm	3285
TM 1554	KOHN TWO TUBE MEDIUM NO. 1 for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production	46.00	100 gm 500 gm	1565 6275
TS 030	UREA 40% (5 ml/vI)	#55 vI	5 vI 25 vI	400 1620
TM 1364	KOHN TWO TUBE MEDIUM NO. 2 for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production	48.13	100 gm	5885
TM 143	KOSER CITRATE MEDIUM for differentiation of <i>Escherichia coli</i> and <i>Enterobacter aerogenes</i> on the basis of citrate utilization	5.70	100 gm 500 gm	725 3135
TMV 143	KOSER CITRATE MEDIUM (VEG.) for differentiation of <i>Escherichia coli</i> and <i>Enterobacter aerogenes</i> on the basis of citrate utilization	5.70	100 gm 500 gm	735 3190
TM 1365	KRACK BLOOD CULTURE MEDIUM for isolating organisms from blood in bacterimias and maintaining cultures isolated from blood	75.00	100 gm	1505
TM 1367	KUNDRAT AGAR for qualitative detection of residues from antibiotics and other chemotherapeutic agents	40.41	500 gm	4000

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2146	KUNDRAT AGAR, MODIFIED NEW for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived food	40.52	500 gm	4380
TM 1212	KUPFERBERG TRICHOMONAS BROTH BASE (TRICHOMONAS BROTH BASE, KUPFERBERG) for selective isolation and cultivation of <i>Trichomonas</i> species	23.50	500 gm	4115
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#44 vl	5 vl	1385
TM 750	L. D. AGAR for identification and cultivation of fastidious anaerobic bacteria	33.22	100 gm 500 gm	1665 6700
TM 960	L.D. ESCULIN AGAR for identification of anaerobic bacteria like <i>Bacteroides</i> species on the basis of esculin hydrolysis	34.62	100 gm 500 gm	2040 8150
TM 1125	L.D. EGG YOLK AGAR BASE for identification of lecithinase activity by anaerobic microorganisms	40.23	100 gm 500 gm	2040 8190
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#13 vl	5 vl	1875
TM 2148	L.MONO BLOOD AGAR BASE NEW for the specific isolation and cultivation of <i>Listeria</i> species from food and environmental samples	50.00	500 gm	4180
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#10 vl	5 vl	1010
TM 1806	L.MONO CONFIRMATORY AGAR BASE for selective and differential isolation of <i>Listeria monocytogenes</i> from clinical & food samples	77.00	100 gm 500 gm	1830 7355
TS 227	L.MONO SELECTIVE SUPPLEMENT I *	#13 vl	5 vl	1010
TS 228	L.MONO SELECTIVE SUPPLEMENT II *	#13 vl	5 vl	1235
TS 229	L.MONO ENRICHMENT SUPPLEMENT II *	#13 vl	5 vl	3590
TM 2149	L.MONO SELECTIVE AGAR BASE NEW for presumptive enumeration of <i>Listeria</i> species using membrane filtration technique	76.42	500 gm	8450
TS 289	LM SELECTIVE SUPPLEMENT *	#9 vl	5 vl	1260
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl	1875
TM 1213	LPM AGAR BASE for isolation and cultivation of <i>Listeria monocytogenes</i> from food and dairy products	50.50	100 gm	2875
TS 113	MOXALACTAM SUPPLEMENT *	#10 vl	5 vl	1285
TM 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4230
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl	905 2825
TMV 751	L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) (VEG.) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4315
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl 25 vl	905 2825
TM 1474	L B AGAR (Lennox) for propagation and maintenance of <i>E.coli</i>	35.00	500 gm	3420
TM 1475	L B BROTH (Lennox) for propagation and maintenance of <i>E.coli</i>	20.00	500 gm	3420
TM 1369	LACHICA'S MEDIUM BASE for isolation and cultivation of <i>Aeromonas hydrophila</i> from foods stored under different temperature conditions	43.00	100 gm	3820
TS 161	LACHICA'S SUPPLEMENT *	#12 vl	1 vl	605
TM 752	LACTIC ACID BACTERIA SELECTIVE AGAR BASE for selective isolation of lactic acid bacteria from brewery	77.10	100 gm	2200
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#14 vl	5 vl	1020
TM 753	LACTIC ACID BACTERIA SELECTIVE BROTH BASE (RAKA-RAY NO.3 BROTH BASE) for selective isolation of lactic acid bacteria from brewery	58.90	100 gm	3450
TS 069	LACTIC SUPPLEMENT (10 ml/vl) *	#4 vl	5 vl	1020




Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 754	LACTIC AGAR for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method	63.50	100 gm	1330
TM 642	LACTIC BACTERIA DIFFERENTIAL AGAR for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	35.56	500 gm	3880
TM 643	LACTIC BACTERIA DIFFERENTIAL BROTH for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	20.56	500 gm	3635
TM 1001	LACTIC PHAGE AGAR for enumeration of bacteriophages active against starter cultures employed in cheese production	50.00	500 gm	4035
TM 1002	LACTIC PHAGE BROTH for enumeration of bacteriophages active against starter cultures employed in cheese production	35.00	500 gm	3750
TM 1555	LACTIC STREAK AGAR (REDDYS DIFFERENTIAL AGAR, MODIFIED) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	4270
TM 144	LACTOBACILLI AGAR (AOAC) * for cultivation and maintenance of stock cultures used in microbiological assays of vitamin and amino acids	48.00	100 gm	1780
TMV 144	LACTOBACILLI AGAR (AOAC) (VEG.) * for cultivation and maintenance of stock cultures used in Microbiological assays of vitamin and amino acids	48.00	100 gm	1880
TM 145	LACTOBACILLI BROTH (AOAC) * for preparation of inocula of stock cultures used in microbiological assays of vitamins of group B	38.00	500 gm	3815
TM 316	LACTOBACILLI BROTH (ELLIKER BROTH) for cultivation of Lactobacilli and Streptococci which are important in dairy industry	48.50	500 gm	3515
TM 1370	LACTOBACILLI BULGARICUS AGAR BASE * for isolation and identification of <i>Lactobacillus bulgaricus</i>	70.00	500 gm	4235
TM 755	LACTOBACILLUS HETEROFERM SCREEN AGAR (MRS AGAR, MODIFIED) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm	4325
TM 187	LACTOBACILLUS HETEROFERM SCREEN BROTH (MRS BROTH, MODIFIED) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	47.20	500 gm	3940
TM 146	LACTOBACILLUS MRS AGAR (MRS AGAR) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	850 3495
TMV 146	LACTOBACILLUS MRS AGAR (MRS AGAR) VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	855 3670
TM 1556	LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) for the isolation and enumeration of lactic acid bacteria from meat and meat products	68.20	500 gm	3255
TM 147	LACTOBACILLUS MRS BROTH (MRS BROTH) * for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	820 3495
TMV 147	LACTOBACILLUS MRS BROTH (MRS BROTH) (VEG.) * for cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	840 3605
TM 1003	LACTOBACILLUS SELECTION AGAR BASE * for isolation and enumeration of Lactobacillus from foods	84.70	500 gm	4300
TMV 1003	LACTOBACILLUS SELECTION AGAR BASE (VEG.) * for isolation and enumeration of Lactobacillus from foods	84.70	500 gm	4465
TM 1004	LACTOBACILLUS SELECTION BROTH BASE for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm	3795
TMV 1004	LACTOBACILLUS SELECTION BROTH BASE (VEG.) for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm	3860
TM 1371	LACTOBACILLI SELECTION OXGALL AGAR BASE * for selective isolation, cultivation and enumeration of Lactobacilli	86.20	500 gm	4300





Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 751	LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE (L.S. DIFFERENTIAL MEDIUM BASE) for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4230
TS 042	TTC SOLUTION 1% (10 ml/vl)	#8 vl	5 vl 25 vl	905 2825
TM 669	LACTOSE BLUE AGAR (BTB LACTOSE AGAR MODIFIED) for differentiation of lactose fermenting and non-fermenting bacteria of Enterobacteriaceae	40.54	500 gm	4145
TM 1537	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per USP) for detection of coliform bacteria in water, dairy and food products	13.00	100 gm 500 gm	480 2060
TM 1538	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per IP) for detection of coliform bacteria in water, foods and dairy products as per Standard Methods	13.00	100 gm 500 gm	480 2060
TM 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	495 2165
TMV 757	LACTOSE BROTH (FLUID LACTOSE MEDIUM) (VEG.) for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	495 2165
TM 2152	LACTOSE MONOHYDRATE BROTH (BROTH MEDIUM D)  for the detection of coliform bacteria in water, foods, dairy products	13.00	100 gm 500 gm	540 2435
TM 148	LACTOSE GELATIN MEDIUM for detection of <i>Clostridium</i> species from food samples	135.00	500 gm	3670
TM 149	LACTOSE GELATIN MEDIUM, MODIFIED (AOAC) for detection and presumptive identification of <i>Clostridium perfringens</i> from foods in accordance with AOAC	160.00	500 gm	3670
TM 1215	LACTOSE LECITHIN AGAR * for isolation and differentiation of histotoxic Clostridia from clinical specimens	57.15	500 gm	4135
TM 734	LACTOSE MEDIUM W/SOYA LECITHIN & POLYSORBATE 20 (DOUBLE PACK) (Part I) (FLUID LACTOSE MEDIUM W/ SOYA LECITHIN AND POLYSORBATE 20) (Part II) for microbial evaluation of oral hygiene products *	18.00 40.00	100 gm 500 gm	2045 8175
TM 758	LACTOSE PEPTONE BROTH for detection of coliform organisms in water	35.00	500 gm	3255
TM 1372	LACTOSE PEPTONE WATER for detection of coliforms in fermentation studies.	25.04	500 gm	3265
TM 1216	LACTOSE SULPHITE BROTH BASE for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	20.30	500 gm	3000
TM 2153	LACTOSE MONOHYDRATE SULPHITE MEDIUM (MEDIUM R) (as per EP/BP)  for detection and enumeration of <i>Clostridium perfringens</i> in pharmaceutical products	19.80	500 gm	3215
TM 1251	LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000) for detection and enumeration of <i>E.coli</i> and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm	835 3485
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl	905 2825
TM 2445	LAKED BLOOD WITH KANAMYCIN AND VANCOMYCIN AGAR (LKV)  for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of Prevotella species	54.19	500 gm	7250
TS 314	KANAMYCIN AND VANCOMYCIN SUPPLEMENT *	#11 vl	5 vl	1795
TM 1430	LANDER TRANSPORT & STORAGE MEDIUM for cultivation and transportation of <i>Campylobacter</i> species	30.00	500 gm	4005
TS 160	LANDER AF SUPPLEMENT B *	#32 vl	1 vl	1815
TS 154	LANDER VPT SUPPLEMENT A *	#32 vl	2 vl	1815
TM 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006) for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm	575 2630
TMV 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (VEG.) for detection and enumeration of coliform bacteria in water, dairy products and other foods	35.60	100 gm 500 gm	700 2830
TM 1829	LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006) for the selective pre-enrichment medium for <i>Cronobacter sakazakii</i> from milk and milk products	64.60	500 gm	2830
TS 280	VANCOMYCIN SUPPLEMENT *	#8 vl	5 vl	1525






Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN for detection of <i>Escherichia coli</i> in water	35.80	500 gm	3795
TMV151	LAURYL TRYPTOSE MANNITOL BROTH W/TRYPHTOPHAN (VEG.) for detection of <i>Escherichia coli</i> in water	35.80	500 gm	4005
TM 1217	LEAD ACETATE AGAR for detection of H ₂ S producing enteric bacteria	36.28	500 gm	3870
TMV 1217	LEAD ACETATE AGAR (VEG.) for detection of H ₂ S producing enteric bacteria	36.28	500 gm	3975
TM 1373	LECITHIN AGAR * for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	4050
TMV 1373	LECITHIN AGAR (VEG.) * for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	4265
TM 1374	LECITHIN DILUENT BROTH * a diluent for cosmetic samples	28.00	500 gm	4220
TM 2154	LEE'S AGAR  for differential enumeration of yoghurt starter bacteria (<i>Lactobacillus bulgaricus</i> , <i>Streptococcus thermophilus</i>)	51.52	500 gm	4140
TM 2155	LEE'S MULTIDIFFERENTIAL AGAR  used in the brewing industry for the cultivation and identification of brewing bacteria including fastidious type	84.63	500 gm	4910
TM 759	LEGIONELLA AGAR BASE for cultivation of <i>Legionella</i> species	37.00	100 gm	4365
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#6 vI	5 vI	855
TS 015		#6 vI	5 vI	1110
TS 019	LEGIONELLA SUPPLEMENT (Twin Pack) (Part A & B) *	#6 vI	25 vI	3345
			5 vI	975
TM 1218	LEGIONELLA AGAR BASE for cultivation of <i>Legionella</i> species	25.00	500 gm	3080
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vI	5 vI	1545
TS 114A		#40 vI	5 vI	1325
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vI	5 vI	1110
		25 vI	3345	
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vI	5 vI	1160
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE *	#40 vI	25vI	3480
			5 vI	1385
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE *	#40 vI	5 vI	1385
			25 vI	3665
TM 2156	LEGIONELLA AGAR BASE W/O CHARCOAL  with the addition of charcoal supplement is used for the cultivation of <i>Legionella</i> species	25.00	500 gm	2880
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) *	#40 vI	5 vI	1545
TS 114A		#40 vI	5 vI	1325
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#40 vI	5 vI	1110
		25 vI	3345	
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT *	#40 vI	5 vI	1160
TS 195	LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE *	#40 vI	25vI	3480
			5 vI	1385
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR *	#40 vI	5 vI	665
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR *	#40 vI	25 vI	1470
			5 vI	665
TM 760	LEGIONELLA ENRICHMENT BROTH BASE for enrichment of <i>Legionella</i> species	27.50	100 gm	4045
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) *	#8 vI	5 vI	855
TM 1007	LEIFSON AGAR for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm	4060
TMV 1007	LEIFSON AGAR (VEG.) for isolation of <i>Salmonella</i> and <i>Shigella</i> species from clinical and non-clinical samples	47.42	500 gm	4275





Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1008	LEIFSON DEOXYCHOLATE AGAR, MODIFIED for selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	48.50	500 gm	2890
TM 153	LEPTOSPIRA MEDIUM BASE for isolation, cultivation and maintenance of <i>Leptospira</i> species	2.56	100 gm 500 gm	900 3690
TS 078	LEPTOSPIRA ENRICHMENT SUPPLEMENT (DOUBLE PACK) *	#977 v1	5 v1	1755
TM 106	LEPTOSPIRA MEDIUM BASE, FLETCHER (FLETCHER LEPTOSPIRA MEDIUM BASE) for isolation, cultivation and maintenance of <i>Leptospira</i> species	2.56	100 gm 500 gm	925 4070
TS 014	HORSE SERUM *	16 ltr	100 ml	3980
TM 155	LEPTOSPIRA MEDIUM BASE, KORTHOFF, MODIFIED for cultivation and maintenance of <i>Leptospira</i> species.	3.40	100 gm 500 gm	925 4035
TM 156	LETHEEN AGAR * determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm	4580
TMV 156	LETHEEN AGAR (VEG.) * determination of phenol coefficient of quaternary ammonium compounds using <i>E.coli</i> or <i>Staphylococcus aureus</i>	32.00	500 gm	4820
TM 1557	LETHEEN AGAR W/ TRITON X-100 for screening cosmetic products for microbial contamination by adding Triton X-100	41.70	500 gm	5790
TM 157	LETHEEN AGAR, MODIFIED * for screening cosmetic products for microbial contamination	54.00	500 gm	4675
TMV 157	LETHEEN AGAR, MODIFIED (VEG.) * for screening cosmetic products for microbial contamination	54.00	500 gm	4910
TM 2157	LETHEEN AGAR I MODIFIED  recommended to determine the phenol coefficient of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	59.10	500 gm	4945
TM 1558	LETHEEN BROTH (as per USP) for determination of bacterial activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	4690
TM 158	LETHEEN BROTH, AOAC * for determination of bacterial activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	4365
TMV 158	LETHEEN BROTH, AOAC (VEG.) * for determination of bacterial activity of quaternary ammonium compounds using <i>Escherichia coli</i> or <i>Staphylococcus aureus</i>	25.70	500 gm	4575
TM 159	LETHEEN BROTH, MODIFIED (as per FDA) * for screening cosmetic products to check microbial contamination	42.80	500 gm	4285
TMV 159	LETHEEN BROTH, MODIFIED (as per FDA) (VEG.) * for screening cosmetic products to check microbial contamination	42.80	500 gm	4575
TM 2158	LETHEEN BROTH I MODIFIED  recommended for screening cosmetic products for microbial contamination	42.80	500 gm	4710
TM 1219	LETHEEN BROTH W/ TRITON X-100 for testing microbial contamination in cosmetic products	26.70	500 gm	4690
TM 2159	LEVINE EOSIN-METHYLENE BLUE AGAR MEDIUM (as per USP)  for the isolation, enumeration and differentiation of members of Enterobacteriaceae	37.46	100 gm 500 gm	760 3115
TM 2160	LEVINTHALS MEDIUM BASE  for cultivation of <i>Haemophilus</i> species	45.00	500 gm	4240
TM 1220	LIMABEAN AGAR for cultivation of phytopathological and other fungi	23.00	500 gm	4035







Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2161	LIN'S CUPRIC SULFATE MEDIUM  differential medium for the detection of wild yeasts	40.15	100 gm 500 gm	990 4510
TM 1221	LIPOVITELLIN SALT MANNITOL AGAR BASE for selective isolation and identification of Staphylococci on the basis of lipase production and mannitol fermentation from clinical and non-clinical specimens	111.00	500 gm	4035
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#5 vl	5 vl	1875
TM 1222	LIQUOID BROTH for testing blood samples from bacteremic cases	37.50	500 gm	3880
TMV 1222	LIQUOID BROTH (VEG.) for testing blood samples from bacteremic cases	37.50	500 gm	4070
TM 1375	LISTERIA CONFIRMATORY AGAR BASE for cultivation of <i>Listeria</i> species	77.00	500 gm	6460
TS 147	LISTERIA SELECTIVE SUPPLEMENT A *	#13 vl	5 vl	1020
TS 148	LISTERIA SELECTIVE SUPPLEMENT B *	#13 vl	5 vl	1685
TS 149	LISTERIA ENRICHMENT SUPPLEMENT *	#13 vl	5 vl	3550
TM 1223	LISTERIA ENRICHMENT BROTH (DOUBLE PACK) * for selective enrichment of <i>Listeria monocytogenes</i> from clinical specimens	(Part I) 26.00 (Part II) 37.00	500 gm	3735
TM 2128	LISTERIA ENRICHMENT BROTH BASE  recommended for the rapid and selective enrichment of <i>Listeria</i> species from food samples in 24 hours	44.00	500 gm	6725
TS 288	RAPID LISTERIA SELECTIVE SUPPLEMENT *	#12 vl	5 vl	1225
TM 1224	LISTERIA ENRICHMENT BROTH, MODIFIED for selective enrichment of <i>Listeria</i> species *	52.00	100 gm 500 gm	1345 6180
TM 1225	LISTERIA ENRICHMENT MEDIUM BASE (UVM) for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.35	100 gm 500 gm	1370 6270
TS 117	LISTERIA UVM SUPPLEMENT I *	#19 vl	5 vl	915
TS 118	LISTERIA UVM SUPPLEMENT II *	#19 vl	5 vl	915
TM 2444	LISTERIA ENRICHMENT MEDIUM BASE (UVM I)  for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens	54.36	500 gm	6950
TM 1226	LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2:1998) for detection and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	69.00	100 gm 500 gm	1630 7315
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#15 vl	5 vl 25 vl	1040 3550
TM 1227	LISTERIA IDENTIFICATION BROTH BASE (PALCAM) for selective enrichment of <i>Listeria</i> species	47.70	100 gm 500 gm	1370 6270
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#22 vl #22 vl	5 vl 5 vl	1040 3550
TM 1377	LISTERIA MOTILITY MEDIUM for testing motility of <i>Listeria monocytogenes</i>	29.60	500 gm	3735
TM 2162	LISTERIA OXFORD AGAR BASE W/ 1.2% AGAR  for isolation of specimen <i>Listeria</i> species from food samples in accordance with FDA BAM, 1998	57.50	500 gm	5620
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl	1960
TM 1229	LISTERIA OXFORD MEDIUM BASE (ISO 11290-1) for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm	1300 5250
TS 120	OXFORD LISTERIA SUPPLEMENT *	#19 vl	5 vl	1215
TS 121	LISTERIA MOXALACTAM SUPPLEMENT *	#19 vl	5 vl	1385
TM 2163	LISTERIA OXFORD MEDIUM BASE, MODIFIED  for isolation and differentiation of <i>Listeria</i> species from clinical specimens	57.50	500 gm	5165
TS 120	OXFORD LISTERIA SUPPLEMENT *	#18 vl	5 vl	1215
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED *	#18 vl	5 vl	1435
TM 612	LISTERIA SELECTIVE AGAR (DOUBLE PACK) * for selective isolation & cultivation of <i>Listeria</i> species from clinical samples	(Part I) 39.00 (Part II) 37.50	500 gm	4040








Dehydrated Culture Media











CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1444 TS 092	LISTERIA SELECTIVE AGAR BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i> LISTERIA SELECTIVE SUPPLEMENT II *	51.00 #20 vI	500 gm 5 vI 25 vI	4220 1070 3755
TM 761 TS 092	LISTERIA SELECTIVE BROTH BASE for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens LISTERIA SELECTIVE SUPPLEMENT II *	36.00 #28 vI	500 gm 5 vI 25 vI	4155 1070 3755
TMV 761 TS 092	LISTERIA SELECTIVE BROTH BASE (VEG.) For selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens LISTERIA SELECTIVE SUPPLEMENT II *	36.00 #28 vI	500 gm 5 vI 25 vI	4365 1070 3755
TM 2164	LISTERIA SELECTIVE ENRICHMENT BROTH *  for selective enrichment of <i>Listeria</i> species in accordance with FDA/IDF-FIL	36.10	500 gm	6125
TM 2165 TS 293	LISTERIA SELECTIVE PRIMARY BROTH BASE  for selective enrichment of <i>Listeria</i> species from foods NAMC LISTERIA SELECTIVE SUPPLEMENT *	53.18 #10 vI	500 gm 5 vI	5470 1075
TM 164	LITMUS LACTOSE AGAR for differentiation of Lactose fermenting and Lactose nonfermenting microorganisms	29.00	500 gm	3995
TM 762	LITMUS LACTOSE BILE SALT AGAR (LLBSA) for selective isolation of enteric bacteria on the basis of lactose fermentation	70.50	500 gm	4140
TM 165	LITMUS MILK (LITMUS SM BROTH) for determination and maintenance of Lactobacilli	101.00	100 gm 500 gm	770 3265
TMV 165	LITMUS MILK (VEG.)(LITMUS SM BROTH) for determination and maintenance of Lactobacilli	101.00	100 gm 500 gm	815 3370
TM 763	LITMUS MILK (LITMUS SM BROTH) for determination and maintenance of Lactobacilli	105.00	100 gm 500 gm	770 3265
TM 524	LITTMAN OXGALL AGAR BASE for primary isolation of pathogenic fungi	55.00	500 gm	3995
TM 525	LITTMAN OXGALL BROTH BASE for selective enrichment and cultivation of pathogenic fungi	35.00	500 gm	3735
TM 764	LIVER BROTH for examination of food for Saccharolytic, putrefactive, mesophilic and thermophilic anaerobes	64.00	500 gm	3010
TM 1230	LIVER BROTH, MODIFIED for presumptive and enrichment test of Clostridia & other anaerobes from food & other products	62.00	500 gm	3475
TM 166	LIVER INFUSION AGAR for cultivation of <i>Brucella</i> and other pathogenic anaerobic bacteria	55.00	100 gm 500 gm	860 3490
TM 167	LIVER INFUSION BROTH for cultivation of <i>Brucella</i> and other anaerobic bacteria	35.00	100 gm 500 gm	820 3270
TM 765	LIVER MEAT AGAR for cultivation of fastidious anaerobes	34.00	500 gm	3775
TM 2147	LIVER MEAT AGAR, MODIFIED  for cultivation of fastidious anaerobic microorganisms	32.50	500 gm	4050
TM 766	LIVER MEAT GLUCOSE CYSTEINE BROTH for cultivation of fastidious anaerobes	32.00	500 gm	3890
TM 767	LIVER MEAT INFUSION AGAR for enumeration of sulphite reducing Clostridia and <i>Clostridium perfringens</i> in water and milk	34.87	500 gm	3970
TM 2150	LIVER VEAL AGAR  for the cultivation of fastidious anaerobic organisms	97.00	500 gm	3650

Dehydrated Culture Media












CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2151	LIVER VEAL AGAR BASE, MODIFIED  NEW for isolation of <i>Clostridium botulinum</i> in accordance with FDA BAM, 1998.	97.00	500 gm	4030
TS 290	EGG YOLK EMULSION, 50% *	#5 vl	5 vl	2415
TM 768	LOEFFLER MEDIUM BASE for cultivation of <i>Corynebacterium diphtheriae</i> from clinical samples and confirmation of chromogenesis, proteolysis and the production of ascospores	8.80	100 gm 500 gm	1285 5700
TS 014	HORSE SERUM *	42.6 ltr	100 ml	3980
TM 2166	LOEFFLER SERUM MEDIUM BASE  NEW for the cultivation of <i>Corynebacterium diphtheriae</i>	10.00	100 gm 500 gm	1005 4185
TM 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) for isolation and cultivation of <i>Mycobacterium</i> species	37.24	100 gm 500 gm	710 2965
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#54 vl	5 vl	1060
TMV 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (VEG.) for isolation and cultivation of <i>Mycobacterium</i> species	37.24	100 gm 500 gm	745 3070
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#27 vl	5 vl	1060
TM 2167	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (as per IP) (DOUBLE PACK)  NEW (Part I) for isolation and cultivation of <i>Mycobacterium</i> species (Part II)	11.04 0.667	100 gm 500 gm	780 3170
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#54 vl	5 vl	1060
TM 526	L.J. MEDIUM W/O. STARCH (as per International Standard) for propagation of Mycobacteria	7.24	100 gm 500 gm	730 3050
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *	#27 vl	5 vl	1060
TM 2168	L.J. MEDIUM MODIFIED  NEW used for the isolation of <i>Mycobacterium</i> species from mixed flora	37.24	500 gm	3635
TS 294	LCN SUPPLEMENT *	#14 vl	5 vl 25 vl	1325 3875
TMS 01	L.J. MEDIUM SLANT (10 slants) for cultivation of <i>Mycobacterium tuberculosis</i>	*	1 Kit	1270
TM 407	LURIA AGAR for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm	3435
TMV 407	LURIA AGAR (VEG.) for general cultivation of fastidious and non fastidious microorganisms	35.00	500 gm	3900
TM 2169	LURIA AGAR BASE, MILLERS MODIFICATION  NEW for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	30.50	500 gm	3975
TM 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	3395
TMV 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	3675
TM 2170	LURIA BERTANI AGAR, MODIFIED  NEW for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms	30.00	500 gm	4115
TM 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	3405
TMV 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	3600
TM 377	LURIA BROTH for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm	3390

Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 377	LURIA BROTH (VEG.) for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm	3675
TM 2171	LURIA BROTH BASE, MILLER'S MODIFICATION  for the cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> with or without addition of glucose	15.50	500 gm	3745
TM 769	LYSINE ARGININE IRON AGAR (LAI Agar) for isolation and presumptive identification of <i>Yersinia</i> species from milk and milk products	44.56	100 gm	3000
TM 2172	LYSINE ASSAY MEDIUM *  for determining lysine concentration by microbiological assay method	105.00	100 gm	3275
TM 169	LYSINE DECARBOXYLASE BROTH for differentiating <i>Salmonella</i> serotype arizonae from the Bethesda Ballerup group of <i>Enterobacteriaceae</i>	14.00	100 gm 500 gm	755 3080
TM 1830	LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006) for differentiating <i>Salmonella</i> serotype arizonae from the Bethesda Ballerup group of <i>Enterobacteriaceae</i>	9.00	100 gm 500 gm	755 3080
TM 2173	L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017)  recommended for biochemical confirmation of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm	3615
TM 2174	LYSINE INDOLE MOTILITY MEDIUM, MODIFIED  is used as an aid for the identification of members of <i>Enterobacteriaceae</i> on the basis of lysine decarboxylase, indole production and motility	30.02	500 gm	3980
TM 171	LYSINE IRON AGAR for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56	100 gm 500 gm	690 2855
TMV 171	LYSINE IRON AGAR (VEG.) for differentiation of enteric organisms especially <i>Salmonella</i> species based on their ability to decarboxylate or deaminate lysine and production of H ₂ S	34.56	100 gm 500 gm	725 3000
TM 770	LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE) for rapid presumptive detection of Salmonellae in food products and feed materials	25.70	100 gm 500 gm	785 3625
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT *	#20 vL	5 vL	1325
TM 1010	LYSINE LACTOSE BROTH for determination of lysine decarboxylase activity of lactose nonfermenting members of <i>Enterobacteriaceae</i> especially Salmonellae	24.00	500 gm	3450
TM 172	LYSINE MEDIUM BASE for isolation and enumeration of wild yeasts in pitching yeasts	66.00	100 gm 500 gm	880 3650
TS 232	POTASSIUM LACTATE 50% (10ml/vl) *	#8 vL	5 vL	1190
TMV 172	LYSINE MEDIUM BASE (VEG.) for isolation and enumeration of wild yeasts in pitching yeasts	66.00	100 gm 500 gm	930 3860
TS 232	POTASSIUM LACTATE 50% (10ml/vl) *	#8 vL	5 vL	1190
TM 2175	M9 MINIMAL MEDIUM SALTS (5X)  for growing <i>Escherichia coli</i> for molecular biology purpose	56.40	500 gm	6280
TM 2177	M-AZIDE BROTH BASE  for cultivation and enumeration of Enterococci from water samples using membrane filter technique	156.40	500 gm	3875
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#4 vL	5 vL 25 vL	905 2825
TM 1380	M-BCG YEAST AND MOLD AGAR for the detection of fungi in routine analysis of beverages using membrane filter technique	88.20	500 gm	4035
TM 1231	M-BCG YEAST AND MOLD BROTH for detection of fungi in routine examination of beverages by membrane filter technique	73.20	500 gm	3735
TM 2178	M-BCG YEAST AND MOULD BROTH, MODIFIED  for the detection of fungi in the routine analysis of beverages	74.13	500 gm	3995

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2176	M-BROTH  for detecting Salmonellae in foods and feeds by the accelerated enrichment serology procedures	36.23	100 gm	3170
TM 2179	M-BISMUTH SULPHITE BROTH  for the detection of Salmonellae by the membrane filter technique	64.65	500 gm	3995
TM 2180	M-BRILLIANT GREEN BROTH  for the detection of Salmonellae by the membrane filter technique	76.19	500 gm	3995
TM 2130	M-CP AGAR BASE  for isolation and enumeration of <i>Clostridium perfringens</i> from water samples using membrane filtration technique	71.20	100 gm 500 gm	1065 4345
TS 318	M-CP SELECTIVE SUPPLEMENT I *	#14 vl	5 vl	1260
TS 320	M-CP SELECTIVE SUPPLEMENT II *	#14 vl	5 vl	1135
TS 317	M-CP SELECTIVE SUPPLEMENT, MODIFIED *	#14 vl	5 vl	665
TM 2181	M-DEXTROSE TRYPTONE BROTH  for detection and cultivation of thermophilic flat sour microorganisms from food preparations using membrane filter technique	30.04	500 gm	3995
TM 2131	M-E.COLI BROTH *  for the detection, differentiation and enumeration of <i>Escherichia coli</i> and coliforms in water samples using membrane filter technique	21.67	100 gm 500 gm	1995 9115
TM 2182	M-EC TEST AGAR  for testing <i>Escherichia coli</i> in water samples using membrane filter technique	45.26	500 gm	3940
TM 2183	M-EMB BROTH  for the detection of members of the coliform group by the membrane filter technique	84.33	500 gm	3995
TM 174	M-ENDO AGAR, LES for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	970 3945
TMV 174	M-ENDO AGAR, LES(VEG.) for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	1015 4145
TM 175	M-ENDO BROTH for estimation of coliforms in water samples using membrane filter technique	61.50	100 gm 500 gm	885 3670
TM 773	M-ENDO BROTH MF (MF ENDO MEDIUM) (M-COLIFORM BROTH) for enumeration of coliform bacteria in water samples using one step membrane filter technique	48.00	500 gm	3670
TM 2184	M- ENRICHMENT BROTH  for enumeration of bacteria by membrane filter technique and for preliminary enrichment of organisms on membrane filter prior to using selective media	54.00	500 gm	3935
TM 176	M-ENTEROCOCCUS AGAR BASE for isolation and enumeration of Enterococci in sewage, water and foods by membrane filter technique.	41.50	500 gm	3935
TM 2185	M-ENTEROCOCCUS AGAR BASE, MODIFIED  for cultivation and enumeration of Enterococci from water samples using membrane filter technique	71.45	100 gm	3205
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl	905 2825
TM 178	M-FC AGAR BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	4105
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl	1240
TMV 178	M-FC AGAR BASE (VEG.) for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	4300
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#10 vl	5 vl	1240
TM 179	M-FC AGAR BASE MODIFIED for detection & enumeration of <i>Klebsiella</i> in water by membrane filter technique	49.60	500 gm	4185
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#11 vl	5 vl	1240
TM 180	M-FC BROTH BASE for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	37.10	500 gm	3735
TS 048	ROSOLIC ACID (0.1 gm/vl) *	#14 vl	5 vl	1240



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2186	M-FC BASAL MEDIUM for enumeration of faecal coliform by membrane filtration technique with the addition of fluorogenic and chromogenic supplement	39.50	500 gm	4015
TS 295	CHROMOGENIC SUPPLEMENT *	#13 v1	5 v1	2080
TS 296	MUG SUPPLEMENT (50 MG PER VIAL) *	#13 v1	5 v1	1895
TM 2187	M-FILTER RINSE BROTH used as a rinsing fluid in the membrane filtration procedure	9.00	500 gm	3215
TM 2188	M-(HPC) HETEROTROPHIC PLATE COUNT AGAR BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	60.00	500 gm	4275
TM 2189	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	45.00	500 gm	3995
TM 2190	M-HD ENDO BROTH for detection of coliforms in water samples by membrane filter technique	57.14	500 gm	3995
TM 2191	M-HD ENDO BROTH W/ BG for the detection of coliform in highly polluted waters using membrane filter technique	56.44	500 gm	3995
TM 2192	M-KLEB AGAR BASE recommended for selective isolation and differentiation of <i>Klebsiella</i> from water and other sources	36.22	100 gm 500 gm	1125 4840
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT *	#28 v1	5 v1	1160
TM 1914	M - 7 HR FC AGAR for examination of water and waste water	46.45	100 gm 500 gm	970 3990
TM 1233	M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE for enumeration of heterotrophic microorganisms from water by membrane filter technique	45.00	500 gm	3735
TM 2193	M-LAURYL SULPHATE AGAR for enumeration of <i>Escherichia coli</i> and coliforms in water, using membrane filter technique	91.20	500 gm	5060
TM 2194	M-LAURYL SULPHATE BROTH for enumeration of <i>Escherichia coli</i> in water using membrane filtration technique.	76.20	500 gm	3995
TM 775	M-LAURYL SULPHATE BROTH (ISO 9308-1:2000) for enumeration of <i>Escherichia coli</i> in water by membrane filter technique	77.20	500 gm	4380
TM 2195	M-MACCONKEY BROTH for detection of lactose fermenting and nonfermenting enteric bacteria using membrane filter technique	49.12	500 gm	3755
TM 2196	M-NUTRIENT BROTH for enumeration of bacteria using membrane filter technique	46.00	500 gm	3755
TM 2197	M-PA AGAR BASE for the detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	39.68	500 gm	4175
TS 297	M-PA SELECTIVE SUPPLEMENT *	#13 v1	5 v1	1420
TM 2198	M-PA AGAR for selective detection and isolation of <i>Pseudomonas aeruginosa</i> by membrane filter technique	35.18	500 gm	4315
TM 2199	M-PC BROTH for enumerating microorganisms by membrane filtration	17.00	500 gm	3430
TM 2200	M-STANDARD METHODS BROTH for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	17.00	500 gm	3995
TM 2201	M-STAPHYLOCOCCUS BROTH for detection and isolation of Staphylococci by membrane filter technique	104.55	500 gm	3550
TM 2202	M-TEC AGAR for isolation, differentiation and rapid enumeration of thermotolerant <i>Escherichia coli</i> from water by membrane filtration	45.26	500 gm	3850

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2203	M-TERGITOL 7 AGAR BASE  for selective isolation and identification of injured coliforms from chlorinated water using membrane filter technique	48.03	500 gm	5705
TM 2204	M-TERGITOL-7 AGAR W/ MEAT EXTRACT  as a selective and differential medium for the recovery of injured coliform organisms from chlorinated water by membrane filter technique	53.85	500 gm	6705
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl	905 2825
TM 2205	M-TETRATHIONATE BROTH BASE  for selective enrichment of Salmonellae using membrane filter technique	36.00	500 gm	3975
TM 2206	M-TRYPTONE GLUCOSE EXTRACT BROTH  for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	18.00	500 gm	3975
TM 2207	M-YEAST AND MOULD BROTH  for counting yeasts and moulds in samples by membrane filter technique	73.20	500 gm	3550
TM 2208	M 7 HR FC AGAR  for examination of water and waste water	46.45	100 gm 500 gm	1030 4270
TM 2209	6 MFA MEDIUM  for cultivation of <i>Aspergillus ochraceous</i>	70.00	500 gm	4185
TM 2210	M16 AGAR (MODIFIED ROGOSA AGAR) *  for cultivation and enumeration of lactic streptococci used in manufacture of cheddar cheese	70.00	500 gm	4135
TM 182	M17 AGAR BASE for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	33.25	500 gm	3995
TMV 182	M17 AGAR BASE (VEG.) for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	33.25	500 gm	4190
TM 183	M17 AGAR W/O LACTOSE for isolation and cultivation of lactic Streptococci from dairy products like yoghurt, cheese, etc.	48.25	500 gm	3995
TM 184	M17 AGAR W/ SODIUM GLYCEROPHOSPHATE (DOUBLE PACK) for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	33.25 19.00	100 gm	3970
TM 185	M17 BROTH for cultivation and isolation of lactic Streptococci and their bacteriophages	42.25	100 gm 500 gm	940 3910
TM 2211	M17 AGAR WITH GLYCEROPHOSPHATE  for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	52.25	100 gm	4250
TM 2212	MP-5 MEDIUM  for detection of pectinolytic microorganisms especially those producing polygalacturonase	33.20	500 gm	4195
TM 2213	MP-7 MEDIUM  for cultivation of pectinolytic microorganisms especially those producing pectate lyase	33.20	500 gm	4195
TM 1561	MeReSA AGAR BASE for selective isolation and identification of methicillin resistant <i>Staphylococcus aureus</i> from clinical specimens	80.12	500 gm	4910
TS 231	MeReSa SELECTIVE SUPPLEMENT *	#13 vl	5 vl	1325
TS 219	CEFOXITIN SUPPLEMENT *	#13 vl	5 vl	1325
TM 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm	3715
TMV 186	MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) (VEG.) for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity	31.00	500 gm	3900
TM 781	MIU MEDIUM BASE for detection of motility, urease and indole production	18.00	500 gm	4115
TS 030	UREA 40% (5 ml/vl) *	#28 vl	5 vl 25 vl	400 1620


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 781	MIU MEDIUM BASE (VEG.) for detection of motility, urease and indole production	18.00	500 gm	4310
TS 030	UREA 40% (5 ml/vl) *	#28 vl	5 vl 25 vl	400 1620
TM 782	MOF MEDIUM (MARINE OXIDATION FERMENTATION MEDIUM) for differentiation of marine bacteria by fermentative and oxidative metabolism of carbohydrates	22.14	500 gm	4115
TM 1024	MOX AGAR for cultivation of <i>Yersinia enterocolitica</i> from foods	46.75	500 gm	4150
TM 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	575 2470
TMV 324	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (VEG.) useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	600 2550
TM 685	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	575 2470
TM 146	MRS AGAR (LACTOBACILLUS MRS AGAR) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	835 3495
TMV 146	MRS AGAR (LACTOBACILLUS MRS AGAR) (VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	67.15	100 gm 500 gm	780 3330
TM 2214	MRS AGAR W/ PH 5.5 * for enrichment, isolation and cultivation of all <i>Lactobacillus</i> species	68.24	100 gm 500 gm	950 3830
TM 755	MRS AGAR, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN AGAR) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	62.20	500 gm	4325
TM 2215	MRS AGAR, MODIFIED * (ISO 15214:1998) for isolation and enumeration of mesophilic lactic acid bacteria from food	64.15	500 gm	4970
TM 2443	MRS AGAR, W/LOW pH * for cultivation of all <i>Lactobacillus</i> species from all types of material	64.15	500 gm	4765
TM 147	MRS BROTH (LACTOBACILLUS MRS BROTH) * for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	820 3495
TMV 147	MRS BROTH (LACTOBACILLUS MRS BROTH) (VEG.) * for isolation and cultivation of <i>Lactobacillus</i> species	55.15	100 gm 500 gm	840 3605
TM 2216	MRS BROTH W/LOW pH * for cultivation of all <i>Lactobacillus</i> species from all types of material	52.15	500 gm	4790
TM 187	MRS BROTH, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN BROTH) * for isolation and cultivation of <i>Lactobacillus</i> species from foods	47.20	500 gm	3940
TM 2217	MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006) recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm 500 gm	1205 5490
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT *	#8 vl	5 vl	2270
TM 2218	MSM BROTH BASE recommended as an enrichment medium for <i>Salmonella</i> species.	12.63	500 gm	4575
TS 299	GROWTH SUPPLEMENT I FOR MSM *	#40 vl	5 vl	935
TS 300	GROWTH SUPPLEMENT II FOR MSM *	#40 vl	5 vl	770
TM 2219	M-T 7 Agar recommended for growth and recovery of injured <i>E.coli</i> and total coliforms from water samples by membrane filtration	48.60	500 gm	6395
TM 2220	MUD SF BROTH BASE for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method	53.65	500 gm	7095
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl 25 vl	905 2825
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	5 vl	1180

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1388	MUG SF BROTH BASE for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method	53.65	500 gm	6630
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#10 vl	5 vl	905
TS 157	ENTEROCOCCUS SELECTIVE SUPPLEMENT *	#94 vl	25 vl 5 vl	2825 1180
TM 1026	MUG BRILLIANT GREEN BILE BROTH * for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	40.10	500 gm	6395
TM 1389	MUG BROMOCRESOL PURPLE BROTH W/ LACTOSE * for identification of <i>Escherichia coli</i> and coliform bacteria from water by fluorogenic assay method	28.10	500 gm	6395
TM 1027	MUG EC BROTH * for detection of <i>Escherichia coli</i> in water and food by fluorogenic method	37.00	500 gm	6395
TM 1571	MUG EC BROTH, MODIFIED * recommended for detection and enumeration of <i>Escherichia coli</i> on surface and waste water by miniaturized method (MPN)	42.10	500 gm	6635
TM 1028	MUG LAURYL SULPHATE BROTH * for detection of <i>Escherichia coli</i> in water and food by a fluorogenic method	35.65	500 gm	6395
TM 1572	MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) * for selective enrichment of presumptive <i>Escherichia coli</i> and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm	6395
TM 1029	MUG MacCONKEY AGAR * for selective isolation and detection of lactose fermenting coliform organisms by fluorogenic method	51.63	500 gm	6895
TM 1391	MUG MFC AGAR * for cultivation and enumeration of faecal coliforms by the membrane filter technique	39.60	500 gm	7150
TM 1030	MUG NUTRIENT AGAR * for detection of <i>Escherichia coli</i> in water and food samples by a fluorogenic method	28.10	500 gm	6895
TM 1031	MUG PLATE COUNT AGAR * for determination of plate count of microorganisms in milk and other dairy products by fluorogenic method	23.60	500 gm	7150
TM 1200	MUG PSEUDOMONAS AGAR BASE (FLUOROGENIC PSEUDOMONAS AGAR BASE) * for selective isolation of <i>Pseudomonas aeruginosa</i> by fluorogenic method	46.75	100 gm 500 gm	1715 6810
TM 1392	MUG SORBITOL AGAR * for isolation and identification of enteropathogenic <i>Escherichia coli</i> associated with infant diarrhoea by fluorogenic method	50.10	500 gm	7150
TM 1235	MUG TRYPTONE SOYA AGAR (MUG CASO AGAR) * for cultivation of fastidious and nonfastidious microorganisms using fluorogenic method	40.10	500 gm	7150
TM 1236	MUG TRYPTONE WATER * for detection of indole production by microorganisms using fluorogenic method	15.05	500 gm	6630
TM 1032	MUG VIOLET RED BILE AGAR * for detection and enumeration of coliform organisms by a fluorogenic method	41.63	500 gm	6445
TM 1033	MY 40 AGAR (OSMOPHILIC AGAR) for isolation and detection of osmophilic microorganisms from food samples	80.00	500 gm	4115
TM 1034	MY 40G AGAR (OSMOPHILIC GLUCOSE AGAR) for isolation and cultivation of osmotolerant microorganisms from foods	427.00	500 gm	4255
TM 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part VI) 1976, reaffirmed 2005) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species.	46.00	100 gm 500 gm	960 3995
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl	1010
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	25 vl 5 vl	2905 1875
TMV 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (VEG.) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species	46.00	100 gm 500 gm	1055 4275
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl	1010
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	25 vl 5 vl	2905 1875


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2221	MYP AGAR BASE for isolation and identification of <i>Bacillus cereus</i> in accordance with FDA BAM, 1998	46.03	500 gm	4785
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 v1	5 v1	1010
TS 002	EGG YOLK EMULSION (100 ml/v1) *	#6 v1	25 v1	2905
TM 1898	MacCONKEY AGAR for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours	55.00	100 gm 500 gm	665 2910
TMH 118	MacCONKEY AGAR (as per USP/EP/BP/JP) for selective isolation and differentiation of <i>E.coli</i> and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm	650 2940
TM 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	630 2850
TMV 337	MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) (VEG.) for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	640 2915
TM 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm	630 2850
TMV 379	MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl)(VEG.) for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm	640 2915
TM 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	640 2920
TMV 378	MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) (VEG.) for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	640 2920
TMH 378	MacCONKEY AGAR W/O CV, NaCl, W/ 0.5% SODIUM TAUROCHOLATE for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.04	100 gm 500 gm	640 2920
TM 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	2955
TMV 232	MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	3000
TM 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	575 2570
TMV 349	MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) (VEG.) for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	640 2915
TM 528	MacCONKEY AGAR (W/O CV, W/ 1.2% AGAR) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	48.53	500 gm	2855
TM 527	MacCONKEY AGAR (W/O CV, W/ 0.075 NR & BILE SALTS, NaCl) (MacCONKEY AGAR NO.1) for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	52.00	500 gm	2855
TM 2222	MacCONKEY AGAR W/ CV W/O NaCl recommended for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli	46.53	100 gm 500 gm	760 3060
TM 2223	MacCONKEY AGAR W/O CV, W/0.5% SODIUM TAUROCHOLATE for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	55.07	500 gm	3305
TM 2224	MacCONKEY AGAR MEDIUM for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal streptococci	55.37	500 gm	3060
TM 1697	MacCONKEY AGAR MEDIUM (as per USP 31) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.00	500 gm	2850

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1698	MacCONKEY AGAR MEDIUM (as per IP) for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.03	500 gm	2850
TM 1036	MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.	55.07	100 gm 500 gm	610 2740
TM 198	MacCONKEY AGAR W/ BROMO THYMOL BLUE for detection of lactose fermenting enteric bacteria	51.53	100 gm 500 gm	800 3215
TM 2225	MacCONKEY AGAR II W/O CV  for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	50.03	500 gm	3100
TM 2226	MacCONKEY AGAR W/ MAGNESIUM SULPHATE  for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	47.27	100 gm 500 gm	720 3060
TM 199	MacCONKEY AGAR BASE W/O CARBOHYDRATE for detection of carbohydrate fermentation by adding single or multiple carbohydrates	40.00	500 gm	2905
TM 582	MacCONKEY AGAR, MODIFIED for isolation of <i>Klebsiella</i> species from water samples	50.00	100 gm	2580
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT	#4 vI	5 vI	1160
TM 2227	MacCONKEY AGAR, RS  for isolating and differentiating Gram negative enteric bacilli from specimens containing swarming strains of <i>Proteus species</i>	53.53	100 gm 500 gm	900 3720
TMH 110	MacCONKEY AGAR (as per USP/EP/BP/JP) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	625 2850
TMHV 110	MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	740 3070
TM 1875	MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2:1990) for presumptive identification of coliforms from water	40.01	100 gm 500 gm	575 2530
TM 529	MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm	515 2320
TMV 529	MacCONKEY BROTH W/ BCP & NaCl (VEG.) for presumptive identification of coliforms from water, milk and foods etc.	40.00	100 gm 500 gm	540 2470
TM 381	MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH) for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm	725 2985
TMV 381	MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH) (VEG.) for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm	735 3040
TM 323	MacCONKEY BROTH W/ BCP W/O NaCl for presumptive identification of coliforms from water, milk and foods	35.00	100 gm 500 gm	550 2435
TM 1240	MacCONKEY BROTH W/ BCP for presumptive identification of coliforms from water, milk and foods	40.02	100 gm 500 gm	550 2435
TM 322	MacCONKEY BROTH W/ NEUTRAL RED for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm	590 2440
TMV 322	MacCONKEY BROTH W/ NEUTRAL RED (VEG.) for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm	600 2490
TM 1238	MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for selective enrichment and enumeration of coliforms.	40.07	100 gm 500 gm	520 2320
TM 380	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	720 2985
TMV 380	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (VEG.) for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	720 2985






CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1239	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005) for primary isolation of coliforms from large samples like water.	80.14	100 gm 500 gm	720 2985
TMH 109	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	550 2510
TMHV 109	MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	680 3050
TM 2229	MacCONKEY BROTH MEDIUM 7. NEW for the selective identification of <i>E.coli</i> from pharmaceutical products in accordance with Indian Pharmacopoeia 2014	35.01	100 gm 500 gm	580 2605
TM 2230	MacCONKEY BROTH PURPLE (IS: 5401-1:2012) NEW for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm	615 2710
TM 1393	MacCONKEY SORBITOL AGAR BASE a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7 from food and animal feedstuff	50.03	100 gm 500 gm	1015 3865
TS 087	TELLURITE - CEFIXIME SUPPLEMENT *	#20 vL	5 vL	1040
TM 1915	MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001) a selective medium for isolation and detection of <i>Escherichia coli</i> O157:H7	50.03	500 gm	3865
TS 087	TELLURITE - CEFIXIME SUPPLEMENT *	#20 vL	5 vL	1040
TM 2231	MacCONKEY SORBITOL AGAR BASE W/ RHAMNOSE NEW for improved differentiation of <i>Escherichia coli</i> O157:H7 from background flora	56.53	500 gm	5000
TS 301	CEFIXIME SUPPLEMENT *	#18 vL	5 vL	575
TM 1241	MAINTENANCE (SCY) MEDIUM for maintenance of iron bacteria	12.26	500 gm	4000
TM 1242	MAINTENANCE MEDIUM FOR B.SUBTILIS ATCC 6633 for maintenance of <i>Bacillus subtilis</i> ATCC 6633 as the test organism for assay of antibiotics	30.50	100 gm	1415
TM 633	MALACHITE GREEN BROTH for selective enrichment of <i>Pseudomonas aeruginosa</i>	25.13	500 gm	2985
TM 202	MALONATE BROTH for differentiation of <i>Enterobacter</i> and <i>Escherichia</i> species on the basis of malonate utilization	8.00	100 gm	3920
TM 203	MALONATE BROTH EWING MODIFIED for differentiation of members of Enterobacteriaceae on the basis of malonate utilization	9.30	100 gm	4235
TM 382	MALT AGAR for cultivation and isolation of yeasts and molds	45.00	100 gm 500 gm	1185 4755
TM 2232	MALT AGAR, W/ 2% AGAR NEW for the detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also used for carrying stock cultures of yeasts and moulds in accordance with FDA BAM, 1998	50.00	500 gm	5740
TS 302	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED *	#10 vL	5 vL	900
TM 2234	MALT AGAR, MODIFIED NEW for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM, 1998	40.00	500 gm	5740
TM 2233	2% MALT EXTRACT AGAR NEW for the detection, isolation and enumeration of yeasts and moulds	35.00	500 gm	5305
TM 2235	MALT EXTRACT AGAR BASE NEW for detection and cultivation of Yeasts	61.00	500 gm	5730
TM 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE for detection, isolation and enumeration of yeasts and molds	50.00	500 gm	4680
TS 049	10% LACTIC ACID SOLUTION (10 ml/vL) *	#20 vL	5 vL 25 vL	820 2640

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 204	MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.) for detection, isolation and enumeration of yeasts and molds	50.00	500 gm	4915
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#20 vl	5 vl 25 vl	820 2640
TM 2236	MALT EXTRACT AGAR BASE, MODIFIED AS PER THOM AND CHURCH  for isolation, detection and enumeration of yeasts and moulds	31.28	500 gm	5220
TM 205	MALT EXTRACT BROTH BASE for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm	4470
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl	820 2640
TMV 205	MALT EXTRACT BROTH BASE (VEG.) for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm	4470
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#50 vl	5 vl 25 vl	820 2640
TM 1244	MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) for isolation, detection and enumeration of yeasts and moulds	15.00	500 gm	4585
TMV 1244	MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) (VEG.) for cultivation and enumeration of yeasts and molds	15.00	500 gm	4585
TM 2237	MALT EXTRACT GLUCOSE PEPTONE AGAR  for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM,1998	61.00	500 gm	5175
TM 2238	MALT YEAST AGAR  for the cultivation and maintenance of yeast and moulds	41.00	500 gm	5730
TM 2239	MANNITOL AGAR W/ PRILION  selective agar medium for isolation and differentiation of Salmonella from Proteus species	54.50	100 gm 500 gm	4380 17790
TM 1843	MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006) for the enumeration of <i>B.cereus</i> in foodstuffs and other samples	43.00	500 gm	3900
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vl	5 vl 25 vl	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 vl	5 vl	1875
TM 784	MANNITOL LYSINE AGAR for selective isolation of Salmonellae other than <i>Salmonella Typhi</i> and <i>Salmonella paratyphi A</i>	49.00	500 gm	4060
TM 531	MANNITOL MOTILITY NITRATE MEDIUM for studying mannitol fermentation, nitrate reduction and motility of bacteria	22.04	500 gm	3375
TM 530	MANNITOL MOTILITY TEST MEDIUM for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm	1045 4110
TMV 530	MANNITOL MOTILITY TEST MEDIUM (VEG.) for studying mannitol fermentation and motility of bacteria	26.00	100 gm 500 gm	1095 4110
TM 206	MANNITOL SALT AGAR BASE for selective isolation of pathogenic Staphylococci from clinical and non-clinical samples	111.00	100 gm 500 gm	685 2765
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl	1875
TMV 206	MANNITOL SALT AGAR BASE (VEG.) for selective isolation of pathogenic Staphylococci	111.00	100 gm 500 gm	710 2905
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#3 vl	5 vl	1875
TMH 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) for selective isolation and enumeration of Staphylococci species	111.02	100 gm 500 gm	685 2765
TS 002	EGG YOLK EMULSION (100ml/vl)		5 vl	1875
TMHV 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.) for selective isolation and enumeration of Staphylococci species	111.02	100 gm 500 gm	710 2910
TS 002	EGG YOLK EMULSION (100ml/vl)		5 vl	1875
TM 403	MANNITOL SALT BROTH for selective isolation of presumptive pathogenic Staphylococci	96.00	100 gm 500 gm	915 3670
TMV 403	MANNITOL SALT BROTH (VEG.) for selective isolation of presumptive pathogenic Staphylococci	96.00	100 gm 500 gm	935 3855




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1454	MANNITOL SELENITE BROTH (DOUBLE PACK) for selective enrichment of Salmonellae from clinical samples (Part I) (Part II)	19.00 4.00	500 gm	4575
TM 2240	MANNITOL SELENITE BROTH W/ BRILLIANT GREEN (DOUBLE PACK) for enrichment of Salmonellae from faeces, food- stuffs and other materials. (Part I) (Part II)	23.75 4.00	500 gm	4810
TM 207	MARINE AGAR 2216 (ZOBELL MARINE AGAR) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm	750 3385
TM 208	MARINE BROTH 2216 (ZOBELL MARINE BROTH) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm	750 3385
TM 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm	4115
TMV 782	MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) (VEG.) for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates	22.14	500 gm	4315
TM 209	MAXIMUM RECOVERY DILUENT a protective and isotonic diluent used for maximal recovery of microorganisms	9.50	500 gm	3105
TM 905	MCBRIDE LISTERIA AGAR BASE for selective isolation and cultivation of <i>Listeria</i> species from clinical samples and food stuff	46.00	500 gm	4060
TS 096	MCBRIDE LISTERIA SUPPLEMENT *	#11 vl	5 vl	1190
TM 210	MCCLUNG TOABE AGAR BASE for detection and isolation of <i>Clostridium perfringens</i> in foods	75.00	500 gm	4175
TS 002	EGG YOLK EMULSION (100ml/vl) *	#7 vl	5 vl	1875
TM 2241	MEAT EXTRACT BROTH for routine cultivation of non fastidious bacteria	18.00	500 gm	3995
TM 1040	MEAT EXTRACT W/ PEPTONE (PEPTED MEAT BROTH) for cultivation and maintenance of <i>Alcaligenes</i> species	28.00	500 gm	3475
TM 864	MEAT INFUSION AGAR (STANDARD INFUSION AGAR) for mass cultivation of microorganisms for vaccine or toxin production	50.00	500 gm	3785
TM 2242	MEDIUM 8. RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of <i>Salmonella</i> species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of IP.	27.11	500 gm	4350
TM 1041	MEHLMAN'S MAINTENANCE MEDIUM for maintenance of <i>Campylobacter</i> species	38.00	500 gm	4065
TM 1864	MGYP AGAR for isolation and cultivation of wild yeasts in the brewing industry	41.00	500 gm	3775
TM 1863	MGYP AGAR WITH COPPER for isolation and cultivation of wild yeasts in the brewing industry	41.40	500 gm	3970
TM 614	MICROBIAL CONTENT TEST AGAR (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) for detection & enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	840 3840
TMV 614	MICROBIAL CONTENT TEST AGAR (VEG.) (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) (VEG.) for presumptive identification of coliforms from water, milk and foods etc	45.70	100 gm 500 gm	945 4005
TM 2243	MICRO VITAMIN TEST CULTURE AGAR for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	52.10	100 gm	1165
TM 2244	MICRO VITAMIN TEST INOCULUM BROTH for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	37.10	100 gm	1125
TM 590	MIDDLEBROOK 7H9 AGAR BASE for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.60	500 gm	3865
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#51 vl	5 vl	2235




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 213	MIDDLEBROOK 7H9 BROTH BASE for cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	4.70	500 gm	3790
TS 050	MIDDLEBROOK ADC GROWTH SUPPLEMENT *	#213 v1	5 v1	2175
TM 214	MIDDLEBROOK 7H10 AGAR BASE for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.47	500 gm	3865
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 v1	5 v1	2235
TM 618	MIDDLEBROOK 7H10 AGAR BASE, 'TBL' for isolation, cultivation and sensitivity testing of <i>Mycobacterium tuberculosis</i>	19.49	500 gm	3865
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#52 v1	5 v1	2235
TM 786	MIDDLEBROOK 7H11 AGAR BASE for isolation, cultivation and sensitivity testing of Mycobacteria	20.50	500 gm	3865
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 v1	5 v1	2235
TM 215	MIDDLEBROOK 7H11 AGAR BASE W/O MALACHITE GREEN for isolation, cultivation and determination of antimicrobial susceptibility of Mycobacteria	20.50	500 gm	3865
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT *	#49 v1	5 v1	2235
TM 445	MILK AGAR for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc.	24.00	100 gm 500 gm	1010 3875
TM 217	MILK AGAR (BROWN AND SCOTT, MODIFIED) (Part I) for enumeration of <i>Pseudomonas aeruginosa</i> in swimming pool waters (Part II)	100.00 28.00	500 gm	4420
TM 218	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (Part I) for cultivation and enumeration of <i>Pseudomonas aeruginosa</i> in water (Part II)	133.00 26.40	500 gm	4360
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) (Part I) for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water. (Part II)	100.00 19.80	120 gm 500 gm	1070 4360
TM 788	MILK MEDIUM WITH A REDUCING AGENT for determination of litmus reaction of <i>Clostridium</i> species	115.50	500 gm	3770
TM 1042	MILK SALT AGAR BASE for selective isolation and cultivation of <i>Staphylococcus</i> species	88.00	500 gm	3980
TM 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	3395
TMV 376	MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	40.00	500 gm	3675
TM 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	3405
TMV 406	MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) (VEG.) for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i> for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	3600
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm	3845
TM 1245	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) (DOUBLE PACK) (Part I) for the enumeration of coliform bacteria in water and wastewater (Part II)	22.70 12.70	500 gm	3845
TM 1043	MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) for enumeration of coliform bacteria in water	22.70	500 gm	4145
TM 2245	MINERAL MODIFIED GLUTAMATE AGAR BASE (DOUBLE PACK) (ISO 6391:1997)  (Part I) for enumeration of <i>Escherichia coli</i> from meat and meat products (Part II)	26.29 6.35	500 gm	4435
TM 591	MINIMAL AGAR for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>	26.60	500 gm	4145
TM 219	MINIMAL BROTH, DAVIS for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>	11.60	500 gm	3845
TM 220	MINIMAL BROTH, DAVIS W/O DEXTROSE for isolation and characterization of nutritional mutants of <i>Escherichia coli</i>	10.60	500 gm	3845





CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1044	5X MINIMUM SALTS for cultivation of recombinant strains of <i>Escherichia coli</i>	56.40	500 gm	3870
TM 1045	MINIMUM SALTS W/ CASEIN ACID HYDROLYSATE for cultivation of <i>Escherichia coli</i> strains used for genetic and molecular studies	19.54	500 gm	3770
TM 221	MITIS SALIVARIUS AGAR BASE for isolation of Streptococci from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grocely contaminated specimens	90.00	500 gm	3975
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#1 vl	5 vl 25 vl	575 2050
TMV 221	MITIS SALIVARIUS AGAR BASE (VEG.) for isolation of Streptococci from mixed cultures, especially <i>Streptococcus mitis</i> , <i>Streptococcus salivarius</i> and <i>Streptococcus faecalis</i> from grocely contaminated specimens	90.00	500 gm	4175
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#1 vl	5 vl 25 vl	575 2050
TM 1623	MN AGAR for detection of <i>Leptothrix</i> by its ability to oxidize manganese ions	15.40	500 gm	3865
TM 085	MOELLER DECARBOXYLASE BROTH BASE (DECARBOXYLASE BROTH BASE, MOELLER) for differentiation of bacteria on the basis of their ability to decarboxyate the amino acid	10.52	100 gm 500 gm	1940 7985
TM 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl for differentiation of bacteria on the basis of their ability to decarboxyate L-Arginine hydrochloride	20.52	100 gm	2740
TMV 789	MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl (VEG.) for differentiation of bacteria on the basis of their ability to decarboxyate L-Arginine hydrochloride	20.52	100 gm	2875
TM 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl for differentiation of bacteria on the basis of their ability to decarboxyate L-Lysine hydrochloride	20.52	100 gm	2740
TMV 790	MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl(VEG.) for differentiation of bacteria on the basis of their ability to decarboxyate L-Lysine hydrochloride	20.52	100 gm	2875
TM 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl for differentiation of bacteria on the basis of their ability to decarboxyate L-Ornithine hydrochloride	20.52	100 gm	2850
TMV 791	MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl (VEG.) for differentiation of bacteria on the basis of their ability to decarboxyate L-Ornithine hydrochloride	20.52	100 gm	2990
TM 1398	MOLD INHIBITORY AGAR, ULRICH for isolation of pathogenic fungi	36.17	500 gm	4000
TM 1048	MONSUR MEDIUM BASE for selective isolation and differentiation of <i>Vibrio cholerae</i> and other <i>Vibrio</i> from pathological samples	71.00	100 gm 500 gm	920 3925
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#4 vl	5 vl 25 vl	575 2050
TM 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	850 3635
TMV 225	MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) (VEG.) for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	885 3815
TM 226	MOTILITY MEDIUM S BASE for detection of bacterial motility on the basis of TTC reduction	60.00	500 gm	3370
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#9 vl	5 vl 25 vl	905 2825
TM 792	MOTILITY NITRATE MEDIUM, BUFFERED for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	23.50	500 gm	4035
TM 2246	MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004) NEW for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	19.50	500 gm	4315
TM 793	MOTILITY SULPHIDE MEDIUM for detection of motility and hydrogen sulphide production by pure cultures	104.44	500 gm	3680

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 227	MOTILITY TEST MEDIUM for detection of bacterial motility	20.00	500 gm	3505
TM 2247	MOTILITY TEST MEDIUM (EDWARDS AND EWING)  for testing motility of enteric bacteria	22.00	500 gm	4060
TM 228	MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS: 5887 (Part I and V) 1976, reaffirmed 2005) for testing motility of enteric bacteria.	22.00	500 gm	3795
TM 2248	MUCATE BROTH  for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	22.02	500 gm	6685
TM 2249	MUCATE CONTROL BROTH  for identification of enteropathogenic <i>Escherichia coli</i> and <i>Salmonella</i> species from milk and milk products	10.02	500 gm	3295
TM 339	MUELLER HINTON AGAR for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	760 3050
TMV 339	MUELLER HINTON AGAR (VEG.) for cultivation of <i>Neisseria</i> spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	835 3470
TM 2250	MUELLER HINTON AGAR 2% GLUCOSE W/ METHYLENE BLUE  Mueller Hinton Agar, Modified (as per CLSI for antifungal) is recommended for testing performing Antifungal Disk Diffusion Susceptibility of yeasts	58.00	500 gm	3850
TM 236	MUELLER HINTON AGAR NO.2 for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm	900 3595
TM 325	MUELLER HINTON BROTH for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	835 3610
TMV 325	MUELLER HINTON BROTH (VEG.) for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	875 3785
TM 1577	MUELLER HINTON BROTH NO.2 for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	22.00	100 gm 500 gm	985 4185
TM 1400	MULLER KAUFFMAN TETRATHIONATE BROTH BASE for enrichment and isolation of Salmonellae by surpassing <i>Proteus</i> species	82.00	100 gm 500 gm	645 2580
TS 051	NOVOBIOCIN SUPPLEMENT *	#7 v1	5 v1 25 v1	1220 3045
TM 1399	MULLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017) for enrichment and isolation of Salmonellae by suppressing <i>Proteus</i> species	89.42	500 gm	3675
TS 152	MKTT NOVOBIOCIN SUPPLEMENT *	#6 v1	5 v1	1660
TM 1050	MUELLER TELLURITE AGAR BASE for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i>	45.45	500 gm	3945
TS 123	MUELLER TELLURITE SERUM (25 ml/v1) *	#11 v1	5 v1	2155
TM 2251	MUTANS-SANGUIS AGAR  for differentiation of <i>Streptococcus mutans</i> & <i>Streptococcus sanguis</i> associated with oral microflora	98.10	500 gm	4100
TM 340	MYCOLOGICAL AGAR (FUNGAL AGAR) for cultivation and maintenance of fungi	35.00	500 gm	4035
TS 049	10%LACTIC ACID SOLUTION (10 ml/v1)	#15 v1	5 v1 25 v1	820 2640
TM 114	MYCOLOGICAL AGAR W/ LOW pH (FUNGAL AGAR W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	4035
TS 049	10%LACTIC ACID SOLUTION (10 ml/v1)	#15 v1	5 v1 25 v1	820 2640








CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 326	MYCOLOGICAL BROTH (FUNGAL BROTH) for cultivation of fungi	50.00	500 gm	3750
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl)	#15 vl	5 vl 25 vL	820 2640
TM 115	MYCOLOGICAL BROTH W/ LOW pH (FUNGAL BROTH W/ LOW pH) for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	3750
TS 049	10%LACTIC ACID SOLUTION (10 ml/vl)	#15 vl	5 vl 25 vl	820 2640
TM 1933	MYCOBIOTIC AGAR * for the selective isolation and cultivation of pathogenic fungi	35.45	100 gm	6270
TM 233	MYCOPLASMA AGAR BASE (PPLO AGAR BASE) for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm	995 4115
TS 014	HORSE SERUM *	4.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	139 vl	5 vl 25 vl	3090 11665
TM 235	MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	3815
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#24 vl #24 vl	5 vl 25 vl	575 2050
TS 014	HORSE SERUM *	7.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	239 vl	5 vl 25 vl	3090 11665
TM 794	MYCOPLASMA BROTH BASE W/O CV (PPLO BROTH BASE W/O CV) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	3815
TS 014	HORSE SERUM *	7.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	239 vl	5 vl 25 vl	3090 11665
TM 1265	MYCOPLASMA CULTIVATION BROTH BASE for isolation and cultivation of <i>Mycoplasma</i> (PPLO)	25.50	500 gm	3815
TS 124	MYCOPLASMA CULTIVATION SUPPLEMENT *	#196 vl	5 vl	3090
TS 014	HORSE SERUM *		100 ml	3980
TM 1266	MYCOPLASMA SYNOVIAE MEDIUM BASE for cultivation of avian strains of <i>Mycoplasma</i>	42.30	500 gm	4045
TS 014	HORSE SERUM *	1.2 ltr	100 ml	3980
TM 1267	MYCOPLASMA UROGENITAL MEDIUM BASE for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm	3775
TS 014	HORSE SERUM	1.8 ltr	100 ml	3980
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT *	#35 vl	5 vl 25 vl	1790 7055
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl 25 vl	350 1430
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	5 vl 25 vl	1325 3090
TM 1481	NBB AGAR BASE MODIFIED * for detection of contaminating spoilage micro organisms in brewery industry	66.27	500 gm	5410
TM 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) for microbiological assay of antibiotics	30.50	100 gm 500 gm	795 3585
TMV 022	NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) (VEG.) for microbiological assay of antibiotics	30.50	100 gm 500 gm	930 3795
TM 2253	NEO ENRICHMENT BROTH BASE NEW is a selective enrichment broth for <i>Listeria</i> species from food samples	44.00	500 gm	7785
TS 303	NEO ENRICHMENT SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1350
TM 1051	NEUTRAL RED CHALK LACTOSE AGAR for detection of lactic Streptococci in milk and milk products	49.00	500 gm	3825

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1052	NEUTRALISING BUFFER for detection of microorganisms on dairy and food equipments disinfected with chlorine or quaternary ammonium compounds	5.20	100 gm	4115
TM 1269	NEUTRALISING FLUID (as per BP/EP) for neutralising the activity of antimicrobial agents	20.10	500 gm	4115
TM 2254	NIACIN ASSAY MEDIUM *  for the microbiological assay of Niacin (Nicotinic Acid) or Niacinamide using <i>Lactobacillus plantarum</i> ATCC 8014 as the test organism	75.12	100 gm	2885
TM 238	NICKERSON MEDIUM (Bi.G.G.Y. AGAR) for selective isolation, differentiation & presumptive identification of <i>Candida albicans</i> & <i>Candida tropicalis</i>	45.00	500 gm	4290
TM 795	NIH AGAR for cultivation & maintenance of isolates from sterility testing of biological products	43.00	100 gm 500 gm	855 3440
TM 301	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TM 302	NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per IP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TM 796	NITRATE AGAR for detection of nitrate reducing bacteria	21.00	500 gm	4165
TMV 796	NITRATE AGAR (VEG.) for detection of nitrate reducing bacteria	21.00	500 gm	4275
TM 239	NITRATE BROTH for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	9.00	100 gm 500 gm	885 3790
TMV 239	NITRATE BROTH (VEG.) for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i>	9.00	100 gm 500 gm	930 3990
TM 797	NITRATE BROTH (IS : 5887(Part IV)-1999) for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i> .	39.00	100 gm 500 gm	885 3790
TM 1053	NITROFURANTOIN BROTH BASE for isolation and enrichment of <i>Pseudomonas</i> species	20.00	500 gm	3790
TM 2252	NNN MODIFIED MEDIUM (DOUBLE PACK)  for cultivation of Leishmaniae and Trypanosomes	(Part I) 31.00 (Part II) 11.2	100 gm	3225
TM 2255	NORRIS GLUCOSE NITROGEN FREE MEDIUM  for the cultivation of chemoheterotrophic bacteria that can fix atmospheric nitrogen	12.50	100 gm	2155
TM 341	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	610 2735
TMV 341	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	625 2755
TM 1054	NUTRIENT AGAR for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	730 3070
TMV 1054	NUTRIENT AGAR (VEG.) for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	730 3070
TM 342	NUTRIENT AGAR W/O NaCl (as per USP) general purpose medium	23.00	100 gm 500 gm	735 3100
TM 343	NUTRIENT AGAR (as per IP) for general purpose medium which may be used as enriched medium by incorporating blood or other biological fluids	37.00	100 gm 500 gm	655 2950
TM 1055	NUTRIENT AGAR 1.5% for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	735 3230
TMV 1055	NUTRIENT AGAR 1.5% (VEG.) for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	780 3230


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2256	NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)  NEW recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm	3610
TM 1038	NUTRIENT AGAR (pH 6.8) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	740 3100
TM 1038A	NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	740 3100
TM 383	NUTRIENT AGAR NO.2 general purpose medium	40.00	100 gm 500 gm	740 3140
TM 798	NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005) general purpose culture medium	40.00	100 gm 500 gm	740 3140
TM 2257	NUTRIENT AGAR NO. 2, MODIFIED  NEW used as a general purpose culture media	45.00	500 gm	3560
TM 1057	NUTRIENT AGAR, (pH 7.0) for cultivation of <i>Salmonella</i> species	23.00	100 gm 500 gm	805 3330
TM 740	NUTRIENT AGAR (WITH 3% SALT) for cultivation of salt tolerance <i>Vibrio</i> species	55.00	500 gm	3380
TM 1058	NUTRIENT AGAR (W/ MANGANESE) for promoting sporulation in <i>Bacillus</i> species	23.00	500 gm	3330
TM 1056	NUTRIENT AGAR (W/ 1% PEPTONE) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	740 3100
TMV 1056	NUTRIENT AGAR (W/ 1% PEPTONE) (VEG.) general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	740 3100
TM 578	NUTRIENT AGAR pH 6.0 (W/ 0.8% NaCl.) for cultivation of bacteria requiring slightly acidic pH	31.00	100 gm 500 gm	760 3190
TM 2258	NUTRIENT MEDIUM  NEW a general purpose medium as per EP	26.05	100 gm 500 gm	870 4385
TM 932	NUTRIENT AGAR (OXIDASE) for confirmation of oxidase production by microorganisms	22.00	500 gm	3405
TMV 932	NUTRIENT AGAR (OXIDASE) (VEG.) for confirmation of oxidase production by microorganisms	22.00	500 gm	3580
TM 2259	NUTRIENT AGAR W/TRYPAN BLUE  NEW recommended for detection and enumeration of aerobic endospore formers from water samples by membrane filtration	23.02	100 gm 500 gm	765 3245
TM 2260	NUTRIENT AGAR W/ TYROSINE  NEW for cultivation and enumeration of <i>Bacillus cereus</i> in water and food in accordance with FDA BAM, 1998	28.00	500 gm	4475
TM 350	NUTRIENT BROTH for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	480 2180
TMV 350	NUTRIENT BROTH (VEG.) for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	550 2475
TM 329	NUTRIENT BROTH (W/ 1% PEPTONE) (IP 6579) sterility testing medium for aerobes and for microbial limit test	25.00	100 gm 500 gm	575 2610
TM 1270	NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999) General purpose culture medium.	25.00	100 gm 500 gm	575 2610
TM 327	NUTRIENT BROTH (W/O NaCl) pH 6.9 general purpose medium for cultivation of microorganisms	8.00	100 gm 500 gm	590 2625
TMV 327	NUTRIENT BROTH (W/O NaCl) pH 6.9 (VEG.) general purpose medium for cultivation of microorganisms	8.00	100 gm 500 gm	590 2625

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
0 TM 1823	NUTRIENT BROTH (AOAC) for testing disinfectants in accordance with AOAC, 2000 (under Disinfectants Subchapter 1, Phenol coefficient methods)	20.00	500 gm	2825
TM 1916	NUTRIENT BROTH, NO. 2 for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	15.00	500 gm	2645
TM 1917	NUTRIENT BROTH, NO. 3 for the culture and growth of microorganisms.	13.00	500 gm	2420
TM 2261	NUTRIENT BROTH WITH 1% PEPTONE  a sterility testing medium for aerobes	25.00	100 gm 500 gm	615 2790
TMV 2261	NUTRIENT BROTH WITH 1% PEPTONE (VEG.)  a sterility testing medium for aerobes	25.00	100 gm 500 gm	650 2930
TM 241	NUTRIENT GELATIN for detection of gelatine liquefaction by proteolytic microorganisms	128.00	500 gm	3045
TM 1059	NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005) for detection of gelatin liquefaction by proteolytic microorganisms.	158.00	500 gm	2875
TM 534	NUTRITIVE CASEINATE AGAR for enumeration of salt tolerant cocci in brined vegetables	23.04	500 gm	4105
TM 023	NYSTATIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 12) for microbiological assay of Amphotericin B & Nystatin using <i>Saccharomyces cerevisiae</i>	62.50	500 gm	4195
TM 024	NYSTATIN ASSAY BROTH (ANTIBIOTIC ASSAY MEDIUM NO. 13) for microbiological assay of Candicidin using <i>Saccharomyces cerevisiae</i>	30.00	500 gm	3880
TM 242	OF BASAL MEDIUM for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	9.40	100 gm 500 gm	785 3265
TM 2262	OFPBL AGAR BASE (OXIDATION FERMENTATION POLYMYXIN BACITRACIN LACTOSE AGAR BASE)  with Polymyxin and Bacitracin is recommended for the selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples	32.33	500 gm	3950
TS 304	OFPBL SELECTIVE SUPPLEMENT *	#16 vI	5 vI	1595
TM 243	OAT MEAL AGAR for cultivation of fungi particularly for macrospore formation	72.50	500 gm	4105
TM 2263	OAK WILT FUNGUS AGAR  for cultivation of Oak Wilt fungus	50.00	100 gm	1470
TM 1918	ONPG BROTH for the differentiation of microorganisms on the basis of beta-galactosidase activity	13.01	100 gm 500 gm	1610 6420
TM 1060	ORCHID AGAR (Plant Tissue Culture Media) for germination of orchid seeds	37.00	500 gm	4115
TM 1919	ORANGE SERUM AGAR for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	45.50	500 gm	3950
TM 1920	ORANGE SERUM AGAR BROTH for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	28.50	500 gm	3815
TM 245	ORNITHINE DECARBOXYLASE BROTH for detection of the ability of microorganisms to decarboxylate ornithine	9.00	100 gm	2770
TM 2265	L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017)  for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm	2910
TM 1033	OSMOPHILIC AGAR (MY 40 AGAR) for detection and isolation of osmophilic microorganisms from food samples	455.00	500 gm	4115
TM 1034	OSMOPHILIC GLUCOSE AGAR (MY 40 G AGAR) for detection and isolation of osmophilic microorganisms from food samples	427.00	500 gm	4255








CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1402	OXACILLIN RESISTANCE SCREENING AGAR BASE for screening oxacillin resistant microorganisms	103.50	500 gm	4955
TS 153	OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT *	#10 v1	5 v1	1015
TM 2266	OXGALL CHRYSOIDIN AGAR WITH MUG (CHRYSOIDIN AGAR WITH MUG) NEW for the isolation and differentiation of Enterobacteriaceae and several other Gram negative rods. It can also be used for the identification of <i>E. coli</i> from clinical and non-clinical specimens	48.23	500 gm	7305
TM 799	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) for selective isolation and enumeration of yeast and molds in food products	37.00	100 gm 500 gm	855 3410
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	820 2695
TM 1061	OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) ISO 6611:2004 for isolation and enumeration of yeasts and molds from milk and milk products	37.00	500 gm	3505
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	820 2695
TS 128	GENTA-OXY SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	1160 2780
TM 800	OXYTETRA GLUCOSE YEAST AGAR BASE W/ BIOTIN for selective isolation and enumeration of yeasts and molds in food products	37.00	500 gm	4145
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	820 2695
TM 571	PA BROTH for detection of presence and absence of coliform bacteria in water	30.50	500 gm	3815
TM 2267	PKU TEST AGAR BASE NEW for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	4055
TM 2268	PKU TEST AGAR W/ THIENYLALANINE NEW for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	4740
TM 1434	PL AGAR for isolation and cultivation of <i>Plesiomonas shigelloides</i> from food	43.58	500 gm	5555
TM 1271	PLET AGAR BASE for selective isolation and cultivation of <i>Bacillus anthracis</i>	40.34	500 gm	3275
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13 v1	5 v1	945
TM 2269	PLET AGAR BASE, MODIFIED NEW for the selective isolation and cultivation of <i>Bacillus anthracis</i>	40.40	500 gm	3505
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT *	#13 v1	5 v1	945
TM 248	PM INDICATOR AGAR (PENICILLIN IN MILK INDICATOR AGAR) (as per AOAC) for rapid detection of trace amounts of Penicillin in milk *	32.00	500 gm	3825
TM 1272	PNY MEDIUM for cultivation and isolation of <i>Lactobacillus</i> species	31.28	100 gm 500 gm	2105 8425
TM 233	PPLO AGAR BASE (MYCOPLASMA AGAR BASE) for isolation and cultivation of <i>Mycoplasma</i> species (PPLO)	36.00	100 gm 500 gm	995 4115
TS 014	HORSE SERUM *	4.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#139 v1	5 v1 25 v1	3090 11665
TM 235	PPLO BROTH BASE W/ CV (MYCOPLASMA BROTH BASE W/ CV) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	3815
TS 005	POTASSIUM TELLURITE 1% (1ml /v1) *	#24 v1	5 v1 25 v1	575 2050
TS014	HORSE SERUM *	#7.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 v1	5 v1 25 v1	3090 11665
TM 794	PPLO BROTH BASE W/O CV (MYCOPLASMA BROTH BASE W/O CV)) for enrichment of <i>Mycoplasma</i> species (PPLO) from clinical specimens and mixed cultures	21.00	500 gm	3815
TS 014	HORSE SERUM *	#7.2 ltr	100 ml	3980
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT *	#239 v1	5 v1 25 v1	3090 11665

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1064	PSB BROTH BASE for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	51.00	500 gm	3675
TM 2270	PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)  for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	30.77	500 gm	4280
TM 1273	PSTA ENRICHMENT BROTH BASE (PSB BROTH MODIFIED) for secondary enrichment of <i>Yersinia enterocolitica</i> from foods	5.20	100 gm 500 gm	855 3675
TM 2271	PYR AGAR *  for the isolation and identification of <i>Streptococcus pyogenes</i>	52.00	500 gm	4740
TM 2272	PYR BROTH *  for the isolation and identification of <i>Streptococcus pyogenes</i>	37.00	500 gm	4600
TM 1274	PAGANO LEVIN BASE for isolation and differentiation of <i>Candida</i> species	66.00	500 gm	3090
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#8 vl	5 vl	905
TS 095	NEOMYCIN SUPPLEMENT *	#16 vl	5 vl	2825 1095
TM 2273	PAGE'S SALINE  used as a rinsing solution of membranes in water filtration for <i>Legionella</i> detection	0.403	100 gm	2050
TM 1403	PARK & SANDER ENRICHMENT BROTH BASE for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	33.35	500 gm	3845
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl	1290
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl	1890
TM 2274	PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)  for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	29.35	500 gm	4115
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 vl	5 vl	1290
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 vl	5 vl	1890
TM 2275	PEIZER TB MEDIUM BASE  for cultivation of <i>Mycobacterium tuberculosis</i>	49.72	500 gm	4315
TM 1584	PENTACHLORO ROSE BENGAL YEAST EXTRACT AGAR BASE (PRYES AGAR) (as per APHA) for the cultivation and differentiation of nephrotoxin producing strains of <i>Penicillium viridicatum</i> and related species isolated from foods in accordance with APHA	190.17	500 gm	5015
TS 138	CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl	945
TM 1040	PEPTED MEAT BROTH (MEAT EXTRACT W/ PEPTONE) for cultivation and maintenance of <i>Alcaligenes</i> species	28.00	500 gm	3475
TM 803	PEPTONE IRON AGAR for detection of hydrogen sulphide production by microorganisms	36.58	100 gm	2080
TM 2276	PEPTONE SORBITOL BILE BROTH  for identification of <i>Yersinia enterocolitica</i> from dairy products	30.93	500 gm	4200
TM 1844	PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) (Part I) for selective enrichment of <i>Yersinia enterocolitica</i> from dairy products (Part II)	21.00 10.00	500 gm	3925
TM 330	PEPTONE WATER general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	570 2525
TMV 330	PEPTONE WATER (VEG.) general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	635 2695
TM 805	PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005) General purpose growth medium & as the base of carbohydrate fermentation media.	25.00	100 gm 500 gm	730 2480
TM 806	PEPTONE WATER W/ PHENOL RED for studying fermentation ability of <i>Yersinia enterocolitica</i>	15.00	500 gm	2985
TM 1276	PEPTONE YEAST DEXTROSE AGAR (CANTINO) for cultivation of aquatic fungi like <i>Blastocladiella</i> species	25.50	100 gm	1645
TM 1277	PEPTONE YEAST DEXTROSE BROTH (CANTINO) for cultivation of aquatic fungi like <i>Blastocladiella</i> species	5.50	100 gm	1645






CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 131	PEPTONE YEAST EXTRACT IRON AGAR (ISP MEDIUM NO.6) for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm	970 3970
TM 807	PEPTONIZED MILK AGAR for cultivation of lactic acid bacteria and testing of dairy products	27.00	500 gm	4145
TM 808	PERFRINGENS AGAR BASE (O.P.S.P) for selective isolation and enumeration of <i>Clostridium perfringens</i> from foods	50.50	500 gm	4145
TS 158	PERFRINGENS SUPPLEMENT A *	#20 vL	5 vL 25 vL	770 2155
TS 159	PERFRINGENS SUPPLEMENT B *	#20 vL	5 vL 25 vL	1055 2760
TM 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	4430
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vL	5 vL 25 vL	865 2270
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vL	5 vL 25 vL	1145 2845
TS 002	EGG YOLK EMULSION (100 ml/vL) *	#6 vL	5 vL	1875
TS 258	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vL	5 vL	2975
TMV 615	PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.) for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	4660
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	#22 vL	5 vL 25 vL	865 2270
TS 076	PERFRINGENS T. S.C SUPPLEMENT *	#22 vL	5 vL 25 vL	1145 2845
TS 002	EGG YOLK EMULSION (100 ml/vL) *	#6 vL	5 vL	1875
TM 1826	PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm	4180
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	#24 vL	5 vL 25 vL	1145 2845
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vL	5 vL	2975
TM 810	PFIZER SELECTIVE ENTEROCOCCUS AGAR for selective isolation and cultivation of Enterococci	58.00	500 gm	4115
TM 252	PHENOL RED AGAR BASE a basal medium by adding carbohydrates for use in fermentation studies of microorganisms	31.00	100 gm 500 gm	855 3510
TM 256	PHENOL RED DEXTROSE AGAR for determining of the ability of microorganisms to ferment dextrose	41.00	100 gm 500 gm	880 3615
TM 2277	PHENOL RED INULIN BROTH NEW recommended for inulin fermentation studies of microorganisms	21.02	100 gm	7615
TM 253	PHENOL RED LACTOSE AGAR for determining of the ability of microorganisms to ferment lactose	41.00	100 gm 500 gm	880 3615
TM 811	PHENOL RED MALTOSSE AGAR for determining of the ability of microorganisms to ferment maltose	41.00	100 gm 500 gm	1005 4115
TM 254	PHENOL RED MANNITOL AGAR for determining of the ability of microorganisms to ferment mannitol	41.00	100 gm 500 gm	1005 4115
TM 812	PHENOL RED SUCROSE AGAR for determining of the ability of microorganisms to ferment sucrose	41.00	100 gm 500 gm	880 3680
TM 813	PHENOL RED TARTRATE AGAR for identification and differentiation of Salmonellae on the basis of tartrate utilization	41.00	100 gm	2810
TM 255	PHENOL RED BROTH BASE for determination of fermentation reactions of pure cultures of microorganisms	16.00	100 gm 500 gm	795 3255
TM 814	PHENOL RED BROTH BASE W/ MEAT EXTRACT for determination of carbohydrates fermentation	16.00	100 gm 500 gm	820 3350
TM 815	PHENOL RED ADONITOL BROTH for determining of the ability of microorganisms to ferment adonitol	21.00	100 gm	7070

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 816	PHENOL RED ARABINOSE BROTH for determining the ability of microorganisms to ferment arabinose	21.00	100 gm	5385
TM 537	PHENOL RED DEXTROSE BROTH for determining the ability of microorganisms to ferment dextrose	21.00	100 gm 500 gm	820 3350
TM 817	PHENOL RED DULCITOL BROTH for determining the ability of microorganisms to ferment dulcitol	21.00	100 gm	6395
TM 818	PHENOL RED GALACTOSE BROTH for determining microorganisms to ferment galactose	21.00	100 gm	3725
TM 538	PHENOL RED INOSITOL BROTH for determining microorganisms to ferment inositol	21.00	100 gm	2660
TM 257	PHENOL RED LACTOSE BROTH for determining the ability of microorganisms to ferment lactose	21.00	100 gm 500 gm	820 3350
TM 1921	PHENOL LACTOSE BROTH (ISO 9308-1-2014) for lactose fermentation studies of coliforms	25.02	100 gm 500 gm	820 3350
TM 539	PHENOL RED MALTOSSE BROTH for determining the ability of microorganisms to ferment maltose	21.00	100 gm 500 gm	925 3795
TM 258	PHENOL RED MANNITOL BROTH for determining the ability of microorganisms to ferment mannitol	21.00	100 gm 500 gm	925 3795
TM 819	PHENOL RED RAFFINOSE BROTH for determining the ability of microorganisms to ferment raffinose	21.00	100 gm	3735
TM 820	PHENOL RED RHAMNOSE BROTH for determining the ability of microorganisms to ferment rhamnose	21.00	100 gm	7070
TM 821	PHENOL RED SALICIN BROTH for determining the ability of microorganisms to ferment salicin	21.00	100 gm	5700
TM 540	PHENOL RED SORBITOL BROTH for determining the ability of microorganisms to ferment sorbitol	21.00	100 gm	2045
TM 822	PHENOL RED STARCH BROTH for determining the ability of microorganisms to ferment starch	21.00	100 gm	1770
TM 259	PHENOL RED SUCROSE BROTH for determining the ability of microorganisms to ferment sucrose	21.00	100 gm 500 gm	820 3070
TM 823	PHENOL RED TREHALOSE BROTH for determining the ability of microorganisms to ferment trehalose	21.00	100 gm	7070
TM 541	PHENOL RED XYLOSE BROTH for determining the ability of microorganisms to ferment D-xylose	21.00	100 gm	2650
TM 197	PHENOL RED EGG YOLK POLYMYXIN AGAR BASE (MYP AGAR BASE) (BIS) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species	46.00	100 gm 500 gm	960 3995
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 vL	5 vL 25 vL	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/vL) *	#11 vL	5 vL	1875
TM 824	PHENOLPHTHALEIN PHOSPHATE AGAR for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm	995 4060
TMV 824	PHENOLPHTHALEIN PHOSPHATE AGAR (VEG.) for identification of phosphatase positive <i>Staphylococcus aureus</i>	28.00	100 gm 500 gm	1040 4275
TM 260	PHENYLALANINE AGAR for differentiation of Proteus & Providencia from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine	26.00	100 gm 500 gm	920 3870
TM 1067	PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM) for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm	4610
TM 2278	PHENYLETHYL ALCOHOL AGAR *  for the isolation of gram- positive organisms like Staphylococci and Streptococci	42.50	100 gm	3060







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2279	PHENYLETHANOL AGAR BASE * for the isolation of gram- positive organisms like Staphylococci and Streptococci	35.50	100 gm	3300
TM 2280	PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) * for cultivation of fastidious anaerobic bacteria	52.92	100 gm	3060
TM 826	PHOSPHATE BUFFER, APHA, pH 7.2 for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm	910 3795
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017) recommended for the preparation of dilutions for <i>Listeria</i> species for further testing form food sample	18.37	500 gm	3830
TM 1068	PHOSPHATE BUFFERED SALINE, pH 7.2 for preparation of dilution and controls	10.79	100 gm 500 gm	785 4035
TM 2282	PHOSPHATE BUFFERED SALINE (PBS) pH 7.4 for preparation of dilution, blanks for the examination of samples from food, water and other specimens	08.58	100 gm 500 gm	1085 4505
TM 2283	PHOSPHATE BUFFER, pH 8.0 for preparation of dilutions and blanks in accordance with USP	17.25	500 gm	3630
TM 542	PIKE STREPTOCOCCAL BROTH BASE for selective enrichment & cultivation of Streptococci from throat swabs and other clinical samples	34.00	100 gm 500 gm	860 3845
TM 543	PIKOVSKAYA'S AGAR for detection of phosphate solubilizing soil microorganisms	31.30	100 gm 500 gm	995 4145
TM 545	PIKOVSKAYA'S BROTH (MEDIUM) for cultivation phosphate solubilizing microorganisms	16.30	500 gm	4145
TM 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (ISO 4833-1 & 2:2013) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	705 3285
TMV 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) (VEG.) for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	800 3370
TM 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	805 3640
TMV 363	PLATE COUNT AGAR (STANDARD METHODS AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	865 3790
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants.	29.20	100 gm 500 gm	2280 9305
TM 828	PLATE COUNT AGAR (IS : 5402 - 1969 (First Reprint 1983)) for determination of microbial counts in food, water and waste water by pour plate technique	30.00	100 gm 500 gm	780 3505
TM 408	PLATE COUNT AGAR (SPECIAL) for estimation of microbial counts in raw milk and other dairy products	40.52	500 gm	6090
TM 829	PLATE COUNT AGAR W/ BCP for enumeration of Lactobacilli in milk products	24.64	500 gm	3825
TM 2285	PLATE COUNT AGAR W/O DEXTROSE recommended for the determination of plate counts of microorganisms in water samples	22.50	500 gm	3955
TM 744	PLESIOMONAS DIFFERENTIAL AGAR (INOSITOL BRILLIANT GREEN BILE AGAR) for selective isolation of Plesiomonas shigelloides and Aeromonas species from foods	52.05	500 gm	4215
TM 020	POLYMYXIN BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO.9) (ANTIBIOTIC ASSAY MEDIUM-H) (as per USP/IP) for assay the products containing Polymyxin-B	50.00	500 gm	4000
TM 021	POLYMYXIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.10) (DOUBLE PACK) for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	42.00	500 gm	4000
		(Part I) (Part II)	Polysorbate 80	

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1587	POLYMYXIN PYRUVATE EGG YOLK MANNITOL BROMOTHYMOL BLUE AGAR BASE (PEMBA) for cultivation of <i>Bacillus cereus</i>	44.00	500 gm	3100
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#6 vl	5 vl	1875
TS 203	PEMBA SUPPLEMENT *	#114 vl	5 vl 25 vl	1015 3110
TM 830	POLYSORBATE 80 AGAR (DOUBLE PACK) * (Part I) for cultivation of variety of microorganisms (Part II)	25.00 10.00	500 gm	3285
TMV 830	POLYSORBATE 80 AGAR (DOUBLE PACK) (VEG.) * (Part I) for cultivation of variety of microorganisms (Part II)	25.00 10.00	500 gm	3455
TM 1867	POTASSIUM CYANIDE BROTH BASE W/O KCN for differentiation of the members of Enterobacteriaceae on the basis of potassium cyanide tolerance	13.86	500 gm	3775
TM 2286	POTATO CARROT AGAR  NEW for the reproduction of <i>Pyronema domesticum</i>	24.00	500 gm	4515
TM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	100 gm 500 gm	640 2890
TMV 344	POTATO DEXTROSE AGAR (VEG.) for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	100 gm 500 gm	640 2890
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of yeasts and moulds	39.00	100 gm 500 gm	640 2890
TM 1922	POTATO DEXTROSE W / 2% AGAR for isolation and enumeration of yeasts and moulds from dairy and other food products in accordance with FDA BAM, 1998	44.00	100 gm 500 gm	700 3100
TS 259	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED	#12 vl	5 vl	870
TM 1923	POTATO DEXTROSE W/ 3% AGAR for cultivation of yeasts and moulds from dairy and other food products	54.00	500 gm	4035
TM 1924	POTATO DEXTROSE AGAR W/ CHLORAMPHENICOL for the selective isolation and enumeration of yeasts and moulds from dairy and other food products	39.05	500 gm	3515
TM 384	POTATO DEXTROSE AGAR W/ ROSE BENGAL for propagation of ascospores	39.00	500 gm	3515
TM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of yeasts and molds	24.00	500 gm	2860
TM 2287	POTATO DEXTROSE SUCROSE AGAR  NEW for the isolation and cultivation of <i>Zygosaccharomyces rouxii</i> from chocolate syrup	659.00	500 gm	4435
TM 2288	POTATO INFUSION AGAR  NEW for the isolation of <i>Brucella</i> species	49.00	500 gm	3395
TM 2289	POTATO INFUSION BROTH  NEW for the isolation of <i>Brucella</i> species	34.00	500 gm	3805
TM 2290	POTATO MALT AGAR  NEW for cultivation and maintenance of smut fungi and other phytopathogenic fungi	105.00	500 gm	3660
TM 834	PRE ENRICHMENT BROTH BASE for isolation and enrichment of <i>Yersinia enterocolitica</i> from foods	39.10	500 gm	3820
TM 2291	PRESERVATIVE RESISTANT YEAST AGAR BASE (PRY)  NEW for cultivation of Yeasts	35.00	100 gm 500 gm	1005 4120
TM 2292	PRESPORULATION GROWTH MEDIUM  NEW for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	31.00	500 gm	4240
TM 1590	PRESTON AGAR BASE for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm	3790
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON) *	#27 vl	5vl	1045
TMV 1590	PRESTON AGAR BASE (VEG.) for selective isolation of thermotolerant <i>Campylobacter</i> species	37.00	500 gm	3790
TS 067	CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON) *	#27 vl	5vl	1045






CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 835	PRINGSHEIM'S MEDIUM for cultivation of blue green bacteria	0.24	100 gm	2020
TM 2293	PROSKAUER BECK MEDIUM NEW for the growth and sporulation of <i>Saccharomyces cerevisiae</i>	12.79	100 gm 500 gm	785 3360
TM 2294	PROTEOSE AGAR NEW for the cultivation of <i>Vibrio</i> species from foods in accordance with APHA	50.00	500 gm	4605
TM 266	PSEUDOMONAS AGAR F (FOR FLUORESCIN) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	805 3275
TMV 266	PSEUDOMONAS AGAR F (FOR FLUORESCIN) (VEG.) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	850 3440
TM 1279	PSEUDOMONAS AGAR F (FOR FLUORESCIN) (as per USP) for detection of fluorescein production by <i>Pseudomonas</i> species	38.00	100 gm 500 gm	885 3715
TM 1811	PSEUDOMONAS AGAR FOR DETECTION OF FLUORESCIN (as per IP) for detection of fluorescein production by <i>Pseudomonas</i> species	37.23	100 gm 500 gm	885 3715
TM 2295	PSEUDOMONAS AGAR, MODIFIED (FOR FLUORESCIN) NEW for detection of fluorescein production by <i>Pseudomonas</i> species in accordance with FDA BAM, 1998	47.23	500 gm	3865
TM 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	770 3100
TMV 267	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (VEG.) for detection of Pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	810 3255
TM 1280	PSEUDOMONAS AGAR P (FOR PYOCYANIN) (as per USP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	855 3615
TM 1812	PSEUDOMONAS AGAR FOR DETECTION OF PYOCYANIN (as per IP) for detection of pyocyanin production by <i>Pseudomonas</i> species	46.40	100 gm 500 gm	855 3615
TM 626	PSEUDOMONAS AGAR BASE for selective isolation of <i>Pseudomonas</i> species from environmental samples, food and water	48.40	100 gm 500 gm	730 3390
TS 075	CETRINIX SUPPLEMENT *	#21 vL	5 vL 25 vL	1280 3265
TS 077	CFC SUPPLEMENT *	#21 vL	5 vL 25 vL	1165 3615
TM 641	PSEUDOMONAS ASPARAGINE BROTH (as per APHA) for presumptive determination of <i>Pseudomonas aeruginosa</i> from water	4.50	100 gm 500 gm	2720 10885
TM 1712	PSEUDOMONAS BROTH F (FOR FLUORESCIN) for detection of fluorescein production by <i>Pseudomonas</i> species	33.00	500 gm	3715
TM 1714	PSEUDOMONAS BROTH P (FOR PYOCYANIN) for detection of pyocyanin production by <i>Pseudomonas</i> species	31.40	500 gm	3715
TM 268	PSEUDOMONAS ISOLATION AGAR for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm	780 3615
TMV 268	PSEUDOMONAS ISOLATION AGAR (VEG.) for selective isolation and identification of <i>Pseudomonas aeruginosa</i> from clinical and non clinical samples	45.03	100 gm 500 gm	820 3790
TM 2296	PSEUDOMONAS SOLANACEARUM MEDIUM NEW for the cultivation of <i>Pseudomonas solanacearum</i>	33.00	500 gm	4280
TM 836	PURPLE AGAR BASE for identification of pure cultures of enteric and other microorganisms	31.00	500 gm	4625
TM 837	PURPLE BROTH BASE for identification of pure cultures of enteric and other microorganisms	15.00	500 gm	3970
TM 2297	PURPLE BROTH BASE NEW recommended for the fermentation studies of <i>Listeria monocytogenes</i>	16.02	500 gm	4250

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
R TM 2298	PYRAZINAMIDASE AGAR  for identification of <i>Yersinia</i> species in accordance with FDA BAM, 1998	34.00	500 gm	3785
TM 269	R-2A AGAR for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	855 3855
TMV 269	R-2A AGAR (VEG.) for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	995 4035
TM 1956	R-2 A AGAR (AGAR MEDIUM S) (as per EP/BP)  for heterotrophic plate count of treated potable water using longer incubation periods	18.00	500 gm	4125
TM 2299	R2A AGAR, MODIFIED  for the enumeration and cultivation of bacteria from potable water	18.12	500 gm	4305
TM 1592	R-2A BROTH for cultivation and maintenance of heterotrophic bacteria from potable waters	3.12	500 gm	3785
TM 838	R-3A AGAR for subculturing of microorganisms recovered on less nutritive R-2A Agar from potable water	21.25	500 gm	4340
TM 1593	R-3A BROTH for cultivation and maintenance of heterotrophic bacteria from potable water	6.25	500 gm	4290
TM 366	COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE) for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	3630
TM 2300	RPF AGAR BASE (ISO 6888-2:1999)  recommended for the enumeration of coagulase positive Staphylococci from food and animal feeding stuff	58.00	500 gm	5085
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#9 vI	5 vI 25 vI	4665 15850
TM 2301	RS MEDIUM BASE  for selective isolation, cultivation and presumptive identification of <i>Aeromonas hydrophila</i>	45.43	500 gm	4445
TS 151	NOVOBIOCIN SUPPLEMENT *	#11 vI	5 vI 25 vI	1220 3045
TM 753	RAKA RAY NO. 3 BROTH BASE (LACTIC ACID BACTERIA SELECTIVE BROTH BASE) for selective isolation of lactic acid bacteria from brewery	58.90	100 gm	3450
TS 069	LACTIC SUPPLEMENT (10 ml/vI) *	#4 vI	5 vI	1020
TM 1876	RPMI AGAR W/MOPS 2% DEXTROSE (DOUBLE PACK) for determining susceptibility of microorganisms to antifungal agents	42.91 + 35.00	100 gm 500 gm	1335 5610
TM 516	RWC MEDIUM (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using <i>Salmonella Typhi</i> as a test organism	50.00	100 gm 500 gm	880 3790
TM 1201	RAPID COLIFORM AGAR * for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	31.03	100 gm 500 gm	1445 5575
TM 1202	RAPID COLIFORM BROTH * for detection and confirmation of <i>E.coli</i> and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	16.03	100 gm 500 gm	1340 5480
TM 839	RAPID ENTEROCOCCI AGAR * for rapid and easy identification and differentiation of Enterococci from water	33.61	100 gm 500 gm	1640 6660
TM 124	RAPID-SENSITIVITY TEST AGAR for antimicrobial susceptibility test	31.40	100 gm 500 gm	1080 4390
TM 1466	RAPID-SENSITIVITY TEST BROTH for antimicrobial susceptibility test	23.40	100 gm 500 gm	1005 4005
TM 270	RAPPAPORT VASSILIADIS MEDIUM for enrichment of Salmonellae based on its ability to multiply selectively at high osmotic pressure, low pH and at 43°C, with modest nutritional requirements	49.20	100 gm 500 gm	860 3890







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1281	RAPPAPORT VASSILIADIS MEDIUM for selective enrichment of Salmonellae from food and environmental samples	41.78	100 gm 500 gm	860 3635
TM 1831	RAPPAPORT VASSILIADIS SOYA BROTH for selective enrichment of <i>Salmonella</i> spp.	33.37	100 gm 500 gm	1020 4490
TM 2302	RAPPAPORT VASSILIADIS R10 MEDIUM NEW for selectively enriching <i>Salmonella</i> species from meat and dairy products, faeces and sewage polluted water	26.62	500 gm	4015
TM 1282	RAPPAPORT VASSILIADIS SOYA BROTH (RVS BROTH) for selective enrichment of <i>Salmonellae</i> species from the food and animal feeding stuffs	26.75	100 gm 500 gm	865 3635
TMH 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP) for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm	915 4125
TMHV 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.) for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm	1020 4260
TM 1596	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH for selective enrichment of <i>Salmonella</i> species under high osmotic conditions and low pH	27.11	100 gm 500 gm	915 4125
TM 1070	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (RVSM) for enrichment and isolation of Salmonellae	26.75	100 gm 500 gm	865 3635
TM 2303	RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (ISO 6579-1:2017) NEW recommended as selective enrichment medium for the isolation of <i>Salmonella</i> species	26.58	100 gm 500 gm	920 3890
TM 1283	RAZI'S MEDIUM (SEMISOLID REINFORCED CLOSTRIDIAL MEDIUM W/ ASPARTATE) for maintenance of <i>Campylobacter</i> species	40.00	500 gm	4035
TM 1555	REDDYS DIFFERENTIAL AGAR, MODIFIED (LACTIC STREAK AGAR) qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	4270
TM 577	REINFORCED CLOSTRIDIAL AGAR for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm	860 3595
TMV 577	REINFORCED CLOSTRIDIAL AGAR (VEG.) for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm	910 3775
TM 271	REINFORCED CLOSTRIDIAL BROTH for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm	855 3635
TMV 271	REINFORCED CLOSTRIDIAL BROTH (VEG.) for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm	900 3700
TM 840	REINFORCED CLOSTRIDIAL BROTH W/O AGAR for cultivation and enumeration of Clostridia	37.50	100 gm 500 gm	860 3595
TMH 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	805 3625
TMHV 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	910 3830
TM 1071	RHAMNOSE BROTH for demonstration of rhamnose fermentation by <i>Listeria monocytogenes</i>	16.02	500 gm	7205
TM 385	RHIZOBIUM MEDIUM for cultivation and isolation of <i>Rhizobium</i> species	31.80	500 gm	2705
TM 1599	RICE EXTRACT AGAR for identification of <i>Candida albicans</i> by means of its chlamydospore production	40.00	500 gm	7190
TM 1600	RICE EXTRACT AGAR for differentiation of yeasts by means of their typical chlamydospores and on the basis of morphological criteria	15.00	500 gm	7190

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
S TM 1072	RICHARD'S SYNTHETIC AGAR for cultivation and isolation of fungi from soil samples	82.50	500 gm	3975
TM 273	RINGER SALT SOLUTION POWDER an isotonic diluent for food, milk and dairy products during microbiological testing	8.91	100 gm	1690
TM 2304	RINSING FLUID  used as a rinsing fluid in the membrane filtration procedure	9.00	100 gm 500 gm	760 3170
TM 1480	RIPPEY CABELLI AGAR BASE for isolation of <i>Aeromonas hydrophila</i> from water samples using membrane filter technique	32.24	100 gm	3475
TS 171	RIPPEY CABELLI SUPPLEMENT *	#7 vl	5 vl	1060
TM 842	ROBINSON MEDIUM FOR ENTAMOEBA (DOUBLE PACK) (Part I) used as a substrate for growth of Amoeba by cultivating <i>E. coli</i> . (Part II)	85.00 40.00	500 gm	4000
TM 274	ROGOSA SL AGAR * For selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm	3995
TMV 274	ROGOSA SL AGAR (VEG.) for selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm	4190
TM 1073	ROGOSA SL AGAR W/ 0.15% OXGALL * for selective isolation of bile tolerant Lactobacilli	86.20	500 gm	4430
TM 275	ROGOSA SL BROTH * for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm	3650
TMV 275	ROGOSA SL BROTH (VEG.) * for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm	3840
TM 2305	ROGOSA AGAR, MODIFIED  for the selective cultivation of Lactobacilli from food	74.40	500 gm	4685
TM 276	ROSE BENGAL AGAR BASE for selective isolation and enumeration of yeasts and molds from environmental materials and foods	31.55	500 gm	2805
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl	5 vl 25 vl	905 2745
TM 2306	ROSE BENGAL AGAR W/ CHLORTETRACYCLINE  for the selective isolation and enumeration of yeasts and moulds	31.55	500 gm	4255
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#16 vl	5 vl 25 vl	945 2745
TM 277	ROSE BENGAL CHLORAMPHENICOL AGAR * for selective isolation and enumeration of yeasts and molds from environmental materials and foods	32.15	100 gm 500 gm	825 3735
TM 2307	RYE AGAR A  for the isolation of <i>Phytophthora infestans</i>	95.00	500 gm	5010
TM 2308	RYE AGAR B  for sporulation of <i>Phytophthora infestans</i>	95.05	500 gm	5810
TM 1074	SA AGAR BASE (as per APHA) for isolation, cultivation and differentiation of <i>Aeromonas hydrophila</i> from foods by starch hydrolysis	31.00	500 gm	5435
TS 097	AMPICILLIN SUPPLEMENT *	#17 vl	5 vl	1215
TM 563	SABHI AGAR BASE for cultivation and isolation of dermatophytes and other pathogenic fungi	59.00	500 gm	3865
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#17 vl #17 vl	5 vl 5 vl	905 2745
TM 280	SBG ENRICHMENT BROTH for selective enrichment of Salmonellae from clinical samples	23.70	100 gm	1355
TM 2309	SBG ENRICHMENT BROTH, MODIFIED (DOUBLE PACK)  for Selective Enrichment of <i>Salmonella</i> species (Part I) (Part II)	18.67 4.00	100 gm	1585



CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2310	SCHWARZ DIFFERENTIAL MEDIUM used in the brewing industry for the differentiation of brewing yeasts from wild yeast	44.50	500 gm	4415
TM 843	SD AGAR for growth of yeasts for molecular biology purposes	46.70	500 gm	4475
TM 281	SDS AGAR (SODIUM DODECYL SULPHATE POLYMYXIN SUCROSE AGAR) (as per APHA) for enrichment, isolation and enumeration of <i>Vibrio vulnificus</i> from sea food samples	66.08	500 gm	4060
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT	#16 vl	5 vl 25 vl	1010 2905
TM 844	SF BROTH for selective detection, differentiation and cultivation of Enterococci from other cocci in diagnostic work	36.00	500 gm	3340
TM 845	SF BROTH, MODIFIED for detection of Enterococci in diagnostic work	46.00	500 gm	3545
TM 846	S.F.P. AGAR BASE for presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods	47.00	500 gm	4415
TS 054	S. F. P. SUPPLEMENT (PERFRINGENS S.F.P. SUPPLEMENT) *	#22 vl	5 vl 25 vl	865 2270
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#6 vl	5 vl	1875
TM 2311	S.F.P. AGAR BASE * for the presumptive identification and enumeration of <i>Clostridium perfringens</i> in foods in accordance with FDA BAM, 1998	47.00	500 gm	5190
TS 076	T.S.C. SUPPLEMENT (PERFRINGENS T.S.C. SUPPLEMENT)	#22 vl	5 vl 25 vl	1145 2845
TS 290	EGG YOLK EMULSION, 50% (100 ml/vl) *	#11 vl	5 vl	2415
TM 847	SIM MEDIUM for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	3010
TMV 847	SIM MEDIUM (VEG.) for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	3160
TM 2312	SIM MOTILITY MEDIUM, MODIFIED for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli in accordance with FDA BAM	30.00	500 gm	3645
TM 1076	SM SELECTIVE AGAR BASE for isolation and cultivation of <i>Pseudomonas solanacearum</i>	18.66	500 gm	4475
TS 167	SM SELECTIVE SUPPLEMENT *	#27 vl	5 vl	1055
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#27 vl	5 vl 25 vl	905 2825
TM 1195	SOB MEDIUM (HANAHAN'S BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	28.00	500 gm	3715
TM 1284	SOC BROTH a medium for molecular biology	28.00	500 gm	3750
TM 1077	SPS AGAR * for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm	3595
TMV 1077	SPS AGAR (VEG.) * for detection of <i>Clostridium perfringens</i> in foods	40.00	500 gm	3775
TM 1078	SPS AGAR, MODIFIED * for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm	3595
TMV 1078	SPS AGAR, MODIFIED (VEG.) * for selective isolation and enumeration of <i>Clostridium perfringens</i> from foodstuffs	41.28	500 gm	3775
TM 386	SS AGAR (SALMONELLA SHIGELLA AGAR) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm	675 3065
TMV 386	SS AGAR (SALMONELLA SHIGELLA AGAR) (VEG.) for differential and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological samples	63.00	100 gm 500 gm	780 3260

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 588	SS AGAR, MODIFIED for selective isolation & differentiation of <i>Salmonella</i> and <i>Shigella</i> species from clinical materials and foodstuff	57.00	500 gm	3625
TM 2313	SS AGAR W/ SUCROSE  used for the selective isolation and differentiation of <i>Salmonella</i> and <i>Shigella</i> species	59.03	500 gm	4200
TM 2314	SS SELECTIVE AGAR, IMPROVED, ((DOUBLE PACK)  (Part I) for the selective detection and isolation of <i>Salmonella</i> & <i>Shigella</i> species (Part II)	81.00 4.06	500 gm	6005
TM 1828	S.S AGAR WITH SODIUM DEOXYCHOLATE & CaCl₂(SSDC AGAR) for detection of presumptive pathogenic <i>Yersinia enterocolitica</i>	76.00	100 gm	3570
TM 2315	S.T.A. AGAR BASE  for the isolation of <i>Brochothrix thermosphacta</i> from meat products	36.48	500 gm	3870
TS 305	S.T.A. SELECTIVE SUPPLEMENT *	#28 v1	5 v1 25 v1	1210 3320
TM 2316	SABOURAUD AGAR GLUCOSE 4%  for cultivation of yeasts, moulds and aciduric microorganisms	65.00	500 gm	3245
TM 587	SABOURAUD AGAR W/ ANTIBIOTICS (SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR) for selective isolation and cultivation of pathogenic fungi *	45.54	100 gm	13300
TM 622	SABOURAUD CHLORAMPHENICOL AGAR for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm	880 3950
TMV 622	SABOURAUD CHLORAMPHENICOL AGAR (VEG.) for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm	895 4135
TM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm	640 2885
TMV 387	SABOURAUD DEXTROSE AGAR (VEG.) for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm	735 3130
TM 1602	SABOURAUD DEXTROSE AGAR W/ SOYA LECTHIN & POLYSORBATE 80 used for cultivation of yeasts, molds and aciduric bacteria	70.70	500 gm	2845
TM 2317	SABOURAUD DEXTROSE AGAR W/ 3.0% AGAR  for cultivation of yeasts, moulds and aciduric microorganisms. (withstands longer autoclaving upto 30 minutes.)	80.00	500 gm	3915
TMH 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	640 2885
TMHV 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	735 3130
TM 1813	SABOURAUD DEXTROSE AGAR MEDIUM W/ CHLORAMPHENICOL (as per IP) for selective cultivation of yeasts and molds	61.41	100 gm 500 gm	650 2930
TM 090	SABOURAUD DEXTROSE AGAR BASE, MODIFIED (DEXTROSE AGAR BASE, EMMONS) for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	915 3790
TS 275	CC SUPPLEMENT *	#22 v1	5 v1	1105
TM 1895	SABOURAUD DEXTROSE AGAR (as per IP 2010) for the cultivation of yeasts, moulds and aciduric bacteria in accordance with Indian Pharmacopoeia, 2010	65.00	500 gm	3310
TM 388	SABOURAUD DEXTROSE BROTH for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	445 2020
TMV 388	SABOURAUD DEXTROSE BROTH (VEG.) for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	480 2120
TMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	465 2075
TMHV 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	480 2120







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2318	SABOURAUD DEXTROSE BROTH, MODIFIED for isolation of yeasts and molds from cosmetics in accordance with FDA BAM, 1998.	50.00	500 gm	2455
TM 849	SABOURAUD DEXTROSE MALTOSE AGAR for cultivation of yeasts and molds and for testing antimycotic substances.	45.00	500 gm	4255
TM 1080	SABOURAUD DEXTROSE MALTOSE BROTH for cultivation of molds, yeasts & aciduric organisms as well as testing antimycotic substances	30.00	500 gm	3995
TM 2319	SABOURAUD GLUCOSE AGAR W/ANTIBIOTICS for selective cultivation of yeasts and moulds	65.00	500 gm	4740
TS 138	CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT *	#16 vl	5 vl	945
TM 1951	SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS (AGAR MEDIUM C) (as per EP/BP) for selective cultivation of yeasts and moulds	61.36	500 gm	4685
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl	945
TM 2320	SABOURAUD DEXTROSE AGAR MEDIUM W/ ANTIBIOTICS (as per IP) for selective cultivation of yeasts and moulds	61.36	500 gm	4565
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#6 vl	5 vl	945
TM 2321	SABOURAUD DEXTROSE BROTH MEDIUM 3. (as per IP) for cultivation of yeasts , moulds and aciduric microorganisms	28.18	100 gm 500 gm	515 2330
TM 287	SABOURAUD MALTOSE AGAR for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	65.00	500 gm	3865
TM 288	SABOURAUD MALTOSE BROTH for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	50.00	500 gm	3865
TM 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	445 2040
TMV 317	SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) (VEG.) sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	470 2135
TM 850	SACCHAROSE BROTH for identification of saccharose fermenting microorganisms	32.53	500 gm	3105
TM 1605	SAKAZAKII DHL AGAR used for detection and isolation of pathogenic Enterobacteriaceae from all types of samples	63.53	500 gm	3815
TM 1606	SALENRICH BROTH for enrichment of sublethally injured Salmonellae from food products	35.00	500 gm	2640
TS 212	SALENRICH SELECTIVE SUPPLEMENT *	#58 vl	5 vl 25 vl	1850 7290
TM 1081	SALINE AGAR for alpha-toxin detection in <i>Clostridium perfringens</i>	23.50	500 gm	3805
TM 2322	SALINE LYSINE DECARBOXYLASE MEDIUM recommended as an identification media to detect lysine decarboxylase activity of <i>Vibrio parahaemolyticus</i>	39.01	500 gm	770 3560
TM 1847	SALINE MEAT YEAST AGAR (ISO 8914:1990) for identification of <i>Vibrio parahaemolyticus</i> form food products and animal feeding products	58.30	500 gm	3470
TM 2323	SALINE NUTRIENT AGAR recommended for isolation and cultivation of <i>Vibrio parahaemolyticus</i> from food products or animal feeding products	53.00	500 gm	3460
TM 2324	SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017) recommended for enrichment of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> species	43.00	500 gm	3350
TM 2325	SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017) recommended as a biochemical test to distinguish between <i>Vibrio</i> species based on salt tolerance	70.00	500 gm	2655
TM 2326	SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017) recommended for detection of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food	110.00	500 gm	2790
TM 2327	SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990) recommended for detection of indole production by <i>Vibrio parahaemolyticus</i>	41.00	500 gm	3400

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1816	SALMONELLA AGAR, ONOZ for selective isolation and identification of Salmonellae from clinical samples	80.31	500 gm	4145
TM 1286	SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK) * (Part I) for selective isolation and identification of Salmonellae from clinical samples (Part II)	25.00 10.00	100 gm 500 gm	1445 5830
TM 1203	SALMONELLA DIFFERENTIAL AGAR, MODIFIED (DOUBLE PACK) * (Part I) for differentiation of <i>Salmonella</i> species from members of Enterobacteriaceae especially <i>Proteus</i> species (Part II)	31.00 10.00	100 gm 500 gm	1425 5705
TM 2328	SALMONELLA SELECTIVE ENRICHMENT BROTH BASE  for selective isolation and differentiation of <i>Salmonella</i> species	25.00	100 gm 500 gm	1030 4240
TS 306	SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT *	#20 v1	5 v1	1500
TM 2329	SALMONELLA SELECTIVE PRIMARY BROTH  a pre-enrichment medium used for recovery <i>Salmonella</i> species from foods prior to selective enrichment and isolation	20.00	500 gm	4580
TM 2330	SALMONELLA SELECTIVE SECONDARY BROTH  for selective enrichment and isolation of Salmonellae from food	73.91	500 gm	4375
TM 1082	SALT BROTH, MODIFIED for cultivation and differentiation of the enterococcal group D Streptococci from nonenterococcal group D Streptococci based on salt tolerance	86.02	500 gm	4275
TM 564	SALT MEAT BROTH for isolation of Staphylococci from grossly contaminated samples	150.00	500 gm	3500
TM 851	SALT POLYMYXIN BROTH BASE for detection and enumeration of <i>Vibrio</i> species	33.00	500 gm	3640
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#31 v1	5 v1 25 v1	1010 2905
TM 1848	SALT POLYMYXIN BROTH BASE (ISO 8914:1990) for detection and enumeration of <i>Vibrio</i> species	29.70	500 gm	3640
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 v1	5 v1 25 v1	1010 2905
TM 2331	SAUTONS FLUID MEDIUM BASE  for selective enrichment and isolation of Salmonellae from food	3.19	100 gm 500 gm	1170 5385
TM 291	SCHAEDLER AGAR for enumeration of various aerobic and anaerobic bacterial species in gastrointestinal tract	43.41	500 gm	3615
TM 292	SCHAEDLER BROTH for cultivation of wide variety of microorganisms particularly from anaerobic blood cultures	28.41	500 gm	3550
TM 1607	SCHUBERTS ARGININE BROTH for isolation of chlorine damaged <i>Pseudomonas aeruginosa</i> in swimming pool	35.50	500 gm	5195
TM 2332	SELECTIVE BROTH FOR MRSA  for improved detection of Methicillin Resistant <i>Staphylococcus aureus</i> (MRSA)	46.40	500 gm	4340
TS 307	SELECTIVE SUPPLEMENT FOR MRSA *	#11 v1	5 v1 25 v1	1820 5485
TM 1075	SCHWARZ DIFFERENTIAL MEDIUM for differentiation of brewing yeasts from wild yeasts	44.50	500 gm	4290
TM 1083	SEA WATER AGAR (DOUBLE PACK) (Part I) for cultivation of marine microorganism (Part II)	28.00 37.00	500 gm	7850
TM 390	SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP) for microbiological assay of β lactam and other antibiotics	30.50	100 gm 500 gm	880 3535
TM 1084	SELECTIVE LYSINE AGAR (as per AOAC) for selective isolation and identification of Salmonellae	38.33	500 gm	4430
TM 2333	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK)  as enrichment media for the isolation of Salmonellae from faeces, urine or other pathological materials. (Part I) (Part II)	19.00 4.00	100 gm 500 gm	910 4120
TM 1840	SELECTIVE STREPTOCOCCUS AGAR for selective isolation of group A Streptococci with blood	43.00	100 gm 500 gm	1000 3900








CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) (Part I) for isolation and enrichment of Salmonella from faeces, urine or other pathological material. (Part II)	19.00 4.00	100 gm 500 gm	905 3870
TMV 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (VEG.) for isolation and enrichment of Salmonella from faeces, urine or other pathological material (Part II)	19.00 4.00	100 gm 500 gm	945 4110
TM 418	SELENITE F BROTH (SELENITE F BROTH) (DOUBLE PACK) (as per IP) (Part I) for isolation and enrichment of Salmonella from faeces, urine or other pathological materials (Part II)	19.00 4.00	100 gm 500 gm	1000 4155
TM 853	SELENITE BROTH BASE W/O BIASELENITE enrichment of Salmonella from food, dairy products and pathological materials	19.00	500 gm	3545
428	SODIUM BIASELENITE	#4vl	100 gm	3890
TM 2334	SELENITE CYSTINE BROTH BASE W/O BIASELENITE NEW for selective enrichment of <i>Salmonella</i> spp. and possibly <i>Shigella sonnei</i> from faeces, urine, water and foodstuffs	19.01	500 gm	3545
428	SODIUM BIASELENITE	#4vl	100 gm	3890
TM 721	SELENITE BROTH W/DULCITOL (DULCITOL SELENITE BROTH) (DOUBLE PACK) (Part I) for selective enrichment of <i>Salmonella</i> species (Part II)	4.00	500 gm	6770
TM 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples (Part II)	19.01 4.00	100 gm 500 gm	990 3790
TMV 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (VEG.) (DOUBLE PACK) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples (Part II)	19.00 4.00	100 gm 500 gm	990 3790
TM 854	SELENITE CYSTINE BROTH BASE (W/O BIASELENITE) for selective enrichment of <i>Salmonella</i> & possibly <i>Shigella sonnei</i> from faeces, urine, water & foodstuffs	19.00	500 gm	3545
428	SODIUM BIASELENITE	#4vl	100 gm	3890
TM 1454	SELENITE MANNITOL BROTH (MANNITOL SELENITE BROTH) (DOUBLE PACK) (Part I) for selective enrichment of Salmonellae from clinical samples (Part II)	19.00 4.00	500 gm	4575
TM 1085	SELLERS DIFFERENTIAL AGAR for identification and differentiation of gram-negative non-fermentative bacilli particularly <i>Pseudomonas aeruginosa</i> and <i>Acinetobacter calcoaceticus</i>	45.00	500 gm	4290
TM 1127	SEMISOLID RAPPAPORT VASSILIADIS MEDIUM, MODIFIED for detection of motile Salmonella species from food, faeces and environmental specimens	31.66	500 gm	4045
TS 051	NOVOBIOCIN SUPPLEMENT *	#32 vl	5 vl 25 vl	1220 3045
TM 2135	SENSITIVITY TEST AGAR NEW for determination of antibiotic susceptibility of fastidious microorganisms	31.32	500 gm	4910
TM 856	SENSITIVITY TEST MEDIUM for sensitivity tests with sulphonamides and other antibiotics	51.00	500 gm	4195
TM 1289	SERRATIA DIFFERENTIAL MEDIUM (SD MEDIUM) (DOUBLE PACK) (Part I) for cultivation and differentiation of <i>Serratia</i> species on the basis of arabinose fermentation and Ornithine decarboxylation	29.04 10.00 <small>29.04gm/900ml of Part I + 10.00 gm/100ml of Part II</small>	100 gm	2635
TM 1290	SHAPTON MEDIUM for enumeration of <i>Bacillus stearothermophilus</i> spores from canned foods with pH>4.5	27.30	500 gm	3675
TM 1067	SHAW AND CLARKE MEDIUM (PHENYLALANINE MALONATE BROTH) for differentiation of Enterobacteriaceae based on their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm	4610
TM 1087	SHEEP BLOOD AGAR BASE (W/O BLOOD) for improved haemolytic reactions of organisms	40.50	100 gm 500 gm	900 3610
TM 2335	SHEEP BLOOD AGAR BASE, MODIFIED (ISO 21871:2006) NEW for cultivation and studying haemolytic reactions of <i>Bacillus cereus</i>	37.50	500 gm	4435
TM 857	SHIGELLA BROTH BASE for isolation and cultivation of <i>Shigella</i> species from foods	31.50	500 gm	3570
TS 082	SHIGELLA SELECTIVE SUPPLEMENT *	#16 vl	5 vl	1055
TM 1088	SIMMONS AGAR BASE for differentiation between faecal coliform and members of the aerogenes group on the basis of citrate utilization	21.30	100 gm	1430

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 348	SIMMONS CITRATE AGAR for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm	695 3130
TMV 348	SIMMONS CITRATE AGAR (VEG.) for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm	780 3275
TM 1291	SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005) for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm	760 3295
TM 006	SIMMON'S CITRATE AGAR, MODIFIED (ACETATE DIFFERENTIAL AGAR) for differentiation of <i>Shigella</i> species from <i>Escherichia coli</i> and non- fermentative gram negative microorganisms	29.18	500 gm	3995
TM 574	SKIM MILK for cultivation of dairy organisms and differentiation of <i>Clostridium</i> species	100.00	500 gm	1790
TM 295	SKIM MILK AGAR for cultivation and enumeration of bacteria encountered in dairy industry	51.50	500 gm	4115
TM 1608	SKIM MILK AGAR (PLATE COUNT AGAR) (PCA) for determining the microbial count in milk and dairy products	20.00	500 gm	4810
TM 1405	SLANETZ AND BARTLEY MEDIUM for detection and enumeration of faecal Streptococci by membrane filtration technique	46.50	500 gm	4000
TM 2336	SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)  for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm	4280
TM 1609	SLANETZ AND BARTLEY MEDIUM W/O TTC for detection and enumeration of faecal Streptococci by membrane filtration technique	46.40	500 gm	4045
TS 260	TTC SOLUTION 1% (10 ML PER VIAL)	#8 vl	5 vl 25 vl	905 2820
TM 035	SNYDER TEST AGAR (BCG DEXTROSE AGAR) for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm	3880
TM 2337	SODIUM AZIDE CRYSTAL VIOLET BLOOD AGAR  for selective cultivation of <i>Erysipelothrix rhusiopathiae</i>	50.50	100 gm	2065
TM 858	SOIL EXTRACT AGAR for isolation of soil microorganisms	34.25	500 gm	3850
TM 201	SORBITOL AGAR (MacCONKEY SORBITOL AGAR) (DOUBLE PACK) (Part I) for isolation and identification of enteropathogenic <i>E.coli</i> strains associated with infant diarrhoea (Part II)	40.00 10.00	100 gm 500 gm	1095 4465
TM 859	SORBITOL IRON AGAR for identification and differentiation of enteropathogenic <i>E.coli</i> without fermenting sorbitol	46.00	500 gm	4305
TM 1440	SOYA PEPTONE DIGEST AGAR for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	765 3125
TMV 1440	SOYA PEPTONE DIGEST AGAR (VEG.) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	800 3280
TM 1089	SOYA PEPTONE YEAST EXTRACT AGAR for selective isolation of dermatophytes especially <i>Trichophyton verrucosum</i> and other pathogenic fungi	72.00	500 gm	3865
TM 546	SOYABEAN BILE BROTH BASE for enrichment and isolation of <i>Escherichia coli</i> 0157:H7 from foods	32.60	500 gm	3655
TS 051	NOVOBIOCIN SUPPLEMENT *	#16 vl	5 vl 25 vl	1220 3045
TM 345	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	760 3125
TMV 345	SOYA BEAN CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (VEG.) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	795 3205
TMH 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm	765 3125







CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMHV 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) (VEG.) for cultivation of wide variety of microorganism recommended for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	800 3280
TM 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	840 3840
TMV 614	SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	945 4005
TM 1861	SOYA CASEIN DIGEST AGAR W/LTHTh For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	46.70	100 gm 500 gm	1965 8580
TM 1928	SOYA CASEIN DIGEST AGAR W/LTHTh, Modified For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	82.00	100 gm 500 gm	1805 7745
TM 860	SOYABEAN CASEIN DIGEST AGAR W/ YEAST EXTRACT AND HEMIN (TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN) for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm	3685
TM 1506	SOYA CASEIN DIGEST AGAR WITH INHIBITOR a general purpose medium with inhibitor that inhibit the growth of Staphylococci	40.50	500 gm	3900
TM 332S	SOYA CASEIN DIGEST BROTH (TRYPTONE SOYA BROTH W/ SPS) for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.50	500 gm	1520
TM 1931	SOYBEAN CASEIN DIGEST MEDIUM BASE W/O POLYMYXIN for selective isolation and MPN method of <i>B.cereus</i> in accordance with FDA BAM	30.01	500 gm	1520
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 v1	5 v1 25 v1	1010 2905
TM 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	350 1570
TMV 332	SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH (VEG.) for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	395 1600
TMH 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	395 1595
TMHV 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	410 1650
TM 1929	SOYBEAN CASEIN DIGEST MEDIUM W/ BCP (TRYPTONE SOYA BROTH W/BCP) for cultivation of wide variety of microorganisms. With the addition of carbohydrates it can also be used for fermentation studies	30.01	500 gm	1685
TM 1930	SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE (TRYPTONE SOYA BROTH W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	2980
TM 1862	SOYA CASEIN DIGEST MEDIUM W/LTHTh For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm	2030 8120
TM 1932	SOYBEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN for sanitary examination of surfaces	35.00	500 gm	5335
TM 2388	SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR) for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	3075
TM 1896	SOYABEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER This medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	33.77	500 gm	4270

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1897	SOYABEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN Soyabean Casein Digest Medium with tween 80 and Lecithin is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	35.70	500 gm	6475
TM 2339	SOYABEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh  is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm	8145
TM 1611	SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) for the detection and enrichment of <i>Escherichia coli</i> 0157:H7 from foods	33.02	500 gm	3850
TM 419	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP) for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	355 1570
TM 1408	SPECIMEN PRESERVATIVE MEDIUM BASE (SP HAJNA) for collection, transportation and preservation of stool samples or rectal swabs for the isolation of members of Enterobacteriaceae	17.90	100 gm	985
TM 1409	SPIRIT BLUE AGAR for detection and enumeration of lipolytic microorganisms	32.15	500 gm	4115
TM 2340	SPIROLATE BROTH, OMATA  for mass cultivation of <i>Treponema pallidum</i> , Reiter strain for antigen production and other studies	29.00	100 gm	1600
TM 1326	SPORULATION AGAR (ARRET AND KIRSHBAUM MEDIUM) (AK AGAR NO.2) for production of spores of <i>Bacillus subtilis</i> ATCC 6633 which are used as inoculum in detection of penicillin and other antibiotic residues in milk and other dairy product	30.80	500 gm	4305
TM 1292	SPORULATION BROTH for promoting sporulation in <i>Bacillus subtilis</i>	15.80	500 gm	3545
TM 2341	STAIBS MEDIUM (BIRD SEED AGAR)  for selective isolation and differentiation of <i>Cryptococcus neoformans</i> from other <i>Cryptococcus</i> species and yeasts	100.83	100 gm	2180
TM 864	STANDARD INFUSION AGAR (MEAT INFUSION AGAR) for mass cultivation of microorganisms in vaccine or toxin production	50.00	500 gm	3785
TM 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	805 3640
TMV 363	STANDARD METHODS AGAR (PLATE COUNT AGAR) (VEG.) for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	865 3790
TM 544	STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013) for determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm	705 3285
TM 2342	STANDARD METHODS AGAR W/ STARCH  for the detection of aerobic bacterial spores	24.50	500 gm	4030
TM 2284	PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN  (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN) for sanitary examination of surfaces that is for counts before and after application of disinfectants.	29.20	100 gm 500 gm	2280 9305
TM 1411	STANDARD METHODS CASEINATE AGAR for detection of proteolytic microorganisms	40.13	100 gm	1635
TM 596	STANDARD NUTRIENT AGAR a general purpose medium for cultivation and enumeration of fastidious and non fastidious microorganisms	45.00	500 gm	3615
TM 2343	STANDARD NUTRIENT AGAR, MODIFIED  recommended for the cultivation and enrichment of less fastidious bacteria	25.00	500 gm	3775
TM 865	STANDARD NUTRIENT AGAR NO.1 for cultivation of fastidious microorganisms	37.00	500 gm	3750
TM 1614	STANDARD NUTRIENT AGAR NO.2 for cultivation and enrichment of less fastidious bacteria in meat	25.00	500 gm	4680
TM 866	STANDARD NUTRIENT BROTH NO.1 for cultivation of fastidious microorganisms	25.00	500 gm	3610










CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1615	STANDARD NUTRIENT BROTH NO.2 for enrichment of less fastidious microorganisms	15.00	500 gm	3610
TM 2344	STANDARD RIDEAL WALKER BROTH NEW recommended for determination of phenol coefficient of disinfectants using <i>Salmonella Typhi</i> as a test organism	30.00	100 gm 500 gm	1015 4385
TM 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) for large scale cultivation of bacteria for vaccine production	25.00	500 gm	2400
TMV 298	STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) (VEG.) for large scale cultivation of bacteria for vaccine production	25.00	500 gm	2560
TM 299	STANDARD STAPHYLOCOCCUS BROTH for cultivation of Staphylococci	20.00	500 gm	3370
TM 300	STAPHYLOCOCCUS AGAR NO.110 (GELATIN MANNITOL SALT AGAR) for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm	805 3225
TM 1090	STAPHYLOCOCCUS AGAR NO. 110 W/ AZIDE for selective isolation of Staphylococci for clinical samples	149.60	500 gm	4060
TM 313	STAPHYLOCOCCUS AUREUS ENRICHMENT BROTH (DISINFECTANT TEST BROTH) for enrichment of <i>Staphylococcus aureus</i>	20.00	500 gm	3770
TM 430	STARCH AGAR for detection of starch hydrolysing microorganisms	30.00	500 gm	3750
TM 867	STARCH AGAR used as diluents for carrying out microbial limit test.	25.00	100 gm 500 gm	945 3790
TM 1091	STARCH CASEIN AGAR for detection of saccharolytic marine bacteria	63.00	500 gm	3825
TM 868	STARCH MILK AGAR for detection of spores in heated milk and milk products	25.00	500 gm	3825
TM 869	STERILITY TESTING MEDIUM - A for checking presence of aerobic microorganisms in pharmacopoeial articles	25.00	500 gm	2045
TM 870	STERILITY TESTING MEDIUM - B for checking presence of aerobic microorganisms in pharmacopoeial articles	25.00	500 gm	2045
TM 431	STOCK CULTURE AGAR (AYERS AND JOHNSON AGAR) for maintenance of cultures of Streptococci and other microorganisms	50.00	500 gm	4020
TM 2345	STREPTOCOCCUS AGALACTIAE SELECTIVE AGAR BASE NEW for selective isolation of <i>Streptococcus agalactiae</i> from dairy products.	34.34	500 gm	5775
TM 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) for enrichment of Streptococci	42.80	500 gm	3740
TMV 584	STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) (VEG.) for enrichment of Streptococci	42.80	500 gm	3925
TM 2346	STREPTOCOCCUS LACTIS DIFFERENTIAL AGAR BASE NEW for differentiation of citrate-utilizing lactic streptococci- <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies diacetylactis from citrate nonutilizing <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) and <i>Lactococcus lactis</i> (<i>Streptococcus lactis</i>) subspecies cremoris	32.50	500 gm	4275
TM 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm	3660
TMV 432	STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) (VEG.) for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm	3850
TM 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm	3045
TMV 532	STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) (VEG.) for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm	3205
TM 2347	STREPTOCOCCUS SELECTIVE AGAR BASE NEW for the isolation of beta-haemolytic Streptococci from clinical specimens heavily contaminated with other bacteria.	25.12	500 gm	4120

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 871	STREPTOCOCCUS THERMOPHILUS ISOLATION AGAR for determination of the ratio of <i>Streptococcus thermophilus</i> and <i>Lactobacillus bulgaricus</i> in yoghurt	42.00	500 gm	4115
TM 1092	STREPTOMYCES AGAR for cultivation and maintenance of Streptomyces	32.00	500 gm	4060
TM 1295	STREPTOMYCES MEDIUM for cultivation and maintenance of <i>Streptomyces kanamyceticus</i>	36.70	500 gm	4060
TM 2348	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE WITH CHARCOAL  for the preservation and transportation of <i>Neisseria</i> species and other fastidious organisms from the clinic to laboratory	24.00	100 gm 500 gm	1870 7490
TM 017	STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT (ANTIBIOTIC ASSAY MEDIUM NO. 5) (as per IP/USP) for microbiological assay of Streptomycin using <i>Bacillus subtilis</i>	25.50	500 gm	4195
TM 420	STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART) for preservation and transport of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	1450 5820
TMV 420	STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)(VEG.) for preservation and transport of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	1555 6130
TM 2349	STUART TRANSPORT MEDIUM W/O METHYLENE BLUE  for the preservation and transportation of Gonococcal species and other fastidious organisms	14.00	100 gm 500 gm	1550 6225
TM 2350	STUART TRANSPORT MEDIUM W/O SODIUM GLYCEROPHOSPHATE  with addition of sodium glycerophosphate, is used for routine transport of Gonococcus species and other fastidious organisms	4.102	100 gm 500 gm	865 4000
TM 1296	SUCROSE AGAR FOR BREWERY ISOLATES for isolation of dextran producing <i>Leuconostoc</i> species	90.00	500 gm	3970
TM 2351	SUCROSE DILUENT 40%  used as diluent in osmophilic yeast and mould test method	400.00	500 gm	4620
TM 736	SUCROSE SALICIN AGAR (GILLIES AGAR NO. 2) for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of <i>Salmonella</i> and <i>Shigella</i> species	48.30	100 gm	5695
TM 548	SUGAR FREE AGAR for butter testing as per International Dairy Federations	34.00	500 gm	3865
TM 2352	SULPHA SENSITIVITY TEST AGAR  used to test the susceptibility of common pathogens to sulphonamides	36.00	500 gm	4405
TM 1925	SULPHATE API AGAR W/O SODIUM LACTATE * for detection and estimation of sulphate reducing bacteria	25.41	500 gm	4070
TM 594	SULPHATE API BROTH W/O SODIUM LACTATE * for detection of sulphate reducing bacteria	11.41	500 gm	4370
TM 1317	SULPHATE API BROTH W/O SODIUM LACTATE (DOUBLE STRENGTH) * for detection of sulphate reducing bacteria	23.00	100 gm 500 gm	930 4070
TM 595	SULPHATE API BROTH W/O NaCl * for detection, differentiation and estimation of sulphate reducing bacteria	1.40	100 gm 500 gm	930 4070
TM 1094	SULPHATE REDUCING MEDIUM (DOUBLE PACK) (Part I) for detection, differentiation and estimation of sulphate reducing bacteria <i>Thiobacillus thiooiparus</i> (Part II)	2.32 10.00	100 gm 500 gm	930 4070
TM 1095	SULPHATE REDUCING MEDIUM (TRIPLE PACK) (Part I) enumeration of sulphate reducing bacteria in water (Part II) (Part III)	7.10 0.49 3.50	100 gm 500 gm	930 4070
TM 433	SULPHITE AGAR for detection of thermophilic sulphide producing anaerobes	31.00	500 gm	4000
TM 1297	SULPHUR MEDIUM (DOUBLE PACK) (Part I) for cultivation of <i>Thiobacillus thiooxidans</i> (Part II)	4.07 10.00	100 gm 500 gm	910 3970
TM 2353	SUPER BROTH  for the mass cultivation of <i>Escherichia coli</i>	60.00	500 gm	3750
TM 2354	SUPER BROTH NO. II  for the cultivation of recombinant strains of <i>Escherichia coli</i>	49.10	500 gm	3755

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2355	SYNCASE BROTH for the detection of coliforms in food samples	37.21	500 gm	4255
TM 2356	SYNTHETIC BROTH, AOAC (WRIGHT AND MUNDY BROTH) for growing inoculum, making subcultures and preparing various dilutions while testing disinfectants	16.90	500 gm	4280
TM 1097	SYNTHETIC SEA SALT (ISO 9308-3:1998) for preparation of special diluents	19.19	500 gm	3990
TM 435	T.A.T. BROTH BASE for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm	3790
TMV 435	T.A.T. BROTH BASE (VEG.) for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm	3990
TM 1616	T.A.T. BROTH WITH TWEEN 20 (as per USP) for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm	3735
TMV 1616	T.A.T. BROTH WITH TWEEN 20 (as per USP) (VEG.) for sterility testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm	3990
TM 1339	TBX AGAR (CHROMOGENIC E. COLI AGAR) (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) * (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	2020 9270
TM 2357	TB BROTH BASE for cultivation of <i>Mycobacterium tuberculosis</i> .	12.10	500 gm	4055
TM 2358	TB BROTH BASE W/O TWEEN 80 for cultivation of Mycobacteria when the presence of oleic acid is undesirable	11.60	500 gm	4055
TM 1357	TTC BROTH BASE (ITC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm	4580
TS 131	TICARCILLIN SUPPLEMENT *	#7 vl	5 vl	1190
TS 132	POTASSIUM CHLORATE SUPPLEMENT *		5 vl	720
TM 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning	89.00	100 gm 500 gm	840 3805
TMV 436	TCBS AGAR (VIBRIO SELECTIVE AGAR) (VEG.) for selective isolation of <i>Vibrio cholerae</i> & other enteropathogenic <i>Vibrios</i> causing food poisoning	89.00	100 gm 500 gm	940 4055
TM 875	TCBS AGAR (SELECTIVE) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i>	89.00	100 gm 500 gm	865 3905
TM 876	TCBS AGAR (MODIFIED) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrios</i>	88.00	100 gm 500 gm	1095 4480
TM 1299	TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic <i>Vibrio</i> 's.	89.00	100 gm 500 gm	1095 4480
TM 437	TGB AGAR (TRYPTONE GLUCOSE BEEF EXTRACT AGAR) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	825 3890
TMV 437	TGB AGAR (VEG.) for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	885 4155
TM 1100	TMAO MEDIUM (TRIMETHYLAMINE-N-OXIDE MEDIUM) (as per APHA) for cultivation and differentiation of <i>Campylobacter</i> species from foods, except <i>Campylobacter jejuni</i> and <i>Campylobacter coli</i>	29.00	500 gm	3790
TM 1101	TN AGAR for isolation and cultivation of <i>Vibrios</i> from food samples	35.00	500 gm	3790
TM 1102	TOC AGAR for presumptive identification and differentiation of <i>Candida albicans</i> and <i>Cryptococcus neoformans</i>	40.30	100 gm	1925
TM 438	TPEY AGAR BASE for selective isolation and enumeration of Staphylococci from foods and other materials	60.00	500 gm	4015
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl	1875
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#9 vl	5 vl 25 vl	575 2050
TM 2359	TS SALINE AGAR (TRIPLE SUGAR SALINE IRON AGAR) for identification of <i>Vibrio</i> species especially <i>Vibrio parahaemolyticus</i> on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production	92.62	500 gm	3695


CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1357	TTC BROTH BASE (TRICLOSAN TICARCILLIN CHLORATE BROTH) for selective enrichment and enumeration of <i>Yersinia enterocolitica</i>	76.00	500 gm	4580
TS 131	TICARCILLIN SUPPLEMENT *	#7 v1	5 v1	1190
TS 132	POTASSIUM CHLORATE SUPPLEMENT *	#7 v1	5 v1	720
TM 1477	TARTOFF - HOBBS BROTH (TERRIFIC BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	4705
TSM 1477	TARTOFF - HOBBS BROTH (TERRIFIC BROTH)  NEW a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	5870
TM 2360	TAUROCHOLATE BROTH  NEW for selective isolation of coliforms from water, milk and other food products.	40.03	500 gm	4055
TM 2361	TEEPOL BROTH (DOUBLE PACK)  NEW (Part I) for selective isolation and identification of enteric, lactose fermenting bacteria (Part II)	35.02 1.00	500 gm	4055
TM 879	TELLURITE BLOOD AGAR BASE for selective isolation and cultivation of <i>Corynebacterium</i> species	31.00	500 gm	4060
TS 021	HAEMOGLOBIN POWDER *	300 gm	100 gm	2100
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#33 v1	5 v1	575
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (DOUBLE PACK) *	#17 v1	25 v1	2050
			5 v1	1790
TM 439	TELLURITE GLYCINE AGAR BASE for quantitative detection of coagulase positive Staphylococci from foods and other sources	56.00	500 gm	4115
				#18 v1
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *		25 v1	2050
TM 440	TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005) for selective isolation and identification of coliform bacteria from water	33.13	100 gm	880
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 v1	500 gm	3975
			5 v1	905
			25 v1	2825
TMV 440	TERGITOL - 7 AGAR BASE (VEG.) for selective isolation and identification of coliform bacteria from water	33.13	100 gm	995
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 v1	500 gm	4175
			5 v1	905
			25 v1	2825
TM 2362	TERGITOL-7 AGAR H  NEW for selective isolation and differentiation of enteric bacteria from urine specimens	34.13	500 gm	4475
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#5 v1	5 v1	905
			25 v1	2825
TM 2363	TERGITOL-7 AGAR BASE, MODIFIED  NEW for selective isolation and identification of coliform bacteria from water	57.15	100 gm	1115
			500 gm	4475
TM 441	TERGITOL - H - 7 BROTH a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm	4005
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#9 v1	5 v1	905
			25 v1	2825
TMV 441	TERGITOL - H - 7 BROTH (VEG.) a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm	4005
TS 042	T.T.C. SOLUTION 1% (10 ml/vl) *	#9 v1	5 v1	905
			25 v1	2825
TM 2364	TETRATHIONATE BRILLIANT GREEN BILE BROTH  NEW for isolation and identification of Salmonellae	63.07	500 gm	2330
TM 1477	TERRIFIC BROTH (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	4705
TMV 1477	TERRIFIC BROTH (VEG.) (TARTOFF-HOBBS BROTH) a buffered enriched medium for propagation of recombinant <i>E. coli</i>	47.60	500 gm	4945
TM 442	TETRATHIONATE BRILLIANT GREEN BILE BROTH (as per IP/EP/BP) a isolation and identification of Salmonellae	63.00	500 gm	2385
TM 423	TETRATHIONATE BROTH BASE W/O IODINE & BG (FLUID TETRATHIONATE MEDIUM W/O IODINE & BG) for selective isolation of Salmonellae from foods and other pathological materials	46.00	100 gm	565
			500 gm	2335




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 413	TETRATHIONATE BROTH BASE (as per IP) for isolation of Salmonellae from faecal samples, sewage and other samples	77.40	100 gm 500 gm	550 2385
TM 443	TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE) for enrichment and isolation of Salmonellae	91.50	100 gm 500 gm	645 2585
TM 2365	TETRATHIONATE CV ENRICHMENT BROTH NEW for the selective enrichment of Salmonellae from meat and foodstuff	35.00	500 gm	2975
TM 933	THAYER MARTIN MEDIUM BASE for selective isolation of Gonococci from clinical samples	42.00	100 gm 500 gm	795 3435
TS 021	HAEMOGLOBIN POWDER *	50 gm	100 gm	2100
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) (DOUBLE PACK) *	#24 v1	5 v1 25 v1	1790 7055
TS 036	G. C. SUPPLEMENT W/ANTIBIOTICS *	#24 v1	5 v1 25 v1	1290 3270
TS 038	V.C.N. SUPPLEMENT *	#24 v1	5 v1 25 v1	1790 6645
TS 039	V.C.N.T. SUPPLEMENT *	#24 v1	5 v1 25 v1	1790 7055
TM 1301	THERMOACIDURANS AGAR for isolation of <i>Bacillus thermoacidurans</i> from foods	39.00	500 gm	4115
TM 2366	THERMOACIDURANS BROTH NEW recommended for detection of thermophilic/mesophilic aerobic and anaerobic aciduric spore formers and sterility testing for acid food	19.00	100 gm 500 gm	930 4330
TM 1818	THERMOPHILIC ACID RESISTANT MEDIUM for growth and detection of thermophilic acid resistant microorganisms	39.00	500 gm	3750
TM 1302	THIOBACILLUS AGAR for cultivation and isolation of <i>Thiobacillus</i> species	22.70	500 gm	3815
TM 1303	THIOBACILLUS BROTH for cultivation of <i>Thiobacillus</i> species	10.16	500 gm	4140
TM 2367	THIOBACILLUS BROTH (ATCC MEDIA 152) NEW for cultural isolation of <i>Thiobacillus intermedia</i>	9.97	500 gm	4885
TM 639	THIOGLYCOLLATE AGAR for cultivation of anaerobic microorganisms	49.00	500 gm	3815
TM 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	2615
TMV 216	THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) (VEG.) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	2830
TM 301	THIOGLYCOLLATE BROTH, ALTERNATIVE (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	360 1440
TM 318	THIOGLYCOLLATE MEDIUM, FLUID (FLUID THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	360 1440
TM 881	THIOGLYCOLLATE MEDIUM W/ CALCIUM CARBONATE for maintenance of anaerobic cultures, particularly highly fermentative types	30.15	500 gm	2435
TM 2368	THIOGLYCOLLATE MEDIUM W/ HEMIN AND VITAMIN K * NEW for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions	29.65	500 gm	4280
TM 2369	THIOGLYCOLLATE MEDIUM W/ K AGAR NEW for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing procedures.	29.75	500 gm	2875
TM 2370	THIOGLYCOLLATE MEDIUM W/O DEXTROSE NEW for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates	25.70	500 gm	2825
TM 447	THIOGLYCOLLATE MEDIUM W/O INDICATOR (DIAGNOSTIC THIOGLYCOLLATE MEDIUM) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	2850
TM 2371	THIOGLYCOLLATE MEDIUM W/O DEXTROSE AND INDICATOR NEW used as a base for fermentation studies of anaerobic and microaerophilic organisms and for detecting microorganisms in normally sterile materials	24.00	500 gm	3135

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 306	THIOGLYCOLLATE MEDIUM, LINDEN (BREWER THIOGLYCOLLATE MEDIUM, MODIFIED) for sterility testing of biological products and isolation of aerobic and anaerobic organisms	38.50	100 gm 500 gm	615 2585
TM 535	THIOGEL MEDIUM for differentiation of microorganisms based on their ability to liquify gelatin	80.00	100 gm 500 gm	575 2565
TM 448	THIOL BROTH for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	29.00	500 gm	3550
TM 449	THIOL MEDIUM for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	30.00	500 gm	3775
TM 1305	THIOMERSAL ASSAY MEDIUM (as per IP) for microbiological assay of Thiomersal	33.50	500 gm	3090
TM 2372	THIOSTARCH BROTH  for sterility testing of pharmaceutical or biological products	30.25	500 gm	3570
TM 882	THIOSULPHATE AGAR for cultivation of sulphur metabolizing bacteria present in soil samples	25.40	500 gm	4060
TM 883	THIOSULPHATE RINGER SOLUTION POWDER for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	3.32	100 gm 500 gm	1595 6510
TM 450	TINSDALE AGAR BASE for selective isolation and differentiation of <i>Corynebacterium diphtheriae</i>	40.70	500 gm	4060
TS 059	DIPHTHERIA VIRULENCE SUPPLEMENT (Part A & B) DOUBLE PACK *	#13 vI	1 vI	3560
TM 451	TODD HEWITT BROTH for cultivation of group A haemolytic Streptococci used for serological studies	37.00	100 gm 500 gm	795 3435
TM 2373	TOLUIDINE BLUE DNA AGAR  for detection of thermostable deoxyribonuclease activity	26.48	100 gm	7575
TM 2374	TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E))  for detection of thermostable deoxyribonuclease activity to establish speciation of <i>S. aureus</i> in contaminated foods	25.56	100 gm	7575
TM 2375	TOLUIDINE BLUE DNA AGAR, MODIFIED  for detection of thermostable deoxyribonuclease activity and establish speciation of <i>S. aureus</i> in contaminated foods in accordance with FDA BAM, 1998	26.48	100 gm	8340
TM 2376	TOMATO JUICE AGAR  for cultivation and enumeration of Lactobacilli	51.00	500 gm	4550
TM 2377	TOMATO JUICE AGAR, SPECIAL  for the cultivation and enumeration of Lactobacilli from saliva and other acidophilic bacteria	60.00	500 gm	4550
TM 2378	TOMATO JUICE BROTH  for cultivation of yeasts and other aciduric microorganisms	41.23	500 gm	4270
TM 2379	TOMATO JUICE MEDIUM BASE  for isolation and identification of Lactobacilli encountered in wine	40.00	500 gm	4470
TS 308	LACTOBACILLI SUPPLEMENT *	#5 vI	5 vI 25 vI	1285 4090
TM 1105	TRANSROW MEDIUM BASE for cultivation and transport of fastidious microorganisms especially <i>Neisseria</i> species.	92.00	500 gm	4180
TS 021	HAEMOGLOBIN POWDER *	50 gm	100 gm	2100
TS 038	V.C.N. SUPPLEMENT *	#11 vI	5 vI 25 vI	1790 6645
TS 039	V.C.N.T. SUPPLEMENT *	#11 vI	5 vI 25 vI	1790 7055
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (DOUBLE PACK) *	#11 vI	5 vI 25 vI	1790 7055
TM 884	TRANSPORT CHARCOAL MEDIUM for transportation of clinical samples	24.00	500 gm	4185
TM 2380	TRANSPORT LIQUID MEDIUM  for recovery of microorganisms by neutralizing the disinfectants and antiseptics used while taking swab specimens from wounds, burns and other clinical specimens	18.50	500 gm	4255











Dehydrated Culture Media

T






CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 420	TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) for preservation and transportation of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	1450 5820
TMV 420	TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) (VEG.) for preservation and transportation of <i>Neisseria</i> species and other fastidious organisms	14.10	100 gm 500 gm	1555 6130
TM 1155	TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM) for transportation of viral specimens at ambient temperature	20.00	500 gm	4315
TM 415	TRANSPORT MEDIUM W/O CHARCOAL (CARY-BLAIR MEDIUM BASE) for collection and shipment of clinical specimen	12.60	100 gm 500 gm	895 3960
TM 456	TRANSPORT MEDIUM, AMIES W/O CHARCOAL for transportation and preservation of clinical samples	10.00	100 gm 500 gm	855 3450
TM 009	TRANSPORT MEDIUM, AMIES W/CHARCOAL for transportation and preservation of microbiological samples	20.00	100 gm 500 gm	855 3450
TM 885	TRIBUTYRIN AGAR BASE W/O TRIBUTYRIN for detection of lipolytic microorganisms	23.00	100 gm 500 gm	1035 4145
TS 080	TRIBUTYRIN (10 ml/vl) *	#22 vl	5 vl	1460
TM 1873	TRICHODERMA HARZIANUM SELECTIVE AGAR BASE for selective isolation of <i>Trichoderma harzianum</i>	25.54	500 gm	3820
TS 251	TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT *	#20 vl	5 vl	3715
TM 1307	TRICHOMONAS AGAR BASE for detection and isolation of <i>Trichomonas vaginalis</i> and <i>Candida albicans</i> from clinical samples	37.50	500 gm	4470
TS 014	HORSE SERUM *	1.1 ltr	100 ml	3980
TS 133	TRICHOMONAS SELECTIVE SUPPLEMENT II *	#27 vl	5 vl	1065
TM 1308	TRICHOMONAS BROTH BASE NO.2 for isolation of <i>Trichomonas vaginalis</i>	68.13	500 gm	4315
TS 014	HORSE SERUM *	#1.9 ltr	100 ml	3980
TM 1212	TRICHOMONAS BROTH BASE, KUPFERBERG (KUPFERBERG TRICHOMONAS BROTH BASE) for cultivation and selective isolation of <i>Trichomonas</i> species	23.50	500 gm	4115
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I *	#43 vl	5 vl	1385
TM 1250	TRICHOMONAS MODIFIED CPLM MEDIUM BASE (MODIFIED CPLM MEDIUM BASE) for cultivation of <i>Trichomonas</i> species	56.00	500 gm	4115
TM 424	TRIPLE SUGAR IRON AGAR for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production	64.52	100 gm 500 gm	665 3175
TM 1625	TRIPLE SUGAR IRON AGAR for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.02	100 gm 500 gm	745 3230
TMV 1625	TRIPLE SUGAR IRON AGAR (VEG.) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.02	100 gm 500 gm	790 3330
TM 886	TRIPLE SUGAR IRON AGAR (as per EP) for confirmation of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	65.50	100 gm 500 gm	785 3330
TM 887	TRIPLE SUGAR IRON AGAR (as per USP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	59.42	100 gm 500 gm	750 3230
TM 391	TRIPLE SUGAR IRON AGAR (as per IP) for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H ₂ S production	65.50	100 gm 500 gm	750 3230
TM 1955	TRIPLE SUGAR, IRON AGAR (AGAR MEDIUM M) (as per BP/EP)  for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm	855 3650

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1819	TRIPLE SUGAR IRON AGAR (ISO 6785:2001/ISO 6579:2017) for identification of gram negative enteric bacteria on the basis of sugar fermentation & H ₂ S production	65.00	100 gm 500 gm	770 3330
TM 1874	TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005) for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.32	100 gm 500 gm	770 3330
TM 2381	TRYPTIC SOYA AGAR  for a cultivation and maintenance of <i>Salmonella Typhi</i>	45.00	500 gm	3780
TM 888	TRYPTIC DIGEST BROTH (FIELD'S TRYPTIC DIGEST BROTH) for cultivation of fastidious microorganisms	16.00	500 gm	3815
TM 889	TRYPTONE AGAR general purpose medium for growth of non-fastidious microorganisms	33.00	100 gm 500 gm	875 3505
TM 890	TRYPTONE AGAR BASE for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	23.52	500 gm	4035
TM 2382	TRYPTONE BILE GLUCURONIC AGAR  selective agar for the detection and enumeration of <i>Escherichia coli</i> in foodstuffs, animal feed, water	39.60	500 gm	4550
TM 392	TRYPTONE BROTH (TRYPTONE WATER) for detection of indole producing microorganisms	15.00	100 gm 500 gm	705 2630
TMV 392	TRYPTONE BROTH (TRYPTONE WATER) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm	740 2830
TM 892	TRYPTONE BILE AGAR for fast detection and enumeration of <i>Escherichia coli</i> in foods using direct plating method	36.50	100 gm 500 gm	805 3865
TM 893	TRYPTONE DEXTROSE AGAR for studying motility and fermentation of dextrose by aerobes and anaerobes	28.51	500 gm	4035
TM 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	825 3890
TMV 437	TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) (VEG.) for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	885 4155
TM 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	755 3205
TMV 466	TRYPTONE GLUCOSE YEAST EXTRACT AGAR (VEG.) for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	755 3205
TM 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	3200
TMV 467	TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) (VEG.) for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	3360
TM 2383	TRYPTONE LACTOSE IRON AGAR  for identification of anaerobes on the basis of motility, hydrogen sulphide production and lactose fermentation	34.20	500 gm	4135
TM 1108	TRYPTONE LACTOSE IRON AGAR for identification of anaerobes on the basis of motility, H ₂ S production and lactose fermentation	34.00	500 gm	3865
TM 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	705 2900
TMV 468	TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) (VEG.) for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	735 3040
TM 1467	TRYPTONE PEPTONE GLUCOSE YEAST EXTRACT BROTH BASE W/O TRYPSIN for testing toxicity by <i>Clostridium botulinum</i>	80.00	500 gm	3590

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 512	TRYPTONE PHOSPHATE BROTH for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm	3405
TMV 512	TRYPTONE PHOSPHATE BROTH (VEG.) for cultivation of enteropathogenic <i>Escherichia coli</i> from foods	30.50	500 gm	3580
TM 2384	TRYPTONE SALT AGAR, W/1% NaCl NEW for differentiation of El Tor and Classical biotypes of <i>Vibrio</i> in accordance with FDA BAM, 1998	40.00	500 gm	4135
TM 2385	Tryptone Salt Broth (ISO:1999 ISO/DIS 6887-1:2017) NEW for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	9.50	100 gm 500 gm	640 2895
TM 1310	TRYPTONE SALT BROTH for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	9.50	100 gm 500 gm	605 2705
TM 345	TRYPTONE SOYA AGAR (SOYABEAN CASEIN DIGEST AGAR) (as per USP) for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	760 3125
TM 1440	TRYPTONE SOYA AGAR for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm	765 3125
TMV 1440	TRYPTONE SOYA AGAR (VEG.) for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm	800 3280
TM 860	TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN for cultivation of fastidious microorganisms like <i>Bordetella pertussis</i> and <i>Neisseria meningitidis</i>	45.52	100 gm	3685
TM 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	840 3840
TMV 614	TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80) for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	945 4005
TM 2386	TRYPTONE SOYA AGAR W/ADDED NaCl NEW a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	4135
TMV 2386	TRYPTONE SOYA AGAR W/ADDED NaCl (VEG.) NEW a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	4340
TM 895	TRYPTONE SOYA AGAR W/ MgSO4 (as per AOAC) (TSAM) for cultivation of coliforms	41.50	500 gm	3865
TM 2387	TRYPTONE SOYA AGAR W/ NaCl NEW for cultivation of <i>Salmonella Typhimurium</i>	55.00	500 gm	4315
TM 332S	TRYPTONE SOYA BROTH W/ SPS for cultivation of fastidious and non-fastidious microorganism especially <i>H. influenzae</i> , <i>N. meningitidis</i> , <i>S. pneumoniae</i>	30.50	500 gm	1520
TM 861	TRYPTONE SOYA BROTH W/ YEAST EXTRACT AND HEMIN (SOYA CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND HEMIN) for excellent growth of fastidious microorganisms	32.52	100 gm	3585
TM 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm	355 1570
TMV 419	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) (VEG.) for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm	390 1600
TM 471	TRYPTONE SOYA YEAST EXTRACT AGAR for isolation and cultivation of <i>Listeria</i> from Henry's light	51.00	500 gm	3090
TM 549	TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998) for isolation and cultivation of <i>Listeria</i> from Henry's light	36.00	500 gm	3030
TM 2388	TRYPTONE SOYA BROTH W/ 0.1% AGAR (SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR) NEW for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	3075
TM 2389	TRYPTONE SOYA BROTH W/4% POLYSORBATE 20 & 0.5% LECITHIN NEW recommended for sanitary examination of surfaces.	(Part I) 35.00 (Part II) 40.00	500 gm	9585

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1930	TRYPTONE SOYA BROTH W/O DEXTROSE (SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE) for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	2980
TM 2390	TRYPTONE SOYA BROTH, W/ FERROUS SULPHATE  for isolation of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998	30.03	500 gm	1960
TM 2391	TRYPTONE SOYA BROTH W/ 10% NaCl AND 1% SODIUM PYRUVATE  for enumeration of <i>Staphylococcus aureus</i> in dairy products by MPN technique	135.00	500 gm	5475
TM 2392	TRYPTONE SOYA BROTH W/PHENOL RED  a general purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of moulds and lower bacteria	32.02	500 gm	1775
TM 2393	TSB CAP4 W/TWEEN 80  (Part I) for determining efficiency of sanitization of containers, equipment surfaces, water (Part II)	37.50 42.50	500 gm	5885
TM 2394	TRYPTONE SOYA SALT AGAR W/ MAGNESIUM SULPHATE  for enumeration of <i>Vibrio parahaemolyticus</i> from seafood by membrane filter technique	101.50	500 gm	5000
TM 2395	TRYPTONE SOYA-TRYPTOSE BROTH  for identification of <i>Salmonella</i> species from food samples in accordance with FDA BAM, 1998.	31.50	500 gm	3745
TM 2396	TRYPTONE SOYA YEAST EXTRACT AGAR, MODIFIED  recommended for confirmation of <i>Listeria</i> and <i>Yersinia</i> in accordance with FDA BAM, 1998.	46.00	500 gm	6535
TM 1311	TRYPTONE SUCROSE TETRAZOLIUM AGAR BASE (TSTA) for isolation of <i>Vibrio</i> species with addition of TTC	85.50	500 gm	3750
TS 042	TTC SOLUTION 1% (10ml/vl) *	#2 vl	5 vl 25 vl	905 2825
TM 1109	TRYPTONE TELLURITE AGAR BASE for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina	47.00	500 gm	4115
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#11 vl	5 vl 25 vl	575 2050
TM 392	TRYPTONE WATER (TRYPTONE BROTH) for detection of indole producing microorganisms	15.00	100 gm 500 gm	705 2630
TMV 392	TRYPTONE WATER (TRYPTONE BROTH) (VEG.) for detection of indole producing microorganisms	15.00	100 gm 500 gm	740 2830
TM 1110	TRYPTONE WATER for detection of indole production by microorganisms	25.00	500 gm	3360
TMV 1110	TRYPTONE WATER (VEG.) for detection of indole production by microorganisms	25.00	500 gm	3515
TM 1849	TRYPTONE WATER (ISO 7251:1993) for detection of indole production by coliforms	25.00	100 gm 500 gm	780 3360
TM 891	TRYPTONE WATER W/O NaCl (BIS) (IS : 5887 (Part V) 1976, reaffirmed 2005) for detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i> .	10.00	100 gm 500 gm	710 2935
TM 2397	TRYPTONE WATER BROTH W/ BCP  for the cultivation of <i>Salmonella</i> species from food	17.29	500 gm	2955
TM 897	TRYPTONE YEAST EXTRACT AGAR for estimation of microbial counts in water	21.00	500 gm	4255
TM 898	TRYPTONE YEAST EXTRACT AGAR (W/ BCP) for isolation and enumeration of Enterobacteriaceae and <i>Bacillus cereus</i>	41.52	500 gm	4255
TM 2398	TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE  (TYCSB AGAR BASE) recommended for selective isolation of <i>Streptococcus mutans</i>	249.99	500 gm	5405
TS 309	TYCSB SUPPLEMENT *	#2 vl	5 vl	670
TM 2400	TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)  recommended for the enumeration of <i>Clostridium perfringens</i> from water	42.00	500 gm	4740
TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) *	#1 vl	5 vl 25 vl	1145 2845
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vl	5 vl	2975

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 126	TRYPTONE YEAST EXTRACT BROTH (ISP MEDIUM NO.1) a general purpose enrichment medium for fastidious and non fastidious microorganisms	8.00	100 gm 500 gm	1160 4725
TM 899	TRYPTOPHAN MEDIUM for detection of indole production	16.00	100 gm 500 gm	670 2645
TM 472	TRYPTOSE AGAR for isolation, cultivation and differentiation of <i>Brucella</i> and also for Streptococci, Meningococci and other pathogenic bacteria	41.00	500 gm	4115
TM 2401	TRYPTOSE AGAR, W/ THIAMINE HCL NEW for the isolation, cultivation and differentiation of fastidious microorganisms in an infusion free medium	41.00	500 gm	4405
TM 473	TRYPTOSE BLOOD AGAR BASE For enrichment and isolation of various fastidious microorganisms and determining the haemolytic reactions	33.00	100 gm 500 gm	1130 4565
TM 474	TRYPTOSE BLOOD AGAR BASE W/ YEAST EXTRACT for cultivation and maintenance of various fastidious microorganisms & determining the haemolytic reactions	34.00	500 gm	4115
TM 476	TRYPTOSE BROTH for cultivation of <i>Brucella</i> species microorganisms and determining the haemolytic reactions	26.00	500 gm	3190
TM 2402	TRYPTOSE BROTH, W/ THIAMINE HCl NEW for the cultivation and differentiation of fastidious microorganisms in an infusion free medium	26.00	500 gm	4240
TM 809	TRYPTOSE CYCLOSERINE AZIDE AGAR BASE for enumeration of sulphite reducing anaerobes essentially Clostridia	47.05	500 gm	4565
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 v1	5 v1 25 v1	1145 2845
TM 902	TRYPTOSE CYCLOSERINE DEXTROSE AGAR BASE for isolation of mesophilic spore forming anaerobes in food spoilage	46.00	500 gm	4115
TS 076	PERFRINGENS T.S.C. SUPPLEMENT *	#22 v1	5 v1 25 v1	1145 2845
TM 511	TRYPTOSE PHOSPHATE BROTH for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	750 3065
TMV 511	TRYPTOSE PHOSPHATE BROTH (VEG.) for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	810 3220
TM 2403	TRYPTOSE PHOSPHATE BROTH, MODIFIED NEW for the cultivation of fastidious bacteria	29.50	500 gm	3400
TM 2404	TRYPTOSE SERUM AGAR BASE NEW recommended for routine cultivation and isolation of <i>Mycoplasma mycoides</i> cluster	42.50	500 gm	4475
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT *	# 12 v1	5 v1	2835
TS 311	PIG SERUM *	108 ml	100 ml	3575
TM 2405	TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE) NEW for routine identification of <i>Mycoplasma</i> species	27.50	500 gm	3595
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT *	# 18 v1	5 v1	2835
TS 311	PIG SERUM *	108 ml	100 ml	3575
TM 615	TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE for presumptive identification and enumeration of <i>Clostridium perfringens</i> from food	47.00	500 gm	4430
TS 054	PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) *	# 11 v1	5 v1 25 v1	865 2270
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	# 11 v1	5 v1 25 v1	1145 2845
TS 002	EGG YOLK EMULSION (100 ml/v1) *	# 3 v1	5 v1	1875
TM 609	TRYPTOSE SULPHITE NEOMYCIN AGAR for selective isolation and enumeration of <i>Clostridium perfringens</i> in foods or other samples	40.00	100 gm	2260
TM 1112	TRYPTOSE YEAST EXTRACT BROTH (as per AOAC) for detection of <i>Clostridium perfringens</i> with the addition of salicin, raffinose and phenol red	30.00	500 gm	3790
TM 2406	TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017) NEW recommended for confirmation of <i>Yersinia enterocolitica</i>	30.01	100 gm 500 gm	935 3860

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1826	TSC AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm	4180
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	#24 v1	5 v1	1145
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 v1	25 v1 5 v1	2845 2975
TM 132	TYROSINE AGAR (ISP MEDIUM NO.7) (as per ISP) for isolation and characterization of <i>Streptomyces</i> species as per International Streptomyces Project	23.00	100 gm 500 gm	1000 4060
TM 1628	UNIVERSAL BEER AGAR (UB AGAR) for culturing microorganisms having significance in brewing industry	62.16	100 gm	1965
TMV 1628	UNIVERSAL BEER AGAR (UB AGAR) (VEG.) for culturing microorganisms having significance in brewing industry	62.16	100 gm	1965
TM 2407	UNIVERSAL BEER AGAR, MODIFIED  NEW for culturing microorganisms of significance in the brewery industry	55.04	100 gm	2100
TM 2408	UNIVERSAL FASTIDIOUS CULTURE AGAR  NEW for the cultivation of fastidious microorganisms when enriched with blood	35.00	500 gm	3220
TM 2409	UNIVERSAL FASTIDIOUS CULTURE BROTH  NEW for the cultivation of fastidious microorganisms when enriched with blood	25.00	500 gm	2780
TM 1629	UNIVERSAL LIQUID MEDIUM * for cultivation of bacteria in brewery	50.00	500 gm	2270
TM 1630	UNIVERSAL PRE-ENRICHMENT BROTH for enrichment of sublethally injured <i>Salmonella</i> and <i>Listeria</i> species	38.05	500 gm	3845
TM 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) for detection of urease producing bacteria	24.00	100 gm 500 gm	770 3105
TS 030	UREA 40% (5 ml/vl) *	#208 v1	5 v1 25 v1	400 1620
TMV 394	UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) (VEG.) for detection of urease producing bacteria	24.00	100 gm 500 gm	810 3260
TS 030	UREA 40% (5 ml/vl) *	#208 v1	5 v1 25 v1	400 1620
TM 629	UREA AGAR BASE W/O AGAR (FILTER STERILIZABLE) for detection of urea splitting microorganisms	29.00	500 gm	3265
TM 1113	UREA AGAR BASE (CHRISTENSEN) for detection of urease production, particularly by <i>Proteus vulgaris</i> , Micrococci & paracolon organisms	24.00	100 gm 500 gm	855 3440
TS 030	UREA 40% (5 ml/vl) *	#208 v1	5 v1 25 v1	400 1620
TM 2410	UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976)  NEW for detection of urease production, particularly by <i>Proteus vulgaris</i> , Micrococci & paracolon organisms	24.51	100 gm 500 gm	910 3680
TS 030	UREA 40% (5 ml/vl) *	#204 v1	5 v1 25 v1	400 1620
TM 906	UREA BROTH (FILTER STERILIZABLE) for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> species from <i>Salmonella</i> and <i>Shigella</i> species	38.71	500 gm	3275
TM 425	UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007) for identification of bacteria on the basis of urea utilization, especially for the differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	38.70	500 gm	3650
TM 2411	UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)  NEW for confirmation of <i>Yersinia enterocolitica</i> by urease and Indole test	30.03	100 gm 500 gm	1030 4540
TM 1851	UREA BROTH BASE (CHRISTENSEN) For the detection of urease production, particularly by members of the genus <i>Proteus</i>	9.00	100 gm 500 gm	870 3590
TS 030	UREA SOLUTION 40% (5 ml/vl) *	#208 v1	5 v1 25 v1	400 1620
TM 477	UREA BROTH BASE (DIAGNOSTIC STUART'S UREA BROTH BASE) for identification of bacteria on the basis of urea utilization, especially for differentiation of <i>Proteus</i> , <i>Salmonella</i> and <i>Shigella</i> species	18.70	100 gm 500 gm	880 3625
TS 030	UREA 40% (5 ml/vl)	#268 v1	5 v1 25 v1	400 1620

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1850	UREA INDOLE MEDIUM for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production	30.01	100 gm 500 gm	1125 4145
TM 1267	UROGENITAL MYCOPLASMA MEDIUM BASE for selective isolation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i>	28.65	500 gm	3775
TS 014 TS 022	HORSE SERUM VITAMINS AMINO GROWTH SUPPLEMENT *	1.8 ltr #35 vl	100 ml 5 vl	3980 1790
TS 126	UREA SOLUTION 5% (5 ml/vl) *	#35 vl	5 vl	350
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT *	#35 vl	25 vl 5 vl	1430 1325
TM 1420	V-8 MEDIUM FOR LACTOBACILLI for cultivation and enumeration of Lactobacilli	43.10	500 gm	4035
TM 2413	V-8 JUICE AGAR NEW for the cultivation of yeasts and moulds	44.30	500 gm	5875
TM 2414	VEG 8 JUICE BROTH NEW for cultivation of Fungi-yeasts and moulds	24.30	500 gm	5430
TM 908	VP MEDIUM for isolation of <i>Vibrio parahaemolyticus</i>	100.28	500 gm	4580
TM 2412	VP MEDIUM FOR LISTERIA (ISO 11290-2-2017) NEW recommended for the distinction of <i>Listeria</i> species from other species based on Voges-Proskauer test from food samples	17.00	500 gm	3060
TM 1642	VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm	1925 7710
TS 216 TS 218	MEROPENEM SUPPLEMENT * VANCOMYCIN SUPPLEMENT *	#12 vl #24 vl	5 vl 5 vl 25 vl	1475 1415 3135
TM 1312	VAGINALIS AGAR BASE for isolation and differentiation of <i>Gardenerella vaginalis</i> from clinical samples	52.50	500 gm	4140
TM 1643	VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH) for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm	735 2935
TS 216	MEROPENEM SUPPLEMENT *	#27 vl	5 vl	1475
TM 909	VEAL INFUSION AGAR for cultivation of fastidious pathogenic bacteria	40.00	500 gm	4115
TM 910	VEAL INFUSION BROTH for cultivation of fastidious pathogenic bacteria	25.00	500 gm	3790
TM 1431	VEILLON AGAR for cultivation and observation of motility of <i>Clostridium perfringens</i>	30.05	500 gm	3865
TM 2415	VEILLONELLA AGAR BASE NEW for selective isolation of <i>Veillonella</i> species	23.75	500 gm	4135
TM 911	VIBRIO AGAR for selective cultivation of <i>Vibrio</i> species	80.10	500 gm	3865
TMV 911	VIBRIO AGAR (VEG.) for selective cultivation of <i>Vibrio</i> species	80.10	500 gm	4055
TM 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm	4675
TMV 1313	VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) (VEG.) for isolation and enumeration of <i>Vibrio parahaemolyticus</i> from seafood	73.52	500 gm	4910
TM 2416	VIBRIO VULNIFICUS AGAR (VVA) NEW for identification of <i>Vibrio</i> in accordance with FDA BAM, 1998	85.06	100 gm	6715
TM 426	VIOLET RED BILE AGAR for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	670 3030










CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 426	VIOLET RED BILE AGAR (VEG.) for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	730 3110
TM 1314	VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002) for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm	670 3030
TM 2417	VIOLET RED BILE AGAR (1.2 %)  for selective isolation and enumeration of coliaerogenes bacteria in water, milk and other dairy food products	38.53	500 gm	3350
TM 2418	VIOLET RED BILE AGAR W/ GLUCOSE AND LACTOSE  for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy food products and clinical samples	48.53	500 gm	3435
TM 1627	VIOLET RED BILE AGAR W/ GLUCOSE & LACTOSE (as per USP) for selective isolation, detection and enumeration of coli-aerogenes gram negative bacteria in water, milk and other dairy products	50.63	500 gm	3215
TM 482	VIOLET RED BILE BROTH for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	3070
TMV 482	VIOLET RED BILE BROTH (VEG.) for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	3230
TM 483	VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017) for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm	3305
TMH 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	665 3030
TMHV 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	730 3110
TM 1927	VIOLET RED BILE GLUCOSE AGAR  for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	41.53	100 gm 500 gm	665 3030
TMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm	730 3110
TM 550	VIOLET RED BILE GLUCOSE AGAR W/ LACTOSE (as per EP) for detection and enumeration of Enterobacteriaceae in raw foods	51.53	500 gm	3305
TM 1860	VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006) for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm	780 3130
TM 1155	VIRAL TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM) for transportation of viral specimens at ambient temperature	20.00	500 gm	4315
TM 1868	*VITAMIN B12 AGAR for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii as test organism (*Store between 2-8°C)	88.62	100 gm	3790
TM 2419	VITAMIN FREE YEAST BASE *  for studying vitamin requirements of yeasts	16.75	100 gm	2890
TM 395	VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	740 3040
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#17 vl	5 vl 25 vl	575 2050
TMV 395	VOGEL JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) (VEG.) for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	765 3200
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#17 vl	5 vl 25 vl	575 2050
TM 2420	VOGEL JOHNSON AGAR BASE W/ 1.5% AGAR  for selective isolation of coagulase positive, mannitol fermenting <i>Staphylococcus aureus</i> from heavily contaminated foods in accordance with FDA BAM, 1998.	62.03	500 gm	3690
TS 005	POTASSIUM TELLURITE 1% (10ml/vl) *	#17 vl	5 vl 25 vl	575 2050
TM 1722	VOGEL JOHNSON AGAR MEDIUM (as per USP) for selective isolation of coagulase positive, mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	740 3040
TS 005	POTASSIUM TELLURITE 1% (10ml/vl) *	#17 vl	5 vl 25 vl	575 2050

Dehydrated Culture Media




CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1820	VOGEL JOHNSON AGAR MEDIUM (as per IP) for selective isolation of coagulase positive mannitol fermenting <i>S.aureus</i> from foods & clinical samples	61.00	100 gm 500 gm	740 3040
TS 005	POTASSIUM TELLURITE 1% (10ml/vl) *	#17 vl	5 vl 25 vl	575 2050
TM 2421	VOGES PROSKAUER MEDIUM, MODIFIED NEW for performance of the Voges- Proskauer test in differentiation of <i>Bacillus cereus</i> in accordance with FDA BAM 1998	17.00	500 gm	2875
TM 565	WL - DIFFERENTIAL AGAR for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	855 3450
TMV 565	WL - DIFFERENTIAL AGAR (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	955 3615
TM 485	WL - DIFFERENTIAL BROTH for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	850 3385
TMV 485	WL - DIFFERENTIAL BROTH (VEG.) for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	900 3590
TM 486	WL - NUTRIENT BROTH for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm	3385
TMV 486	WL - NUTRIENT BROTH (VEG.) for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm	3555
TM 487	WL - NUTRIENT MEDIUM (WL - NUTRIENT AGAR) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	3595
TMV 487	WL - NUTRIENT MEDIUM (VEG.) (WL - NUTRIENT AGAR) (VEG.) for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	3775
TM 632	WAGATSUMA AGAR BASE for performance of Kanagawa test to identify virulent <i>Vibrio parahaemolyticus</i> strains	113.00	500 gm	4115
TM 914	WATER AGAR for enumeration, cultivation and observation of sporulation of some fungi	20.00	500 gm	3375
TM 928	WESLEY BROTH BASE (as per APHA) for isolation and enrichment of <i>Campylobacter jejuni</i> from poultry products	39.25	500 gm	7850
TS 081	CAMPYLOBACTER SELECTIVE SUPPLEMENT (WESELY)	#13 vl	5 vl	1380
TM 2422	WILD YEAST MEDIUM NEW for detection of wild yeast	44.50	500 gm	4855
TM 915	WILKINS CHALGREN ANAEROBIC AGAR BASE for isolation, cultivation and susceptibility testing of anaerobes by agar dilution method	43.00	500 gm	3765
TS 055	NON SPORE ANAEROBIC SUPPLEMENT *	#24 vl	5 vl	1115
TS 056	G.N. SPORE ANAEROBIC SUPPLEMENT *	#24 vl	5 vl 25 vl	1230 3350
TM 916	WILKINS CHALGREN ANAEROBIC BROTH BASE for cultivation and susceptibility testing of anaerobic bacteria	33.00	500 gm	3490
TS 055	NON SPORE ANAEROBIC SUPPLEMENT *	#31 vl	5 vl	1115
TS 056	G. N. SPORE ANAEROBIC SUPPLEMENT *	#31 vl	5 vl 25 vl	1230 3350
TM 1319	WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999) for isolation and identification of <i>Clostridium</i> from foods.	47.03	500 gm	4000
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#4 vl	5 vl	1875
TS 098	WILLIS AND HOBBS' SUPPLEMENT *	#22 vl	5 vl	1215
TM 2423	WILSON AND BLAIR'S BBS AGAR MEDIUM 10. (as per IP) (TRIPLE PACK) NEW recommended for the selective subculture of <i>Salmonella</i> species	4.50 5.60 0.045	100 gm 500 gm	1085 4405
TM 489	WILSON BLAIR AGAR BASE for isolation and cultivation of <i>Salmonella Typhi</i> with addition of selective reagent	60.00	100 gm 500 gm	1020 4115
TM 917	WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN) for isolation and preliminary identification of <i>Salmonella Typhi</i> from clinical samples	52.32	100 gm 500 gm	1015 4115




W

	CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
X	TM 490	WORT AGAR for cultivation and enumeration of yeasts	48.30	100 gm 500 gm	1010 4060
	TM 551	WORT BROTH for cultivation and enrichment of yeasts	33.28	500 gm	3775
Y	TM 1315	WURTZ MEDIUM for isolation and differentiation of lactose fermenting bacteria	38.00	500 gm	4020
	TM 2424	2 XYT GROWTH MEDIUM  optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	31.50	500 gm	4280
	TM 2425	2 XYT GROWTH AGAR  optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	46.00	500 gm	4935
	TM 2426	2 XYT GROWTH TOP AGAR  optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38.00	500 gm	4935
	TM 2427	4 XYT GROWTH MEDIUM  optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages.	57.00	500 gm	8555
	TM 1478	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	46.83	500 gm	3455
	TM 491	XYLOSE LYSINE AGAR BASE for isolation, cultivation and identification of pathogenic enteric bacilli	45.08	500 gm	3455
	TM 1448	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR MEDIUM) (as per IP) for isolation of <i>S.typhi</i> and other <i>Salmonella</i> species	55.18	100 gm 500 gm	730 3280
	TM 492	XLD AGAR for selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm	730 3280
	TMV 492	XLD AGAR (VEG.) for selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species	56.68	100 gm 500 gm	730 3280
	TM 1621	XLD AGAR MODIFIED (ISO 6579-2002) for isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species	55.43	100 gm 500 gm	735 3300
	TMH 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm	730 3280
	TMHV 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.) for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm	760 3380
	TM 493	XLT4 AGAR BASE for selective isolation of <i>Salmonella</i> species other than <i>Salmonella Typhi</i>	59.00	500 gm	4715
	TS 072	XLT4 SUPPLEMENT *	#9 vl	5 vl	1305
	TM 2428	YE GROWTH MEDIUM  for the growth of <i>Schizosaccharomyces pombe</i> .	35.00	500 gm	4275
	TM 2429	YE GROWTH AGAR  for the growth of <i>Schizosaccharomyces pombe</i> .	50.00	500 gm	4885
	TM 1116	YEP AGAR for isolation of dimorphic pathogenic fungi from clinical samples	21.50	500 gm	3850
	TM 2430	YEP AGAR, MODIFIED  recommended for plate count of microorganism in water	40.00	500 gm	4410
	TM 2431	YEM AGAR  for the cultivation of <i>Agrobacterium</i> species and other soil microorganisms	26.80	500 gm	4885
	TM 1884	YEM BROTH for cultivation of <i>Agrobacterium</i> species and other soil microorganisms	11.80	500 gm	4045
	TM 2432	YEP BROTH  recommended for cultivation of aerobic microorganisms and also <i>Agrobacterium</i> species and other soil microorganisms for phyto	25.00	500 gm	4345

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1449	YPD AGAR (YEPD AGAR) for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	65.00	500 gm	3985
TM 1121	YPD BROTH (YEPD BROTH) for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm	4690
TM 2433	YPD (YEPD) GROWTH MEDIUM NEW for the growth of <i>Saccharomyces cerevisiae</i>	50.00	500 gm	5430
TM 918	YPG AGAR for growth of <i>Saccharomyces cerevisiae</i> in molecular biology	50.00	500 gm	3570
TM 2434	YSG AGAR NEW for the detection of <i>Alicyclobacillus</i> in fruit juices in accordance with Official method of IFU	20.00	500 gm	4345
TM 2435	YSG BROTH NEW for cultivation of <i>Alicyclobacillus</i> in fruit juices in accordance with Official method of IFU	5.00	500 gm	4130
TM 592	YT AGAR for growth of <i>Escherichia coli</i> K12 strains used in the preparation of phage and plasmid DNA according to Miller	28.00	500 gm	4140
TM 621	YT BROTH (2X YT BROTH) for cultivation of recombinant strains of <i>Escherichia coli</i>	31.00	500 gm	4035
TM 937	YXT AGAR BASE for detecting yeasts and molds in foods with or without added tetracycline	33.00	500 gm	3970
TM 553	YEAST & MOLD AGAR for cultivation and maintenance of yeasts and moulds	35.00	500 gm	3900
TM 1117	YEAST & MOLD BROTH for isolation and cultivation of yeasts and molds	20.00	500 gm	3675
TM 2436	YEAST BEEF AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 4) NEW for detection of Penicillin-G in milk samples	26.05	500 gm	4575
TM 920	YEAST BEEF ASSAY BROTH for assay of Amphotericin B using <i>Candida tropicalis</i> ATCC 13803 as the test organism	27.50	500 gm	3790
TM 495	YEAST CARBON BASE * for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm	2010
TMV 495	YEAST CARBON BASE (VEG.) * for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm	2115
TM 504	YEAST DEXTROSE AGAR for cultivation of various heterotrophic microorganisms	35.00	500 gm	4115
TM 496	YEAST EXTRACT AGAR for plate count of microorganisms in water	23.00	100 gm 500 gm	590 2475
TM 1827	YEAST EXTRACT AGAR (ISO 6222:1999) for enumeration of microorganisms from water	24.00	100 gm 500 gm	600 2550
TM 2437	YEAST EXTRACT CALCIUM CARBONATE GLUCOSE AGAR NEW for the isolation and cultivation of <i>Erwinia</i> species	65.00	500 gm	4500
TM 921	YEAST EXTRACT ROSE BENGAL BROTH BASE for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm	3335
TMV 921	YEAST EXTRACT ROSE BENGAL BROTH BASE (VEG.) for cold enrichment and recovery of <i>Yersinia enterocolitica</i> and <i>Yersinia pseudotuberculosis</i> from foods	26.30	500 gm	3500
TM 497	YEAST GLUCOSE BEEF AGAR for cultivation of lactic Streptococci for determining growth characteristics	48.00	500 gm	3975
TM 575	YEAST GLUCOSE BEEF BROTH for cultivation of lactic Streptococci for determining growth characteristics	33.00	500 gm	3675

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	760 3395
TMV 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.) for selective isolation and enumeration of yeast and molds in milk and milk products	40.00	100 gm 500 gm	795 3550
TM 1832	YEAST GLUCOSE CHLORAMPHENICOL AGAR for isolation, detection and enumeration of yeast and molds	40.00	100 gm 500 gm	750 3330
TMV 1832	YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.) for isolation, detection and enumeration of yeast and molds	40.00	100 gm 500 gm	825 3590
TM 610	YEAST LACTOSE AGAR for cultivation of soil microorganisms like <i>Rhizobium</i> species	26.80	100 gm	2185
TM 397	ISP MEDIUM NO. 2 (YEAST MALT AGAR) for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1020 4195
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#25 vl	5 vl 25 vl	820 2640
TMV 397	YEAST MALT AGAR (YM AGAR) (ISP MEDIUM NO.2) (VEG.) for isolation and cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1075 4410
TM 398	YEAST MALT BROTH (YM BROTH) for cultivation of yeasts, molds and aciduric microorganisms	21.00	100 gm 500 gm	800 3355
TS 049	10% LACTIC ACID SOLUTION (10 ml/vl) *	#48 vl	5 vl 25 vl	820 2640
TMV 398	YEAST MALT BROTH (YM BROTH) (VEG.) for cultivation of yeasts, molds and aciduric microorganisms 10% LACTIC ACID SOLUTION (10 ml/vl)	21.00	100 gm 500 gm 5 vl 25 vl	840 3505 820 2640
TM 399	YEAST MANNITOL AGAR W/ 1.5% AGAR for cultivation, enumeration and isolation of soil microorganisms like <i>Rhizobium</i> species	27.80	100 gm 500 gm	940 3850
TM 922	YEAST MANNITOL AGAR W/ CONGO RED for cultivation of soil microorganisms like <i>Rhizobium</i> species	31.80	500 gm	3750
TM 566	YEAST MANNITOL BROTH for cultivation of <i>Rhizobium</i> species	12.80	500 gm	3550
TM 2438	YEAST MOULD CHLORAMPHENICOL AGAR, MODIFIED  for enumeration of yeasts and moulds from food using membrane filter technique. Also recommended when ISO-Grid and Neo-Grid protocols of filtration are followed	67.53	500 gm	4550
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT *	#8 vl	5 vl	945
TM 1821	YEAST MOLD BROTH 'TBL' for enrichment and cultivation of yeasts and molds	41.00	500 gm	4965
TM 923	YEAST MORPHOLOGY AGAR * for classification of yeasts on the basis of their colonial characteristics and cell morphology	35.00	100 gm	1715
TM 1119	YEAST NITROGEN BASE * for classification of yeasts on the basis of their ability to assimilate carbon compounds	6.70	100 gm	2315
TM 400	YEAST NITROGEN AGAR BASE (DOUBLE PACK) * for carbohydrate assimilation test in the characterization and identification of yeasts	40.00 6.75	100 gm	2355
TM 499	YEAST NITROGEN BASE (W/O AMINO ACIDS) * for investigating carbon and nitrogen requirements of yeasts	6.70	100 gm	2315
TM 500	YEAST NITROGEN BASE (W/O AMINO ACIDS AND AMMONIUM SULPHATE) * for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds	1.70	100 gm	2775
TM 554	YEAST PHOSPHATE AGAR for isolation of dimorphic pathogenic fungi	21.50	100 gm	5955
TM 924	YERSINIA ENRICHMENT BROTH BASE * for enrichment of <i>Yersinia</i> species, particularly <i>Yersinia enterocolitica</i>	13.01	500 gm	3780

Z

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 925	YERSINIA IDENTIFICATION BROTH BASE for identification of <i>Yersinia</i> species	10.00	100 gm 500 gm	1025 4000
TS 030	UREA 40% (5 ml/vl) *	#500 vl	5 vl 25 vl	400 1620
TM 617	YERSINIA ISOLATION AGAR * for selective isolation of <i>Yersinia</i> species from foods	79.00	500 gm	4115
TM 501	YERSINIA SELECTIVE AGAR BASE (CIN AGAR) for selective isolation enumeration of <i>Yersinia enterocolitica</i> from clinical & food samples	58.00	500 gm	4115
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	1070 3235
TM 2439	YERSINIA SELECTIVE AGAR BASE, W/ 1.2% AGAR  for the selective, isolation and enumeration of <i>Yersinia enterocolitica</i> from food samples in accordance with FDA BAM, 1998	57.54	500 gm	4835
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	1070 3235
TS 312	YERSINIA SELECTIVE SUPPLEMENT - 2 *	#18 vl	5 vl 25 vl	1105 3355
TM 2440	YERSINIA SELECTIVE BROTH BASE  for the selective enrichment of <i>Yersinia enterocolitica</i>	40.20	100 gm 500 gm	4600 19120
TS 057	YERSINIA SELECTIVE SUPPLEMENT *	#18 vl	5 vl 25 vl	1070 3235
TM 1622	YOSHIKA MEDIUM for isolation of bifido bacteria in milk and milk powder	62.60	500 gm	4900
TM 1926	ZINC SOLUBILIZING AGAR  for isolation and detection of zinc solubilizing soil microorganisms	27.40	500 gm	3540
TM 1893	ZINC SOLUBILIZING MEDIUM For growth and maintenance of zinc solubilizing soil microorganism	12.50	500 gm	3290
TM 207	ZOBELL MARINE AGAR 2216. (MARINE AGAR 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm	750 3385
TM 208	ZOBELL MARINE BROTH 2216. (MARINE BROTH 2216) for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm	750 3385



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

For Enquiry

CHROMOGENIC CULTURE MEDIA



PURPOSE OF USING CHROMOGENIC MEDIA

Dehydrated media serves as a nutrient system for the cultivation of microorganisms. However, the aforementioned role is just one. By adding chromogenic substrate, differentiation and selection of microorganisms becomes more convenient.

HOW DOES IT WORK

Chromogenic media contains nutrients such as peptones, amino acids, yeast extract, minerals and vitamins, selective agent, solidifier (e.g. agar) as well as Chromogenic mixtures (chromogens) depending upon each medium. The chromogenic mixture contains chromogenic substrates as Salmon -GAL, X-Gal, X-glucuronides, etc. Certain enzymes, produced by some bacteria, cleave these substrates, resulting in the different colouration of certain bacterial colonies.

BENEFITS


- ✓ Majorly the chromogenic is known for its rapidness, accuracy and simplicity involved during diagnosis.
- ✓ The chromogenic saves time and labour work. When compared with traditional methods, the chromogenic deliver results in shorter time for both negatives screens & presumptive positives. Some chromogenic culture media gives confirmed results within 24 hours
- ✓ Mostly, the result interpreted from chromogenic media does not require further testing and eliminates the need of subculture and further biochemical test for identification pathogenic agent.
- ✓ On a single medium, one can identify more than one organism. This is the reason for the chromogenic being so cost effective.

CHROMOGENIC INDEX FOR MOST ACCEPTABLE PRODUCTS

TM 1199 | CHROMOGENIC UTI AGAR

"For identification and confirmation of microorganisms causing urinary tract infections."


SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Pink- Purple
B	<i>Enterococcus faecalis</i>	29212	Blue
C	<i>Staphylococcus aureus</i>	25923	Cream yellow
D	<i>Pseudomonas aeruginosa</i>	27853	Colourless (greenish pigment may be observed)
E	<i>Klebsiella pneumoniae</i>	13883	Bluish Purple



TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS

"For simultaneous detection of total coliforms and *Escherichia coli* in water and foods"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Dark blue to violet (Red color appears around the colony)
B	<i>Salmonella Enteritidis</i>	13076	Colorless
C	<i>Klebsiella pneumoniae</i>	13883	Light pink
D	<i>Enterobacter aerogenes</i>	13048	Light pink



TM 1197 | CHROMOGENIC CANDIDA AGAR


"For fast isolation and identification of *Candida* species from mixed flora"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Candida albicans</i>	10231	Light green
B	<i>Candida glabrata</i>	2001	Light white to purple
C	<i>Candida tropicalis</i>	1369	Blue-Metallic Blue
D	<i>Candida Krusei</i>	34135	Purple-Pink

TM 1339 | CHROMOGENIC E. COLI AGAR

"For easy enumeration of *E. coli* without membrane filtration, or pre-incubation on Mineral Modified Glutamate Medium Base"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Bluish green
B	<i>E. aerogenes</i>	13048	Colourless



TM 1858 | CHROMOGENIC COLIFORM AGAR (CCA)



"For determination of coliform bacteria particularly *Enterobacteriaceae* on the basis of their ability to ferment lactose"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Dark blue to violet colonies
B	<i>Citrobacter freundii</i>	8090	Pink to red colonies
C	<i>Salmonella Enteritidis</i>	13076	Colourless colonies
D	<i>Enterobacter aerogenes</i>	13048	Pink to red colonies

TM 1639 | CHROMOGENIC UTI AGAR, MODIFIED

"For enumeration and differentiation of enteric pathogens in urinary tract infections"


SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Purple to magenta
B	<i>Staphylococcus aureus</i>	25923	Golden yellow
C	<i>Enterococcus faecalis</i>	29212	Blue - green (small)
D	<i>Klebsiella pneumoniae</i>	13883	Blue to purple mucoid
E	<i>Pseudomonas aeruginosa</i>	27853	Colorless (greenish pigment may be observed)



TM 1640 | CHROMOGENIC VIBRIO AGAR

"For selective isolation and differentiation of *Vibrio* species"


SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Vibrio cholerae</i>	15748	Bluish green



TM 1340 | CHROMOGENIC ECC AGAR

"For presumptive identification of *Escherichia coli* and other coliforms"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Escherichia coli</i>	25922	Blue
B	<i>Klebsiella pneumoniae</i>	13883	Mauve
C	<i>S. typhimurium</i>	14028	Colourless













TM 1634 | CHROMOGENIC LISTERIA AGAR BASE (MODIFIED)






"For selective identification and differentiation of *Listeria monocytogenes*"

SYMBOL	CULTURE NAME	ATCC	APPEARANCE OF COLONY
A	<i>Listeria monocytogenes</i>	19118	Bluish green




Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1841	CHROMOGENIC A. RAMBACH AGAR * (Part I) For detection and isolation of <i>Salmonella</i> species in clinical sample (Part II)	30.70 10 ml	500 gm	17630
TM 1523	CHROMOGENIC BACILLUS AGAR * for isolation & differentiation between various species of <i>Bacillus</i> using chromogenic substrates	49.20	100 gm 500 gm	1245 4985
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#20 v1	5 v1 25 v1	1010 2905
TM 1885	CHROMOGENIC BACILLUS CEREUS AGAR * for isolation and differentiation of <i>Bacillus cereus</i> from food	40.98	100 gm 500 gm	1215 4965
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT *	#25 v1	5 v1	1600
TM 2111	CHROMOGENIC BIFIDOBACTERIUM AGAR *  for the differentiation of <i>Bifidobacterium</i> and <i>Lactobacillus</i> species	59.48	100 gm 500 gm	1950 8540
TM 2112	CHROMOGENIC CAMPYLOBACTER AGAR BASE *  for selective isolation and presumptive identification of <i>Campylobacter</i> species	59.53	100 gm 500 gm	1850 7800
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) *	#01 v1	5 v1 25 v1	1380 2885
TM 1197	CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) * for fast isolation and identification of <i>Candida</i> species from mixed flora	42.70	100 gm 500 gm	3815 17175
TM 1588	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED * For fast isolation and identification of <i>Candida</i> species from clinical and non-clinical specimens	42.05	100 gm 500 gm	4425 17715
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT *	#24 v1	5 v1 25 v1	1265 3015
TM 1833	CHROMOGENIC CLED AGAR BASE * for isolation and differentiation of UTI pathogens	43.00	500 gm	16520
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) * for determination of coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm	6225 27975
TM 1338	CHROMOGENIC COLIFORM AGAR W/SLS * for simultaneous detection of total coliforms and <i>Escherichia coli</i> in water and foods	27.00	100 gm 500 gm	4565 18255
TM 2113	CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE *  selective and differential medium for rapid isolation and identification of <i>Candida</i> species from mixed cultures	31.02	100 gm 500 gm	5065 20280
TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT *	#32 v1	5 v1	940
TM 2114	CHROMOGENIC CLOSTRIDIAL AGAR BASE *  for selective isolation and presumptive identification of <i>Clostridium</i> species	47.81	100 gm 500 gm	1715 7255
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014)  for recommended for detection of total coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm	6770 30495
TM 2116	CHROMOGENIC COLIFORM AGAR MODIFIED *  recommended for the simultaneous detection of <i>Escherichia coli</i> and thermotolerant coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm	4455 20470
TM 2117	CHROMOGENIC COLISTIN RESISTANT AGAR BASE *  recommended for isolation and differentiation of gram negative colistin resistant microorganisms	38.10	500 gm	9565
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT *	#13 v1	5 v1	1735
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017)  recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food product	32.40	500 gm	11660
TM 1854	CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) * for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food and environmental samples	28.85	100 gm 500 gm	4855 21080
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *	#17 v1	5 v1 25 v1	575 2050
TM 2119	CHROMOGENIC E. COLI AGAR *  for the detection and enumeration of <i>Escherichia coli</i> in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm	2195 10110
TM 2120	CHROMOGENIC EC BROTH W/ RUG *  recommended for detection of <i>Escherichia coli</i> in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm	5885



Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2121	CHROMOGENIC EC O157:H7 AGAR, MODIFIED *  recommended for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm	5630 22980
TS 005	POTASSIUM TELLURITE 1% (1ml/vl) *	#5 vl	5 vl 25 vl	575 2050
TM 2441	CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED *  for presumptive enumeration of <i>Escherichia coli</i> O157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm	5100 20700
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED *	#8 vl	5 vl	750
TM 1340	CHROMOGENIC ECC AGAR * for presumptive identification of <i>Escherichia coli</i> and other coliforms in food and environmental samples	55.83	100 gm 500 gm	3855 15725
TM 1341	CHROMOGENIC ECC SELECTIVE AGAR BASE * for detection of <i>Escherichia coli</i> and coliforms in water and food samples	26.48	100 gm 500 gm	6250 25005
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT *	#38 vl	5 vl	1070
TM 2122	CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED *  for detection of <i>Escherichia coli</i> and coliforms in water and food samples	39.30	500 gm	30455
TM 1343	CHROMOGENIC ECD W/ MUG * for detection of <i>Escherichia coli</i> by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm	4000 18445
TM 2123	CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 *  for isolation and selective differentiation of <i>Escherichia coli</i> O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm	7400 31750
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I *	#44 vl	5 vl	575
TM 1631	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR * for isolation and identification of <i>Enterobacter sakazkii</i> from dairy and food products	51.67	100 gm 500 gm	1640 6660
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) * for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm	2635 10960
TM 1344	CHROMOGENIC ENTEROCOCCI BROTH * for identification and differentiation of Enterococci from water	18.59	100 gm 500 gm	1575 6420
TM 1632	CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE * for identification and differentiation of <i>Enterococcus faecium</i> from faeces, sewage and water supplies	54.20	100 gm 500 gm	1610 6545
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT *	#19 vl	5 vl	1735
TM 1633	CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE * for selective isolation of <i>Klebsiella</i> species from water can be used by membrane filter technique	40.80	100 gm 500 gm	2125 8745
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT *	#25 vl	5 vl	1160
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) * (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	2020 9270
TM 2124	CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE *  for the selective and differential isolation, enumeration and identification of <i>Listeria monocytogenes</i> and <i>Listeria species</i> based on PCPLC activity	67.20	500 gm	8485
TS 285	LECITHIN SOLUTION *	#16 vl	5 vl	3085
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT *	#16 vl	5 vl	1715
TM 1845	CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR * for selective identification and differentiation of <i>Listeria monocytogenes</i>	70.30	100 gm	7785
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vl	5 vl	1655
TM 1634	CHROMOGENIC LISTERIA AGAR BASE (Modified) * for selective identification and differentiation of <i>Listeria species</i>	67.25	100 gm 500 gm	1665 6855
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl	1215
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of <i>Listeria species</i>	70.05	100 gm 500 gm	2060 7490
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vl	5 vl	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vl	5 vl	1655

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1635	CHROMOGENIC MeReSA AGAR BASE * for isolation and identification of Methicillin resistant <i>Staphylococcus aureus</i> from clinical samples	83.30	100 gm 500 gm	2520 10835
TS 206 TS 219	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT * CEFOXITIN SUPPLEMENT *	#12 v1 #12 v1	5 v1 5 v1	1325 1325
TM 2127	CHROMOGENIC M-COLICONFIRM BROTH *  recommended for detection of <i>E.coli</i> & other total coliforms in water samples by membrane filtration	17.43	500 gm	24465
TS 287 TS 042	ECC SELECTIVE SUPPLEMENT MODIFIED * TTC SOLUTION 1% (10 ml/vl) *	#29 v1 #21 v1	5 v1 5 v1 25 v1	1020 905 2825
TM 1636	CHROMOGENIC MM AGAR * for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples	49.13	100 gm 500 gm	1545 6275
TM 1638	CHROMOGENIC M-LAURYL SULPHATE AGAR * for enumeration and differentiation of <i>E. coli</i> and other coliforms by membrane filter technique	88.00	100 gm 500 gm	5240 20905
TM 1198	CHROMOGENIC OGYE AGAR BASE * for isolation and enumeration of yeasts and moulds from milk and milk products using chromogenic substrates	37.10	100 gm 500 gm	3910 16745
TS 071	OXYTETRA SELECTIVE SUPPLEMENT *	#27 v1	5 v1 25 v1	820 2695
TM 2125	CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) *  for identification and differentiation of <i>Salmonella</i> species from among the members of <i>Enterobacteriaceae</i> , especially <i>Proteus</i> species	46.82	100 gm 500 gm	4185 19215
TM 1426	CHROMOGENIC SALMONELLA AGAR * for isolation and differentiation of <i>Salmonella</i> species from coliforms	27.90	100 gm 500 gm	8520 37805
TM 1839	CHROMOGENIC SALMONELLA AGAR * For identification of <i>Salmonella</i> species from other organisms in the family Enterobacteriaceae	55.20	100 gm 500 gm	8860 40145
TS 252	SALMONELLA SELECTIVE SUPPLEMENT	#10 v1	5 v1	1035
TM 1824	CHROMOGENIC SALMONELLA AGAR, MODIFIED * for identification and differentiation of <i>Salmonella</i> species from among the members of Enterobacteriaceae, especially <i>Proteus</i> species	42.34	100 gm 500 gm	3730 16980
TM 1337	CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE * for isolation and identification of Staphylococci	63.00	100 gm 500 gm	1065 4255
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 v1	5 v1	1950
TM 1199	CHROMOGENIC UTI AGAR * for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm	2185 9300
TM 1909	CHROMOGENIC UTI AGAR * for presumptive identification of microorganisms mainly causing urinary tract infections	56.8	100 gm 500 gm	2290 9440
TM 2126	CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM *  differential Medium is a differential medium recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm	2515 10310
TM 1639	CHROMOGENIC UTI AGAR, MODIFIED * for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm	1395 6255
TS 207 TS 208	DMACA REAGENT (10 ml/vl) TDA REAGENT (10 ml/vl)		1 v1 1 v1	635 275
TM 1825	CHROMOGENIC UTI SELECTIVE AGAR * for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm	2215 9150
TM 1640	CHROMOGENIC VIBRIO AGAR * for selective isolation and differentiation of <i>Vibrio</i> species	67.50	100 gm 500 gm	2435 9920
TM 1907	CHROMOGENIC VRE AGAR BASE * for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm	1805 8275
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT *	#20 v1	5 v1	1375

Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 649	ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio</i> species.	15.00	100 gm 500 gm	730 2985
TM 936	ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005) A basal medium to study fermentation reactions by adding carbohydrates.	15.10	100 gm 500 gm	705 3040
TM 635	BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005) for isolation and enumeration of coagulase positive Staphylococci from food and other products.	65.00	100 gm 500 gm	1020 4185
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#4 vl	5 vl	1875
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	620
TM 674	BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for isolation and enumeration of bile tolerant enteric bacilli.	40.00	100 gm 500 gm	900 4050
TM 952	BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005) for selective isolation of Salmonellae by inhibiting <i>E.coli</i> , <i>Proteus</i> and <i>Pseudomonas</i> species.	52.00	100 gm 500 gm	840 3790
TS 013	SULPHA SUPPLEMENT *	#20 vl	5 vl	1275
TM 678	BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012 for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	705 2935
TM 686	BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005) for pre-enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation.	20.07	100 gm 500 gm	610 2620
TM 086	DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005) for cultivation and differentiation of bacteria based on their decarboxylase activity.	9.00	100 gm 500 gm	840 3375
TM 1870	DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005) for isolation of <i>Shigella</i> species from food samples.	55.45	100 gm 500 gm	655 2750
TM 1171	EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005) for isolation, enumeration and differentiation of Enterobacteriaceae.	37.50	100 gm 500 gm	755 3070
TM 1179	ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005) For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water.	35.80	100 gm 500 gm	830 3735
TM 119	GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) for enrichment of <i>Vibrio parahaemolyticus</i> in drinking water.	(Part I) 48.00 (Part II) 4.00	100 gm 500 gm	795 3720
TM 742	HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005) for detecting aerobic and anaerobic breakdown of glucose.	20.33	100 gm 500 gm	930 3960
TM 2143	KAUFFMAN MULLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999)  recommended as selective enrichment medium for isolation of <i>Shigella</i> species from food samples	132.50	500 gm	3040
TM 1036	MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.	55.07	100 gm 500 gm	610 2740
TM 1238	MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005) for selective enrichment and enumeration of coliforms.	40.07	100 gm 500 gm	520 2320
TM 1239	MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005) for primary isolation of coliforms from large samples like water.	80.14	100 gm 500 gm	720 2985
TM 2230	MACCONKEY BROTH PURPLE (IS: 5401-1:2012)  for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	40.02	100 gm 500 gm	615 2710
TM 787	MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) for detection and enumeration of <i>Pseudomonas aeruginosa</i> in water.	(Part I) 100.00 (Part II) 19.80	120 gm 500 gm	1070 4360


Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 228	MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS : 5887 (Part I and V) 1976, reaffirmed 2005) for testing motility of enteric bacteria.	22.00	500 gm	3795
TM 685	MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005) for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	575 2470
TM 197	MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part Vi) 1976, reaffirmed 2005) for isolation and identification of pathogenic Staphylococci and <i>Bacillus</i> species.	46.00	100 gm 500 gm	960 3995
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 v1	5 v1 25 v1	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/v1) *	#11 v1	5 v1	1875
TM 797	NITRATE BROTH (IS : 5887(Part IV)-1999) for detection of nitrate reduction and enumeration of <i>Bacillus cereus</i> .	39.00	100 gm 500 gm	885 3790
TM 798	NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005) general purpose culture medium	40.00	100 gm 500 gm	740 3140
TM 1270	NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999) general purpose culture medium.	25.00	100 gm 500 gm	575 2610
TM 1059	NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005) for detection of gelatin liquefaction by proteolytic microorganisms.	158.00	500 gm	2875
TM 805	PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005) General purpose growth medium & as the base of carbohydrate fermentation media.	25.00	100 gm 500 gm	730 2480
TM 828	PLATE COUNT AGAR (IS : 5402 - 1969 First Reprint 1983) for determination of microbial counts in milk and other dairy products by pour plate method.	30.00	100 gm 500 gm	780 3505
TM 389	SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) (Part I) (Part II) for isolation and enrichment of Salmonella from faeces, urine or other pathological material.	19.00 4.00	100 gm 500 gm	905 3870
TM 1291	SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005) for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm	760 3295
TM 1299	TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005) for selective isolation of <i>Vibrio cholerae</i> and other enteropathogenic Vibrio's.	89.00	100 gm 500 gm	1095 4480
TM 440	TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005) for selective isolation and identification of coliform bacteria from water.	33.13	100 gm 500 gm	880 3975
TS 042	T.T.C. SOLUTION 1% (10 ml/v1) *	#5 v1	5 v1 25 v1	905 2825
TM 1874	TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005) for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H ₂ S production.	64.32	100 gm 500 gm	770 3330
TM 891	TRYPTONE WATER W/O NaCl (IS : 5887 (Part V) 1976, reaffirmed 2005) for detection of <i>Vibrio cholerae</i> and <i>Vibrio parahaemolyticus</i> .	10.00	100 gm 500 gm	710 2935
TM 2410	UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976) NEW for detection of urease production, particularly by <i>Proteus vulgaris</i> , Micrococci & paracolon organisms	24.51	100 gm 500 gm	910 3680
TS 030	UREA 40% (5 ml/v1) *	#204 v1	5 v1 25 v1	400 1620
TM 1314	VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002) for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm	670 3030
TM 1319	WILLIS AND HOBBS' MEDIUM BASE (IS : 5887 (Part 4) : 1999) for isolation and identification of Clostridium from foods.	47.03	500 gm	4000
TS 002	EGG YOLK EMULSION (100 ml/v1) *	#4 v1	5 v1	1875
TS 098	WILLIS AND HOBBS' SUPPLEMENT *	#22 v1	5 v1	1215
TM 498	YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005) for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	760 3395

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1943	ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018)  (Part I) for confirmation of non-fermentative Gram-negative bacteria, particularly <i>Pseudomonas aeruginosa</i> (Part II)	2.00 1.40	100 gm 500 gm	905 3910
TM 008	ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007) for detection and enrichment of <i>Vibrio</i> species.	50.00	500 gm	2950
TM 1878	ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007) for enrichment of <i>Vibrio</i> species from food and water samples	40.00	100 gm 500 gm	740 3050
TM 1505	L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006) for confirmation of <i>Enterococcus sakazakii</i> from milk and milk products	9.01	500 gm	4190
TM 1881	BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004) selective isolation and enumeration of <i>Bacillus cereus</i>	46.03	500 gm	5430
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 v1	5 v1	1010
TS 002	EGG YOLK EMULSION (100 ml/v1) *	#11 v1	25 v1	2905
TM 1579	BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999) for isolation & enumeration of coagulase positive Staphylococci from foods & pharma products	56.00	500 gm	4280
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/v1) *	#10 v1	5 v1	1950
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 v1	5 v1 25 v1	4665 15850
TM 036	BILE ESCULIN AGAR (ISO 10273:1994) for isolation & identification of <i>Yersinia enterocolitica</i> from food and animal feeding products	64.50	100 gm 500 gm	1850 7205
TM 1883	BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000) for isolation and presumptive identification of faecal streptococci. (ISO 7899-2 : 2000)	56.65	500 gm	7325
TM 1842	BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017)  for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	635 2870
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#26 v1	5 v1 25 v1	1260 3160
TS 007	CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) *	#26 v1	5 v1	1105
TS 008	CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) *	#26 v1	5 v1 25v1	1350 3770
TS 009	CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) *	#26 v1	5 v1	1195
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT *	#26 v1	5 v1	1195
TS 011	STREPTO SUPPLEMENT *	#26 v1	5 v1 25 v1	1005 3160
TM 1146	BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017) for selective isolation and differentiation of <i>Campylobacter species</i>	45.50	500 gm	4505
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) *	#22 v1	5 v1	1405
TS 103	CAT SELECTIVE SUPPLEMENT *	#22 v1	5 v1	1275
TM 1510	BOLTON BROTH BASE (ISO 10272-1:2017) for selective enrichment of <i>Campylobacter species</i> from foods	27.60	500 gm	4235
TS 179	BOLTON SELECTIVE SUPPLEMENT *	#37 v1	5 v1	1325
TM 1512	BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975) for selective isolation of Salmonella	54.69	500 gm	3790
TS 013	SULPHA SUPPLEMENT *	#20 v1	5 v1	1275
TM 365	BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006) for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	635 2850








Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1894	BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017) For selective isolation and cultivation of Legionella species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm	4040 16160
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vI	5 vI	1495
TS 019	LEGIONELLA SUPPLEMENT (Twin Pack) (Part A & B) *	#5 vI	5 vI	975
TS 115	LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT *	#5 vI	5 vI	1110
TS 254	PCP SUPPLEMENT *	#5 vI	25 vI 5 vI	3345 1350
TM 307	BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017) for pre enrichment of injured <i>Salmonella</i> species prior to selective enrichment and isolation	20.00	100 gm 500 gm	575 2620
TM 1522	CETRIMIDE BROTH BASE (ISO 8360-2:1988) for cultivation of <i>Pseudomonas aeruginosa</i> from water samples using membrane filter technique	31.90	500 gm	3675
TM 1858	CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) for determination of coliforms and <i>Escherichia coli</i> in water samples	26.45	100 gm 500 gm	6225 27975
TM 2115	CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014)  for recommended for detection of total coliforms and <i>Escherichia coli</i> in water samples	25.92	100 gm 500 gm	6770 30495
TM 2118	CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017)  recommended for the isolation and identification of <i>Cronobacter sakazakii</i> from food products	32.40	500 gm	11660
TM 1854	CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) for isolation and differentiation of <i>Escherichia coli</i> O157:H7 from food and environmental samples	28.85	100 gm 500 gm	4855 21080
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT *	#17 vI	5 vI 25 vI	575 2050
TM 1853	CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) for isolation and identification of <i>Cronobacter sakazakii</i> from milk and milk products	30.75	100 gm 500 gm	2635 10960
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017)  recommended for selective detection and enumeration of <i>Campylobacter species</i> from food chain	44.00	500 gm	3850
TM 004	CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) * for selective identification and differentiation of <i>Listeria</i> species	70.05	100 gm 500 gm	2060 7490
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT *	#15 vI	5 vI	1215
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT *	#15 vI	5 vI	1655
TM 1339	CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) * (ISO 16649-1 & 2 :2001, ISO 16649-3:2015, ISO 11133:2014) for enumeration of <i>Escherichia coli</i> from food samples, animal feed and water samples	36.57	100 gm 500 gm	2020 9270
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm	1230 4640
TM 417	EC BROTH (ISO 7251:2005, 11866-1:1997) for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	795 3370
TM 1804	EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993) for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	100 gm 500 gm	840 3785
TM 371	EMB AGAR, LEVINE (ISO 21150:2015) for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm	635 2830
TM 2073	EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)  for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm	3780
TM 1472	FRASER BROTH BASE (ISO 11290-1:2017) for isolation and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	57.35	100 gm 500 gm	1160 4640
TS 034	FRASER SUPPLEMENT *	#19 vI	5 vI	875
TS 035	FRASER SELECTIVE SUPPLEMENT *	#19 vI	5 vI	1385








Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 118A	GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003) for selective enrichment of <i>Staphylococcus aureus</i> from foods	55.20	500 gm	4025
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#18 vl	5 vl	620
TM 1937	HALF FRASER BROTH BASE (ISO 11290-1:2017)  for the selective enrichment of <i>Listeria</i> species from foods	55.00	500 gm	5190
TS 034	FRASER SUPPLEMENT *	#19 vl	5 vl	875
TS 035	FRASER SELECTIVE SUPPLEMENT *	#10 vl	5 vl	1385
TM 121	HEKTOEN ENTERIC AGAR (ISO 21567:2004) for differential & selective isolation of Salmonella and Shigella from enteric pathological specimens	76.67	100 gm 500 gm	810 3400
TM 2138	IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)  for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions	42.00	500 gm	4435
TM 1553	KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003) for identification of <i>Pseudomonas</i> species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H ₂ S production	58.02	500 gm	3285
TM 2173	L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1:2017)  recommended for biochemical confirmation of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm	3615
TM 2265	L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017)  for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm	2910
TM 1251	LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000) for detection and enumeration of <i>E.coli</i> and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm	835 3485
TS 042	TTC SOLUTION 1% (10 ml/vl) *	#3 vl	5 vl 25 vl	905 2825
TM 1556	LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) for the isolation and enumeration of lactic acid bacteria from meat and meat products	68.20	500 gm	3255
TM 150	LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006) for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm	575 2630
TM 1829	LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006) For the selective pre-enrichment medium for <i>Cronobacter sakazakii</i> from milk and milk products	64.60	500 gm	2830
TM 1226	LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2) for detection and enumeration of <i>Listeria monocytogenes</i> from food and animal feeds	69.00	100 gm 500 gm	1630 7315
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) *	#15 vl	5 vl 25 vl	1040 3550
TM 1229	LISTERIA OXFORD MEDIUM BASE (ISO 11290-1) for isolation of <i>Listeria</i> species from pathological samples	55.50	100 gm 500 gm	1300 5250
TS 120	OXFORD LISTERIA SUPPLEMENT *	#19 vl	5 vl	1215
TS 121	LISTERIA MOXALACTAM SUPPLEMENT *	#19 vl	5 vl	1385
TM 1830	LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006) for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriaceae	9.00	100 gm 500 gm	755 3080
TM 775	M-LAURYL SULPHATE BROTH (ISO 9308-1:2000) for enumeration of <i>Escherichia coli</i> in water by membrane filter technique	76.20	500 gm	4380
TM 1572	MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2:1997) * for selective enrichment of presumptive <i>Escherichia coli</i> and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm	6395
TM 1875	MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2:1990) for presumptive identification of coliforms from water	40.01	100 gm 500 gm	575 2530




Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 529	MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990) for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm	515 2320
TM 1915	MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001) a selective medium for isolation and detection of <i>Escherichia coli</i> 0157:H7	50.03	500 gm	3865
TM 1843	MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006) for the enumeration of <i>B. cereus</i> in foodstuffs and other samples	43.00	500 gm	3900
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#22 v1	5 v1 25 v1	1010 2905
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#11 v1	5 v1	1875
TM 1857	MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005) for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm	3845
TM 2215	MRS AGAR, MODIFIED * (ISO 15214:1998)  for isolation and enumeration of mesophilic lactic acid bacteria from food	69.21	500 gm	4970
TM 2217	MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006)  recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm 500 gm	1205 5490
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT *	#8 v1	5 v1	2270
TM 2246	MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004)  for isolation and detection of <i>Clostridium perfringens</i> on the basis of motility and nitrate test	19.50	500 gm	4315
TM 1399	MULLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017) for enrichment and isolation of Salmonellae by suppressing <i>Proteus</i> species	89.42	500 gm	3675
TS 152	MKTT NOVOBIOCIN SUPPLEMENT *	#6 v1	5 v1	1660
TM 1038A	NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015) a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	740 3100
TM 2256	NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)  recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm	3610
TM 2274	PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)  for selective enumeration of thermo-tolerant <i>Campylobacter</i> species from food	29.35	500 gm	4115
TS 073	PARK & SANDER SELECTIVE SUPPLEMENT A *	#15 v1	5 v1	1290
TS 074	PARK & SANDER SELECTIVE SUPPLEMENT B *	#15 v1	5 v1	1890
TM 1844	PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) (Part I) For selective enrichment of <i>Yersinia enterocolitica</i> from dairy products (Part II)	21.00 10.00	500 gm	3925
TM 2281	PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)  recommended for the preparation of dilutions for <i>Listeria</i> species for further testing form food sample	18.37	500 gm	3830
TM 2270	PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)  for primary enrichment and enumeration of <i>Yersinia enterocolitica</i> from food	30.77	500 gm	4280
TM 2300	RPF AGAR BASE (ISO 6888-2:1999)  recommended for the enumeration of coagulase positive Staphylococci from food and animal feeding stuff	58.00	500 gm	5085
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#9 v1	5 v1 25 v1	4665 15850
TM 2324	SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017)  recommended for enrichment of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> species	43.00	500 gm	3350
TM 1847	SALINE MEAT YEAST AGAR (ISO 8914:1990) for identification of <i>Vibrio parahaemolyticus</i> form food products and animal feeding products	58.30	500 gm	3470

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2325	SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017)  recommended as a biochemical test to distinguish between <i>Vibrio</i> species based on salt tolerance	43.00	500 gm	2655
TM 2326	SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017)  recommended for detection of <i>Vibrio parahaemolyticus</i> and <i>Vibrio cholerae</i> from food	110.00	500 gm	2790
TM 2327	SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990)  recommended for detection of indole production by <i>Vibrio parahaemolyticus</i>	41.00	500 gm	3400
TM 1848	SALT POLYMYXIN BROTH BASE (ISO 8914:1990) for detection and enumeration of <i>Vibrio</i> species	29.70	500 gm	3640
TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT *	#34 vL	5 vL 25 vL	1010 2905
TM 294	SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993) (Part I) an enrichment medium for isolation of <i>Salmonella</i> species from food, dairy and clinical samples (Part II)	19.01 4.00	100 gm 500 gm	990 3790
TM 2336	SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)  for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm	4280
TM 1611	SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) for the detection and enrichment of <i>Escherichia coli</i> O157:H7 from foods	33.02	500 gm	3850
TM 544	STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013) For determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm	705 3285
TM 1097	SYNTHETIC SEA SALT (ISO 9308-3:1998) for preparation of special diluents	19.19	500 gm	3990
TM 2374	TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E))  for detection of thermostable deoxyribonuclease activity to establish speciation of <i>S.aureus</i> in contaminated foods	25.56	100 gm	7575
TM 1819	TRIPLE SUGAR IRON AGAR (ISO 6785:2001 / ISO 6579:2017) for identification of gram negative enteric bacteria on the basis of sugar fermentation & H ₂ S production	65.00	100 gm 500 gm	770 3330
TM 2385	TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017)  for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	9.50	100 gm 500 gm	640 2895
TM 549	TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998) for isolation and cultivation of <i>Listeria</i> from Henry's light	36.00	500 gm	3030
TM 1849	TRYPTONE WATER (ISO 7251:1993) for detection of indole production by coliforms	25.00	100 gm 500 gm	780 3360
TM 2400	TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)  recommended for the enumeration of <i>Clostridium perfringens</i> from water	42.00	500 gm	4740
TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) *	#1 vL	5 vL 25 vL	1145 2845
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#22 vL	5 vL	2975
TM 1826	TSC AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013) for enumeration of <i>Clostridium perfringens</i> from food	42.00	500 gm	4180
TS 076	PERFRINGENS T. S. C. SUPPLEMENT *	#24 vL	5 vL 25 vL	1145 2845
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT *	#24 vL	5 vL	2975

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2406	TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017)  NEW recommended for confirmation of <i>Yersinia enterocolitica</i>	30.01	100 gm 500 gm	935 3860
TM 2411	UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)  NEW for confirmation of <i>Yersinia enterocolitica</i> by urease and Indole test	30.03	100 gm 500 gm	1030 4540
TM 483	VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017) for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm	3305
TM 1860	VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006) for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm	780 3130
TM 2412	VP MEDIUM FOR LISTERIA (ISO 11290-2:2017)  NEW recommended for the distinction of <i>Listeria</i> species from other species based on Voges-Proskauer test from food samples	17.00	500 gm	3060
TM 1621	XLD AGAR MODIFIED (ISO 6579-2002) for isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species	55.43	100 gm 500 gm	735 3300
TM 1827	YEAST EXTRACT AGAR (ISO 6222:1999) for enumeration of microorganisms from water	24.00	100 gm 500 gm	600 2550



+91-011-71239900



marketing@titanbiotechltd.com




www.tmmedia.in

**For
Enquiry**

Harmonized Culture Media

Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMH 119	BAIRD PARKER AGAR BASE (as per EP/IP/BP)  for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1085 4475
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vl) *	#4 vl	5 vl	1950
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 vl 25 vl	575 2050
TMH 101	BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	665 2835
TMH 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	665 3020
TMHV 113	CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.) for selective isolation of <i>Pseudomonas aeruginosa</i>	45.30	100 gm 500 gm	760 3150
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP) for detection of <i>Clostridium sporogenes</i> from pharmaceutical products.	44.00	100 gm 500 gm	855 3505
TS 217	GENTAMYCIN SUPPLEMENT *		5 vl	820
TMHV116	COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG) for detection of <i>Clostridium sporogenes</i> from pharmaceutical products	44.00	100 gm 500 gm	955 3560
TS 217	GENTAMYCIN SUPPLEMENT		5 vl	820
TMH 107	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	840 3785
TMH 110	MacCONKEY AGAR (as per USP/EP/BP/JP) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	625 2850
TMHV 110	MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.) for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	740 3070
TMH 118	MacCONKEY AGAR (as per USP/EP/BP/JP)  for selective isolation and differentiation of <i>E. coli</i> and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm	650 2940
TMH 378	MacCONKEY AGAR W/O CV, NaCl, w/ 0.5% SODIUM TAUROCHOLATE For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.00	100 gm 500 gm	640 2920
TMH 109	MacCONKEY BROTH (as per USP/EP/JP/BP) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	550 2510
TMHV 109	MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.) for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	680 3050
TMH 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) for selective isolation and enumeration of <i>Staphylococcus</i> species	111.02	100 gm 500 gm	685 2765
TS 002	EGG YOLK EMULSION (100ml/vl) *		5 vl	1875
TMHV 114	MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.) for selective isolation and enumeration of <i>Staphylococcus</i> species	111.02	100 gm 500 gm	710 2910
TS 002	EGG YOLK EMULSION (100ml/vl)		5 vl	1875
TMH 105	POTATO DEXTROSE AGAR (as per USP/EP/JP/BP) for the cultivation of yeasts and moulds	39.00	100 gm 500 gm	640 2890
TMH 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP) for selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm	915 4125
TMHV 111	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.) for For selective enrichment & isolation of <i>Salmonella</i> species from pharmaceutical products	42.50	100 gm 500 gm	1020 4260
TMH 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	38.00	100 gm 500 gm	805 3625
TMHV 115	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.) for isolation, cultivation and enumeration of Clostridia species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	38.00	100 gm 500 gm	910 3830

Harmonized Culture Media


Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMH 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	640 2885
TMHV 104	SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.) for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	735 3130
TMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	465 2075
TMHV 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	480 2120
TMH 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm	765 3125
TMHV 103	SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/) (VEG.) for cultivation of microorganisms sterility testing of molds and bacteria	40.00	100 gm 500 gm	800 3280
TMH 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	395 1595
TMHV 102	SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.) for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	410 1650
TMH 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	665 3030
TMHV 108	VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.) for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	730 3110
TMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm	730 3110
TMH 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm	730 3280
TMHV 112	XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.) for selective differentiation and enrichment medium of <i>Salmonella</i> and <i>Shigella</i> species	55.18	100 gm 500 gm	760 3380

Sterile Dehydrated Culture Media (γ -Irradiated)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TSM 301	ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) for sterility testing of biological products	29.00	500 gm	1900
TSM 022	ANTIBIOTIC ASSAY MEDIUM NO.11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (as per USP) for microbiological assay of antibiotics	30.50	500 gm	4080
TSM 039	BISMUTH SULPHITE AGAR for selective isolation and identification of Salmonellae from faeces, urine, sewage and other materials	52.33	500 gm	3925
TSM 216	B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT) for mass cultivation of anaerobes for vaccine production	30.00	500 gm	4215
TSM 308	DEXTROSE BROTH (Glucose Broth) for the isolation, cultivation and enumeration of wide variety of microorganisms	23.00	500 gm	2760
TSM 371	EMB AGAR (LEVINE) for isolation, enumeration and differentiation of members of Enterobacteriaceae	37.50	500 gm	3135
TSM 985	E.T. MEDIUM for production of Clostridia for enterotoxin production	39.00	500 gm	3500

Sterile Dehydrated Culture Media (γ -Irradiated)

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TSM 2129	FILL TEST MEDIUM  recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm	2570
TSMV 2129	FILL TEST MEDIUM (VEG.)  recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm	2700
TSM 318	FLUID THIOGLYCOLLATE MEDIUM (as per USP) for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	500 gm	1875
TSM 298	H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) for large scale cultivation of bacteria for Vaccine production	25.00	500 gm	2595
TSM 377	LURIA BROTH for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	20.00	500 gm	3785
TSM 406	LURIA BERTANI BROTH for cultivation and maintenance of recombinant strains of <i>Escherichia coli</i>	25.00	500 gm	3795
TSM 349	MacCONKEY AGAR W/O CV, W/0.15% BILE SALTS for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.33	500 gm	3135
TSMH 2228	MacCONKEY BROTH (as per USP/EP/JP/BP)  for detection enumeration of coliform bacteria	34.51	500 gm	3050
TSM 529	MacCONKEY BROTH W/ B.C.P. & NaCl for presumptive identification of coliforms from water, milk and foods etc	40.00	500 gm	2835
TSM 350	NUTRIENT BROTH for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	13.00	500 gm	2765
TSM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	500 gm	3310
TSM 331	POTATO DEXTROSE BROTH for cultivation and enumeration of yeasts and molds	24.00	500 gm	3210
TSM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeasts, molds and aciduric microorganisms	65.00	500 gm	3325
TSMH 106	SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	500 gm	2540
TSM 332	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) for the evaluation of sterility in manufacturing processes	30.00	500 gm	1870
TSMV 332	SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (VEG.) for the evaluation of sterility in manufacturing processes	30.00	500 gm	1870
TSM 332K	SOYA CASEIN DIGEST MEDIUM WITH BCP Routine use media for multiplication of large number of microorganisms with indicator with addition of sugar can be used	30.01	500 gm	2035
TSMH 332	SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) for the evaluation of sterility in manufacturing processes	30.00	500 gm	1980
TSMVH 332	SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) (VEG.) for the evaluation of sterility in manufacturing processes	30.00	500 gm	2290
TSMH 345	SOYA CASEIN DIGEST AGAR (as per USP/IP) general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm	3360
TSMVH 345	SOYA CASEIN DIGEST AGAR (as per USP/IP) general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm	3725
TSM 1938	SOYABEAN CASEIN DIGEST MEDIUM W/ MANNITOL, STERILE POWDER  is γ irradiated sterile powder recommended for the evaluation of sterility in manufacturing process. It can also be used for cultivation of a wide variety of microorganisms	30.02	100 gm	1845
TSM 420	STUART TRANSPORT MEDIUM for preservation and transport of Neisseria species and other fastidious organisms	14.10	500 gm	5995
TSM 426	VIOLET RED BILE AGAR for isolation and enumeration of coli aerogenes in water, milk and other dairy food products	41.53	500 gm	3300

β - LACTAMASE



β - Lactamase with Extended Spectrum

Inactivates Penicillins, Cephalosporins of first, second, third, fourth and fifth generation & Carbapenems

Effective for Environmental Monitoring in Antibiotic Manufacturing

β - LACTAMASE I

β - LACTAMASE II

β - LACTAMASE MIXTURE

Testing Sterility of Blood Culture.






Testing for contamination of Drugs by Antibiotics.

Sterility testing of Bulk Antibiotics.

















Pack size : 1 Vial



*Store Between 2 - 8°C




CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
B TS 267	ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT)  For the isolation of Enterohemorrhagic <i>E. coli</i> (EHEC). Recommended With : TM 2020	5 vI	3710
C TS 099	AEROMONAS SELECTIVE SUPPLEMENT for the selective isolation of <i>Aeromonas</i> species. Recommended With : TM 1136	5 vI	985
TS 178	ALBUMIN GLUCOSE SUPPLEMENT for rapid cultivation of <i>Mycobacterium tuberculosis</i> . Recommended With : TM 099	5 vI	1170
TS 097	AMPICILLIN SUPPLEMENT for isolation of <i>Aeromonas hydrophila</i> from foods. Recommended With : TM 1074 / TM 1137	5 vI	1215
TS 319	AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT  for selective isolation and differentiation of <i>Aeromonas</i> species from water samples using membrane filter technique Recommended With : TM 1958, TM 1959	5 vI	1095
TS 129	ANTHRACIS SELECTIVE SUPPLEMENT for selective isolation of <i>Bacillus anthracis</i> . Recommended With : TM 1271 / TM 2269	5 vI	945
TS 255	BACILLUS CEREUS SELECTIVE SUPPLEMENT for selective isolation of <i>Bacillus</i> species. Recommended With : TM 1885	5 vI	1600
TS 100	BACTEROIDES SELECTIVE SUPPLEMENT for selective isolation of <i>Bacterioides</i> species. Recommended With : TM 1144	5 vI	905
TS 281	BACILLUS SELECTIVE SUPPLEMENT  recommended for the selective isolation of <i>Bacillus</i> species. Recommended With : TM 2110	5 vI	1375
TS 211	BASIC FUCHSIN (6 g/vI) for standard test for lactose fermenting organisms. Recommended With : TM 373 / TMV 373	1 vI	545
TS 261	B LACTAMASE I SUPPLEMENT (W/ >3000 UNITS/VIAL OF PENICILLINASE) for inactivation of penicillin group of antibiotics.	1 vI	11275
TS 262	B LACTAMASE II SUPPLEMENT (W/ > 50 B II UNITS/ VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth & fifth generation and Carbopenems.	1 vI	11790
TS 263	B LACTAMASE MIXTURE SUPPLEMENT W/ (>500 B I UNITS/VIAL) & (>50 B II UNITS/VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vI	6150
TS 263G	B LACTAMASE MIXTURE SUPPLEMENT (STERILE) W/ (>500 B I UNITS/VIAL) & (>50 B II UNITS/VIAL) for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vI	6765
TS 264	B LACTAMASE MIXTURE SUPPLEMENT W/ 2 B II UNITS/MG & 20 B I UNITS/MG for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vI	34135
TS 179	BOLTON SELECTIVE SUPPLEMENT for selective isolation of <i>Camphylobacter</i> species from foods. Recommended With : TM 1510	5 vI	1325
TS 012	BORDETELLA SELECTIVE SUPPLEMENT for selective isolation of <i>Bordetella pertussis</i> . Recommended With : TM 044 / TM 1147 / TM 062 / TM 063	5 vI	1105
TS 004	B.P. SULPHA SUPPLEMENT for suppression of growth and swarming of <i>Proteus</i> species. Recommended With : TM 358 / TMV 358	5 vI	915
TS 045	BROMO CRESOL PURPLE (15 mg/vI) for selective isolation and enumeration of faecal Streptococci. Recommended With : TM 136	5 vI	595
TS 269	BROMO THYMOL BLUE SUPPLEMENT  for the isolation and presumptive identification of microflora in urinary tract Recommended With : TM 2025	5 vI	425
TS 006	BRUCELLA SELECTIVE SUPPLEMENT for selective isolation of <i>Brucella</i> species from milk. Recommended With : TM 041 / TM 514 / TM 680 / TM 050 / TM 682 / TM 1513 / TM 071	5 vI 25 VL	1260 3160
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT for the enhancement of growth & aerotolerance of <i>Campylobacter fetus</i> . Recommended With : TM 041 / TM 071 / TMV 071 / TM 514 / TM 680 / TM 050 / TM 2044 / TM 2105 // TM 1842 / TM TM 2011	5 vI	1155
TS 278	CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA  recommended by FDA/BAM for the selective isolation of <i>Campylobacter</i> species Recommended With : TM 2105	5 vI	1465

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 007	CAMPYLOBACTER SUPPLEMENT-I (Blaser Wang) for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 041 / TM 5141 / TM 1154 / TM 056 / TM 071 / TMV 071 / TM 1842 / TM 2011 / TM 514 / TM 1157 / TM 2044	5 vI	1070
TS 008	CAMPYLOBACTER SUPPLEMENT-II (Butzler) for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 041 / TM 514 / TM 071 / TM 2011 // TMV 071 // TM 2044 / TM 1842	5 vI 25 vI	1290 3635
TS 009	CAMPYLOBACTER SUPPLEMENT-III (Skirrow) for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 041 / TM 514 / TM 680 / TM 056 / TM 071 / TM 2044 // TM 1842 / TM 2011 / TMV 071	5 vI	1155
TS 067	CAMPYLOBACTER SUPPLEMENT-IV (Preston) for isolation of <i>Campylobacter</i> species. Recommended With : TM 603 / TM 956 / TM 1590 / TMV 1590	5 vI	1045
TS 102	CAMPYLOBACTER SUPPLEMENT V (BFCSA) for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 1146	5 vI	1405
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT for the selective isolation of <i>Helicobacter pylori</i> (<i>Campylobacter pylori</i>). Recommended With : TM 071 / TM 2044 / TMV 071	5 vI	1260
TS 081	CAMPYLOBACTER SELECTIVE SUPPLEMENT (Wesley) for the selective isolation of <i>Campylobacter</i> species. Recommended With : TM 928	5 vI	1380
TS 145	CAMPYLOBACTER SELECTIVE SUPPLEMENT (Karmali) for isolating thermotolerant <i>Campylobacter</i> species. Recommended With : TM 1361 / TM 2112	5 vI 25 vI	1380 2885
TS 146	CAMPYLOBACTER SELECTIVE SUPPLEMENT (With Hemin) (Karmali) for isolating thermotolerant <i>Campylobacter</i> species. Recommended With : TM 1361	5 vI 25 vI	1325 3720
TS 027	CAMPYLOBACTER SUPPLEMENT-VI (Butzler) for selective isolation of thermotolerant <i>Campylobacter</i> species. Recommended With : TM 071 / TMV 071 // TM 2044	5 vI 25 vI	1375 3635
TS 103	CAT SELECTIVE SUPPLEMENT for selective isolation of thermophilic <i>Campylobacter</i> species. Recommended With : TM 1146	5 vI	1275
TS 273	CATC SUPPLEMENT NEW recommended for the selective isolation and detection of <i>Enterococcus faecalis</i> by means of TTC reduction Recommended With : TM 2041	5 vI	1195
TS 104	C.B.I. SUPPLEMENT for the selective isolation of <i>Clostridium botulinum</i> . Recommended With : TM 1154	5 vI	1135
TS 275	CC SUPPLEMENT NEW recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vI	1105
TS 101	CCDA SELECTIVE SUPPLEMENT for the selective cultivation of <i>Campylobacter</i> species. Recommended With : TM 1451	5 vI	1305
TS 301	CEFIXIME SUPPLEMENT NEW recommended for selective isolation of <i>E.coli</i> O157:H7 Recommended With : TM 2231	5 vI	575
TS 219	CEFOXITIN SUPPLEMENT for selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens. Recommended With : TM 1635 / TM 1561 / TM 1635	5 vI	1325
TS 075	CETRINIX SUPPLEMENT for the selective isolation of <i>Pseudomonas</i> species. Recommended With : TM 626	5 vI 25 vI	1280 3265
TS 077	CFC SUPPLEMENT for the selective isolation of <i>Pseudomonas</i> species. Recommended With : TM 626	5 vI 25 vI	1165 3615
TS 053	CHLORAMPHENICAL SELECTIVE SUPPLEMENT for the selective isolation of yeasts and moulds. Recommended With : TM 563 / TM 667 / TM 982 / TMV 982 / TM 276	5 vI 25 vI	905 2745
TS 138	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT for selective isolation of <i>Penicillium viridicatum</i> and related species from foods. Recommended With : TM 1330 / TM 1584 / TM 2306 / TM 2319 / TM 2320 / TM 1951 / TM 2438	5 vI 25 vI	945 2745
TS 213	CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT for isolation and identification of <i>Candida</i> species from mixed cultures. Recommended With : TM 1588	5 vI 25 vI	1265 3015










CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
D TS 282	CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT  recommended for rapid and direct isolation and identification of <i>Candida</i> species from mixed cultures Recommended With : TM 2113	5 vI	940
TS 283	CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT  for isolation & differentiation of colistin-resistant pathogens. Recommended With : TM 2117	5 vI	1735
TS 248	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT for selective isolation and detection of <i>Escherichia coli</i> O157:H7 from food samples. Recommended With : TM 1854 / TM 2123 / TM 2017	5 vI 25 vI	575 2050
TS 313	CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED  for selective isolation and detection of <i>Escherichia coli</i> O157:H7 from food samples. Recommended With : TM 2441	5 vI	750
TS 187	CHROMOGENIC ECC SELECTIVE SUPPLEMENT for the selective isolation of <i>Escherichia coli</i> and coliforms from water and food samples. Recommended With : TM 1341	5 vI	1070
TS 215	CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT for selective isolation and detection of <i>Enterococcus faecium</i> . Recommended With : TM 1632	5 vI	1735
TS 031	CHROMOGENIC ENRICHMENT SUPPLEMENT for the isolation, detection and enumeration of <i>Listeria monocytogenes</i> . Recommended With : TM 004 / TM 1845	5 vI	1655
TS 204	CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT for the selective isolation of <i>Klebsiella</i> species from water and other sources. Recommended With : TM 1633	5 vI	1160
TS 205	CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT for the isolation, detection and enumeration of <i>Listeria monocytogenes</i> . Recommended With : TM 1845 / TM 004 / TM 1634	5 vI	1215
TS 206	CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT for the selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens. Recommended With : TM 1635	5 vI	1325
TS 302	CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED  recommended for selective isolation of <i>Penicillium viridicatum</i> and related species from foods. Recommended With : TM 2232	5 vI	900
TS 295	CHROMOGENIC SUPPLEMENT  for the enumeration of faecal coliform by membrane filter technique Recommended With : TM 2186	5 vI	2080
TS 253	CHROMOGENIC VRE AGAR SUPPLEMENT for selective isolation of Vancomycin Resistant Enterococci (VRE). Recommended With : TM 1907	5 vI	1375
TS 298	CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT  recommended for selective cultivation of Lactic acid bacteria from food Recommended With : TM 2217	5 vI	2270
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT for selective isolation of <i>Clostridium difficile</i> . Recommended With : TM 068 / TM 2042	5 vI 25 vI	1160 3045
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT  recommended for the selective isolation of <i>Clostridium difficile</i> Recommended With : TM 2043	5 vI	1800
TS 250	CLOSTRIDIUM PERFRINGENS SUPPLEMENT for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 1826 / TM 2400	5 vI	2975
TS 271	COLISTIN SELECTIVE SUPPLEMENT  for the selective isolation of <i>Vibrio</i> species from food Recommended With : TM 2027	5 vI	1750
TS 141	CPC SUPPLEMENT for selective isolation and enumeration of <i>Vibrio</i> species from food. Recommended With : TM 1422	5 vI	1805
TS 315	CYCLOSERINE –CEFOXITIN SUPPLEMENT  for the isolation and presumptive identification of <i>Clostridium difficile</i> , a recognized cause of pseudomembranous (antimicrobial agent-associated) colitis Recommended With : TM 2446	5 vI	1850
TS 207	DMACA REAGENT (10 ml/vI) for enumeration and differentiation of enteric pathogens in urinary tract infections. Recommended With : TM 1639	1 vI	635
TS 028	DERMATO SUPPLEMENT for the determine the tryptophan-deaminase activity. Recommended With : TS 083	5 vI	1160

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 059	DIPHtheria VIRULENCE SUPPLEMENT (Part A&B) (Double Pack) for isolation and presumptive identification of <i>Corynebacterium diphtheriae</i> . Recommended With : TS 450	1 vI	3560
TS 135	DOYLE'S ANTIBIOTIC SUPPLEMENT for selective isolation of <i>Campylobacter</i> species. Recommended With : TM 987	5 vI 25 vI	1000 3205
TS 287	ECC SELECTIVE SUPPLEMENT MODIFIED  recommended for detection of <i>Escherichia coli</i> and other coliform. Recommended With : TM 2127	5 vI	1020
TS 001	EGG YOLK TELLURITE EMULSION (100 ml/vI) for identification of Staphylococci. Recommended With : TM 1579 / TM 635 / TM 636 / TM 943 / TMV 358 / TM 1337 / TM 358 / / TMV 358 / TMH 119	5 vI	1950
TS 290	EGG YOLK EMULSION, 50%  for use in various culture media in accordance with FDA BAM 1998. Recommended With : TM 2151, TM 2311	5 vI	2415
TS 002	EGG YOLK EMULSION (100 ml/vI) for use in various culture media. Recommended With : TM 1120 / TM 358 / TM 1579 / Tm1881 / TM 635 / TM 943 / TMV 358 / TM 1154 / TM 1886 / TM 724 / TM 1843 / TMV 615 / TM 197 / TM 206 / TMV 206 / TM 1206 / TM 1125 / TM 1207 / TM 1221 / TMV 197 / TM 197 / TM 210 / TMHV 114 / TMH 114	5 vI	1875
TS 168	ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT for selective isolation and detection of <i>Enterococcus faecium</i> . Recommended With : TM 1470	5 vI	1735
TS 157	ENTEROCUCUS SELECTIVE SUPPLEMENT for enumeration of intestinal Enterococci from surface and waste water. Recommended With : TM 1388 / TM 2220	5 vI	1180
TS 090	ESCULIN SUPPLEMENT (0.5g/vI) for detection of group D Streptococci by means of esculin hydrolysis. Recommended With : TM 037	5 vI	2300
TS 033	FRASER ENRICHMENT SUPPLEMENT for isolation and enrichment of <i>Listeria monocytogenes</i> from food and environmental samples. Recommended With : TM 113	5 vI	1060
TS 035	FRASER SELECTIVE SUPPLEMENT for selective isolation and enrichment of <i>Listeria monocytogenes</i> from food and environmental samples. Recommended With : TM 113 / TM 1472 / TM 1937 / TM 2092	5 vI	1385
TS 034	FRASER SUPPLEMENT for selective isolation and enumeration of <i>Listeria monocytogenes</i> from food, animal feeds etc. Recommended With : TM 1472 / TM 1937 / TM 2092 / TM 2093	5 vI	875
TS 277	FRIIS SUPPLEMENT  a selective supplement for detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia Recommended With : TM 2095	5 vI	1580
TS 184	GBS SUPPLEMENT for selective isolation and presumptive identification of group B Streptococci. Recommended With : TM 1545	5 vI	825
TS 036	GC SUPPLEMENT W/ANTIBIOTICS for selective isolation and cultivation of pathogenic <i>Neisseria</i> . Recommended With : TM 116 / TMV 116 / TM 933	5 vI 25 vI	1290 3270
TS 056	G.N. SPORE ANAEROBIC SUPPLEMENT for the selective isolation of gram-negative anaerobes. Recommended With : TM 915 / TM 916	5 vI 25 vI	1230 3350
TS 299	GROWTH SUPPLEMENT I FOR MSM  a growth supplement for the enrichment of <i>Salmonella</i> species Recommended With : TM 2218	5 vI	935
TS 300	GROWTH SUPPLEMENT II FOR MSM  a growth supplement for the enrichment of <i>Salmonella</i> species Recommended With : TM 2218	5 vI	770
TS 109	GTC SUPPLEMENT for selective isolation of Enterococci. Recommended With : TM 1190	5 vI	950
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT for selective isolation of <i>Gardnerella vaginalis</i> . Recommended With : TM 071 / TMV 071 / TM 2044	5 vI	1010






CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
H TS 217	GENTAMYCIN SUPPLEMENT for detection of <i>Clostridium perfringens</i> from pharma products. Recommended With : TM 701 / TMH 116 / TMHV 116	5 vI	820
K TS 128	GENTA-OXY SELECTIVE SUPPLEMENT for selective isolation of Vancomycin Resistant Enterococci. Recommended With : TM 1061	5 vI 25 vI	1160 2780
L TS 111	GEORGE KIMMIG SELECTIVE SUPPLEMENT for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vI	1115
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT for selective cultivation of Mycobacteria. Recommended With : TM 375 / TMV 375 / TM 526 / TM 2167	5 vI	1060
TS 021	HEAMOGLOBIN POWDER for isolation of <i>Neisseria</i> spp. Recommended With : TM 064 / TM 116 / TMV 116 / TM 879 / TM 933 / TM 1105 / TM 2264	100 gm	2100
TS 144	HAEMOPHILUS GROWTH SUPPLEMENT for cultivation of <i>Haemophilus influenzae</i> . Recommended With : TM 1352	5 vI	1160
TS 014	HORSE SERUM (Store at 2 - 20°C) for isolation and cultivation of <i>Mycoplasma</i> or <i>Trichomonas</i> or <i>Streptococcus</i> species. Recommended With : TM 514 / TM / 680 / TM 050 / TM 1513 / TM 106 / TM 1544 / TM 1545 / TM 1366 / TM 106 / TM 1544 / TM 1545 / TM 1366 / TM 106 / TM 768 / TM 1265 / TM 233 / TM 235 / TM 794 / TM 1266 / TM 1267 / TM 233 / TM 1308 / TM 1307	100 ml	3980
TS 068	KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT for selective isolation of Enterococci. Recommended With : TM 748 / TM 749	5 vI	1215
TS 314	KANAMYCIN AND VANCOMYCIN SUPPLEMENT  for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of <i>Prevotella</i> species Recommended With : TM 2445	5 vI	1795
TS 110	KIMMIG SELECTIVE SUPPLEMENT for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vI	1565
TS 134	KL VIRULENCE ENRICHMENT (20 ml/vI) for cultivation and in-vitro toxicity testing of <i>Corynebacterium diptheriae</i> . Recommended With : TM 984	5 vI 25 vI	1135 2960
TS 257	KLEBSIELLA SELECTIVE SUPPLEMENT for selective isolation and easy detection of <i>Klebsiella</i> species from water and other sources. Recommended With : TM 582 / TM 2192	5 vI	1160
TS 227	L.MONO SELECTIVE SUPPLEMENT I for isolation of <i>Listeria</i> species. Recommended With : TM 1443 / TM 1806 / TM 2148	5 vI	1010
TS 228	L.MONO SELECTIVE SUPPLEMENT II for isolation of <i>Listeria</i> species. Recommended With : TM 1443 / TM 1806	5 vI	1235
TS 229	L.MONO ENRICHMENT SUPPLEMENT II (Store at 2 - 20°C) for selective differentiation of <i>Listeria monocytogenes</i> from other <i>Listeria</i> species. Recommended With : TM 1443 / TM 1806	5 vI	3590
TS 161	LACHICA SUPPLEMENT for selective isolation of <i>Aeromonas hydrophilla</i> . Recommended With : TM 1369	1 vI	605
TS 049	10% LACTIC ACID SOLUTION (10ml/vI) for adjustment of acidic pH. Recommended With : TM 080 / TM 340 / TM 326 / TM 397 / TMV 204 / TM 204 / TM 205 / TM 114 / TM 115 / TM 398	5 vI 25 vI	820 2640
TS 069	LACTIC SUPPLEMENT (10ml/vI) for selective isolation of Lactic acid bacteria in beer and brewing processes. Recommended With : TM 752 / TM 753	5 vI	1020
TS 308	LACTOBACILLI SUPPLEMENT  recommended for the selective isolation of Lactobacilli from wine Recommended With : TM 2379	5 vI 25 vI	1285 4090
TS 154	LANDER VPT SUPPLEMENT A for selective enrichment and transport of <i>Campylobacter</i> spp. Recommended With : TM 1430	2 vI	1815

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 160	LANDER AF SUPPLEMENT B for selective enrichment and transport of <i>Campylobacter</i> spp. Recommended With : TM 1430	1 vI	1815
TS 294	LCN SUPPLEMENT  used for the selective isolation of Mycobacterium from specimens containing mixed flora. Recommended With : TM 2168	5 vI 25 vI	1325 3875
TS 285	LECITHIN SOLUTION  for based on PCPLC activity. Recommended With : TM 2124	5 vI	3085
TS 044	LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) for enhancing growth of <i>Legionella</i> species. Recommended With : TM 760 / TM 759	5 vI	855
TS 195	LEGIONELLA GROWTH SUPPLEMEN W/O L-CYSTEINE for enhancing growth of <i>Legionella</i> species. Recommended With : TM 1218 / TM 2156	5 vI 25vI	1385 3665
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT for selective isolation of <i>Legionella</i> species. Recommended With : TM 684 / TM 759	5 vI 25 vI	1110 3345
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT-II for selective isolation of <i>Legionella</i> species from mixed cultures. Recommended With : TM 684	5 vI	1350
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT-III for selective isolation of <i>Legionella</i> species from mixed cultures. Recommended With : TM 684	5 vI	1275
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT-IV (MWY) for selective isolation of <i>Legionella</i> species. Recommended With : TM 684 / TM 1894	5 vI	1495
TS 019	LEGIONELLA SUPPLEMENT (Twin Pack) (Part A & B) for enhanced growth of <i>Legionella</i> species. Recommended With : TM 684 / TM 1894 / TM 759	5 vI	975
TS 114	LEGIONELLA GROWTH SUPPLEMENT (BCYE) for enhancing growth of <i>Legionella</i> species. Recommended With : TM 1218 / TM 2156	5 vI	1545
TS 114A	LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) for selective isolation of <i>Legionella</i> species. Recommended With : TM 1218 / TM 2156	5 vI	1325
TS 115	LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT for isolation of <i>Legionella</i> species. Recommended With : TM 1218 / TM 1894 / TM 2156	5 vI 25 vI	1110 3345
TS 116	LEGIONELLA BMPA SELECTIVE SUPPLEMENT for selective isolation of <i>Legionella</i> species. Recommended With : TM 1218 / TM 2156	5 vI 25 vI	1160 3480
TS 078	LEPTOSPIRA ENRICHMENT SUPPLEMENT (Double Pack) for cultivation of <i>Leptospira</i> species. Recommended With : TM 153	5 vI	1755
TS 147	LISTERIA SELECTIVE SUPPLEMENT A for isolation and enumeration of <i>Listeria monocytogenes</i> . Recommended With : TM 1375	5 vI	1020
TS 148	LISTERIA CONFIRMATORY SUPPLEMENT B for isolation and enumeration of <i>Listeria monocytogenes</i> . Recommended With : TM 1375	5 vI	1685
TS 149	LISTERIA ENRICHMENT SUPPLEMENT for isolation and enumeration of <i>Listeria monocytogenes</i> . Recommended With : TM 1375	5 vI	3550
TS 121	LISTERIA MOXALACTAM SUPPLEMENT for selective isolation and cultivation of <i>Listeria monocytogenes</i> from food and environmental specimens. Recommended With : TM 1229	5 vI	1385
TS 292	LISTERIA MOXALACTAM SUPPLEMENT MODIFIED  recommended for the selective isolation of <i>Listeria</i> species from food samples in accordance with FDA BAM, 1998. Recommended With : TM 2162, TM 2163	5 vI	1435
TS 092	LISTERIA SELECTIVE SUPPLEMENT-II for selective isolation and cultivation of <i>Listeria monocytogenes</i> . Recommended With : TM 1333 / TM 1444 / TM 761 / TMV 761	5 vI 25 vI	1070 3755
TS 119	LISTERIA SELECTIVE SUPPLEMENT (PALCAM) for the selective isolation and identification of <i>Listeria monocytogenes</i> . Recommended With : TM 1226 / TM 1227	5 vI 25 vI	1040 3550






Media Supplements *

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
M TS 117	LISTERIA UVM SUPPLEMENT-I for selective isolation and cultivation of <i>Listeria monocytogenes</i> . Recommended With : TM 1225	5 vI	915
TS 118	LISTERIA UVM SUPPLEMENT-II for selective isolation and cultivation of <i>Listeria monocytogenes</i> from clinical specimens. Recommended With : TM 1225	5 vI	915
TS 289	LM SELECTIVE SUPPLEMENT  recommended for presumptive enumeration of <i>Listeria</i> species. Recommended With : TM 2149	5 vI	1260
TS 231	MeReSa SELECTIVE SUPPLEMENT for selective isolation of Methicillin Resistant <i>Staphylococcus aureus</i> from clinical specimens. Recommended With : TM 1561	5 vI	1325
TS 318	M-CP SELECTIVE SUPPLEMENT I  recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vI	1260
TS 320	M-CP SELECTIVE SUPPLEMENT II  recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vI	1135
TS 317	M-CP SELECTIVE SUPPLEMENT, MODIFIED  recommended for selective isolation of <i>Clostridium perfringens</i> Recommended With : TM 2130	5 vI	665
TS 297	M-PA SELECTIVE SUPPLEMENT  recommended for selective isolation of <i>Pseudomonas aeruginosa</i> . Recommended With : TM 2197	5 vI	1420
TS 096	MCBRIDE LISTERIA SUPPLEMENT for selective isolation of <i>Listeria</i> species. Recommended With : TM 905	5 vI	1190
TS 216	MEROPENEM SUPPLEMENT for enrichment of Enterococci. Recommended With : TM 1643 / TM 1642	5 vI	1475
TS 050	MIDDLEBROOK ADC GROWTH SUPPLEMENT for cultivation of Mycobacteria. Recommended With : TM 213	5 vI	2175
TS 060	MIDDLEBROOK OADC GROWTH SUPPLEMENT for isolation and cultivation of Mycobacteria. Recommended With : TM 215 / TM 786 / TM 618 / TM 214 / TM 590	5 vI	2235
TS 152	MKTT NOVIOBIOCIN SUPPLEMENT for selective enrichment and isolation of Salmonellae. Recommended With : TM 1399	5 vI	1660
TS 268	MODIFIED CFC SELECTIVE SUPPLEMENT  for selective isolation of <i>Pseudomonas</i> species. Recommended With : TM 2023 / TM 2024	5 vI	1225
TS 270	MODIFIED CPC SUPPLEMENT  for selective isolation of <i>Pseudomonas</i> species. Recommended With : TM 2027	5 vI	1960
TS 286	MODIFIED L.MONO SELECTIVE SUPPLEMENT  for selective isolation of <i>L.monocytogenes</i> and <i>Listeria</i> species based on PCPLC activity. Recommended With : TM 2124	5 vI	1715
TS 113	MOXALACTAM SUPPLEMENT for isolating and cultivating <i>Listeria monocytogenes</i> . Recommended With : TM 1213	5 vI	1285
TS 123	MUELLER TELLURITE SERUM (25 ml/vI) for isolation, cultivation and differentiation of <i>Corynebacterium diphtheriae</i> . Recommended With : TM 1050	5 vI	2155
TS 296	MUG SUPPLEMENT (50 MG PER VIAL)  for measuring b - glucuronidase activity, for rapid and sensitive identification of <i>Escherichia coli</i> . Recommended With : TM 2186	5 vI	1895
TS 124	MYCOPLASMA CULTIVATION SUPPLEMENT for isolation and cultivation of Mycoplasma. Recommended With : TM 1265	5 vI	3090
TS 052	MYCOPLASMA ENRICHMENT SUPPLEMENT for isolation of Mycoplasma. Recommended With : TM 233 / TM 794 / TM 235	5 vI 25 vI	3090 11665

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 310	MYCOPLASMA SELECTIVE SUPPLEMENT supplement for the isolation of Mycoplasma. Recommended With : TM 2404 / TM 2405	5 vI	2835
TS 249	MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT for selective cultivation of Mycoplasma associated with urogenital infections. Recommended With : TM 1267	5 vI 25 vI	1325 3090
TS 020	NALIDIXIC SELECTIVE SUPPLEMENT for selective isolation of <i>Pseudomonas aeruginosa</i> from clinical specimens. Recommended With : TM 060 / TMV 060 / TM 2035	5 vI	940
TS 293	NAMC LISTERIA SELECTIVE SUPPLEMENT recommended for the selective enrichment of <i>Listeria</i> species from food. Recommended With : TM 2165	5 vI	1075
TS 303	NEO ENRICHMENT SELECTIVE SUPPLEMENT recommended for the selective isolation of <i>Listeria</i> species from food samples in 24 hours. Recommended With : TM 2253	5 vI	1350
TS 095	NEOMYCIN SUPPLEMENT for selective isolation of <i>Streptococcus</i> species. Recommended With : TM 927 / TM 1274	5 vI	1095
TS 055	NON SPORE ANAEROBIC SUPPLEMENT for selective isolation or cultivation of nonsporing anaerobic bacteria. Recommended With : TM 915 / TM 916	5 vI	1115
TS 051	NOVOBIOCIN SUPPLEMENT for presumptive identification of <i>Aeromonas hydrophila</i> . Recommended With : TM 1400 / TM 1127 / TM 546	5 vI 25 vI	1220 3045
TS 070	NOVOBIOCIN SELECTIVE SUPPLEMENT for the presumptive detection of <i>Salmonella</i> species in foods and feed materials. Recommended With : TM 770	5 vI	1325
TS 304	OPFBL SELECTIVE SUPPLEMENT recommended for selective isolation of <i>Burkholderia cepacia</i> from clinical specimens as well as non-clinical samples Recommended With : TM 2262	5 vI	1595
TS 062	OLEIC ALBUMIN SUPPLEMENT For cultivation of <i>Mycobacterium tuberculosis</i> . Recommended With : TM 100 / TM 720	5 vI 25 vI	1120 4000
TS 153	OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT for screening Oxacillin Resistant microorganisms. Recommended With : TM 1402	5 vI	1015
TS 120	OXFORD LISTERIA SUPPLEMENT for selective isolation of <i>Listeria</i> species. Recommended With : TM 1229 / TM 2163	5 vI	1215
TS 071	OXYTETRA SELECTIVE SUPPLEMENT for selective isolation and cultivation of yeasts and molds. Recommended With : TM 1198 / TM 799 / TM 1061 / TM 800	5 vI 25 vI	820 2695
TS 073	PARK AND SANDERS SELECTIVE SUPPLEMENT A for selective isolation and enumeration of thermotolerant <i>Campylobacter</i> species. Recommended With : TM 1335 / TM 1403 / TM 2274	5 vI	1290
TS 074	PARK AND SANDERS SELECTIVE SUPPLEMENT B for selective isolation and enumeration of thermotolerant <i>Campylobacter</i> species. Recommended With : TM 1158 / TM 1335 / TM 1403 / TM 2274	5 vI	1890
TS 254	PCP SUPPLEMENT for selective isolation and cultivation of <i>Legionella</i> species from cooling towers, clinical and other material. Recommended With : TM 1894	5 vI	1350
TS 203	PEMBA SUPPLEMENT for selective cultivation of <i>Bacillus cereus</i> . Recommended With : TM 1587	5 vI 25 vI	1015 3110
TS 054	PERFRINGEN'S S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT) for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 615 / TMV 615 / TM 846	5 vI 25 vI	865 2270
TS 158	PERFRINGEN'S SUPPLEMENT-A for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 808	5 vI 25 vI	770 2155
TS 159	PERFRINGEN'S SUPPLEMENT-B for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 808	5 vI 25 vI	1055 2760

	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
R	TS 076	PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT) for the selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 615 / TMV 615 / TM 1826 / TM 809 / TM 902 / TM 2311 / TM 2400	5 v1 25 v1	1145 2845
S	TS 311	PIG SERUM  for culturing of mycoplasmas and viruses Recommended With : TM 2404 / TM 2405	100 ml	3575
	TS 058	POLYMYXIN B SELECTIVE SUPPLEMENT for selective isolation of various microorganisms. Recommended With : TM 1120 / TM 1881 / TM 1523 / TM 1207 / TM 197 / TMV 197 / TM 1843 / TM 281 / TM 851 / TM 1848 / TM 1931 / TM 2221	5 v1 25 v1	1010 2905
	TS 132	POTASSIUM CHLORATE SUPPLEMENT for selective enrichment of <i>Yersinia enterocolitica</i> . Recommended With : TM 1357	5 v1	720
	TS 232	POTASSIUM LACTATE 50% (10 ml/vl) for isolation and enumeration of wild yeast and pitching yeasts. Recommended With : TM 172 / TMV 172	5 v1	1190
	TS 137	POTASSIUM SORBATE 10% (10 ml/vl) for the detection and isolation of acid resistant yeasts, <i>Zygosaccharomyces bailii</i> and <i>Zygosaccharomyces rouxii</i> in salads, sauces and dressings Recommended With : TM 1329	5 v1	1000
	TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) for selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 358 / TMV 358 / TM 635 / TM 943 / TM 118 / TM 118A / TM 522	5 v1	620
	TS 005	POTASSIUM TELLURITE 1% (1 ml /vl) for the selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 636 / TM 670 / TM 411 / TM 707 / TM 1165 / TM 984 / TMV 221 / TM 1048 / TM 221 / TM 235 / TM 438 / TM 879 / TM 439 / TM 1109 / TM 395 / TMV 395 / TM 1722 / TM 1820 / TM 2121 / TM 2420 / TMH 119	5 v1 25 v1	575 2050
	TS 139	PROPIONIBACTERIA GROWTH SUPPLEMENT for selective cultivation of Propionibacteria. Recommended With : TM 1331	5 v1	865
	TS 170	PYR REAGENT (10 ml/vl) for detection of Pyrrolidonyl arylamidase enzyme activity of β -hemolytic Streptococci.	1 v1	615
	TS 288	RAPID LISTERIA SELECTIVE SUPPLEMENT  for selective enrichment of <i>Listeria</i> species from food samples Recommended With : TM 2128	5 v1	1225
	TS 176	RPF SUPPLEMENT (Fibrinogen plasma trypsin inhibitor Supplement) for isolation and enumeration of coagulase positive staphylococci from food and clinical samples. Recommended With : TM 358 / TM 1579 / TMV 358 / TM 2300	5 v1 25 v1	4665 15850
	TS 171	RIPPEY CABELLI SUPPLEMENT for cultivation of <i>Aeromonas hydrophila</i> . Recommended With : TM 1480	5 v1	1060
	TS 048	ROSOLIC ACID (0.1 g/vl) for isolation of coliform bacteria. Recommended With : TM 178 / TMV 178 / TM 179 / TM 180	5 v1	1240
	TS 305	S.T.A. SELECTIVE SUPPLEMENT  recommended for the selective isolation of <i>Brochothrix thermosphacta</i> from meat products. Recommended With : TM 2315	5 v1 25 v1	1210 3320
	TS 212	SALENRICH SELECTIVE SUPPLEMENT for two-step enrichment of sub-lethally injured Salmonellae from food and feeds. Recommended With : TM 1606	5 v1 25 v1	1850 7290
	TS 306	SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT  recommended for Selective isolation and differentiation of <i>Salmonella</i> species from coliforms by chromogenic method. Recommended With : TM 2328	5 v1	1500
	TS 252	SALMONELLA SELECTIVE SUPPLEMENT for isolation and identification of <i>Salmonella</i> spp. Recommended With : TM 1839	5 v1	1035
	TS 307	SELECTIVE SUPPLEMENT FOR MRSA  recommended for the selective detection of Methicillin Resistance <i>Staphylococcus aureus</i> from clinical specimens. Recommended With : TM 2332	5 v1 25 v1	1820 5485
	TS 167	SM SELECTIVE SUPPLEMENT for selective isolation and cultivation of <i>Pseudomonas solanacearum</i> . Recommended With : TM 1076	5 v1	1055

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 054	S.F. P. SUPPLEMENT (Perfringens S.F.P. Supplement) for selective isolation of <i>Clostridium perfringens</i> . Recommended With : TM 615 / TMV 615 / TM 846	5 v l 25 v l	865 2270
TS 082	SHIGELLA SELECTIVE SUPPLEMENT for selective isolation of <i>Shigella</i> species. Recommended With : TM 857	5 v l	1055
TS 108	SODIUM BICARBONATE SOLUTION (20ml/vl) for selective isolation of <i>Enterococcus</i> species. Recommended With : TM 1190	5 v l	370
TS 089	STAPH STREPTO SUPPLEMENT for selective isolation of Staphylococci and Streptococci. Recommended With : TM 071	5 v l	1205
TS 265	STERILE BETA LACTAMASE I SUPPLEMENT (READY TO USE) NEW for inactivation of penicillin.	6v l	17275
TS 291	STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR NEW recommended for growth of <i>Legionella</i> species. Recommended With : TM 2156	5 v l 25 v l	665 1470
TS 011	STREPTO SUPPLEMENT for selective cultivation <i>Streptococcs</i> species. Recommended With : TM 041 / TM 071	5 v l 25 v l	970 3045
TS 013	SULPHA SUPPLEMENT for selective cultivation <i>Salmonella</i> species. Recommended With : TM 364 / TM 047 / TM 046 / TM 952 / TM 1512	5 v l	1275
TS 208	TDA REAGENT (10 ml/vl) for determination of tryptophan-deaminase activity. Recommended With : TM 1639	1 v l	275
TS 087	TELLURITE CEFIXIME SUPPLEMENT for isolation of <i>Escherichia coli</i> 0157:H7. Recommended With : TM 1393 / TM 1915	5 v l	1040
TS 131	TICARCILLIN SUPPLEMENT for selective enrichment of <i>Yersinia enterocolitica</i> . Recommended With : TM 1357	5 v l	1190
TS 063	TOLUIDINE BLUE (0.1 g/vl) for detection of deoxyribonuclease activity. Recommended With : TM 081	5 v l 25 v l	560 945
TS 080	TRIBUTYRIN (10ml/vl) for detection of lipolytic microorganisms. Recommended With : TM 885	5 v l	1460
TS 251	TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT for selective isolation of <i>Trichoderma harzianum</i> . Recommended With : TM 1873	5 v l	3715
TS 112	TRICHOMONAS SELECTIVE SUPPLEMENT I for selective isolation of <i>Trichoderma</i> species from clinical specimens. Recommended With : TM 1212	5 v l	1385
TS 133	TRICHOMONAS SELECTIVE SUPPLEMENT II for selective isolation of <i>Trichoderma</i> species. Recommended With : TM 1307	5 v l	1065
TS 042	TTC SOLUTION 1% (10 ml/vl) for detection of microbial growth by means of TTC reduction. Recommended With : TM 1151 / TM 136 / TM 747 / TM 138 / TM 751 / TM 139 / TS 042 / TMV 751 / TM 1251 / TM 388 / TM 226 / TM 1274 TM 440 / TMV 440 / TM 441 / TMV 441 / TM 1311	5 v l 25 v l	905 2825
TS 309	TYCSB SUPPLEMENT NEW recommended for the selective isolation of <i>S.mutans</i> . Recommended With : TM 2398	5 v l	670
TS 030	UREA 40% (5 ml/vl) for detection of urease activity.	5 v l 25 v l	400 1620
TS 126	UREA SOLUTION 5% (5 ml/vl) for selective cultivation of <i>Mycoplasma hominis</i> and <i>Ureaplasma urealyticum</i> . Recommended With : TM 1606	5 v l 25 v l	350 1430
TS 043	VANCLO T SUPPLEMENT (Vancomycin - Colistin - Amphotericin - B Trimethoprim) for selective isolation of <i>Neisseria</i> species. Recommended With : TM 116 / TMV 116	5 v l 25 v l	1515 3665

	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
W	TS 218	VANCOMYCIN SUPPLEMENT for isolation of <i>Cronobacter sakazakii</i> . Recommended With : TM 1642 / 2047	5 vI 25 vI	1415 3135
X	TS 280	VANCOMYCIN SUPPLEMENT  for isolation of <i>Cronobacter sakazakii</i> . Recommended With : TM 1829	5 vI	1525
Y	TS 038	V.C.N. SUPPLEMENT for selective isolation of <i>Neisseria gonorrhoeae</i> and <i>Neisseria meningitidis</i> . Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vI 25 vI	1790 6645
	TS 039	V.C.N.T. SUPPLEMENT for selective isolation of <i>Neisseria gonorrhoeae</i> and <i>Neisseria meningitidis</i> . Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vI 25 vI	1790 7055
	TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (Vitamins & Amino Acids Mixture) (Double pack) for cultivation of wide variety of microorganisms. Recommended With : TM 1267 / TM 879 / TM 933 / TM 1105 / TM 064 / TM 116 / TMV 116	5 vI 25 vI	1790 7055
	TS 272	VITAMINO GROWTH SUPPLEMENT, MODIFIED  for the isolation and cultivation of fastidious microorganisms, especially <i>Neisseria</i> and <i>Haemophilus</i> species, from a variety of clinical specimens. Recommended With : TM 2264	5 vI	1320
	TS 266	VITAMINS K1 SUPPLEMENT  A vitamin growth supplement used for the isolation of anaerobic organisms. Recommended With : TM 1960	5 vI	950
	TS 276	V.P. SUPPLEMENT  for selective isolation & differentiation of <i>Legionella</i> species Recommended With : TM 983	5 vI	1285
	TS 098	WILLIS AND HOBBS'S SUPPLEMENT for isolation of <i>Clostridium perfringens</i> and <i>Clostridium botulinum</i> species from food. Recommended With : TM 1319	5 vI	1215
	TS 072	XLT4 SUPPLEMENT for isolation of non-typhi Salmonella. Recommended With : TM 493	5 vI	1305
	TS 023	YEAST AUTOLYSATE SUPPLEMENT for the cultivation of <i>Neisseria</i> species. Recommended With : TM 064 / TM 116 / TMV 116	5 vI 25 vI	850 2745
	TS 057	YERSINIA SELECTIVE SUPPLEMENT for selective isolation of <i>Yersinia enterocolitica</i> . Recommended With : TM 501 / TM 2439 / TM 2440	5 vI 25 vI	1070 3235
	TS 312	YERSINIA SELECTIVE SUPPLEMENT - 2  for use, in selective isolation and enumeration of <i>Yersinia enterocolitica</i> from food samples, in accordance with FDA BAM, 1998 Recommended With : TM 2439	5 vI 25 vI	1105 3355



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

For Enquiry

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
242 M	AGAR AGAR TYPE-I For General Purpose, Bacteriological Grade	100 gm 500 gm 5 Kg	880 3510 32395	1262 V	VEG. CA HYDROLYSATE Culture Media Ingredient, Equivalent to Casein Acid Hydrolysate	500 gm	4280
1201	AGAR AGAR POWDER Bacteriological Grade	100 gm 500 gm	915 4105	1262	CASEIN ACID HYDROLYSATE, (Technical) Culture Media Ingredient	500 gm	4520
1202	AGAR AGAR POWDER Highly Purified	100 gm 500 gm	1310 5135	1230	CASEIN ACID HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	500 gm	6740
1203	AGAR AGAR POWDER (as per IP) Bacteriological Grade	100 gm 500 gm	965 4625	1231	CASEIN ACID HYDROLYSATE Less than 3% NaCl	500 gm	6740
1243	AGAR AGAR POWDER HIGH GEL At low temp. like NMT 38°C	100 gm 500 gm	1440 5760	1232	CASEIN ACID HYDROLYSATE Special for Pertussis Vaccine production	500 gm	5540
1228	AGAR SPECIAL Equivalent to Agar Noble	100 gm 500 gm	2090 7575	1233	CASEIN ACID HYDROLYSATE (Vitamin Free) Culture Media Ingredient	500 gm	6845
3540	AGAR AGAR For Molecular Biology	100 gm 500 gm	1900 8855	1501	CASITONE Peptic Digest Casein With Dipeptides and Tripeptides	500 gm	2535
1525	B. MEAT EXTRACT PASTE (Bovine) For General Purpose, Bacteriological Grade	500 gm 5 Kg	995 6635	1512 V	VEG. CEH ENZYMATIC HYDROLYSATE (TYPE-I) Culture Media Ingredient, Equivalent to Casein Enzymatic Hydrolysate	500 gm	2665
1204	B. MEAT EXTRACT POWDER (Type-I) (Bovine) For General Purpose, Bacteriological Grade	500 gm 5 Kg	1330 10015	1512	CASEIN ENZYMATIC HYDROLYSATE (TYPE-I) (Tryptone TYPE-I) Tryptic Digest Casein With Dipeptides	500 gm	2550
1205 V	VEG. BE EXTRACT POWDER Culture Media Ingredient, Equivalent to Beef Extract Powder	500 gm	2080	1513 V	VEG. CEH ENZYMATIC HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm	810 3295
1205	B. MEAT EXTRACT POWDER (Bovine) For Microbiology	500 gm	2055	1513	CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm	810 3295
1206	B. MEAT EXTRACT (STD) TBL POWDER (Bovine) Culture Media Ingredient	500 gm	3825	1216	CORN MEAL EXTRACT POWDER Culture Media Ingredient	500 gm	2725
1207	BILE SALT POWDER Culture Media Ingredient, Bacteriological Grade	100 gm 500 gm	2555 7785	4501	FISH PEPTONE Bacteriological Grade	500 gm	3670
1234	BILE SALT (STD) TBL POWDER Culture Media Ingredient	500 gm	8620	1210	GELATIN CRYSTAL, Bloom Type B Bacteriological Grade	500 gm	1055
1208	BILE SALT MIXTURE Equivalent to Bile Salt No.3	100 gm	3735	1502 V	VEG. GEL PEPTONE Culture Media Ingredient, Equivalent to Gelatin Peptone	500 gm	2485
1235	BILE SALT MIXTURE (STD) TBL POWDER Culture Media Ingredient	100 gm	6825	1502	GELATONE (Gelatin Peptone) Culture Media Ingredient	500 gm	2455
1236 V	VEG. BIOPEPTONE Culture Media Ingredient, Equivalent to Biopeptone	500 gm	2640	3534	GELATONE (STD.) TBL POWDER Culture Media Ingredient	500 gm	2665
1236	BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE) Used as Additional Enrichment of Microorganisms	500 gm	2480	4502	GLUTEN RICE HYDROLYSATE Culture Media Ingredient	500 gm	2555
1238	BIO PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm	3695	4503	GLUTEN MAIZE HYDROLYSATE Culture Media Ingredient	500 gm	2555
1240 V	VEG. BH INFUSION POWDER Culture Media Ingredient, Equivalent to Brain Heart Infusion Powder	500 gm	2890	1211	HAEMOGLOBIN POWDER Culture Media Supplement	100 gm	2140
1240	BRAIN HEART INFUSION POWDER Culture Media Ingredient used for Cultivation of Fastidious Microorganisms	500 gm	2800				

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1251 V	VEG. H INFUSION POWDER Culture Media Ingredient, Equivalent to Heart Infusion Powder	500 gm	3500	3536	MALTOSE (Monohydrate)(Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg	1055 9355
1251	HEART INFUSION POWDER A Media Base for Cultivation of Fastidious Microorganisms	500 gm	3345	4505	MALTOSE (Monohydrate) NRC GRADE for Vaccine Production	500 gm	3020
1242 V	VEG. LB HYDROLYSATE Culture Media Ingredient, Equivalent to Lactalbumin Hydrolysate	500 gm	4545	3537	D-MANNITOL (Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg	940 8105
1242	LACTALBUMIN HYDROLYSATE Culture Media Ingredient with Sugar Amino Acids	500 gm	4545	1299	MEAT EXTRACT PASTE Bacteriological Grade	500 gm	995
4504	LACTALBUMIN HYDROLYSATE TBL Rich in All Essential Amino Acids and Suitable for Vaccine Productions	500 gm	5645	4508	MEAT EXTRACT TYPE-I Bacteriological Grade	500 gm	1410
3535	LACTOSE (MONO) (Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg 50 Kg	855 7170 POR	1217 V	VEG. M EXTRACT POWDER Culture Media Ingredient, Equivalent to Meat Extract Powder	500 gm	1985
4509	LACTOSE (MONO), Sterile (Gamma Irradiated) (Triple Pack) Culture Media Ingredient	500 gm 5 Kg 50 Kg	1065 8985 POR	1217	MEAT EXTRACT POWDER Culture Media Ingredient	500 gm	1985
1297	LIVER EXTRACT PASTE Bacteriological Grade	500 gm	1030	1218	MEAT EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm	4050
1212 V	VEG. Liv EXTRACT POWDER Culture Media Ingredient, Equivalent to Liver Extract Powder	500 gm	2665	1219 V	VEG. M INFUSION POWDER Culture Media Ingredient, Equivalent to Meat Infusion Powder	500 gm	2460
1212	LIVER EXTRACT POWDER Bacteriological Grade	500 gm	2365	1219	MEAT INFUSION POWDER For Vaccine Production	500 gm	2460
1241	LIVER EXTRACT POWDER (Protolysed) For Cultivation of Fastidious Anaerobes and Bulk Production of Vaccines, Steroids and Enzymes	500 gm	2400	1504 V	VEG. MP PEPTONE Culture Media Ingredient, Equivalent to Meat Peptone	500 gm	2335
1239 V	VEG. Liv HYDROLYSATE POWDER Enzymatic Veg. Hydrolysate, Equivalent to Liver Hydrolysate Powder Used for Cultivation of Anaerobes	500 gm	2435	1504	MEAT PEPTONE Culture Media Ingredient	500 gm	2335
1239	LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Ingredients of Culture Media Used for Cultivation of Anaerobes	500 gm	2435	1259	MEAT PEPTONE-P Peptic Digest Animal Meat Tissue	500 gm	3045
1213 V	VEG. Liv INFUSION POWDER Equivalent to Liver Infusion Powder Suitable for Vaccine Production	500 gm	2435	1260	MEAT PEPTONE-T Tryptic Digest Animal Meat Tissue	500 gm	3170
1213	LIVER INFUSION POWDER Suitable for Vaccine Production	500 gm	2435	1507 V	VEG. MYCO PEPTONE Culture Media Ingredient, Equivalent to Mycological Peptone	500 gm	2405
1298	MALT EXTRACT PASTE Bacteriological Grade	500 gm	940	1507	MYCOLOGICAL PEPTONE Suitable for Cultivation of Yeasts & Molds	500 gm	2405
1214	MALT EXTRACT POWDER Bacteriological Grade	500 gm	2180	1518	MYCOLOGICAL PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm	3500
1215	MALT EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm	3920	1524	OAT MEAL POWDER Culture Media Ingredient	500 gm	1055
				1220	OX BILE POWDER (DRIED) Bacteriological Grade, General Purpose, Culture Media Ingredient	100 gm 500 gm	1935 7575
				4506	PEA PROTEIN HYDROLYSATE (PEA PEPTONE) Bacteriological Grade	500 gm	3855
				1527	PEPTONE PASTE Bacteriological Grade	500 gm 5 Kg	810 6845

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1506	PEPTONE-R Regular Bacteriological Grade	500 gm 5 Kg	990 8105	1522	TRYPTONE - D Tryptic Digest Casein for Vaccine Production	500 gm	3675
1578	PEPTONE-RG (Granular) Bacteriological Grade	500 gm 5 Kg	1560 14305	1520	TRYPTONE - T For Tetanus Toxin	500 gm	3675
1505 V	VEG. PEPTONE-TBL Culture Media Ingredient, Equivalent to Peptone TBL	500 gm 5 Kg	1935 14305	1529	TRYPTONE - R General purpose for Bacteriology	500 gm 5 Kg	1370 11790
1505	PEPTONE-TBL For Cultivation of Fastidious Microorganisms	500 gm 5 Kg	1935 14305	1512 V	VEG. TRYPTONE (TYPE-I) Veg Enzymatic Digest with Dipeptides	500 gm	2665
1519	PEPTONE (STD) TBL POWDER Culture Media Ingredient	500 gm	4050	1512	TRYPTONE (TYPE-I) Tryptic enzymatic digest of casein with dipeptides	500 gm	2550
1508	PEPTONE SPECIAL Equivalent to Neopeptone	500 gm	2550	1513 V	VEG. TRYPTONE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm	810 3295
1581	PEPTONE TYPE-III Bacteriological Grade	500 gm	1230	1513	TRYPTONE (STD) TBL POWDER Culture Media Ingredient	100 gm 500 gm	810 3295
1221 V	VEG. PM HYDROLYSATE Culture Media Ingredient, Equivalent Peptonized Milk	500 gm	2605	1521 V	VEG. TRYP HYDROLYSATE Enzymatic Hydrolysate of Protein, that replace Meat Infusion	500 gm 5 Kg	3185 24310
1221	PEPTONIZED MILK Suitable for Lactobacilli, Yeast & Molds	500 gm	2605	1521	TRYPTOSE Enzymatic hydrolysate of Protein that Replace Meat Infusion	500 gm 5 Kg	3185 24310
1509 V	VEG. PP PEPTONE Culture Media Ingredient, Equivalent to Proteose Peptone	500 gm 5 Kg	2805 21815	1265	TRYPTOSE (STD) TBL POWDER To promote excellent growth of highly fastidious microorganisms	500 gm	5175
1509	PROTEOSE PEPTONE (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides	500 gm 5 Kg	2805 21815	1629	WHEAT PEPTONE Culture Media Ingredient	500 gm	1680
1523	PROTEOSE PEPTONE, (STD) TBL POWDER Culture Media Ingredient	500 gm	5160	1631	WHEAT EXTRACT TYPE-I Culture Media Ingredient	500 gm	1680
221 M	SODIUM CHOLATE (Cholic Acid Sodium) A selective inhibitory agent used in Culture Media	25 gm 100 gm	1300 4540	1637	WHEAT EXTRACT TBL POWDER Culture Media Ingredient	500 gm	2355
220 M	SODIUM DEOXYCHOLATE A selective inhibitory agent used in Culture Media	25 gm 100 gm	1620 6635	1300	YEAST AUTOLYSATE POWDER For Bacteriology	500 gm	2245
212 M	SODIUM TAUROCHOLATE A selective inhibitory agent used in Culture Media	100 gm 500 gm	2305 8125	1531	YEAST EXTRACT PASTE For Bacteriology	500 gm 5 Kg	890 7785
1261	SODIUM TAUROGLYCOCHOLATE A selective inhibitory agent used in Culture Media	100 gm 500 gm	1680 6665	1532	YEAST EXTRACT POWDER -R Bacteriological Grade	500 gm 5 Kg	975 7990
3543	SOLUBLE STARCH Culture Media Ingredient	500 gm	1055	1224	YEAST EXTRACT POWDER TYPE-I Bacteriological Grade	500 gm 5 Kg	1215 11445
1528	SOYATONE - R (Soya Peptone - R) Bacteriological Grade	500 gm 5 Kg	1360 12020	1225	YEAST EXTRACT TBL POWDER Low salt content refined rich in B-group of Vitamins	500 gm 5 Kg	1490 12710
3546	SOYATONE TYPE-I (Soya Peptone TYPE-I) Bacteriological Grade	500 gm 5 Kg	1360 12020	1264	YEAST EXTRACT (STD) TBL POWDER Culture Media Ingredient	500 gm	2615
1510	SOYATONE (Soya Peptone) Peptic Digest of Soyabean Meal	500 gm 5 Kg	2305 20540	4141	YEAST EXTRACT (ULTRA PURIFIED) Culture Media Ingredient	500 gm 5 Kg	6410 POR
1511	SOYATONE (STD), TBL POWDER (Soya Peptone) Culture Media Ingredient	500 gm	4050	1628	YEAST PEPTONE Culture Media Ingredient	500 gm	1910






















- ◀ Meticulous packaging
- ◀ Favourably convenient
- ◀ Approved Quality
- ◀ Reliable growth formulations
- ◀ High reproducibility
- ◀ Proven Sterility
- ◀ Complies with Harmonized pharmacopeia (USP/IP/JP/EP/BP) & ISO regulations.


TM Media offers convenient and industry-tailored range of ready-to-use media that comes in a large variety of formats, formulations and sizes.

Ready To Use Media Plates	For direct isolation with no time consuming preparation
Ready To Use Agar Media (Glass Bottle)	For detecting microorganisms from pharmaceutical, food, environmental or water testing samples
Ready To Use Broth Media (Glass Bottle)	For cultivation of microorganism from various samples
Ready To Use Liquid Medium (Tubes)	For direct enrichment and enumeration of microorganisms
Combo Sterility Kit	For complete sterility testing in accordance with USP/EP/JP/IP
Ready To Use Kits	For rapid detection of organisms
Ready To Use Slants (For Tuberculosis Tests)	For rapid diagnosis & treatment of Tuberculosis
Ready To Use Slants/Butts (Glass Tube)	For isolation of pure cultures with minimum risk of contamination
Blood Culturing System (Ready to use Broth Media)	For detection & isolation of fastidious microorganisms from blood
Transport Swab with Medium (Disposable)	For easy transport and preservation of clinical specimens
Viral Transport Kit / Universal Transport Kit	For safe collection & transport of viral specimen. Recommended by CDC, WHO and ICMR for specimen collection of COVID 19.
Molecular Transport Kit	For the stabilization, transportation and inactivation of infectious viral agents



















Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 033	BAIRD PARKER AGAR PLATE For the isolation and enumeration of coagulase positive Staphylococci from food and clinical sample. 	50 Plts	2900
TMP 066	BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) (AS PER USP)   For use in qualitative procedures for the selective and differential isolation of Burkholderia cepacia complex from respiratory secretions of patients with cystic fibrosis.	50 Plts	4290
TMP 034	BLOOD AGAR PLATE W/ GENTAMICIN (5MCG/PLATE) *  For selective isolation of <i>Streptococcus pneumoniae</i> .	20 Plts 50 Plts	1320 2790
TMP 001	BRAIN HEART INFUSION AGAR PLATE  For cultivation of fastidious pathogenic bacteria, yeasts and molds.	50 Plts	2080
TMP 035	BRAIN HEART INFUSION AGAR PLATE W/ BLOOD *  For cultivation of fastidious pathogenic bacteria requiring blood for growth.	20 Plts 50 Plts	1485 3365
TMP 002	CETRIMIDE AGAR PLATE   For selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product and clinical specimens.	50 Plts	2700
TMP 002GT	CETRIMIDE AGAR PLATE (☼irradiated) (Triple Pack)   For selective isolation of <i>Pseudomonas aeruginosa</i> from pharmaceutical product (as per USP/EP/BP/JP/IP) and clinical specimens.	50 Plts	3190
TMP 020	CHOCOLATE AGAR PLATE *  For isolation and cultivation of fastidious microorganisms like <i>Neisseria gonorrhoeae</i> .	20 Plts 50 Plts	1550 3425
TMP 1858	CHROMOGENIC COLIFORM AGAR PLATE * For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	20 Plts 50 Plts	1685 3800
TMP 1199	CHROMOGENIC UTI AGAR PLATE *  For identification and confirmation of microorganisms causing urinary tract infections.	20 Plts 50 Plts	1610 3515
TMP 014	CLED AGAR W/ BROMOTHYMOL BLUE PLATE  For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	50 Plts	2660
TMP 032GT	COLUMBIA AGAR PLATE (☼irradiated) (Triple Pack)  For the selection and subculture of <i>Clostridium</i> species in accordance with harmonized method of USP/EP/BP/JP/IP.	50 Plts	2905
TMP 031	COLUMBIA 5% BLOOD AGAR PLATE  For isolation and cultivation of fastidious organisms.	20 Plts 50 Plts	1490 3370
TMP 003	DEY ENGLE Y NEUTRALIZING AGAR PLATE  For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	50 Plts	2700
TMP 003GT	DEY ENGLE Y NEUTRALIZING AGAR PLATE (☼irradiated) (Triple Pack)  For disinfectant testing, where neutralization agent is important for determining its bactericidal activity.	50 Plts	3185
TMP 025	EMB AGAR, LEVINE PLATE  For isolation, enumeration and differentiation of Enterobacteriaceae.	50 Plts	3455
TMP 037	HEKTOEN ENTERIC AGAR PLATE  For differential & selective isolation of Salmonella and Shigella from enteric pathological specimens.	50 Plts	2765
TMP 004	LURIA BERTANI AGAR PLATE For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies, may be used for routine isolation, cultivation of not particularly fastidious microorganisms.	50 Plts	2765
TMP 004A	LURIA BERTANI AGAR PLATE (w/100ug/ml Ampicillin) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular studies.	50 Plts	3100
TMP 004 KI	LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin & IPTG) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts	3445
TMP 004K	LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin) * For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts	3070
TMP 004C	LURIA BERTANI AGAR PLATE (w/50ug/ml Chloramphenicol) For the cultivation and maintenance of recombinant strains of <i>E.coli</i> for genetic and molecular biology studies.	50 Plts	3070



Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 1898	MacCONKEY AGAR "TBL" For cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially <i>Enterococcus faecalis</i> within 18 hours.	50 Plts	2180
TMP 015	MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) For selective isolation and differentiation of coliform organisms and other enteric pathogens.	50 Plts	2080
TMPH 015T	MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) (Triple Pack) For selective isolation and differentiation of coliform organisms and other enteric bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP	50 Plts	2700
TMP 016	MacCONKEY AGAR PLATE (W/O CV, NaCl W/ 0.5% SODIUM TAUROCHOLATE) For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples.	50 Plts	2080
TMP 021	MANNITOL SALT AGAR PLATE For selective isolation of pathogenic Staphylococci.	50 Plts	2080
TMPH 021	MANNITOL SALT AGAR PLATE For selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts	2180
TMPH 021T	MANNITOL SALT AGAR PLATE (Triple Pack) For selection and subculture of <i>Staphylococcus aureus</i> in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts	2700
TMP 005	MUELLER HINTON AGAR PLATE For determination of susceptibility of microorganisms to antimicrobial agents.	50 Plts	2350
TMP 061	MUELLER HINTON AGAR PLATE W/ 5% SHEEP BLOOD  For determination of susceptibility of <i>Streptococcus</i> species to antimicrobial agents	20 Plts 50 Plts	1300 2100
TMP 006	NUTRIENT AGAR PLATE A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts	2100
TMP 006GT	NUTRIENT AGAR PLATE (☼irradiated) (Triple Pack) A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts	2565
TMP 007	PLATE COUNT AGAR For determination of plate counts of microorganisms in food, water and waste water.	50 Plts	2000
TMP 007GT	PLATE COUNT AGAR (☼irradiated) (Triple Pack) For determination of plate counts of microorganisms in food, water and waste water.	50 Plts	2365
TMP 008	POTATO DEXTROSE AGAR PLATE For the isolation and enumeration of yeasts & molds from water, dairy, other food products and clinical samples	50 Plts	2080
TMPH 008	POTATO DEXTROSE AGAR PLATE For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	50 Plts	2180
TMP 009	R-2A AGAR PLATE For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	2700
TMP 009G	R-2A AGAR PLATE (☼irradiated) For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	2955
TMP 009GT	R-2A AGAR PLATE (☼irradiated) (Triple Pack) For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	3080
TMP 010	SABOURAUD CHLORAMPHENICOL AGAR PLATE For selective cultivation of yeasts and moulds.	50 Plts	2750
TMP 010G	SABOURAUD CHLORAMPHENICOL AGAR PLATE (☼irradiated) For selective cultivation of yeasts and moulds.	50 Plts	3230
TMP 010GT	SABOURAUD CHLORAMPHENICOL AGAR PLATE (☼irradiated) (Triple Pack) For selective cultivation of yeasts and moulds.	50 Plts	3380





Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 039GT	SABORAUD CHLORAMPHENICOL AGAR PLATE W/ β-LACTAMASE MIXTURE (25IU/PLATE) (Δ irradiated) (Triple Pack)  A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first,second,third and fourth generation of penems.	50 Plts	2165
TMP 011	SABOURAUD DEXTROSE AGAR PLATE For cultivation of yeast, moulds and aciduric microorganisms.	50 Plts	2100
TMP 011G	SABOURAUD DEXTROSE AGAR PLATE (Δirradiated)   For cultivation of yeast, moulds and aciduric microorganisms.	50 Plts	2250
TMP 011GT	SABOURAUD DEXTROSE AGAR PLATE (Δirradiated) (Triple Pack)  For the subculture of <i>Candida albicans</i> in accordance with harmonized method of USP/EP/BP/JP/IP.	50 Plts	2370
TMP 040	SABOURAUD DEXTROSE AGAR PLATE W/ CYCLOHEXIMIDE For selective isolation of fungi.	50 Plts	2150
TMP 041GT	SABORAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & βLACTAMASE I (Δ irradiated) (Triple Pack)  For isolation of yeast amd moulds, for determining efficiency of containers,equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	50 Plts	3370
TMP 012	SOYBEAN CASEIN DIGEST AGAR PLATE  For the subculture of aerobic organisms.	50 Plts	2250
TMP 012G	SOYBEAN CASEIN DIGEST AGAR PLATE (Δirradiated)  For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2220
TMP 012GT	SOYBEAN CASEIN DIGEST AGAR PLATE (Δirradiated)(Triple Pack)  For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2485
TMP 042GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% Glycerine & 1% POLYSORBATE 80 (Δ irradiated) (Triple Pack)  For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3595
TMP 043GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (Δ irradiated) (Triple Pack)  For cultivation of wide variety of microorganisms.	50 Plts	2435
TMP 044GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05% TWEEN 80 (Δ irradiated) (Triple Pack)  For cultivation of wide variety of microorganisms.	50 Plts	3020
TMP 026GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL, (Δirradiated) (Triple Pack)  For cultivation of wide variety of microorganisms.	50 Plts	3270
TMP 045GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (Δ irradiated) (Triple Pack)  For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3795
TMP 027GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% LECITHIN & 4% POLYSORBATE 80 (Δ irradiated) (Triple Pack)  For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3790
TMP 028GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 2% GLYCEROL (Δ irradiated) (Triple Pack)  For cultivation of wide variety of microorganisms.	50 Plts	3415
TMP 030GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% Polysorbate 80 (Δ irradiated) (Triple Pack)  For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 Plts	3795
TMP 049GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ βLACTAMASE (Δ irradiated) (Triple Pack)  For cultivation of wide variety of organisms and for inactivation of β lactam antibiotics.	50 Plts	3510
TMP 050GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ βLACTAMASE II (Δ irradiated) (Triple Pack)  For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.	50 Plts	5500
















Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 051GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (Δ irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	5505
TMP 052GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (25IU/PLATE) (Δ irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	4420
TMP 053GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β-LACTAMASE MIXTURE (Δ irradiated) (Triple Pack) Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	5785
TMP 054GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β-LACTAMASE II (Δ irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.	50 Plts	5770
TMP 055GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β-LACTAMASE (Δ irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	50 Plts	3800
TMP 056GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80,0.07% SOYA LECITHIN AND 5 IU/PLATE β-LACTAMASE MIXTURE (Δ irradiated) (Triple Pack) For cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	3845
TMP 029GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL & 4% POLYSORBATE 80 (Δirradiated) (Triple Pack) For determining efficiency of sanitization of containers,equipments,surfaces,water miscible cosmetics etc.	50 Plts	3465
TMP 013	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80)  For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3050
TMP 013GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (Δirradiated)(Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3500
TMPV 013GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (VEG.) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (VEG.)] (Δirradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3890
TMP 057GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (Δirradiated) (Triple Pack) For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.	50 Plts	3785
TMP 062GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80,0.07% SOYA LECITHIN (Δirradiated) (Triple Pack)  For determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	50 Plts	3500
TMP 058	SALMONELLA SHIGELLA AGAR PLATE (SS AGAR PLATE) For differentiation and selective isolation of <i>Salmonella</i> and <i>Shigella</i> species from pathological specimens, suspected foodstuff etc.	50 Plts	2765
TMP 017	SHEEP BLOOD AGAR PLATE * For cultivation of fastidious organisms and studying haemolytic reactions.	20 Plts 50 Plts	1630 3455
TMP 018	SHEEP BLOOD AGAR BASE, MODIFIED PLATE * For cultivation and studying haemolytic reaction of <i>Bacillus cereus</i> .	20 Plts 50 Plts	1790 3780
TMP 019	SHEEP BLOOD SOYABEAN CASEIN DIGEST AGAR PLATE * For cultivation of wide variety of microorganisms and studying haemolytic reactions.	20 Plts 50 Plts	1790 3780
TMP 022	TCBS AGAR PLATE For selective isolation of <i>Vibrio cholerae</i> and enteropathogenic Vibrios.	50 Plts	2810



Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 023	VOILET RED BILE GLUCOSE AGAR PLATE For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	50 Plts	2765
TMPH 023	VOILET RED BILE GLUCOSE AGAR PLATE  For selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2905
TMP 024	XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE  For selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species.	50 Plts	2765
TMPH 024	XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE   For selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2905






Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSP 001GT	CETRIMIDE AGAR PLATE (☼irradiated) (Triple Pack)   For the isolation and subculture of <i>Pseudomonas aeruginosa</i> in accordance with harmonized method of USP/EP/BP/JP/IP	100 Plts	5510
TSP 002	DEY/ENGLY NEUTRALIZING AGAR PLATE   For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts	6500
TSP 003GT	DEY/ENGLY NEUTRALIZING AGAR PLATE (☼irradiated) (Triple Pack)  For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts	6850
TSP 004G	POTATO DEXTROSE AGAR (☼irradiated)  For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	100 Plts	4350
TSP 005G	SABORAUD CHLORAMPHENICOL AGAR PLATE (☼irradiated)   For selective cultivation of yeasts and moulds.	100 Plts	5310
TSP 059GT	SABORAUD CHLORAMPHENICOL AGAR PLATE W/ 2% LACTAMASE MIXTURE (☼irradiated) (Triple Pack)  A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first, second, third and fourth generation of penems.	100 Plts	4300
TSP 060GT	SABORAUD DEXTROSE AGAR PLATE (☼irradiated) (Triple Pack)   For cultivation of yeast,molds and aciduric microorganisms.	100 Plts	4650
TSP 061GT	SABORAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & 2% LACTAMASE I (☼irradiated) (Triple Pack)  For isolation of yeast amd moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of 2%lactam antibiotics.	100 Plts	6600
TSP 006GT	SOYABEAN CASEIN DIGEST AGAR PLATE (☼irradiated) (Triple Pack)  For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 Plts	5830
TSP 007GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL (☼irradiated) (Triple Pack)  For cultivation of wide variety of microorganisms in accordance with harmonized method of USP/EP/BP/JP.	100 Plts	5630
TSP 008GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (☼irradiated) (Triple Pack)  For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7060












Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSPV 008GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (Veg) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (Veg)] For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7400
TSP 009GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	7610
TSP 010GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	8000
TSP 011GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 4% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	6960
TSP 063GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 0.5% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.	100 Plts	6630
TSP 012GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 4% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7610
TSP 064GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (☼ irradiated) (Triple Pack) For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.	100 Plts	6500
TSP 065GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7580
TSP 066GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05 % Tween 80 (☼ irradiated) (Triple Pack) Sterility test medium for cultivation of wide variety of microorganisms.	100 Plts	6020
TSP 067GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	6020
TSP 068GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% LECITHIN AND 4% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	6960
TSP 069GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (☼ irradiated) (Triple Pack) For cultivation of wide variety of microorganisms.	100 Plts	5870
TSP 070G	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β -LACTAMASE (☼ irradiated)  For cultivation of wide variety of organisms and for inactivation of β -lactam antibiotics.	100 Plts	6110
TSP 070GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β -LACTAMASE (☼ irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of β -lactam antibiotics.	100 Plts	7800
TSP 071GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β -LACTAMASE MIXTURE (☼ irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	10500
TSP 072GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ β -LACTAMASE II (☼ irradiated) (Triple Pack) For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.	100 Plts	10500
TSP 073GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ TWEEN 80, SOYA LECITHIN & β -LACTAMASE MIXTURE (☼ irradiated) (Triple Pack) Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	11000
TSP 015GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (☼ irradiated) (Triple Pack)  for determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	100 Plts	7060

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSP 074GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE-II  (α irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.	100 Plts	11000
TSP 075GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE  (α irradiated) (Triple Pack) For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β lactam antibiotics.	100 Plts	7100
TSP 076GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN & 5IU/PLATE β-LACTAMASE MIXTURE (α irradiated) (Triple Pack)  For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	7600
TSP 077GT	SOYABEAN CASEIN DIGEST AGAR PLATE W/ POLYSORBATE 80, GLYCEROL W/ 5IU OF β-LACTAMASE II & 50IU OF β-LACTAMASE 1/100 ML (α irradiated) (Triple Pack)  For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	5620
TSP 078GT	TOTAL PLATE COUNT AGAR PLATE W/ β-LACTAMASE  For determining of plate counts of microorganisms in foods, water and wastewater and inactivation of β lactam antibiotics.	100 Plts	4780

Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TRM 360	BLOOD AGAR BASE (INFUSION AGAR) W/O BLOOD  for selective isolation of fastidious pathogenic microorganisms after addition of blood	100 ml x 25	2850
TRM 361	BRAIN HEART INFUSION AGAR  for cultivation of fastidious microorganisms like bacteria, yeasts and molds	100 ml x 25	2850
TRM 405	C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)  for isolation and differentiation of urinary pathogen by lactose fermentation	100 ml x 25	2850
TRM 054	C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)  for isolation and differentiation of microorganisms based on lactose fermentation	100 ml x 25	2850
TRM 1199	CHROMOGENIC UTI AGAR *  for presumptive identification of microorganisms mainly causing urinary tract infections	100 ml x 25	4675
TRM 1858	CHROMOGENIC COLIFORM AGAR *  For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	100 ml x 25	4675
TRM 349	MacCONKEY AGAR W/O CV, W/ 0.15% BILE SALTS  for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric pathogens	100 ml x 25	2850
TRMH 110	MACCONKEY AGAR W/ 0.15% BILE SALTS, CV AND NACL (USP/EP/BP/JP/IP)  for the selection and subculture of <i>E. coli</i> in accordance with harmonized method	100 ml x 25	2850
TRM 378	MacCONKEY AGAR W/ SODIUM TAUROCHOLATE W/O CV & NaCl  for or selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food, water samples	100 ml x 25	2850
TRM 339	MUELLER HINTON AGAR  for cultivation of <i>Neisseria</i> and for determination of susceptibility of microorganisms	100 ml x 25	2850
TRM 206	MANNITOL SALT AGAR  for selective isolation of pathogenic staphylococci from clinical and non-clinical samples	100 ml x 25	2850

Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TRMH 114	MANNITOL SALT AGAR (USP/EP/BP/JP/IP) for selective isolation of pathogenic staphylococci from pharmaceutical products in accordance with microbial limit test	100 ml x 25	3000
TRM 341	NUTRIENT AGAR general purpose medium for cultivation of less fastidious microorganisms	100 ml x 25	2850
TRM 544	PLATE COUNT AGAR (STANDARD PLATE AGAR) for determination of plate count of microorganisms in food, waste water and clinical samples	100 ml x 25	2850
TRM 344	POTATO DEXTROSE AGAR for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25	2850
TRMH 344	POTATO DEXTROSE AGAR (USP/EP/BP/JP/IP) for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25	3000
TRM 269	R-2A AGAR for heterotrophic plate count of treated potable water using longer incubation time	100 ml x 25	2850
TRM 622	SABOURAUD CHLORAMPHENICOL AGAR for selective isolation and cultivation of yeast and molds	100 ml x 25	2850
TRM 387	SABOURAUD DEXTROSE AGAR for cultivation of yeast, molds and aciduric bacteria from clinical and non-clinical samples	100 ml x 25	2850
TRMH 387	SABOURAUD DEXTROSE AGAR (USP/EP/JP/BP/IP) for cultivation of yeast, molds and aciduric bacteria from pharmaceutical products in accordance with microbial limit testing	100 ml x 25	3000
TRMH 345	SOYA CASEIN DIGEST AGAR (USP/EP/JP/BP/IP) for cultivation of variety of microorganisms from pharmaceutical products accordance with harmonized method	100 ml x 25	2850
TRM 1927	VIOLET RED GLUCOSE AGAR for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	100 ml x 25	2850
TRMH 117	VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP) for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	100 ml x 25	3000
TRM 492	XLD AGAR for selective isolation and enumeration of <i>Salmonella Typhi</i> and other <i>Salmonella</i> species.	100 ml x 25	2850

Ready-To-Use Broth Media (Glass Bottle)

For Food Testing

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMF 001	BUFFERED PEPTONE WATER For pre-enrichment of injured salmonella species prior to selective enrichment and isolation	225ml x 20	POR













Sterility Test Media

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 010	ALTERNATIVE THIOGLYCOLLATE MEDIUM (USP) For sterility testing of biological products	100ml x 25	4375
TMKH 001	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP) For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25 200ml x 20 500ml x 6	3125 3500 4900
TMKH 001S	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP) For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25	3125

Ready-To-Use Media










Ready-To-Use Broth Media (Glass Bottle)

Sterility Test Media







CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 021	FLUID THIOGLYCOLLATE MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80   For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25	5700
TMKH 023	SCDM W/ 0.5% SOYA LECITHIN & 1% TWEEN 80   For cultivation of wide variety of microorganisms and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	7750
TMKH 003	SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)  For the evaluation of sterility in manufacturing processes.	100ml x 25 200ml x 20 500ml x 6	3125 3500 4900
TMKH 003S 	SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)  For the evaluation of sterility in manufacturing processes.	100ml x 25	3125
TMKH 022	SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80   For the evaluation of sterility in manufacturing processes.	100ml x 25	7930
TMKH 026S 	SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 5% POLYSORBATE 80   For the evaluation of sterility in manufacturing processes.	100ml x 25	14200

 200ml Bottle with Screw Cap.

Wash Solutions





CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 006	BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 (USP/EP/JP/BP/IP)  Dilution fluid for samples in case of microbiological contamination.	100 ml x 25 500 ml x 6	4550 6950
TMKH 009	BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 W/ SOYA LECITHIN (USP/EP/JP/BP/IP)  For the preparation of test suspension.	100ml x 10	4875
TMKH 004	DILUTING FLUID A (USP)  Used as diluent for sterility testing of pharma products.	100ml x 25 500ml x 6	4375 4875
TMKH 011	DILUTING FLUID D (USP)  Used as diluent for sterility testing of pharma products.	100ml x 25	4375
TMKH 012	DILUTING FLUID K (USP)  Used as diluent for sterility testing of pharma products.	100ml x 25	4375
TMKH 013	PEPTONE WATER 0.1%  Used as diluent for microbial enumeration purposes.	100ml x 25 500ml x 6	3125 3500
TMKH 027	PHOSPHATE BUFFER pH 7.0   Used as a diluent.	100ml x 25	4655
TMKH 014	STERILE SALINE 0.85%  Used as a diluent.	100ml x 25 500ml x 6	3125 3500

Microbial Limit Test




CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 005	EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (USP/EP/JP/BP/IP)  For selective enrichment of Enterobacteriaceae.	100ml x 25 500ml x 6	4625 4550
TMKH 008	MacCONKEY BROTH (USP/EP/JP/BP/IP)  For the selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method.	100ml x 25 500ml x 6	4625 4550
TMKH 015	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/JP/BP/IP)  For selective enrichment of <i>Salmonella</i> species from pharmaceutical and clinical samples in accordance with harmonized method.	100ml x 25	4625
TMKH 025	REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)   for isolation, cultivation and enumeration of <i>Clostridia</i> species, highly nutritive for <i>Clostridium sporogenes</i> and other anaerobes	100ml x 25	4300
TMKH 007	SABOURAUD DEXTROSE BROTH (USP/EP/JP/BP/IP)  For the enrichment of <i>Candida albicans</i> in accordance with harmonized method.	100ml x 25 500ml x 6	4625 4550

Ready-To-Use Media







Miscellaneous Use

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 016	GN BROTH, HAJNA  For the selective enrichment of Gram negative organisms of the enteric group from clinical & non clinical sample	100ml x 25	13500
TMK 017	0.1% PEPTONE WATER w/0.1% TWEEN 80  Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	7350
TMK 018	0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 80  Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	14200
TMK 019	0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 20  Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	15350









Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMT 033	BRAIN HEART INFUSION BROTH  For the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from clinical and non-clinical specimens.	5ml x 25 5ml x 50	820 1250
TMTH 001	BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 (USP/EP/BP/JP/IP) For the preparation of test suspension in accordance with harmonized methods.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1025 1600 1150 1755
TMTH 002	BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 W/0.05% POLYSORBATE 80 (USP/EP/BP/JP/IP) For the preparation of test suspension.	10ml x 25 10ml x 50	1225 2300
TMT 021	DEY ENGLE Y NEUTRALISING BROTH * For neutralising and testing antiseptics and disinfectants.	10ml x 25 10ml x 50	1420 2600
TMT 015	DILUENT TSB WITH CAP 4  For total aerobic microbial, count of water soluble specimens to be tested in pharmaceuticals, cosmetic etc.	10ml x 25 10ml x 50	1150 2100
TMTH 003	ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL (USP/EP/BP/JP/IP) For the enrichment of bile tolerant organisms in accordance with the harmonized methods	10ml x 25 10ml x 50	1050 1900
TMTH 019	FLUID THIOGLYCOLLATE MEDIUM (USP/EP/BP/JP/IP) For sterility testing of biologicals and cultivation of aerobes and microphiles in accordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1500 3095 1900 3650
TMTH 022	GN BROTH (IP 2018) For enrichment of shigella from pharmaceutical products in accordance with Indian pharmacopoeia.	10ml x 25 10ml x 50	2500 4500
TMT 023	LURIA BERTANI BROTH For cultivation and maintained of recombinant strains of <i>E.coli</i> and may be used for routine cultivation of not particularly fastidious microorganisms.	10ml x 25 10ml x 50	790 1350
TMTH 024	MacCONKEY BROTH (USP/EP/BP/JP/IP) For selective enrichment of <i>Escherichia coli</i> in accordance with harmonized method.	10ml x 50	1950
TMT 004	MR-VP MEDIUM To perform Methyl Red & Voges-Proskauer tests for enteric gram negative bacilli.	10ml x 25 10ml x 50	1350 2160
TMT 005	PEPTONE WATER All purpose growth medium and as a base of carbohydrate fermentation media.	10ml x 25 10ml x 50	900 1615
TMTH 006	PHOSPHATE BUFFER pH 7.0 (USP) Used as a diluent.	9ml x 25 9ml x 50	1150 2075
TMT 007	PHOSPHATE BUFFER pH 7.2 (FDA BAM) Used as a diluent.	9ml x 25 9ml x 50	1150 2075
TMT 025	R2A BROTH For cultivation and maintenance of heterotropic bacteria from potable water.	10ml x 25 10ml x 50	1150 2075
TMT 008	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH  For selective enrichment of <i>Salmonella</i> species from clinical samples.	10ml x 25 10ml x 50	950 1760
TMTH 009	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (IP) For selective enrichment of <i>Salmonella</i> species as per Indian pharmacopoeia.	10ml x 25 10ml x 50	1060 1940
TMT 005	PEPTONE WATER All purpose growth medium and as a base of carbohydrate fermentation media.	10ml x 25 10ml x 50	900 1615


Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMTH 006	PHOSPHATE BUFFER pH 7.0 (USP) Used as a diluent.	9ml x 25 9ml x 50	1150 2075
TMT 007	PHOSPHATE BUFFER pH 7.2 (FDA BAM) Used as a diluent.	9ml x 25 9ml x 50	1150 2075
TMT 025	R2A BROTH For cultivation and maintenance of heterotropic bacteria from potable water.	10ml x 25 10ml x 50	1150 2075
TMT 008	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH For selective enrichment of <i>Salmonella</i> species from clinical samples.	10ml x 25 10ml x 50	950 1760
TMTH 009	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (IP) For selective enrichment of <i>Salmonella</i> species as per Indian pharmacopoeia.	10ml x 25 10ml x 50	1060 1940
TMTH 010	RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/BP/JP/IP) For selective enrichment of <i>Salmonella</i> species with harmonized pharmacopoeia.	10ml x 25 10ml x 50	950 1850
TMT 026	REHYDRATION FLUID Recommended as diluting fluid for performing growth promotion test use with longer stability.	9ml x 25 9ml x 50	910 1650
TMTH 027	SABOURAUD DEXTROSE BROTH (USP/EP/BP/JP/IP) For the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methods.	10ml x 25 10ml x 50	1020 1700
TMTH 011	SOYABEAN CASEIN DIGEST MEDIUM (USP/EP/BP/JP/IP) Sterility test media prepared in accordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1025 1625 1025 1625
TMTH 013	SOYBEAN CASEIN DIGEST MEDIUM W/ LTHTh for determining the efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics.	10ml x 25 10ml x 50	1025 1625
TMT 028	STERILE SALINE 0.85% Used as a diluent	10 ml x 50	1860
TMT 014	STERILE SALINE 0.9% Used as a diluent	9ml x 50 10ml x 25 10ml x 50	1850 1080 1855
TMT 029	STERILE SALINE 0.9% w/ 0.05% Tween 80 Used as a diluent	9ml x 50 10ml x 25	1980 2100
TMT 031	STERILE SALINE 0.9% w/ 0.05% Soya lecithin & 0.5% Polysorbate 80 Used as a diluent	10ml x 25	1940
TMT 016	TETRATHIONATE BROTH For selective isolation of Salmonellae from foods and other pathological materials.	10ml x 25 10ml x 50	1095 1790
TMT 032	TRYPTONE BROTH W/ 10% NACL Recommended for enumeration of <i>Staphylococcus aureus</i> .	10ml x 25	1100
TMT 017	TRYPTOPHAN MEDIUM for detection of indole production	10ml x 25 10ml x 50	1025 1850
TMT 030	TWEEN 80  Recommended as a surfactant and emulsifier.	10ml x 25	1200
TMT 018	UREA INDOLE MEDIUM * for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production.	10ml x 25 10ml x 50	1025 1850
TMT 012	UNIVERSAL TRANSPORT MEDIUM  for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	4700
TMT 034	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS  for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	5600
TMT 020	VIRAL TRANSPORT MEDIUM  for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	4700
TMT 035	VIRAL TRANSPORT MEDIUM W/ GLASS BEADS  for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	5600
TMT 036	UNIVERSAL TRANSPORT MEDIUM  for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	4200

Ready-To-Use Liquid Medium (Tubes)

























CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMT 037	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS   for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	5100
TMT 038	VIRAL TRANSPORT MEDIUM   for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	4200
TMT 039	VIRAL TRANSPORT MEDIUM W/ GLASS BEADS   for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	5100
TMT 040	MOLECULAR TRANSPORT MEDIUM (VIRAL LYSIS TRANSPORT MEDIUM)   For the stabilization, transportation and inactivation of infectious viral agents. Quantity: 1.5 ml medium in 10 to 15 ml self stand tube	1.5ml x 50	7050

Combo Sterility Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCK 001	COMBO STERILITY KIT (USP/EP/JP/IP)  Eash kit consists of 2 glass bottles (100ml) of Fluid Thioglycollate Medium (TMKH 001) and Soya Casein Digest Medium (TMKH 003).Recommended for all purpose.	5 Kit 20 Kit	2380 8260











Ready to Use Liquid Media (Tubes)

This Ready to use liquid media tube is pre-measured, presterilized media ideal to be used with Filtration funnel and membrane Filtration funnel for detection and enumeration of microorganisms in water as well as product in pharmaceutical beverages and food processing industries.




CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMA 001	MF-ENDO BROTH   For Total Coliforms	20/Pkg 50/Pkg	1490 3250
TMA 002	M-FC BROTH   For Fecal organism	20/Pkg 50/Pkg	1490 3250
TMA 003	M-FC WITH ROSOLIC ACID BROTH   For Fecal organism	20/Pkg 50/Pkg	1490 3250
TMA 004	M-TGE BROTH   For Total Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 005	M-TGE WITH TTC INDICATOR BROTH   For Total Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 006	TRYPTICASE SOY BROTH - USP   For Total Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 007	KF-STREPTOCOCCAL BROTH   For Total Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 008	PSEUDOMONAS BROTH   For Pseudomonas sp	20/Pkg 50/Pkg	1490 3250
TMA 009	M-GREEN YM BROTH   For Yeast and Molds	20/Pkg 50/Pkg	1490 3250
TMA 010	ORANGE SERUM BROTH   For Lactobacillus, Acid Resistant Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 011	HPC MEDIA WITH TTC INDICATOR   For Total Bacteria	20/Pkg 50/Pkg	1490 3250
TMA 012	R2A BROTH   For Total Bacteria	20/Pkg 50/Pkg	1490 3250

Each tube contain 2-2.5 ml of media








Ready-To-Use Kits

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 07	H₂S TEST POWDER KIT (10 TEST) (1 pack contains: 10 bottles) for detection of Salmonella, Citrobacter and <i>E. coli</i> from water	1 Kit	440
TMK 06	H₂S TEST STRIP KIT (10 TEST) (1 pack contains: 10 bottles) for detection of Salmonella, Citrobacter and <i>E. coli</i> from water	1 Kit	440
TMK 02	PA E. COLI KIT (100 ml capacity & Dehydrated Culture Medium - 3X Concentration) for detection of presence and absence of coliform bacteria in water. Kit contains Sterile Bottle	10 Kit	1110
TMK 03	RAPID COLIFORM KIT * for rapid detection and confirmation of <i>Escherichia coli</i> and other coliforms from water on the basis of enzyme substrate reaction	1 Kit	245
TMK 04	RAPID ENTEROCOCCI TEST KIT for rapid and easy identification & differentiation of Enterococci from water	1 Kit	260
TMK 05	SALT TESTING KIT Iodine Test Solution	10 Kit	1220
TMK 01	WATER TESTING KIT (COLI-CHECK) for detection of Coliforms in potable water	1 Kit 10 Kit	110 980
TMK 08S	FOOD PATHOGEN DETECTION KIT  for rapid detection of food pathogens such as <i>E. coli</i> , <i>E. coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i> .	5 Kit 10 Kit	3840 6720
TMK 08M	FOOD PATHOGEN DETECTION KIT  for rapid detection of food pathogens such as <i>E. coli</i> , <i>E. coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i> .	5 Kit 10 Kit	4305 7760
TMK 08L	FOOD PATHOGEN DETECTION KIT  for rapid detection of food pathogens such as <i>E. coli</i> , <i>E. coli</i> O157: H7, <i>Salmonella</i> , <i>Listeria</i> , <i>Staphylococcus</i> and <i>Clostridium species</i> .	5 Kit 10 Kit	6085 10950
TMK 09	H₂S TEST MEDIUM  for the detection of <i>Salmonella</i> species and <i>Citrobacter</i> species from water samples.	1 Kit	490
TMK 10	SULPHATE REDUCING BACTERIA TEST KIT  (1 pack contains: 10 bottles) for the detection of Sulphate Reducing Bacteria for testing 20 ml water sample.	1 Kit	1320
TMK 11	SULPHATE REDUCING BACTERIA TEST KIT  (1 pack contains: 10 bottles) for the detection of Sulphate Reducing Bacteria for testing 100 ml water sample.	1 Kit	3090
TMK 12	WATER TEST KIT  for rapid and simultaneous detection of <i>Salmonella species</i> , <i>E. coli</i> , <i>Citrobacter species</i> and <i>Vibrio species</i> . Kit includes Medium A, Medium B and two sterile bottles.	1 Kit	1590
TMK 13	WATER TEST KIT  (1 pack contains: 10 bottles) for primary detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> based on H ₂ S production in glass bottles.	1 Kit	580
TMK 14	WATER TEST KIT  (1 pack contains: 10 bottles) for primary detection of <i>Salmonella</i> , <i>Citrobacter</i> and <i>E. coli</i> based on H ₂ S production in plastic bottles.	1 Kit	515
TMK 15	SELECTIVE E. COLI TEST KIT  for the rapid detection and confirmation of <i>E. coli</i> based on enzyme-substrate reaction from water samples.	1 Kit	495

Ready-To-Use Slants (For Tuberculosis Tests)











CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMS 01	L.J. MEDIUM SLANT (10 Slants) * for cultivation of <i>Mycobacterium tuberculosis</i> 	1 Kit	1220
TMS 07	TUBERCULOSIS FIRST LINE KIT (7 Slants) * with five antitubular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) +2 controls 	1 Kit	1050
TMS 08	TUBERCULOSIS SECOND LINE KIT (10 Slants) * with seven antitubular drugs (Kanamycin, Amikacin, Ethionamide, D-Cycloserine, Clarithromycin, Ciprofloxacin, p-Amino salicylic acid) + 3 controls 	1 Kit	1485

Ready-To-Use Slants / Butts (Glass Tube)




























CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMS 02	KLIGLER IRON AGAR SLANT (10 Slants) * for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H ₂ S Production 	1 Kit	600
TMS 03	LYSINE IRON AGAR SLANT (10 Slants) * for detection of enteric organism especially <i>Salmonella arizonae</i> , based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H ₂ S) 	1 Kit	705
TMS 10	MIU MEDIUM (10 Butts) * for detection of motility, urease and indole production	1 Kit	690
TMS 04	MOTILITY INDOLE LYSINE IRON AGAR (10 Butts) * for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production 	1 Kit	690
TMS 11	SOYA CASEIN DIGEST AGAR SLANT (10 Slants) * General purpose medium used for enrichment, isolation of fastidious microorganisms and also for sterility testing. 	1 Kit	655
TMS 05	SIMMON'S CITRATE AGAR SLANT (10 Slants) * to differentiate gram-negative bacteria on the basis of citrate utilization 	1 Kit	655
TMS 06	TRIPLE SUGAR IRON AGAR SLANT (10 Slants) * to differentiate gram-negative enteric bacilli based on carbohydrate fermentation 	1 Kit	665
TMS 09	UREA AGAR SLANT (10 Slants) * to differentiate enterobacteriaceae on the basis of their ability to produce urease 	1 Kit	685

Blood Culturing System

(Ready-To Use- Broth Media) (Aluminium-Capped Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 362	BRAIN HEART INFUSION BROTH for detection of fastidious microorganisms in blood 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	730 425
TMK 362S	BHI SUPPLEMENTED W/ 0.05% SPS for detection of microorganisms associated with blood culture 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	795 445
TMK 303	BILE BROTH BASE for cultivation of Enterobacteriaceae group 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	735 425
TMK 319S	FLUID THIOGLYCOLLATE MEDIUM w/ 0.05% SPS for cultivation of aerobes, anaerobes and microaerophiles 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	1100 600
TMK 308S	GLUCOSE BROTH W/ 0.05% SPS (BLOOD CULTURE BOTTLE) for detection of microorganisms in blood 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	730 425
TMK 374	HARTLEY DIGEST BROTH For isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i> 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	795 425
TMK 374S	HARTLEY DIGEST BROTH W/ 0.5% SPS For isolation of various bacteria from blood especially Streptococci and <i>Corynebacterium diphtheriae</i> 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	795 425
TMK 350	NUTRIENT BROTH for general cultivation of microorganisms 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	730 445
TMK 332	TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) for detection of microorganisms in blood 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	730 425
TMK 332S	TRYPTONE SOYA BROTH W/ 0.05% SPS for detection of microorganisms in blood 	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	795 445

Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
THTS 001	STERILE SWABS W/0.85% SALINE for propogation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations 	10 No.	680
THTS 011	STERILE SWABS W/0.90% SALINE (NYLON SWAB) for propogation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations 	10 No.	795
THTS 415	TRANSPORT SWABS W/ CARY - BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) for holding clinical specimens during collection, like, <i>Enterobacter aerogenes</i> , <i>Klebsiella pneumoniae</i> , <i>Neisseria meningitidis</i> , <i>Salmonella Typhimurium</i> , <i>Vibrio cholera</i> etc. 	10 No.	735
THTS 715	TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) for transportation of microorganisms from sanitized surface.  	10 No.	735
THTS 341	TRANSPORT SWABS W/ NUTRIENT AGAR for enumeration of Enterobacteriaceae 	10 No.	735
THTS 420	TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM for preservation and transport of <i>Neisseria</i> species and other fastidious organisms, like, <i>Haemophilus influenzae</i> , <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> etc. 	10 No.	735
THTS 456	TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/O CHARCOAL for transportation and preservation of clinical samples like, <i>Neisseria gonorrhoeae</i> , <i>Shigella flexneri</i> , <i>Streptococcus pneumoniae</i> , <i>Salmonella Typhi</i> etc. 	10 No.	735
THTS 009	TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/ CHARCOAL for transportation and preservation of microbiological samples 	10 No.	735
THTS 010	TRANSPORT SWABS W/ BUFFERED PEPTONE SODIUM CHLORIDE 7.0 pH use for transport of specimen  	10 No.	780
THTS 002	TRANSPORT SWABS W/ AMINES MEDIUM (A)  with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat. 	50 No.	3425
THTS 003	TRANSPORT SWABS W/ AMINES MEDIUM (B)  with 1.0ml medium and two swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening. 	50 No.	4955
THTS 004	TRANSPORT SWABS W/ AMINES MEDIUM (C)  with 1.0ml medium and three swabs recommended for collection and transport of aerobic, anaerobic and fastidious organisms from wound, skin and throat and MRSA Screening and multiple body sides. 	50 No.	6500
THTS 005	TRANSPORT SWABS W/ AMINES MEDIUM (D)  with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaerobic and fastidious organisms from nasopharyngeal, paediatric and urogenital 	50 No.	3150
THTS 006	TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NACL  with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from nose, throat, axilla, perneum, groin for MRSA Screening 	50 No.	7255
THTS 007	TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NACL  with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from rectum. 	50 No.	5220
THTS 008	TRANSPORT SWAB W/ SELENITE MEDIUM (A)  with 2.0ml Medium recommended for enrichment of enteric organisms from fecal specimens 	50 No.	3820
THTS 012	TRANSPORT SWAB W/ CARY BLAIR MEDIUM  for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimen. 	50 No.	3820





VIRAL TRANSPORT KIT / UNIVERSAL TRANSPORT KIT

(Safe, Collect, Store, Transport)

Viability and virulence of sample always in check.
Maximizes sample yield and recovery.

Unique Formulation of Medium

- 3 ml is available in flat bottom stand tube to allow for testing flexibility.
- Capture cap on tubes eliminates the need for forceps to remove the swab and reduce the risk of contamination.
- Single formulation sustain viability for viruses, chlamydiae, mycoplasmas and ureaplasma.
- The pH is quenched with Buffer.
- Phenol red is used as a pH indicator ensures that medium is suitable for use at the time of specimen collection
- Already incorporated antibiotics (Vancomycin, Amphotericin B and Colistin) in the medium suppresses bacterial and fungal contamination.



Sterile, Viscose tip swab



Sterile, Nasopharyngeal nylon flocked swab



Sterile, Oropharyngeal nylon flocked swab

Unique of Efficient Design of Swab

Peculiar design of the flocked swab ensures optimum elution of the specimen into the transport medium. Flexible shaft deliver better patient comfort.

Throat swabs are available without breakpoint whereas flocked nylon swab has a breakpoint which allow the swab to be broken in to the tube.

Packed individually in peel/tear to open pouch format.
















Transportation of Sample

To maintain optimum viability, transport the specimen to the laboratory as soon as possible. Best recovery is obtained when specimens are refrigerated at 2-8°C or kept on wet ice following collection and while in transit. If there will be long delay before processing, it is suggested that specimen should be frozen at -70°C.






Storage & Shelf Life

The transport medium should be stored at 15-30°C before sample collection and 2-8°C after sample collection. Use before the expiry date.





Viral Transport Kit

CODE	PRODUCTS	PACK SIZE	PRICE
TMVT 001	VIRAL TRANSPORT KIT (Single Nylon Flocked Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile flocked nylon swab with breakpoint. 	50 nos.	4620
TMVT 002	VIRAL TRANSPORT KIT (with Nasal and Throat Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint. 	50 nos.	4845
TMVT 003	VIRAL TRANSPORT KIT (Double Nylon Flocked Swab) w/3ml viral transport medium in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints. 	50 nos.	5045
TMVT 009	VIRAL TRANSPORT KIT (Single Viscose Swab)  w/3ml viral transport medium in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint 	50 nos.	4450
TMVT 010	VIRAL TRANSPORT KIT (Nylon flocked and Polyester Swab)  w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint. 	50 nos.	4845
TMVT 011	VIRAL TRANSPORT KIT (Single Polyester swab)  w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint. 	50 nos.	4450
TMVT 006	VIRAL TRANSPORT KIT (Nylon Flocked Swab and Viscose Swab)  W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint. 	50 nos.	4845
TMVT 007	VIRAL TRANSPORT KIT (Double Nylon Flocked Swab)  W/ 1.3 ml viral transport medium in 5-10 ml polystyrene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint. 	50 nos.	5045
TMVT 008	VIRAL TRANSPORT KIT (Single Nylon Flocked Swab)  W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint. 	50 nos.	4620










Universal Transport Kit

CODE	PRODUCTS	PACK SIZE	PRICE
TMUT 001	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube and one sterile flocked nylon swab with breakpoint. 	50 nos.	8620
TMUT 002	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nasal and Throat Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint 	50 nos.	8845
TMUT 003	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints. 	50 nos.	9045
TMUT 009	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Viscose swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint 	50 nos.	8450
TMUT 010	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon flocked and Polyester swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint. 	50 nos.	8845

Viral Transport Kit / Universal Transport Kit / Molecular Transport Kit

CODE	PRODUCTS	PACK SIZE	PRICE
TMUT 011	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Polyester swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint. 	50 nos.	8845
TMUT 006	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon Flocked Swab and Viscose Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint. 	50 nos.	10590
TMUT 007	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint 	50 nos.	9045
TMUT 008	UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab) W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint. 	50 nos.	8620

Molecular Transport Kit

CODE	PRODUCTS	PACK SIZE	PRICE
MTM 001	MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab) w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint. 	50 nos.	6620
MTM 002	MOLECULAR TRANSPORT KIT (Nasal and Throat Swab) w/ 3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint 	50 nos.	6845
MTM 003	MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab) w/3ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polystyrene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints. 	50 nos.	7045
MTM 009	MOLECULAR TRANSPORT KIT (Single Viscose Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint. 	50 nos.	6450
MTM 010	MOLECULAR TRANSPORT KIT (Nylon Flocked and Polyester Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint. 	50 nos.	6845
MTM 011	MOLECULAR TRANSPORT KIT (Single Polyester Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint. 	50 nos.	6450
MTM 006	MOLECULAR TRANSPORT KIT (Nasal and Throat Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint. 	50 nos.	6845
MTM 007	MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints. 	50 nos.	7045
MTM 008	MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab) w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint. 	50 nos.	6620

Antibiotic Sensitivity Discs [®]

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 001	AMIKACIN	AK	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 011	CEFOPERAZONE	CS	75 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 003	AMOXICLAV (Amoxicillin / Clavulanic Acid)	AMC	30 mcg (20/10 mcg)	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 012	CEFOTAXIME (CEPHOTAXIME)	CTX	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 004	AMPICILLIN	AMP	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 075	CEFOXITIN	CXN	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 005	AMPICILLIN / SULBACTAM	A/S	20 mcg (10/10 mcg)	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 050	CEFPODOXIME	CPD	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 006	AZITHROMYCIN	AT	15 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 051	CEFPROZIL	CPR	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 046	AZTREONAM	AZT	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 014	CEFTAZIDIME	CAZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 047	CARBENICILLIN	CB	100 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 052	CEFTAZIDIME/ CLAVULANIC ACID	CAC	30/10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 007	CEFACTOR	CF	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 053	CEFTIZOXIME	CZX	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 009	CEFAZOLIN	CZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 013	CEFTRIAZONE	CTR	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 048	CEFDINIR	CDR	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 015	CEFUROXIME	CXM	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 049	CEFEPIME	CPM	30 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750	TBD 016	CEPHALOTHIN	CEP	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 010	CEFIXIME	CFM	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 017	CHLORAMPHENICOL	C	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
						TBD 018	CIPROFLOXACIN	CIP	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625

Antibiotic Sensitivity Discs

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 019	CLARITHROMYCIN	CL	15 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 060	GENTAMICIN	HLG	120 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750
TBD 020	CLINDAMYCIN	CD	2 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 061	IMIPENEM	IPM	10 mcg	1 vl 5 vl	520 2045
TBD 054	COLISTIN (METHANE SULPHATE)	CLM	10 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795	TBD 026	KANAMYCIN	K	30 mcg	5 ct 1 B. set 1 vl 5 vl	405 385 180 730
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole / Trimethoprim)	COT	25 mcg (23.75/ 1.25 mcg)	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 062	LEVOFLOXACIN	LE	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 023	DOXYCYCLINE HCl	DO	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 063	LINEZOLID	LZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 055	ERTAPENEM	ETP	10 mcg	1 vl 5 vl	520 2045	TBD 027	LOMEFLOXACIN	LOM	10 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750
TBD 024	ERYTHROMYCIN	E	15 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 028	MEROPENEM	MR	10 mcg	1 vl 5 vl	520 2045
TBD 056	FAROPENEM	FAR	5 mcg	1 vl 5 vl	585 2310	TBD 064	MINOCYCLINE	MI	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 057	FLUCONAZOLE (Antifungal)	FLC	25 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 065	MOXIFLOXACIN	MO	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 058	GATIFLOXACIN	GAT	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 029	NALIDIXIC ACID	NA	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 059	GEMIFLOXACIN	GEM	5 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750	TBD 030	NETILLIN (Netimicin Sulphate)	NET	30 mcg	5 ct 1 B. set 1 vl 5 vl	405 385 180 730
TBD 025	GENTAMICIN	GEN	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 031	NITROFURANTOIN	NIT	300 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625

Antibiotic Sensitivity Discs *

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 032	NORFLOXACIN	NX	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 070	SPECTINOMYCIN	SPT	100 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 033	OFLOXACIN	OF	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 039	STREPTOMYCIN	S	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 066	OXACILLIN	OX	1 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795	TBD 071	STREPTOMYCIN	HLS	300 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750
TBD 067	PEFLOXACIN	PF	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 072	TEICOPLANIN	TEI	30 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795
TBD 034	PENICILLIN-G	P	10 units	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 040	TETRACYCLINE	TE	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 035	PIPERACILLIN	PC	100 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795	TBD 073	TICARCILLIN	TI	75 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 068	PIPERACILLIN / TAZOBACTUM	PIT	100/10 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795	TBD 041	TICARCILLIN/ CLAVULANIC ACID	TCC	75/2.5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 036	POLYMYXIN-B	PB	300 units	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 042	TOBRAMYCIN	TOB	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	5 ct 1 B. set 1 vl 5 vl	415 395 185 750	TBD 043	TRIMETHOPRIM	TR	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 037	RIFAMPICIN	R	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 044	VANCOMYCIN	VA	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 038	SPARFLOXACIN	SPX	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 074	VORICONAZOLE (Antifungal)	VRC	1 mcg	5 ct 1 B. set 1 vl 5 vl	445 415 195 795

Antibiotic Sensitivity Discs *

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 002	AMOXICILLIN	AX	10 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 008	CEFADROXIL (CEPHADROXIL)	CFR	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625
TBD 045	AMOXICILLIN	AX	30 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625	TBD 021	CLOXACILLIN	CX	5 mcg	5 ct 1 B. set 1 vl 5 vl	350 325 160 625

Antibiotic Sensitivity Discs

Zone Interpretation Criteria as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 001	AMIKACIN <i>Enterobacteriaceae, Paeruginosa</i> <i>Acinetobacter & Staphylococcus</i>	AK	30 mcg	17	15-16	14	19-26	20-26	18-26	-	-	-	-	-	-	-	-	-
TBD 003	AMOXYCLAV (Amoxicillin/clavulanic) <i>Enterobacteriaceae Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i>	AMC	(300 mcg)	18 20	14-17 -	13 19	18-24 -	28-36 -	- -	17-22 -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 004	AMPICILLIN <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i> <i>Enterococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Streptococcus spp. beta haemolytic group</i>	AMP	10 mcg	17 29 17 22 24	14-16 - - 19-21 -	13 28 16 18 -	15-22 - - -	- 27-35 - -	- - - -	6 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
TBD 005	AMPICILLIN/SULBACTAM <i>Enterobacteriaceae, Acinetobacter & Haemophilus influenzae & Haemophilus parainfluenzae</i>	A/S	10/10 mcg	15 20	12-14 -	11 19	19-24 -	29-37 -	- -	13-19 -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 006	AZITHROMYCIN <i>Staphylococcus S.pneumoniae, Streptococcus spp. Viridans group & Streptococcus spp. Beta haemolytic group</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Salmonella Typhi</i>	AZM	15 mcg	18 12 20 13	14-17 - - -	13 - - -	- - - -	21-26 - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	19-25 - - -
TBD 046	AZTREONAM <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>haemophilus influenzae & Haemophilus parainfluenzae</i>	AT	30 mcg	21 22 26	18-20 16-21 -	17 15 -	28-36 -	- 23-29 -	- -	31-38 -	- -	- -	- -	- -	10-16 -	- -	- -	- -
TBD 047	CARBENICILLIN	CB	100 mcg	-	-	-	23-29	-	18-24	-	-	-	-	-	-	-	-	-
TBD 007	CEFACLOR <i>Enterobacteriaceae Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i>	CF	30 mcg	18 20	15-17 17-19	14 16	23-27 -	27-31 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	24-32 -
TBD 009	CEFAZOLIN <i>Enterobacteriaceae</i> <i>Enterobacteriaceae (uncomplicated UTIs)</i> <i>Staphylococcus spp.</i>	CZ	30 mcg	23 15 18	20-22 - 15-17	19 14 14	21-27 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 048	CEFDINIR <i>Enterobacteriaceae Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i>	CDR	5 mcg	20 20	17-19 -	16 -	24-28 -	25-32 -	- -	- -	- -	- -	- -	- -	- -	40-49 -	26-31 -	- -
TBD 048	CEFAPIME <i>Enterobacteriaceae</i> <i>Paeruginosa, Acinetobacter</i> <i>Haemophilus influenzae & haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i> <i>Streptococcus spp. Viridans group</i> <i>Streptococcus spp. beta haemolytic group</i>	CPM	30 mcg	25 18 26 31 24 24	19-24 15-17 - - 22-23 -	18 14 - - 21 -	31-37 -	- 23-29 -	25-31 -	- -	- -	- -	19-24 -	- -	- -	- -	- -	26-31 -
TBD010	CEFIXIME <i>Enterobacteriaceae</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	CFM	5 mcg	19 21 31	16-18 - -	15 - -	20-26 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	16-23 -
TBD 011	CEFOPERAZONE <i>Enterobacteriaceae</i> <i>Staphylococcus spp.</i>	CPZ	75 mcg	21	16-20	15	28-34	24-33	23-29	-	-	-	-	-	-	-	-	-
TBD 012	CEFOTAXIME (CEPHOTAXIME) <i>Enterobacteriaceae</i> <i>Acinetobacter & Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Neisseria gonorrhoeae</i> <i>Streptococcus spp. Viridans group</i> <i>Streptococcus spp. Beta haemolytic group</i>	CTX	30 mcg	26 23 26 34 31 28 24	23-25 15-22 - - - 26-27 -	22 14 - - - 25 -	29-35 -	- 25-31 -	- 18-22 -	- -	- -	- -	- -	- -	- -	- -	- -	17-25 -
TBD 050	CEFDPOXIME <i>Enterobacteriaceae Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	CPD	10 mcg	21 21 29	18-20 - -	17 - -	23-28 -	19-25 -	- -	- -	- -	- -	- -	- -	9-16 -	- -	28-34 -	- -
TBD 051	CEFROZIL <i>Enterobacteriaceae Staphylococcus</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i>	CPR	30 mcg	18	15-17	14	21-27	27-33	-	-	-	-	-	-	20-27	-	-	25-32
TBD 014	CEFTAZIDIME <i>Enterobacteriaceae, B. cepacia</i> <i>Paeruginosa, Acinetobacter & Staphylococcus spp.</i> <i>Haemophilus influenzae & Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	CAZ	30 mcg	21 18 26 31	18-20 15-17 - -	17 14 - -	25-32 -	- 16-20 -	- 22-29 -	- -	- -	- -	- -	- -	10-18 -	- -	- -	- -
TBD 052	CEFTAZIDIME/CLAVULANIC ACID	CAC	30/10 mcg	22	19-21	19	23-29	-	-	-	-	-	-	-	-	-	-	-

Antibiotic Sensitivity Discs

Zone Interpretation Criteria as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)													
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560		
TBD 053	CEFTIZOXIME Enterobacteriaceae Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	CZX	30 mcg	25 26 38	22-24 - -	21 - -	30-36 - -	27-35 - -	12-17 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	28-34 - -	- - -		
TBD 013	CEFTRIAXONE Enterobacteriaceae Paeruginosa, Acientobacter & Staphylococcus spp. Haemophilus influenza & Haemophilus parainfluenzae Neisseria meningitidis Neisseria gonorrhoeae Streptococcus spp. Viridians group Strptococcus spp. Beta haemolytic group	CTR	30 mcg	23 21 26 34 35 27 24	20-22 14-20 - - - 25-26 -	19 13 - - - 24 -	29-35 - - - - - -	- - - - - - -	17-23 - -	- - -	- - -	- - -	- - -	- - -	- - -	16-24 - -	- - -	39-51 - -	30-35 -	
TBD 015	CEFUROXIME Enterobacteriaceae (Parental) Staphylococcus spp. Enterobacteriaceae (Oral) Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae	CXM	30 mcg	18 23 20 31	15-17 15-22 17-19 26-30	14 14 16 25	20-26 - -	27-35 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	
TBD 016	CEFHALOTHIN	CEP	30 mcg	-	-	-	15-21	29-37	-	-	-	-	-	-	-	-	-	26-32	-	
TBD 017	CHLORAMPHENICOL Enterobacteriaceae, Staphylococcus & Enterococcus spp. Haemophilus influenza & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae Streptococcus spp. Viridians group & Streptococcus spp. Beta haemolytic group	C	30 mcg	18 29 26 21 21	13-17 26-28 20-25 -	12 25 19 20 17	21-27 - -	19-26 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	31-40 - -	- - -	23-27 -
TBD 018	CIPROFLOXACIN Enterobacteriaceae other than S.typhi & extraintestinal Salmonella spp., Acientobacter, Staphylococcus & Enterococcus spp. Paeruginosa For S.typhi and extraintestinal Salmonella spp. Haemophilus influenza & Haemophilus parainfluenzae Neisseria meningitidis Neisseria gonorrhoeae	CIP	5 mcg	26 21 25 31 21 35 41	22-25 16-20 19-24 21-30 - 33-34 28-40	21 15 18 20 - 32 27	29-37 -	22-30 -	25-33 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	
TBD 019	CLARITHROMYCIN Staphylococcus spp. Haemophilus influenzae & Haemophilus parainfluenzae S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	CLP	15 mcg	18 13 21	14-17 11-12 17-20	13 10 18	- -	26-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-31	
TBD 020	CLINDAMYCIN Staphylococcus spp. S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	CD	2 mcg	21 19	15-20 16-18	14 15	- -	24-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	19-25		
TBD 054	COLLISTIN (METHANE SULPHONSTE) Paeruginosa	CL	10 mcg	-	-	-	11-17	-	11-17	-	-	-	-	-	-	-	-	-		
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole) Enterobacteriaceae, Acientobacter, B.cepacia, S.maltophilia, staphylococcus, Haemophilus influenza & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae	COT	25 mcg (23.75/ 1.25mcg)	16 30 19	11-15 26-29 16-18	10 25 15	23-29 -	24-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	20-28	
TBD 023	DOXYCYCLINE HCL Enterobacteriaceae Acientobacter Staphylococcus & Enterococcus spp. S.pneumoniae	DO	30 mcg	14 13 16 28	11-13 10-12 13-15 25-27	10 9 12 24	18-24 -	23-29 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-34	
TBD 055	ERTAPENEM Enterobacteriaceae Staphylococcus spp. Neisseria gonorrhoeae	ETP	10 mcg	22 19 19	19-21 16-18 -	18 15 -	29-36 -	- 24-31 -	13-21 -	- -	- -	- -	- -	- -	- -	27-33 -	- -	- -	28-35 -	
TBD 024	ERYTHROMYCIN Staphylococcus & Enterococcus spp. S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	E	15 mcg	23 21	14-22 16-20	13 15	- -	22-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	25-30	
TBD 056	FAROPENEM Enterobacteriaceae	FAR	5 mcg	-	-	-	20-26	27-34	-	-	-	-	15-22	-	-	-	-	27-35		
TBD 058	GATIFLOXACIN Enterobacteriaceae, Paeruginosa, Acientobacter & Enterococcus spp. Staphylococcus spp. Haemophilus influenza & Haemophilus parainfluenzae Neisseria gonorrhoeae S.pneumoniae, Streptococcus spp. Viridians group, Streptococcus spp. Beta haemolytic group	GAT	5 mcg	18 23 18 38 21	15-17 20-22 - 34-37 18-20	14 19 - 33 17	30-37 -	- 27-33 -	20-28 -	- -	- -	- -	- -	- -	- -	- -	45-56 -	- -	24-31	

Antibiotic Sensitivity Discs TM

Zone Interpretation Criteria as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 059	GEMIFLOXACIN <i>Enterobacteriaceae</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>S.pneumoniae</i>	GEM	5 mcg	20 18 23	16-19 - 20-22	15 - 19	29-36 - -	27-33 - -	19-25 - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
TBD 025	GENTAMICIN <i>Enterococcus spp.</i>	HLG	120 mcg	10	7-9	6	-	-	-	-	-	16-23	-	-	-	-	-	-
TBD 060	GENTAMICIN <i>Enterobacteriaceae, Paeruginosa,</i> <i>Acinetobacter & Staphylococcus spp.</i>	GEN	10 mcg	15	13-14	12	19-26	19-27	17-23	-	-	-	-	-	-	-	-	-
TBD 061	IMIPENEM <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae</i> & <i>Haemophilus parainfluenzae</i> <i>Acinetobacter spp.</i>	IPM	10 mcg	23 19 16 22	20-22 16-18 - 19-21	19 15 - 18	26-32 - - -	- - - -	- 20-28 - -	- - -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 026	KANAMYCIN <i>Enterobacteriaceae, Staphylococcus spp.</i>	K	30 mcg	18	14-17	13	17-25	19-26	-	-	-	-	-	-	-	-	-	-
TBD 062	LEVOFLOXACIN <i>Enterobacteriaceae, S.Typhi,</i> <i>Paeruginosa,</i> <i>Acinetobacter spp.</i> <i>S.maltophilia, Enterococcus spp.,</i> <i>S.pneumoniae,</i> <i>Streptococcus spp. Viridians group,</i> <i>Streptococcus spp.</i> <i>Beta haemolytic group</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &</i> <i>Haemophilus parainfluenzae</i>	LE	5 mcg	21 22 17 19 17	17-20 15-21 14-16 16-18 -	16 14 13 15 -	29-37 - - 25-30 -	- - - 25-30 -	- - - - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	20-25 - -
TBD 063	LINEZOLID <i>Staphylococcus spp.</i> <i>Enterococcus spp.</i> <i>Streptococcus group A, B, C & G</i> <i>Corynebacterium spp.</i> <i>S.pneumoniae</i>	LZ	30 mcg	21 23 21	- 21-22 -	20 20 -	- 25-32 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 027	LOMEFLOXACIN <i>Enterobacteriaceae, Paeruginosa &</i> <i>Staphylococcus spp.</i> <i>B.cepacia</i> <i>Haemophilus influenzae &</i> <i>Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	LOM	10 mcg	22 22 38	19-21 - 27-37	18 - 26	27-33 - -	23-29 - -	22-28 - -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 028	MEROPENEM <i>Enterobacteriaceae</i> <i>Paeruginosa</i> <i>Staphylococcus spp.</i> <i>B.cepacia</i> <i>Haemophilus influenzae &</i> <i>Haemophilus parainfluenzae</i> <i>Neisseria meningitidis</i> <i>Acinetobacter spp.</i>	MRP	10 mcg	23 19 16 20 20 30 18	20-22 16-18 14-15 16-19 - - 5-17	19 15 13 15 - - 14	28-35 - - - - - -	- 27-33 - - -	- - - -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 064	MINOCYCLINE <i>Enterobacteriaceae, Acinetobacter</i> <i>B.cepacia, S.maltophilia,</i> <i>Staphylococcus & Enterococcus</i> <i>Neisseria meningitidis</i>	MI	30 mcg	16 19 26	13-15 15-18 -	12 14 -	19-25 - -	25-30 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -
TBD 065	MOXIFLOXACIN <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &</i> <i>Haemophilus parainfluenzae</i> <i>S.pneumoniae</i>	MO	5 mcg	24 18 18	21-23 - 15-17	20 - 14	28-35 - -	28-35 -	17-25 -	- -	- -	- -	- -	31-39	-	-	-	25-31
TBD 029	NALIDIXIC ACID <i>Enterobacteriaceae</i>	NA	30 mcg	19	14-18	13	22-28	-	-	-	-	-	-	-	-	-	-	-
TBD 030	NETILIN (Netimicin Sulphate) <i>Enterobacteriaceae, Paeruginosa</i> <i>Staphylococcus spp.</i>	NET	30 mcg	15	13-14	12	22-30	22-31	17-23	-	-	-	-	-	-	-	-	-
TBD 031	NITROFURANTOIN <i>Enterobacteriaceae, Staphylococcus &</i> <i>Enterococcus spp.</i>	NIT	300 mcg	17	15-16	14	20-25	18-22	-	-	-	-	-	-	-	-	23-29	-
TBD 032	NORFLOXACIN <i>Enterobacteriaceae, Paeruginosa</i> <i>Staphylococcus & Enterococcus</i>	NX	10 mcg	17	13-16	12	28-35	17-28	22-29	-	-	-	-	-	-	-	15-21	-
TBD 033	OFLOXACIN <i>Enterobacteriaceae, Paeruginosa,</i> <i>S.pneumoniae, Streptococcus spp.</i> <i>Viridians group, Streptococcus spp.</i> <i>Beta haemolytic group</i> <i>Staphylococcus spp.</i> <i>Haemophilus influenzae &</i> <i>Haemophilus parainfluenzae</i> <i>Neisseria gonorrhoeae</i>	OF	5 mcg	16 18 16 31	13-15 15-17 - 25-30	12 14 - 24	29-33 - - -	- 24-48 -	17-21 -	- -	- -	- -	- -	- -	- -	- -	- -	16-21 - -
TBD 066	OXLOXACIN <i>Staphylococcus (S.pseudintermedius)</i> <i>S.pneumoniae</i>	OX	1 mcg	18 20	- -	17 -	- -	18-24 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	- -<=12°
TBD 067	PEFLOXACIN <i>Enterobacteriaceae (S.Typhi)</i>	PF	5 mcg	24	-	23	25-33	-	-	-	-	-	-	-	-	-	-	-
TBD 034	PENICILLIN-G <i>Staphylococcus spp.</i> <i>Enterococcus spp.</i> <i>Neisseria gonorrhoeae</i> <i>Streptococcus spp.</i> <i>Beta haemolytic group</i>	P	10 units	29 15 47 24	- - 27-46 -	28 14 26 -	- - - -	26-37 -	- -	- -	- -	- -	- -	- -	- -	- -	26-34 -	- -

Antibiotic Sensitivity Discs TM

Zone Interpretation Criteria as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)										
				SENSITIVE mm or more	INTERMEDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619
TBD 035	PIPERACILLIN <i>Enterobacteriaceae & Acinetobacter spp. Paeruginosa</i>	PI	100 mcg	21 21	18-20 15-20	17 14	24-30 -	- -	- 25-33	12-18 -	- -	- -	- -	- -	- -	- -	- -
TBD 068	PIPERACILLIN/TOZOBACTAM <i>Enterobacteriaceae & Acinetobacter spp. Paeruginosa Haemophilus influenzae & Haemophilus parainfluenzae</i>	PIT	100/10 mcg	21 21	18-20 15-20	17 14	24-30 -	27-36 -	- 25-33	24-30 -	- -	- -	- -	- -	- -	- -	- -
TBD 036	POLYMYXIN-B	PB	300 units	-	-	-	13-19	-	14-18	-	-	-	-	-	-	-	-
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	-	-	-	32-38	20-26	27-33	-	-	-	-	-	-	-	-
TBD 037	RIFAMPICIN <i>Staphylococcus, Enterococcus spp., Haemophilus influenzae & Haemophilus parainfluenzae Neisseria meningitidis S.pneumoniae</i>	RIF	5 mcg	- 20 25 19	- 17-19 29-24 17-18	- 16 19 16	8-10 -	- 26-34 -	- -	- -	- -	- -	22-30 -	- -	- -	- -	- 25-30
TBD 038	SPARFLOXACIN <i>Enterobacteriaceae Staphylococcus, S.pneumoniae</i>	SPX	5 mcg	- 19	- 16-18	- 15	30-38 -	- 27-33	21-29 -	- -	- -	- -	32-40 -	- -	- -	43-51 -	- 21-27
TBD 070	SPECTINOMYCIN <i>Neisseria gonorrhoeae</i>	SPT	100 mcg	18	15-17	14	-	-	-	-	-	-	-	-	23-29	-	-
TBD 039	SPREPTOMYCIN <i>Enterococcus spp.</i>	S	10 mcg	15	12-14	1	12-20	14-22	-	-	-	-	-	-	-	-	-
TBD 071	STREPTOMYCIN <i>Enterobacteriaceae</i>	HLS	300 mcg	15	12-14	11	-	14-22	-	-	-	-	-	-	-	-	-
TBD 072	TEICoplanin <i>Enterococcus spp.</i>	TEI	30 mcg	14	11-13	10	-	15-21	-	-	-	-	-	-	-	-	-
TBD 040	TETRACYCLINE <i>Enterobacteriaceae, Acinetobacter Staphylococcus, Enterococcus & neisseria meningitidis Haemophilus influenzae & Haemophilus parainfluenzae Neisseria gonorrhoeae S.pneumoniae, Streptococcus spp. Beta haemolytic group & Viridians group</i>	TE	30 mcg	15 19 29 38 28 23	12-14 15-18 26-28 31-37 25-27 19-22	11 14 25 30 24 18	18-25 -	- 24-30 -	- -	- -	- -	- -	14-22 -	- -	30-42 -	- 27-31	- -
TBD 073	TICARCLIN	TI	75 mcg	-	-	-	24-30	-	21-27	6	-	-	-	-	-	-	-
TBD 041	TICARCLIN/CLAVULANIC ACID <i>Enterobacteriaceae & Acinetobacter Paeruginosa Staphylococcus spp.</i>	TCC	75/10 mcg	20 24 23	15-19 16-23 -	14 15 22	24-30 -	- 20-28 29-37	- -	21-25 -	- -	- -	- -	- -	- -	- -	- -
TBD 042	TOBRAMYCIN <i>Enterobacteriaceae, Paeruginosa, Acinetobacter & Staphylococcus spp.</i>	TOB	10 mcg	15	13-14	12	18-26	19-29	20-26	-	-	-	-	-	-	-	-
TBD 043	TRIMETHOPRIM <i>Enterobacteriaceae, Staphylococcus</i>	TR	5 mcg	16	11-15	10	19-26	-	-	-	-	-	-	-	-	-	-
TBD 044	VANCOMYCIN <i>Enterococcus spp. S.pneumoniae, Streptococcus spp. Beta haemolytic group & Strptococcus spp. Viridians</i>	VA	30 mcg	- 17 17	- 15-16 -	- 14 -	- -	17-21 -	- -	- -	- -	- -	- -	- -	- -	- -	- 20-27

ZONE SIZE INTERPRETATIVE CHART FOR ANTIFUNGAL AGENT										
CODE	ANTIFUNGAL AGENT	SYMBOL	DISC CONTENT	ZONE DIAMETER, NEAREST WHOLE (mm)			QUALITY CONTROL LIMITS (mm)			
				RESISTANT mm or less	S-DD*	susceptible mm or more	C.albicans ATCC 90028	C.parapsilosis ATCC 22019	C.tropicalis ATCC 750	C.krusei ATCC 6258
TBD 057	FLUCONAZOLE	FLC	25 mcg	14	15-18	19	28-39	22-33	26-37	-
TBD 074	VORICONAZOLE	VRC	1 mcg	13	14-16	17	31-42	28-37	-	16-25

•Zone size interpretative criteria is per as CLSI standard.
 For E.coli, S aureus, P.aeruginosa: Muller Hinton agar (MHA). For Haemophilus spp.: Haemophilus Test Medium;
 For S.pneumoniae: muller Hinton Agar with 5% sheep blood; For N.gonorrhoeae: GC Agar Base with 1% defined growth supplement.

Antibiotic Sensitivity Discs - DODECA Discs

Dodeca discs are ready combinations/antibiograms of 12 discs. These combinations allow for exploring several antibiotics simultaneously, in a single plate.

These are inert flat circular rings having 8 & 4 equidistant arms on the outer & inner periphery, respectively, with a 6mm diameter filter paper disc at the end.


The discs are impregnated with 12 different antibiotics and are located at least 24 mm apart, to reduce the risk of fusion of inhibition zones.

The unique inert material of the ring assists in rapid absorption of the ring, thereby allowing proper diffusion of the antibiotics on to the medium.

The pre-selected combinations of antibiotics can be used for studying antibiotic susceptibility patterns of several infection causing agents.

These discs are to be used in 15mm petri plates (like PP 003/PP 006).

The concentration of antibiotics is as per CLSI (formerly NCCLS) Standard.



General Purpose ➔ NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TDD 001	DODECA UNIVERSAL - I * Cefpodoxime (CPD - 10 mcg), Chloramphenicol (C - 30 mcg), Vancomycin (VA - 30 mcg), Streptomycin (S - 10 mcg), Rifampicin (RIF - 5 mcg), Levofloxacin (LE - 5 mcg), Ceftriaxone (CTR - 30 mcg), Clindamycin (CD - 2 mcg), Augmentin (AMC - 30 mcg), Amikacin (AK - 30 mcg), Cefixime (CFM - 5 mcg), Tetracycline (TE - 30 mcg)	1 Pack	300
TDD 002	DODECA UNIVERSAL - III * Ampicillin (AMP - 10 mcg), Cefuroxime (CXM - 30 mcg), Cefadroxil (CFR - 30 mcg), Augmentin (AMC - 30 mcg), Penicillin (P - 10 units), Cefotaxime (CTX - 30 mcg), Cefaclor (CF - 30 mcg), Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Cefoperazone (CPZ - 75 mcg), Clarithromycin (CLR - 15 mcg), Ciprofloxacin (CIP - 5 mcg)	1 Pack	300
TDD 003	DODECA UNIVERSAL - IX * Ampicillin/ Sulbactam (A/S - 10/10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Amikacin (AK - 30 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Vancomycin (VA - 30 mcg), Ceftriaxone (CTR - 10 mcg), Ceftazidime (CAZ - 30 mcg), Ofloxacin (OF - 5 mcg), Imipenem (IPM - 10 mcg), Cefepime (CPM - 30 mcg)	1 Pack	335
TDD 004	DODECA UNIVERSAL - XIV * Imipenem (IPM - 10 mcg), Amoxycylav (AMC - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefuroxime (CXM - 30 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Doxycycline HCl (DO - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Cefoxitin (CX - 30 mcg)	1 Pack	335

Gram-Positive Organisms ➔ NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TDD 005	DODECA GP-III-PLUS * Penicillin G (P - 10 Unit), Oxacillin (OX - 1 mcg), Erythromycin (E - 15 mcg), Clindamycin (CD - 2 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Tetracycline (TE - 30 mcg), Cefotaxime (CTX - 30 mcg), Chloramphenicol (C - 30 mcg), Gentamicin (GEN - 10 mcg)	1 Pack	300
TDD 006	DODECA GP-IX-PLUS * Penicillin-G (P - 10 Unit), Cefoxitin (CX - 30 mcg), Cefazolin (CZ - 30 mcg), Cefuroxime (CXM - 30 mcg), Teicoplanin (TEI - 30 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Amoxycylav (AMC - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Erythromycin (E - 15 mcg), Co-Trimoxazole (COT - 25 mcg)	1 Pack	325
TDD 007	DODECA Staphylococci-1 * Penicillin-G (P - 10 Unit), Azithromycin (AZM - 15 mcg), Erythromycin (E - 15 mcg), Clarithromycin (CLR - 15 mcg), Linezolid (LZ - 30 mcg), Co-Trimoxazole (COT - 25 mcg), Vancomycin (VA - 30 mcg), Cefoxitin (CX - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Gatifloxacin (GAT - 5 mcg), Ofloxacin (OF - 5 mcg), Clindamycin (CD - 2 mcg)	1 Pack	300
TDD 008	DODECA Enterococcus-1 * Ampicillin (AMP - 10 mcg), Penicillin-G (P - 10 mcg), Linezolid (LZ - 30 mcg), Vancomycin (VA - 30 mcg), Gentamicin (HLG - 120 mcg), Tigecycline (TGC - 15 mcg), Erythromycin (E - 15 mcg), Pristinomycin (RP - 15 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 5 mcg), Fosfomycin (FO - 200 mcg)	1 Pack	315

Antibiotic Sensitivity Discs - DODECA Discs

Gram-Negative Organisms

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TDD 009	DODECA GN-III-MINUS * Ampicillin (AMP - 10 mcg), Cefazolin (CZ - 30 mcg), Cephalothin (CEP - 30 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Cefuroxime (CXM - 30 mcg), Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefoxitin (CX - 30 mcg), Cefotaxime (CTX - 30 mcg), Ciprofloxacin (CIP - 5 mcg)	1 Pack	300
TDD 010	DODECA GN-VIII-MINUS * Ampicillin (AMP - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Ceftazidime (CAZ - 30 mcg), Cefepime (CPM - 30 mcg), Cefpodoxime (CPD - 10 mcg), Gatifloxacin (GAT - 5 mcg), Aztreonam (AT - 30 mcg), Netillin (NET - 30 mcg), Tobramycin (TOB - 10 mcg), Colistin (CL - 10 mcg), Nitrofurantoin (NIT - 300 mcg)	1 Pack	330
TDD 011	DODECA GN-IX MINUS * Ampicillin (AMP - 10 mcg), Co-Trimoxazole (COT - 25 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Cefuroxime (CXM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg), Amoxyclav (AMC - 10 mcg)	1 Pack	335
TDD 012	DODECA GN-XI MINUS * Amikacin (AK - 30 mcg), Amoxicillin/Clavulanic acid (AMC - 30 mcg), Ceftriaxone (CTR - 30 mcg), Cefotaxime (CTX - 30 mcg), Cefepime (CPM - 30 mcg), Doxycycline HCl (DO - 30 mcg), Norfloxacin (NX - 10 mcg), Tobramycin (TOB - 10 mcg), Gentamicin (GEN - 10 mcg), Ampicillin (AMP - 10 mcg), Nitrofurantoin (NIT - 300 mcg), Chloramphenicol (C - 30 mcg)	1 Pack	300
TDD 013	DODECA Enterobacteriaceae-1 * Ampicillin (AMP - 10 mcg), Gentamicin (GEN - 10 mcg), Amikacin (AK - 30 mcg), Ciprofloxacin (CIP - 5 mcg), Ofloxacin (OF - 5 mcg), Co-Trimoxazole (COT - 25 mcg), Amoxyclav (AMC - 30 mcg), Cefuroxime (CXM - 30 mcg), Ceftazidime (CAZ - 30 mcg), Ceftazidime/Clavulanic acid (CAC - 30/10 mcg), Cefepime (CPM - 30 mcg), Imipenem (IPM - 10 mcg)	1 Pack	335

UTI Pathogenic Organisms

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TDD 014	DODECA UTI-V * Carbenicillin (CB - 100 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Norfloxacin (NX - 10 mcg), Lomefloxacin (LOM - 10 mcg), Gatifloxacin (GAT - 5 mcg), Nitrofurantoin (NIT - 300 mcg), Co-Trimoxazole (COT - 25 mcg), Tetracycline (TE - 30 mcg), Netillin (NET - 30 mcg), Ampicillin/Sulbactam (A/S - 10/10 mcg), Ceftizoxime (CZX - 30 mcg)	1 Pack	315

Pseudomonas

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TDD 015	DODECA-PSEUDO-I * Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Ticarcillin (TI - 75 mcg), Piperacillin (PI - 100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Tobramycin (TOB - 10 mcg), Netillin (NET - 30 mcg), Meropenem (MRP - 10 mcg)	1 Pack	335
TDD 016	DODECA PSEUDOMONAS-1 * Ceftazidime (CAZ - 30 mcg), Gentamicin (GEN - 10 mcg), Piperacillin (PI - 100 mcg), Amikacin (AK - 30 mcg), Cefepime (CPM - 30 mcg), Aztreonam (AT - 30 mcg), Cefoperazone (CPZ - 75 mcg), Ciprofloxacin (CIP - 5 mcg), Levofloxacin (LE - 5 mcg), Imipenem (IPM - 10 mcg), Meropenem (MRP - 10 mcg), Piperacillin/Tazobactam (PIT - 100/10 mcg)	1 Pack	375



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmmedia.in

For
Enquiry

Differentiation Discs

CODE	PRODUCT NAME	PACK SIZE
TBL 046	BACITRACIN DISCS for identification of Streptococcus pyogenes	50 Discs/vl
TBL 021	BILE ESCULIN DISCS For detection of esculin hydrolysis in the presence of bile	50 Discs/vl
TBL 022	DMACA INDOLE DISCS For indole testing	50 Discs/vl
TBL 027	NITRATE DISCS Substrate for nitrate reduction	50 Discs/vl

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 028	NITRATE REAGENT DISCS (Double Pack) For detection of nitrate reduction Part I : Discs Part II (a) : Reagent A Part II (b) : Reagent B	50 Discs/vl 2.5 ml/vl 2.5 ml/vl	305
TBL 029	ONPG DISCS Testing for ONPG	50 Discs/vl	305
TBL 030	OXIDASE DISCS For detection of oxidase production by microorganisms	50 Discs/vl	190
TBL 056	STERILE DISCS	50 Discs/vl	115

Differentiation Test Strips

CODE	PRODUCT NAME	PACK SIZE
TBL 023	KOVAC'S REAGENT STRIPS* For indole testing	25 Strips/1 vl

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 024	LEAD ACETATE PAPER STRIPS* For detection of H ₂ S production	25 Strips/1 vl	165

* Storage temperature for all the above mentioned discs is between 2 to 8°C.

* For long storage purposes use, store at (-20°C).



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

**For
Enquiry**

Staining and Indicator Solution

CODE	PRODUCT NAME	PACK SIZE
TBL 041	ACID FAST DECOLOURIZER	125 ml 500 ml
TBL 090	BASIC FUCHSIN 0.1%	125 ml 500 ml
TBL 025	GRAM'S CRYSTAL VIOLET Bacteriological Stain	125 ml 500 ml
TBL 032	GRAM'S DECOLOURIZER	125 ml 500 ml
TBL 034	GRAM'S IODINE Bacteriological Mordant	125 ml 500 ml
TBL 026	GRAM'S SAFRANINE Counter Stain for Bacteria	125 ml 500 ml
TBL 016	GIEMSA'S STAIN SOLUTION	100 ml 500 ml
TBL 008	HAEMATOXYLIN STAIN (Delafield) For nuclear staining in histology and cytology.	125 ml 500 ml
TBL 042	HARRIS HAEMATOXYLIN (Papanicolaou's Solution 1) Cytological Stain	125 ml 500 ml
TBL 053	JSB STAIN SOLUTION NO. 1	125 ml
TBL 054	JSB STAIN SOLUTION NO. 2	125 ml
TBL 033	LACTOPHENOL COTTON BLUE	100 ml 500 ml

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 092	LEISHMAN'S STAIN (Twin Pack)	250 ml 500 ml	230 415
TBL 093	LEISHMAN STAIN SOLUTION	250 ml	260
TBL 051	LITMUS BLUE SOLUTION	125 ml 500 ml	105 335
TBL 052	LITMUS RED SOLUTION	125 ml 500 ml	105 335
TBL 019	LOEFFLER'S METHYLENE BLUE	125 ml 500 ml	150 530
TBL 035	LUGOL'S IODINE	125 ml 500 ml	130 450
TBL 094	NEISSER'S METHYLENE BLUE	100 ml	135
TBL 089	NEUTRAL RED	125 ml	125
TBL 039	PAPANICOLAOU'S-EA-36	125 ml 500 ml	410 1450
TBL 055	PAPANICOLAOU'S EA-50 (Papanicolaous 3b)	125 ml 500 ml	560 1950
TBL 049	PAPANICOLAOU'S EA-65	125 ml 500 ml	560 1950
TBL 038	PAPANICOLAOU'S-OG-6 (Papanicolaou's 2b Orange)	125 ml 500 ml	325 1150
TBL 070	PHENOLPHTHALEIN, 1% w/v	125 ml 500 ml	115 335
TBL 040	STRONG CARBOL FUCHSIN (ZN)	125 ml 500 ml	140 505
TBL 013	UNIVERSAL INDICATOR SOLUTION PH 4-11	125 ml 500 ml	105 210

Readymade Staining Kits

CODE	PRODUCT NAME	PACK SIZE
TK 005	ALBERT'S METACHROMATIC STAIN - KIT i) ALBERT'S STAIN A-125 ml ii) ALBERT'S STAIN B-125 ml	1Kit
TK 003	CAPSULE STAIN - KIT for Bacterial Capsule Staining i) METHYLENE BLUE (AQUEOUS)-125 ml ii) NIGROSIN STAIN-100 ml	1Kit
TK 004	GRAM'S STAIN - KIT Bacteriological Stain i) GRAM'S CRYSTAL VIOLET-125 ml Bacteriological Stain ii) GRAM'S DECOLOURIZER-125 ml Bacteriological Stain iii) GRAM'S IODINE-125 ml Bacteriological Stain iv) GRAM'S SAFRANINE 0.5% w/v-125 ml Counter Stain for Bacteria	1Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TK 002	FIELD'S STAIN - KIT for Malarial Parasite i) FIELD'S STAIN A-125 ml ii) FIELD'S STAIN B-125 ml	1Kit	325
TK 011	PAPANICOLAOU'S STAIN - KIT i) PAPANICOLAOU'S EA-50-125 ml ii) PAPANICOLAOU'S-OG-6-125 ml iii) HARRIS HAEMATOXYLIN-125 ml (Papanicolaou's Solution 1) Cytological Stain	1Kit	1210
TK 009	SCHAEFFER & FULTON'S SPORE STAIN - KIT i) SCHAEFFER & FULTON'S SPORE STAIN A-100 ml ii) SCHAEFFER & FULTON'S SPORE STAIN B-100 ml	1Kit	325
TK 001	ZN ACID FAST STAIN - KIT for Acid Fast Bacteria i) ACID FAST DECOLOURIZER-125 ml ii) STRONG CARBOL FUCHSIN (ZN)-125 ml iii) LOEFFLER'S METHYLENE BLUE-125 ml	1Kit	630

Analytical Reagent


CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TR 002	BARIUM CHLORIDE SOLUTION, 10% w/v	500 ml	105	TR 008	KOVAC'S INDOLE REAGENT	100 ml	180
TR 105	BARRITT REAGENT A (for VP test)	100 ml	290	TR 029	MILLON'S REAGENT (For Protein)	125 ml 500 ml	4000 14000
TR 106	BARRITT REAGENT B (for VP test)	100 ml	130	TR 060	NESSLER'S REAGENT (For detection of Ammonia and Ammonium Salt)	100 ml	160
TR 120	BUTTERFIELD'S PHOSPHATE BUFFERED DILUTION WATER	500 ml	200	TR 113	NESSLER'S REAGENT (For Serum Urea Nitrogen)	100 ml	225
TR 044	C.S.F. DILUTING FLUID	125 ml	90	TR 020	OXIDASE REAGENT	100 ml	400
TS 207	DMACA REAGENT (10 ml/vl)	1 vl	620	TR 114	POTASSIUM CHROMATE, 5% w/v	125 ml	80
TR 107	EDTA (di-Sodium) 5%	125 ml	100	TR 115	POTASSIUM OXALATE, 5% w/v	125 ml	90
TR 108	EOSINE YELLOW STAIN SOLUTION 2% W/V	125 ml 500 ml	90 280	TS 170	PYR REAGENT (10 ml/vl)	1 vl	614
TR 052	FEHLING SOLUTION A	500 ml	265	TR 013	SODIUM CITRATE, 3.8% w/v	500 ml	120
TR 053	FEHLING SOLUTION B	500 ml	395	TR 015	SULPHANILIC ACID 0.8%	100 ml	100
TR 109	FIELD'S STAIN SOLUTION A	125 ml 500 ml	185 650	TR 085	5-SULPHOSALICYLIC ACID 3%	125 ml	160
TR 110	FIELD'S STAIN SOLUTION B	125 ml 500 ml	185 650	TS 208	TDA REAGENT (10 ml/vl)	1 vl	277
TR 111	FOLIN & WU'S PHOSPHATE, MOLYBDATE SOLUTION	100 ml 500 ml	200 450	TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml	280

Standard Solutions

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TR 102	BUFFER Sol. pH 4.0	500 ml	850	TR 028	α-NAPHTHYLAMINE SOLN.	100 ml	265
TR 103	BUFFER Sol. pH 7.0	500 ml	850	TR 070	SILVER NITRATE SOLUTION, 0.1N	500 ml	2100
TR 104	BUFFER Sol. pH 9.2	500 ml	850	TR 071	SILVER NITRATE SOLUTION, 0.05N	500 ml	890
TR 048	EDTA 0.1M (0.2N) VOLUMETRIC SOLUTION	500 ml	270	TR 117	SODIUM HYDROXIDE 1N	500 ml 2.5 ltr	170 450
TR 049	EDTA 0.5M (1N) VOLUMETRIC SOLUTION	500 ml	350	TR 116	SODIUM HYDROXIDE SOLUTION (N/10)	500 ml 2.5 ltr	130 345
TR 118	HYDROCHLORIC ACID 0.1N	500 ml 2.5 ltr	115 320	TR 074	SODIUM THIOSULPHATE, 0.1N	500 ml 1 Ltr	110 210
TR 132	IODINE SOLUTION N/10 (0.1 N)	500 ml	370				
TR 112	McFARLAND STANDARD KIT (Each set contains 1 tube of 0.5, 1, 2, 3, 4 Mcfarland Standard)	1 Nos	640				

CULTURE STRAIN

TM Media is authorized distributor of pure strain of **Freeze dried Discs** of brand **SELECTROL®**. The discs are manufactured exclusively from NCTC (National Collection of Type Cultures) and NCPF (National collection of Pathogenic Fungi) under licence from Public Health England.



Features

- ◀ Guaranteed first generation derivatives from source strain.
- ◀ Discs contain at least 10⁶ at time of purchase.
- ◀ Direct inoculation on surface or establishing liquid culture.
- ◀ Easily storable source of viable organisms with long shelf life.
- ◀ Available in pack of 10 and 25 discs per vial.

Applications

- ◀ Quality control of bacterial growth media.
- ◀ Quality control of antibiotic susceptibility testing, whether by disc diffusion or serial dilution.
- ◀ Screening concentration of antibiotic in blood, serum, CSF and other body fluids.
- ◀ Quality control of antiseptic and disinfectant solutions.
- ◀ Controlling the staining reactions and chemical reactions during the identification of bacteria.

Features

For Agar Plates

Place disc on suitable growth medium

Leave disc for a few minutes to liquify, then spread plate and incubate to produce isolated colonies

For Broth Media

Place disc in a small volume of suitable broth medium such as brain-heart infusion

Allow disc a few minutes to dissolve, then spread aliquot onto a plate of suitable growth medium

Obtain a stock culture

PRECAUTIONS

Warm the vial to ambient temperature before opening.

Be sure to use non-selective culture media to revive the organisms. Whereas for more fastidious organisms, such as anaerobes, it is generally better to use agar rather than broth for revival.

Culture Strain

Freeze-Dried Disc

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCS 001	<i>Aspergillus brasiliensis</i> NCPF 2275	10	POR	TMCS 028	<i>Escherichia coli</i> NCTC 11560	10	POR
TMCS 002	<i>Bacillus cereus</i> (Recently renamed as <i>bacillus toyonensis</i>) NCTC 10320	10	POR	TMCS 029	<i>Escherichia coli</i> NCTC 9001	10	POR
TMCS 003	<i>Bacillus cereus</i> NCTC 7464	10 25	POR POR	TMCS 030	<i>Escherichia coli</i> (mcr-1) NCTC 13846	10	POR
TMCS 004	<i>Bacillus subtilis</i> NCTC 10400	10 25	POR POR	TMCS 031	<i>Escherichia coli</i> 0157 non-toxicogenic NCTC 12900	10	POR
TMCS 005	<i>Bacteroides fragilis</i> NCTC 9343	10	POR	TMCS 032	<i>Haemophilus influenzae</i> NCTC 12699	10	POR
TMCS 006	<i>Burkholderia cepacia</i> NCTC 10661	10	POR	TMCS 033	<i>Haemophilus influenzae</i> NCTC 11931	10	POR
TMCS 007	<i>Camphylobacter jejuni</i> NCTC 11322	10	POR	TMCS 034	<i>Haemophilus influenzae</i> NCTC 8468	10	POR
TMCS 008	<i>Camphylobacter jejuni</i> NCTC 11351	10	POR	TMCS 035	<i>Haemophilus influenzae</i> NCTC 12975	10	POR
TMCS 009	<i>Candida albicans</i> NCPF 3255	10 25	POR POR	TMCS 036	<i>Klebsiella aerogenes</i> / <i>Raoultella planticola</i> NCTC 9528	10	POR
TMCS 010	<i>Candida albicans</i> NCPF 3179	10 25	POR POR	TMCS 037	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13438	10	POR
TMCS 011	<i>Candida krusei</i> NCPF 3953	10	POR	TMCS 038	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13440	10	POR
TMCS 012	<i>Candida parapsilosis</i> NCPF 8334	10	POR	TMCS 039	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13442	10	POR
TMCS 013	<i>Citrobacter freundii</i> NCTC 9750	10	POR	TMCS 040	<i>Klebsiella pneumoniae</i> (CRE) NCTC 13443	10	POR
TMCS 014	<i>Clostridium perfringens</i> NCTC 8237	10	POR	TMCS 041	<i>Klebsiella pneumoniae</i> NCTC 9633	10 25	POR POR
TMCS 015	<i>Clostridium sporogenes</i> NCTC 532	10	POR	TMCS 042	<i>Klebsiella pneumoniae</i> NCTC 13368	10	POR
TMCS 016	<i>Enterobacter aerogenes</i> NCTC 10006	10 25	POR POR	TMCS 043	<i>Lactobacillus brevis</i> NCTC 13386	10	POR
TMCS 017	<i>Enterobacter cloacae</i> NCTC 13380	10	POR	TMCS 044	<i>Legionella anisa</i> NCTC 11974	10	POR
TMCS 018	<i>Enterococcus faecalis</i> NCTC 775	10 25	POR POR	TMCS 045	<i>Legionella pneumophila</i> serogroup 1 NCTC 11192	10	POR
TMCS 019	<i>Enterococcus faecalis</i> NCTC 12697	10 25	POR POR	TMCS 046	<i>Listeria innocua</i> NCTC 11288	10	POR
TMCS 020	<i>Enterococcus faecalis</i> NCTC 13379	10	POR	TMCS 047	<i>Listeria monocytogenes</i> NCTC 7973	10 25	POR POR
TMCS 021	<i>Enterococcus hirae</i> NCTC 13383	10	POR	TMCS 048	<i>Listeria monocytogenes</i> NCTC 13372	10	POR
TMCS 022	<i>Enterobacter cloacae</i> NCTC 13406	10	POR	TMCS 049	<i>Listeria monocytogenes</i> NCTC 11994	10	POR
TMCS 023	<i>Escherichia coli</i> (CRE) NCTC 13476	10	POR	TMCS 050	<i>Listeria monocytogenes</i> NCTC 10527	10	POR
TMCS 024	<i>Escherichia coli</i> NCTC 12241	10 25	POR POR	TMCS 051	<i>Neisseria gonorrhoea</i> NCTC 8375	25	POR
TMCS 025	<i>Escherichia coli</i> NCTC 11954	10 25	POR POR	TMCS 052	<i>Neisseria gonorrhoea</i> NCTC 12700	25	POR
TMCS 026	<i>Escherichia coli</i> NCTC 10418	10 25	POR POR	TMCS 053	<i>Proteus mirabilis</i> NCTC 13376	10	POR
TMCS 027	<i>Escherichia coli</i> NCTC 12923	10 25	POR POR	TMCS 054	<i>Proteus mirabilis</i> NCTC 10975	10	POR

Culture Strain

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCS 055	<i>Proteus mirabilis</i> NCTC 11938	10	POR	TMCS 070	<i>Staphylococcus aureus</i> NCTC 12981	10 25	POR POR
TMCS 056	<i>Proteus vulgaris</i> NCTC 4175	10 25	POR POR	TMCS 071	<i>Staphylococcus aureus</i> NCTC 12973	10 25	POR POR
TMCS 057	<i>Pseudomonas aeruginosa</i> NCTC 12903	10 25	POR POR	TMCS 072	<i>Staphylococcus aureus</i> NCTC 7447	10 25	POR POR
TMCS 058	<i>Pseudomonas aeruginosa</i> NCTC 12924	10 25	POR POR	TMCS 073	<i>Staphylococcus aureus</i> NCTC 10788	10 25	POR POR
TMCS 059	<i>Pseudomonas aeruginosa</i> NCTC 13359	10	POR	TMCS 074	<i>Staphylococcus aureus (MRSA)</i> NCTC 12493	10	POR
TMCS 060	<i>Pseudomonas aeruginosa</i> NCTC 10662	10	POR	TMCS 075	<i>Staphylococcus aureus</i> NCTC 6571	10	POR
TMCS 061	<i>Rhodococcus equi</i> NCTC 1621	10	POR	TMCS 076	<i>Staphylococcus aureus (MRSA)</i> NCTC 13373	10	POR
TMCS 062	<i>Saccharomyces cerevisiae</i> NCPF 3178	10	POR	TMCS 077	<i>Staphylococcus epidermidis</i> NCTC 13360	10 25	POR POR
TMCS 063	<i>Saccharomyces cerevisiae</i> NCTC 10716	10	POR	TMCS 078	<i>Streptococcus agalactiae</i> NCTC 8181	10	POR
TMCS 064	<i>Salmonella enteritidis</i> NCTC 12694	10	POR	TMCS 079	<i>Streptococcus dysgalactiae subsp. Equisimilis</i> NCTC 13762	10	POR
TMCS 065	<i>Salmonella Nottingham</i> NCTC 7832	10	POR	TMCS 080	<i>Streptococcus pneumoniae</i> NCTC 12695	10 25	POR POR
TMCS 066	<i>Salmonella Poona</i> NCTC 4840	10 25	POR POR	TMCS 081	<i>Streptococcus pneumoniae</i> NCTC 12977	10	POR
TMCS 067	<i>Salmonella Typhimurium</i> NCTC 12023	10 25	POR POR	TMCS 082	<i>Streptococcus pyogenes</i> NCTC 12696	10 25	POR POR
TMCS 068	<i>Serratia marcescens</i> NCTC 13382	10	POR	TMCS 083	<i>Vibrio parahaemolyticus</i> NCTC 10885	10	POR
TMCS 069	<i>Shigella sonnei</i> NCTC 12984	10	POR	TMCS 084	<i>Yersinia enterocolitica</i> NCTC 12982	10 25	POR POR



+91-011-71239900



marketing@titanbiotechltd.com





www.tmmedia.in

For
Enquiry




Microbiological Lab Consumables

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
------	--------------	-----------	-----------

ANAEROBIC BOX SYSTEM

TMC 011	ANAEROBIC BOX - L Transparent unbreakable poly box, Size: 28.5cm x 22cm x 11cm Capacity: 7 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 2 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1	16500
TMC 012	ANAEROBIC BOX - L Transparent unbreakable poly box, Size: 19.8cms x 13.7 cms x 9 cms Capacity: 2.5 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 1 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1	10400

ANAEROBIC JAR SYSTEM


TMC 001	ANAEROBIC JAR SYSTEM (3.5 Ltr) POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES, PRESSURE VALVE WITH SEAFTY VALVE & TWO WAY PRESSURE GAUGE, PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK) A system to provide anaerobic environment to bacteria.		1	17500
TMC 001A	POLYCARBONATE JAR (WITH PRESSURE GAUGE) Anaerobic system consists of plastic container (used to place agar plates).		1	9880
TMC 001B	PETRI PLATES CARRIER Stainless Steel Carrier for 10 petri plates.		1	1575
TMC 001C	ANAEROBE INDICATOR TABLET Indicator for detection of anaerobic condition in the jar.		1 x 5 1 x 10	1170 2100
TMC 001D	ANAEROBE GAS PACK * Carbon dioxide generating pack		1 x 5	2800
TMC 013	ANAEROBIC JAR SYSTEM (3.5 Ltr) POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK) A system to provide anaerobic environment to bacteria.		1	12100

SPREADER/INOCULATING LOOP / NEEDLE

SPREADER






TMC 002	L - SHAPED SPREADERS (P.P.) For spreading bacterial samples on agar plates		50 Spreaders 5 X 10 nos.	625
---------	--------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------	--------------------------------	-----

DISPOSABLE LOOPS

TMC 003	STERILE NEEDLE (P. P.) Straight loop, for stabbing into medium		50 Needle 5 X 10 nos.	625
TMC 004	STERILE DISPOSABLE LOOP (P. P.) Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1		50 Loops 5 X 10 nos.	625
TMC 005	STERILE DISPOSABLE LOOP (P. P.) Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10		50 Loops 5 X 10 nos.	625
TMC 006	STERILE NEEDLE LOOP (ABS) Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1		50 Loops 5 X 10 nos.	695
TMC 007	STERILE NEEDLE LOOP (ABS) Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10		50 Loops 5 X 10 nos.	695

Microbiological Lab Consumables

INOCULATING METAL LOOP HOLDER & LOOPS

TMC 008	METAL LOOP HOLDE (WITHOUT LOOP) Size: Length 200 mm		10 Pcs	1560
TMC 009	NICROME LOOP Size: Replacement Dia 2.5 mm loop end, length 50 mm		50 Pcs	1350
TMC 047	NICROME LOOP  Size: Dia 1.3 double wound , calibrated to 1.0µl		50 Pcs	1350
TMC 048	NICROME LOOP  Size: Dia 3 mm, double wound calibrated to 0.06 ml		50 Pcs	1350
TMC 049	NICROME LOOP  Size: Dia 4 mm, double wound calibrated to 0.01 ml		50 Pcs	1350
TMC 050	ASSORTED NICHROME LOOP  Each packet contains 3 pieces of each Nichrome loop having diameter 4 mm (0.01 ml),2.5 mm(0.05ml), 1.3 mm(1µl) and straight wire,double wound		50 Pcs	1350

CULTURE VESSELS AND ACCESSORIES

PETRI PLATES (04IRRADIATED)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
65 mm PETRI PLATES				150 mm PETRI PLATES			
PP 007	STERILE DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear (Gamma Irradiated) Size : 65 mm x 12 mm Pack of 10 Plates	10 x 40	5465	PP 003	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassy and antibacterial sensitivity test. (Gamma Irradiated) Size : 150 mm Diameter x 20 mm Pack of 10 Plates	10 x 10	6105
90 mm PETRI PLATES							
PP 001	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Gamma Irradiated) Size : 90 mm Diameter x 15 mm Individually Packed	1 x 450	5395				
PP 002	STERILE DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Gamma Irradiated) Size : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 30	7135				

PETRI PLATES (Non 04Irradiated)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
65 mm PETRI PLATES				150 mm PETRI PLATES			
PP 008	DISPOSABLE SCORED TOP PETRI PLATES Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room Size : 65 mm x 12 mm Pack of 10 Plates	10 x 40	5095	PP 006	DISPOSABLE PETRI PLATES Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room Size : 150 mm Diameter x 20 mm Pack of 10 Plates	10 x 10	5655

Microbiological Lab Consumables

90 mm PETRI PLATES			
PP 004	DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room Size : 90 mm Diameter x 15 mm Individually Packed	1 x 450	4725
PP 005	DISPOSABLE PETRI PLATES Polystyrene, Optically Clear (Non-Gamma Irradiated), Clean Room Size : 90 mm Diameter x 15 mm Pack of 20 Plates	20 x 30	6240



STAINLESS STEEL PETRI PLATE CARRIER (NON-IRRADIATED) NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 051	PETRI PLATE CARRIER WITH HANDLE Made out of S.S 304, Size: for dia 90mm petri plates for 12 plates	1	3710
TMC 052	PETRI PLATE CARRIER WITH HANDLE Made out of S.S 304, Size: for dia 55mm petri plates for 12 plates	1	3525

DURHAM TUBES NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 053	DURHAM TUBES Neutral glass, autoclave, Length:25mm-27mm, Diameter:6-7mm	1 X 100 No	495

MCCARTNEY BOTTLE NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 032	MCCARTNEY BOTTLE W/ ALUMINIUM CAP Neutral glass, autoclavable	1 X 100 No	3800

DISPOSABLE STERILE BOTTLE NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 054	DISPOSABLE STERILE MEDIA BOTTLES-125 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by γ radiation	1 X 50 No 1 X 100 No	4015 6930
TMC 055	DISPOSABLE STERILE MEDIA BOTTLES-250 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by γ radiation	1 X 50 No 1 X 100 No	4785 8725
TMC 056	DISPOSABLE STERILE MEDIA BOTTLES-500 ML Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by γ radiation	1 X 25 No 1 X 100 No	3410 11320

ENVIRONMENTAL MONITORING AID NEW

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 057	STERILE FLEXI PLATES (PLAIN) WITHOUT MEDIUM	1 X 100 No	2250

Microbiological Lab Consumables

SAMPLING AID



AUTO ANALYSER SAMPLER CUP

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 058	AUTO SAMPLER CUP Suitable for SMART lab system (Transasia), Double wall cup,spherical outside,conical innerside, Capacity: 1 ml	1 X 1000 No	3350

HDM FILTRATION FUNNEL


CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 059	HDM FILTRATION FUNNEL Sterile Disposable cup.Same cup can be autoclaved for further use. 100ml filtration funnel for microbiological testing.	4 X 25 No	5020

SWABS


CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 036	STERILE COTTON SWAB W/ TUBE In Screw capped polypropylene tube, cotton bud w/ polypropylene stick. Size: 75mm, Packed in 12mm diameter tube, Individually packed 	1 X 100 No	1160
TMC 033	STERILE COTTON SWAB W/ TUBE In polypropylene tube,cotton bud w/ polypropylene stick. Size:150 mm, Packed in 12 mm diameter tube, individually packed. 	1 X 100 No	1160
TMC 037	STERILE COTTON SWAB With polypropylene stick Size: 150 mm, individually packed.	1 X 100 No	1300
TMC 038	CLEAN SWAB With polypropylene stick,recommended for surface sampling	1 X 50 No 1 X 100 No	820 1490
TMC 039	STERILE CLEAN SWAB W/ TUBE In Polypropylene tube, Polyester swab w/ polypropylene stick,Recommended for surface sampling, Individually packed	1 X 100 No	2680
TMC 040	CLEAN SWAB With polypropylene stick, Sterile (gamma irradiated), recommended for surface sampling, Individually packed	1 X 100 No	1690
TMC 041	STERILE PURE VISCOSE SWAB With Polypropylene Stick, Size:150 x 2.5mm, Individually packed	1 X 500 No	1425
TMC 035	STERILE PURE VISCOSE SWAB With Polypropylene Stick (gamma irradiated), Size:150 x 2.5mm, Individually packed	1 X 500 No	2220
TMC 034	STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) Recommended for viral transport	1 X 50 No 1 X 100 No 1 X 500 No	3520 6340 28880
TMC 042	STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) (RNAse / DNAse free) Recommended for viral transport	1 X 50 No	3700
TMC 043	STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT Recommended for viral transport.	1 X 50 No 1 X 100 No 1 X 500 No	3520 6340 28880
TMC 044	STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (RNAse / DNAse free) Recommended for viral transport.	1 X 50 No	3700
TMC 045	STERILE POLYESTER TIPPED SWAB Recommended for Tracheal Specimen collection	1 X 50 No 1 X 500 No	950 8700
TMC 046	STERILE POLYESTER SWAB WITH BREAKPOINT (SCORED) Recommended for Tracheal Specimen collection	1 X 50 No	1400

Microbiological Lab Consumables



CRYO PRODUCT

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 060	ICE COLD PACK  Keep colder for a long time. Content non-toxic and safe.	10X100 No	175
		10X200 No	225

MARKER PEN*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 061	MARKER PEN WIDE/NARROW TIP  Permanent glass marking/cutting pen with tungsten carbide tip	10 No	1450






FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 063	FILTRATION FUNNEL (PC)  Dia:47mm, Funnel Capacity: 300ml	1 unit	10500
TMC 064	FILTRATION FUNNEL (PP)  Dia:47mm, Funnel Capacity: 300ml	1 unit	10500



Please check the compatibility of liquid to be used with PC (Poly Carbonate) or PP (Poly Propylene) before ordering.


MEMBRANE FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 065	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE  Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	16350
TMC 066	MEMBRANE FILTRATION FUNNEL W/ MCE GRIDDED MEMBRANE  Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	16350
TMC 067	MEMBRANE FILTRATION FUNNEL W/ CN PLAIN MEMBRANE  Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	16350
TMC 068	MEMBRANE FILTRATION FUNNEL W/ MCE PLAIN MEMBRANE  Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	16350
TMC 069	MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE WITH ABSORBANT PAD  Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	16350



Membrane Filtration funnel is ready to use pre sterilized, individually packed disposable filtration devices to prevent cross-contamination of Samples. These are easy to handle and speed up microbial analysis upto 70% of water as well as product in pharmaceutical beverages and food processing industries.

MANIFOLD SYSTEM

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 070	SS. STERILITY TEST MANIFOLD SYSTEM  Made of Stainless steel 316 Available with 3 stations with PTFE Valve.	1 unit	47500



AUTOCLAVE ACCESSORIES

DISPOSABLE AUTOCLAVE BAGS

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 014	Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, transparent autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1705
		500 nos.	3055
TMC 015	Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1210
		500 nos.	2200
TMC 016	Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	2560
		500 nos.	4595
TMC 017	Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	5500
		500 nos.	10665
TMC 018	Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	13805
		500 nos.	24805
TMC 019	Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	17875
		500 nos.	32010
TMC 020	Red Color Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, red autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1705
		500 nos.	3050
TMC 021	Red Color Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, red autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1210
		500 nos.	2200
TMC 022	Red Color Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, red autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	2560
		500 nos.	4595
TMC 023	Red Color Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, red autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	5500
		500 nos.	10665
TMC 024	Red Color Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, red autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	13805
		500 nos.	24805
TMC 025	Red Color Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, red autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	17875
		500 nos.	32010
TMC 026	Yellow Color Disposable Autoclavable Bags (Size : (H) 11" X (B) 7") Clear, yellow autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1705
		500 nos.	3050
TMC 027	Yellow Color Disposable Autoclavable Bags (Size : (H) 10" X (B) 6") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	1210
		500 nos.	2200
TMC 028	Yellow Color Disposable Autoclavable Bags (Size : (H) 12" X (B) 10") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	2560
		500 nos.	4595
TMC 029	Yellow Color Disposable Autoclavable Bags (Size : (H) 20" X (B) 14") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	5500
		500 nos.	10665
TMC 030	Yellow Color Disposable Autoclavable Bags (Size : (H) 32" X (B) 24") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	13805
		500 nos.	24805
TMC 031	Yellow Color Disposable Autoclavable Bags (Size : (H) 40" X (B) 20") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags, recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.	250 nos.	17875
		500 nos.	32010

TME 001 | Infrared Sterilizer for Inoculation Loops

Most advanced technology with intelligent temperature controller.

Accurate, Reliable and Quick sterilization.

Stainless steel body is safe to use and easy to clean.

Long life and graceful instrument with zero pollution emittance.



Display	LED
Temperature Range (°C)	300-830
Temperature control precision (°C)	10
Temperature control accuracy (°C)	±30
Max. outer diameter of sterilizer items (mm)	13
The total length of heating area (mm)	140
Heating tube	Ceramic
Shell	ABS
Dimensions (LxWxH) (mm)	158x192x290
Weight (Kg)	1.5
Voltage (V)	220V, 50/60Hz
Power (W)	190
Working temperature (°C)	+10-40
Working humidity (%RH)	<80
Storage temperature (°C)	-40-60
Storage humidity (%RH)	10-90

TME 003 | Microbial Air Monitoring System (Air Sampler)

Validated as per BS EN ISO 14698-Part I.

Unique structure avoids recirculation of air.

Inbuilt adaptors for 90mm plates & 55mm plates.

Customize air volume as per requirement.



Nominal Air Flow Rate	100 litres of air per minute
Impact Speed	< 20m/sec
Air Sample Volume	10-9999 liters can be selected and stored in the instrument. Three different volumes can be set
The maximum volume of air per cycle	1000 litres
Plate Size	90 mm & 55 mm
Weight of instrument	2.68 kg
Construction	High quality aviation aluminum
Display	High Brightness LCD display
Battery Pack	Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.

Air Sampler Accessories with TME 003


Product Code	Product Name	Pack Size
TME 003A	Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas	1 unit
TME 003B	Porous Sampling Head and Safety Lid	1 unit
TME 003C	Power Charger	1 unit
TME 003D	Battery	1 unit

TME 004 | Microbial Air Monitoring System (Air Sampler)

Validated as per BS EN ISO 14698-Part I.
 PC connectivity to meet 21 CFR: Part 11 requirements.
 Unique structure avoids recirculation of air.
 Inbuilt adaptors for 90mm and 55mm plates.
 Customize air volume as per requirement.
 Access from distance with infra-red remote control.



Nominal Air Flow Rate	100 litres of air per minute
Impact Speed	< 20m/sec
Air Sample Volume	10-9999 liters can be selected and stored in the instrument. Three different volumes can be set
Maximum Volume of air per cycle	1000 litres
Plate Size	90 mm & 55 mm
Weight of instrument	3 kg
Construction	Anodized aluminum
Accessories	Petri-Plates (2 pcs), Remote, Power Charger, Software disk and cord
Display	High Brightness LCD display
Operating Environment	Temperature: 0-50 °C, Humidity: 10- 90%, Atmospheric Pressure: 80-110kpa, Maximum Dust Concentration: 100,000,000/ m³ @ 0.5 m or 0.2mg/ m³
Battery Pack	Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.



Air Sampler Accessories with TME 004

Product Code	Product Name	Pack Size
TME 004A	Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas	1 unit
TME 004B	Porous Sampling Head and Safety Lid	1 unit
TME 004C	Power Charger	1 unit
TME 004D	Battery	1 unit
TME 004E	Remote	1 unit
TME 004F	Cord	1 unit

BIOLOGICAL AND CHEMICAL INDICATORS

Evident Control Of Sterilization Process

Easy to Use & Interpret the result

Reliable Sensitivity


Accurate Performance

**Certified in accordance with
ISO/IRAM/NS-EN/ANIMAT PM**

Trusted products



" Your Safety, Our commitment"
*(The most trusted partner
for ensuring sterility)*



Biological Indicators*

SPORE STRIPS

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 001	<i>Bacillus atrophaeus</i> 10 ⁶ (formerly <i>Bacillus subtilis</i>) Spore Strips 10 ⁶ (ATCC 93722)	Gas & Dry Heat (ETO)	1 x 100 No.	8800
TBI 004	<i>Geobacillus stearothermophilus</i> 10 ⁶ Spore Strips 10 ⁶ (ATCC 7953)	Steam Sterilization	1 x 100 No.	19000

SPORE AMPOULES

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 006	<i>Geobacillus stearothermophilus</i> 10 ⁶ (Vol. 2ml)	Steam Sterilization	1 x 25 No. 1 x 50 No.	9000 16000
TBI 013	<i>Bacillus subtilis</i> 10 ⁶	Steam Sterilization	1 x 200 No.	125000

SELF-CONTAINED BIOLOGICAL INDICATORS (SCBI)

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 010	<i>Geobacillus stearothermophilus</i> 10 ⁶	Steam Sterilization	1 x 30 No. 1 x 100 No.	10800 32000

SPORE COUPON

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 011	<i>Geobacillus stearothermophilus</i> 10 ⁶	Vaporized Hydrogen Peroxide (H ₂ O ₂) sterilization processes	1 x 100 No.	POR

CULTURE MEDIA

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBIM 001	Culture media Ampoule with pH indicator	Culture Media for Spore Strips & Spore Coupons	1 x 50 No.	POR



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmmedia.in

For
Enquiry

SELF ADHESIVE STERILIZATION INDICATORS FOR RADIATION

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 001	RADIATION CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2000 7500

SELF ADHESIVE STERILIZATION INDICATORS FOR ETHYLENE OXIDE

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 002	ETHYLENE OXIDE (EO) CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2000 7500

STERILIZATION INDICATORS FOR STEAM

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 005	BOWIE & DICK TEST PACK (CLASS 2)	Steam Sterilization Process	1 x 1 Pack 1 x 20 Pack	450 8000
TCI 006	STEAM CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2000 8000
TCI 012	MOVING FRONT INTEGRATOR INDICATOR (CLASS 5)	Steam Sterilization Processes	1 x 250 No.	POR

CHEMICAL INDICATOR TAPE

CODE	PRODUCT NAME	DIMENSIONS	PACK SIZE	PRICE (₹)
TCI 007	SELF ADHESIVE AUTOCLAVE TAPE (CLASS 1)	19mm x 50m	1 1 x 5	750 3150
TCI 008	SELF ADHESIVE ETO TAPE (CLASS 1)	19mm x 50m	1	1950

CHEMICAL INDICATOR TEST STRIP

CODE	PRODUCT NAME	DIMENSIONS	PACK SIZE	PRICE (₹)
TCI 009	DRY HEAT INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.	4000
TCI 010	STEAM INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.	5250

SELF ADHESIVE STERILIZATION INDICATORS FOR VAPORIZED HYDROGEN PEROXIDE (H₂O₂)

CODE	PRODUCT NAME	SPECIFICATION	PACK SIZE	PRICE (₹)
TCI 011	VAPORIZED H ₂ O ₂ STERILIZATION PROCESS INDICATOR (Class 1)	Circular Indicator with Text (15mm)	1 x 1000 No.	POR

Send Us Your Direct Enquiry For Class 5/ Class 6 Steam Chemical Indicators.



PLANT TISSUE CULTURING

Why Tissue Culture is also called Micro propagation in-vitro?

Tissue culture is a technique of growing plant or animal cells, tissues or organ in a sterilized nutrient / culture medium under controlled environmental condition. Plant tissue culture specifically is known as micropropagation because it involves rapid multiplication of small amount of plant material to produce more progeny exactly similar to the mother plant in all aspects.

What are Micro element and Macro element?

Micro element: These elements are required in trace amount ($< 0.5\text{mM}$) for plant growth and development. Microelements that are usually used in plant tissue culturing are: Manganese, Iodine, Copper, Cobalt, Boron, Molybdenum, Iron and Zinc.

Macro element: These elements are present in greater amount ($> 0.5\text{mM}$) for plant growth and development. These element comprises at least 0.1% of dry weight of plants. Macroelements that are usually used in plant tissue culturing: Nitrogen, Phosphorous, Potassium, Magnesium, Calcium and Sulphur.

Which Vitamins are used?

Most frequently used vitamins are Thiamin (B1), Nicotinic Acid, Pyridoxine (B6) and Myo-inositol (Myo-inositol is commonly included in many vitamin stock solution. Although it is a carbohydrate not a vitamin, it has been shown to stimulate growth in certain cell cultures.) Other Vitamins such as Biotin, Folic Acid, Ascorbic Acid, Panthothenic Acid, Vitamin E (Tocopherol), Riboflavin, and p-Aminobenzoic Acid. The requirement for these vitamins by plant cell cultures is generally negligible and they are not considered growth-limiting factors. These vitamins are generally added to the culture medium only when the concentration of Thiamin is below the desired level or when it is desirable to grow cells at very low population densities.

Which concentration of Agar / Gellan gum should be used?

Agar is the most commonly used gelling agent for preparing semisolid and solid plant tissue culture media. The agar concentrations commonly used in plant cell culture media fall in range between 0.5 and 1.0%; these concentrations give a firm gel at the typical pH of plant cell culture media. Another gelling agent commonly used for commercial as well as research purposes is Gellan gum. This product is synthetic and should be used at 1.5-2.5 g/litre, resulting in a clear gel which aids in detecting contamination.

How do Plant Growth Regulators affect plant morphogenesis in culture?

Two plant growth regulators affect plant differentiation:

Auxin: Stimulate root development

Cytokinins: Stimulates shoot development

Generally, the ratio of these two hormones can determine plant development:

Auxin > Cytokinin = Root development
Cytokinin > Auxin = Shoot development
Auxin = Cytokinin = Callus development

Apart from these, Abscisic acid promotes shoot bud regeneration in many species and also improves somatic embryogenesis (SE) maturation. Among 20 gibberellins, GA_3 is exclusively used to promote shoot elongation and somatic embryogenesis germination. Ethylene is associated with controlling fruit ripening.

Plant Tissue Culture Media

What are the in vitro parameters affecting plant growth?

Temperature, photoperiods (light and dark cycles), carbon source, plant growth regulators, macro and micro nutrients, vitamins, water and more.

Why antibiotics are used in plant tissue culture?

Antibiotics are substances produced by certain microorganisms that suppress the growth of other microorganisms and eventually destroy them. Their applications include:

- A. Suppresses bacterial infections in plant cell tissue culture.
- B. Suppresses mold and yeast infections in cell cultures.
- C. Eliminates Agrobacterium species after the transformation of plant tissue.

Why one should go for tissue culture plants?

Tissue Culture plant are qualitative better and disease free, uniform vigorous and fast growing and give better yield. It is possible to multiply plants that are difficult to cutting or other traditional methods.



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

**For
Enquiry**

Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 007	ANDERSON'S RHODODENDRON MEDIUM (W/O Vitamin, Sucrose, Agar) Micro & Macro Element	1.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 480 1950	TP 029	CHU (N6) MEDIUM (W/O Vitamins, Sucrose, Agar) Micro & Macro Element	3.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 425 1580
TP 008	ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Agar & CaCl ₂ W/O IAA & 2iP)	42.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	550 750 3050	TP 030	CHU (N) MEDIUM (With Vitamins, W/O Sucrose, Agar) Micro & Macro Element	4.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 495 1855
TP 082	ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Gelzan CM& CaCl ₂ /W/O IAA & 2iP) for micro propagation of Musa species and Daucus species	35.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	615 980 4105	TP 031	CLC/ IPOMOEA CP MEDIUM (W/O Vitamins) Micro & Macro Element	6.61	5x1 Ltr 1x10 Ltr 1x50 Ltr	315 425 1625
TP 071	BANANA MICROPROPAGATION MEDIUM (W/Vitamins, W/O NH ₄ NO ₃ Sucrose, Agar)	2.58	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 605 2060	TP 032	CLC/ IPOMOEA EP MEDIUM (With Vitamins) Micro & Macro Element	3.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	325 495 1810
TP 072	BANANA MULTIPLICATION MEDIUM (W/ Vitamins, Glucose, Plant growth regulators & Agar) for in vitro multiplication of Musa species	41.5	5x1 Ltr 1x10 Ltr 1x50 Ltr	650 840 3560	TP 078	DATE PALM CALLUS INITIATION MEDIUM (W/ Vitamins, Sucrose, 2,4-D, 2iP, Activated Charcoal, Agar) for in vitro micro propagation of date palm	45.76	5x1 Ltr 1x10 Ltr 1x50 Ltr	590 860 3205
TP 073	BANANA MULTIPLICATION MEDIUM (W/Vitamins, Tryptone, IAA W/O Sucrose, Agar)	4.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 605 2250	TP 033	DE GREEF & JACOBS MEDIUM (W/O. Vitamins) Micro & Macro Element	3.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	315 465 1635
TP 075	BANANA MULTIPLICATION MEDIUM (W/Vitamins, Sucrose, Tryptone, Agar & IAA)	42.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	650 840 3560	TP 034	DE GREEF & JACOBS MEDIUM (With Vitamins) W/O SUCROSE, AGAR	3.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 530 1860
TP 076	BANANA MULTIPLICATION MEDIUM (W/CaCl ₂ Vitamins, Sucrose, Glucose, Ascorbic Acid, IAA, 6-BAP, Agar)	42.47	5x1 Ltr 1x10 Ltr 1x50 Ltr	650 840 3560	TP 035	DKW MEDIUM (W/O Vitamins) Micro & Macro Element	5.48	5x1 Ltr 1x10 Ltr 1x50 Ltr	315 465 1635
TP 077	CARROT CALLUS INITIATION MEDIUM (W/Vitamins, 2,4-D, W/O Sucrose, Agar)	3.21	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 605 2060	TP 036	DKW MEDIUM (With Vitamins)	5.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 530 1855
TP 027	CHEE AND POOL (C2D) VITIS MEDIUM (W/O. Vitamins, Sucrose, Agar) Micro & Macro Element for regeneration and micro propagation of grapevine	4.44	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 450 1550	TP 009	ERIKSSON (ER) MEDIUM (W/O Vitamins, Sucrose & Agar)	4.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	315 530 1855
TP 028	CHEE AND POOL (C2D) VITIS MEDIUM (With Vitamins W/O Sucrose, Agar) Micro & Macro Element	4.49	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 500 1740	TP 010	ERIKSSON (ER) MEDIUM, (With Vitamins, Sucrose W/O Agar)	34.14	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 785 2710
					TP 011	GAMBORG MEDIUM (With Vitamins, Sucrose, CaCl ₂ , W/O IAA, Kinetin & Agar)	23.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	460 690 2255
					TP 017	GAMBORG MEDIUM (W/O Vitamins, Sucrose & Agar)	3.05	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 495 1570
					TP 012	GAMBORG MEDIUM (With Vitamins, Sugar & Agar)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	545 820 2710
					TP 074	GAMBORG'S (VITAMIN 1000X POWDER)	112.0	100 ml	1150

Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 085	GAMBORG B5 MEDIUM (W/CaCl ₂ Vitamins, Agar and Sucrose, W/O IAA & Kinetin)	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	545 820 2710	TP 046	MCCOWN WOODY PLANT MEDIUM (With Vitamins) Micro & Macro Element	2.46	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 635 2540
TP 079	GERBERA MULTIPLICATION MEDIUM (W/ CaCl ₂ Vitamins, Tyrosine, Sucrose, Adenine Sulphate, Agar, W/O IAA & Kinetin)	59.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	375 550 2195	TP 087	MURASHIGE & MILLER MEDIUM (W/ NaH ₂ PO ₄ and Vitamins W/O Sucrose & Agar)	4.69	5x1 Ltr 1x10 Ltr 1x50 Ltr	545 590 1980
TP 037	GRESSHOFF & DOY (DBM2) MEDIUM (W/O Vitamins) Micro & Macro Element	2.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	295 420 1525	TP 047	MURASHIGE & SKOOG MEDIUM (With Vitamins & Folic Acid)	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	495 640 1980
TP 038	GRESSHOFF & DOY (DBM2) MEDIUM (With Vitamins) Micro & Macro Element	2.81	5x1 Ltr 1x10 Ltr 1x50 Ltr	325 495 1775	TP 048	MURASHIGE & SKOOG MEDIUM (With Vitamins & MES Buffer)	5.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	525 640 1980
TP 039	HELLER MEDIUM (W/O Vitamins) Micro & Macro Element	1.66	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 550 1650	TP 001	MURASHIGE & SKOOG MEDIUM (With Vitamins, W/O Sucrose, Agar & Calcium Chloride)	4.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	460 505 2045
TP 090	HOAGLAND NO.2 BASAL SALT MIXTURE	1.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 530 1630	TP 001A	MURASHIGE & SKOOG MEDIUM (With Vitamins & Calcium Chloride W/O Sucrose, Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	460 505 2045
TP 040	KAO & MICHAYLUK MEDIUM (W/O Vitamins) Micro & Macro Element	3.80	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 530 1630	TP 002	MURASHIGE & SKOOG MEDIUM (With Sucrose, & Vitamins, W/O Agar & Calcium Chloride)	34.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	500 650 2350
TP 018	KNUDSON-C ORCHID MEDIUM MOREL MODIFICATION Micro & Macro Element	2.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 550 1695	TP 089	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamin & Sucrose W/O Agar	34.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	500 650 2350
TP 019	KNUDSON-C ORCHID MEDIUM (With Sucrose & Vitamins W/O Agar)	21.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	445 660 2355	TP 060	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose & Agar	41.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 850 3200
TP 086	KNUDSON-C ORCHID MEDIUM, MOREL MODIFICATION (With Sucrose, Vitamins & Agar)	29.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	525 650 2565	TP 088	MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose and Gellan Gum	37.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 850 3200
TP 041	LINDEMANN ORCHID MEDIUM (W/O Vitamins) Micro & Macro Element	2.60	5x1 Ltr 1x10 Ltr 1x50 Ltr	325 465 1625	TP 003	MURASHIGE & SKOOG MEDIUM (With Sucrose, Agar, Vitamins, 6-BAP W/O Calcium Chloride, IAA & Kinetin)	42.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 850 3200
TP 042	LINSMAIER & SKOOG MEDIUM (With Vitamins W/O Sucrose & Agar) Micro & Macro Element	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	460 530 2085	TP 004	MURASHIGE & SKOOG MEDIUM (S.B) (W/O Vitamins and with Calcium Chloride)	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300
TP 043	LITVAY MEDIUM (W/O Vitamins) Micro & Macro with vitamins	4.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 430 1575	TP 006	MURASHIGE & SKOOG MEDIUM (S.B) (W/O Calcium Chloride & Vitamins)	4.60	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300
TP 044	LITVAY MEDIUM (With Vitamins) Micro & Macro Element	5.08	5x1 Ltr 1x10 Ltr 1x50 Ltr	430 550 1850					
TP 045	MCCOWN WOODY PLANT MEDIUM (W/O Vitamins) Micro & Macro Element	2.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 430 1575					

Plant Tissue Culture Media

CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	F. Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 020	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With 1/2 Macronutrient	2.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300	TP 080	ORCHID MAINTENANCE/ REPLATE MEDIUM (W/CaCl ₂ , Vitamins, Sucrose, Peptone, MES, Agar W/O. Activated Charcoal)	33.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 850 3260
TP 021	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) W/O. NH ₄ NO ₃	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300	TP 081	POTATO MICROPROPAGATION MEDIUM (W/CaCl ₂ , Vitamins, IAA, Kinetin, W/O. Sucrose & Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	360 425 1620
TP 022	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) 1/2 x NH ₄ NO ₃ and KNO ₃	2.53	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300	TP 054	QUOIRIN & LEPOIVRE MEDIUM (W/O. Vitamins)	3.28	5x1 Ltr 1x10 Ltr 1x50 Ltr	300 360 1300
TP 023	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With Micro and Macro nutrient W/O. Ammonium Salt	4.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300	TP 055	QUOIRIN & LEPOIVRE MEDIUM (With Vitamins W/O. Sucrose & Agar)	3.41	5x1 Ltr 1x10 Ltr 1x50 Ltr	450 510 1750
TP 024	MURASHIGE & SKOOG MEDIUM (SB) With minimal organics (MSMO)	4.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	305 360 1300	TP 057	RUGINI OLIVE MEDIUM (With Vitamins, W/O Sucrose & Agar) Micro & Macro Element	4.16	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 560 2250
TP 025	MURASHIGE & SKOOG MODIFIED MEDIUM With Calcium Chloride & Gamborg's Vitamins	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	420 505 1785	TP 058	SCHENK & HILDEBRANDT MEDIUM (W/O Vitamins) Micro & Macro with Vitamins	3.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	370 465 1550
TP 026	MURASHIGE & SKOOG MEDIUM Vitamin (1000x)	103.10	100 ml	1150	TP 059	SCHENK & HILDEBRANDT MEDIUM (With Vitamins W/O Sucrose & Agar) Micro & Macro with Vitamins	4.26	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 675 2250
TP 013	NITSCH MEDIUM (With Vitamins, Sucrose & Agar) for anther culture	30.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 650 2550	TP 063	S-MEDIUM (Morel and Wetmore) (With Vitamins, MES Buffer & Sucrose)	13.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	635 760 3045
TP 014	NITSCH MEDIUM (With Vitamins and Sucrose W/O. Agar) Micro & Macro Element	22.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	400 500 1860	TP 070	VACIN & WENT MEDIUM (With Vitamins, Sucrose & Agar)	29.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	455 690 2550
TP 049	NLN MEDIUM Without CaNO ₃ 4HQ Micro & Macro Element	0.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	340 385 1650	TP 069	WEST VACO WU5 MEDIUM (for Embryogenic Culture)	5.22	5x1 Ltr 1x10 Ltr 1x50 Ltr	750 850 2850
TP 050	NLN MEDIUM (With Vitamins) Micro & Macro Element	1.45	5x1 Ltr 1x10 Ltr 1x50 Ltr	735 885 3570	TP 015	WHITE MEDIUM Micro & Macro Element	0.94	5x1 Ltr 1x10 Ltr 1x50 Ltr	450 565 1950
TP 051	ORCHID MAINTENANCE MEDIUM (W/O Vitamins, MES, Sucrose, Tryptone, Charcoal & Agar)	2.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	385 500 1650	TP 016	WHITE MEDIUM (With Vitamins and Sucrose & W/O Agar)	21.06	5x1 Ltr 1x10 Ltr 1x50 Ltr	420 620 2350
TP 052	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose, Tryptone & Charcoal W/O Agar)	27.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 750 2650	TP 084	WOODY PLANT MEDIUM (W/CaCl ₂ , Vitamins, W/O Sucrose, Agar)	2.43	5x1 Ltr 1x10 Ltr 1x50 Ltr	760 1380 4650
TP 053	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose and Tryptone, Charcoal & Agar)	35.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 855 3260	TP 092	WOODY PLANT MEDIUM (W/CaCl ₂ , Vitamins & Sucrose W/O Agar)	22.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	945 1890 7030

Gelzan cm[®] is regd. trademark of CP Kelco USA for Gellan Gum. Gelrite now available in the name of Gelzan cm[®]. Titan Biotech offers Plant Tissue Culture Media as per customer specifications.

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
VITAMINS				AMINO ACID			
561	ADENINE 99% (6 Aminopurine, Vitamin B ₄) CAS 73-24-55 C₅H₅N₅ F. wt. 135.13	5 gm 25 gm 1 Kg	295 1190 30940	1103	L-ALANINE, 99% + Purity CAS 56-41-7 C₃H₇NO₂ F. wt. 89.10	25 gm 100 gm 500 gm	265 725 2910
233	p-AMINOBENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C₇H₇NO₂ F. wt. 137.14	100 gm 500 gm	455 2465	1104	L-ARGININE, 99% + Purity CAS 74-79-3 C₆H₁₄N₄O₂ F. wt. 174.20	25 gm 100 gm 1 Kg	250 785 6990
1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 C₆H₈O₆ F. wt. 176.12	100 gm 500 gm	545 2375	1106	L-ASPARAGINE, 99% + Purity (Mono) CAS 5794-13-8 C₄H₈N₂O₃.H₂O F. wt. 150.14	25 gm 100 gm 500 gm	335 910 3895
1709	D(+)-BIOTIN (Vitamin H) * CAS 58-85-5 C₁₀H₁₆N₂O₃S F. wt. 244.31	1 gm 10 gm 25 gm	595 4835 10710	1108	L-ASPARTIC ACID, 99% + Purity CAS 56-84-8 C₄H₇NO₄ F. wt. 294.3	25 gm 100 gm 500 gm	105 375 1600
1701	CALCIUM-D-PANTOTHENATE (VITAMIN B₅) * CAS 137-08-6 C₁₈H₃₂CaN₂O₁₀ F. wt. 476.53	25 gm 100 gm 1 Kg	835 2760 24015	1138	L-CYSTEINE, 99% + Crystalline CAS 52-90-4 C₃H₇NO₂S F. wt. 121.17	5 gm 25 gm 100 gm	130 365 1210
335	FOLIC ACID (Vitamin B₉) * (Pterogl-L-glutamic acid) CAS 59-30-3 C₁₉H₁₉N₇O₆ F. wt. 441.40	5 gm 25 gm	240 600	1139	L-CYSTEINE HCl (Mono) 99% + Purity CAS 7048-04-6 C₃H₈CINO₂.S.H₂O F. wt. 175.63	25 gm 100 gm 1 Kg 25 Kg	265 945 5330 POR
3151	HYPOXANTHINE CAS 68-94-0 C₅H₄N₄O F. Wt. 136.112	5 gm 100 gm	410 3350	1140	L-CYSTINE, 99% + CRYSTALLINE (Free Base) CAS 56-89-3 C₆H₁₂N₂O₄S₂ F. Wt. 240.3	25 gm 100 gm 1 Kg	290 970 9070
604	INOSITOL (Meso-Inositol) CAS 87-89-8 C₆H₁₂O₆ F. wt. 180.2	25 gm 100 gm 1 Kg	305 830 7350	1111	L-GLUTAMIC ACID CAS 56-86-0 C₅H₉NO₄ F. wt. 147.13	100 gm 500 gm 25 kg	1340 5380 POR
685	NICOTINAMIDE (Niacinamide) (Vitamin PP) CAS 98-92-0 C₆H₆N₂O F. wt. 122.1	25 gm 100 gm 1 Kg	115 360 2855	1114	L-GLUTAMINE, 99% + Crystalline CAS 56-85-9 C₅H₁₀N₂O₃ F. Wt. 146.14	25 gm 100 gm 500 gm	330 1030 5045
759	NICOTINIC ACID (Niacin) (Vitamin B ₃) CAS 59-67-6 C₆H₆NO₂ F. wt. 123.1	25 gm 100 gm 1 Kg	155 330 2865	757	GLUTATHIONE (Reduced) CAS 70-18-8 C₁₀H₁₂N₃O₆S F. wt. 307.32	1 gm 5 gm 25 gm	340 1500 5215
4238	PYRROLOQUINOLINE QUINONE) CAS : 7290-34-3 C₁₄H₆N₂O₈ F. wt. 330.21	100 gm 500 gm	4500 19500	1109	GLYCINE, 99% + Purity, AR GRADE CAS 56-40-6 C₂H₅NO₂ F. wt. 75.07	100 gm 500 gm 5 Kg	250 840 7270
4239	PYRROLOQUINOLINE QUINONE DISODIUM CAS : 122 628-50-6 C₁₄H₄NA₂O₈ F. wt. 347.17	100 gm 500 gm	4500 19500	1115	L-HISTIDINE, 99% + Crystalline CAS 71-00-1 C₆H₉N₃O₂ F. wt. 155.15	25 gm 500 gm	860 12655
1705	PYRIDOXINE HCl (Vitamin B ₆) CAS 58-56-0 C₈H₁₁NO₃.HCl F. wt. 205.64	10 gm 25 gm 100 gm	185 465 1730	1119	L-ISOLEUCINE, 99% + Crystalline CAS 73-32-5 C₆H₁₃NO₂ F. wt. 131.17	5 gm 25 gm	130 450
1703	RIBOFLAVINE (Vitamin B ₂ , Vitamin G) CAS 83-88-5 C₁₇H₂₀N₄O₆ F. wt. 376.36	10 gm 25 gm 100 gm	290 695 2645	1121	L-LEUCINE, 99% + Crystalline CAS 61-90-5 C₆H₁₃NO₂ F. wt. 131.17	25 gm 100 gm 500 gm	290 860 4310
1702	THIAMINE HCl (Vitamin B ₁) CAS 67-03-8 C₁₂H₁₇CIN₄OS.HC F. wt. 337.27	25 gm 100 gm 500 gm	700 2485 11665	1122	L-LYSINE MONO HCl, 99% + Crystalline CAS 657-27-2 C₆H₁₄N₂O₂.HCl F. wt. 182.65	100 gm 500 gm	380 1295
1701	VITAMIN B₅ (Calcium-D-pantothenate) CAS 137-08-6 C₁₈H₃₂CaN₂O₁₀ F. wt. 476.53	25 gm 100 gm	835 2760	1123	L-METHIONINE, 99% + Crystalline CAS 63-68-3 C₅H₁₁NO₂S F. wt. 149.21	25 gm 100 gm 500 gm	290 1055 5160
1704	VITAMIN B₁₂ (Cyanocobalamin) CAS 68-19-9 C₆₃H₈₈CoN₁₄O₁₄P F. wt. 1355.38	1 gm 10 gm	2700 23335	1125	L-ORNITHINE MONO HCl, 99% + Crystalline CAS 3184-13-2 C₅H₁₂N₂O₂.HCl F. Wt. 168.62	25 gm 100 gm 500 gm	650 2285 10170

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1127	L-PHENYLALANINE, 99%+ Crystalline CAS 63-91-2 $C_9H_{11}NO_2$ F. wt. 165.2	25 gm 100 gm 500 gm	305 915 3395	328	ETHYLENE DIAMINE TETRAACETIC ACID DISODIUM SALT, AR GRADE CAS 6381-92-6 $C_{10}H_{14}N_2O_8FeNa_2 \cdot 2H_2O$ F. wt. 372.2	100 gm 500 gm 5 kg	240 915 7430
1128	L-PROLINE, 99%+ Crystalline CAS 147-85-3 $C_5H_9NO_2$ F. wt. 115.13	5 gm 25 gm 500 gm	110 370 4935	330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 $C_{12}H_{22}FeN_3O_{14}$ F. Wt. 488.16	500 gm 5 Kg	485 4330
1130	L-SERINE, 99%+ Crystalline CAS 56-45-1 $C_3H_7NO_3$ F. wt. 105.09	10 gm 25 gm 1 Kg	280 670 20130	4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC SODIUM COMPLEX CAS 84539-55-9 $C_{18}H_{18}FeN_2NaO_6$ F. Wt. 437.19	25 gm 100 gm	1995 4465
956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 $C_2H_7NO_3S$ F. wt. 125.15	25 gm 100 gm	440 1315	756	FERRIC CITRATE, (Mono) CAS 2338-05-8 $C_6H_5FeO_7$ F. Wt. 244.94	500 gm	1040
1131	L-THREONINE, 99%+ Crystalline CAS 72-19-5 $C_4H_9NO_3$ F. wt. 119.12	5 gm 25 gm 500 gm	155 610 9030	514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 $FeSO_4 \cdot 7H_2O$ F. wt. 278.01	500 gm	335
1134	L-TRYPHOPHAN, 99% Crystalline CAS 73-22-3 $C_{11}H_{12}N_2O_2$ F. wt. 204.23	5 gm 25 gm 500 gm	230 780 11745	704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 $MnCl_2 \cdot 4H_2O$ F. Wt. 197.91	500 gm	455
1135	L-TYROSINE, 99+ Crystalline CAS 60-18-4 $C_9H_9NO_3$ F. wt. 181.19	25 gm 100 gm 500 gm	280 915 4255	703	MANGANESE (II) SULPHATE (Mono), AR GRADE CAS 10034-96-5 $MnSO_4 \cdot H_2O$ F. wt. 169.02	500 gm	610
674	URACIL CAS 66-22-8 $C_4H_4N_2O_2$ F. wt. 112.09	5 gm 25 gm	85 385	2131	NICKEL CHLORIDE (Hexa), EXTRA PURE CAS 7791-20-0 $NiCl_2 \cdot 6H_2O$ F. wt. 237.69	500 gm	1470
1137	L-VALINE, 99% Crystalline CAS 72-18-4 $C_6H_{11}NO_2$ F. wt. 117.15	25 gm 100 gm	305 965	394	POTASSIUM IODIDE, EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm	1240 5615
MICRONUTRIENTS				924	SODIUM CHLORIDE CAS 7647-14-5 NaCl F. wt. 58.44	500 gm 5 Kg	910 7875
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 $(NH_4)_6Mo_7O_{24} \cdot 4H_2O$ F. wt. 1235.86	100 gm 500 gm 25 Kg	895 3780 POR	449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 $Na_2MoO_4 \cdot 2H_2O$ F. Wt. 241.95	100 gm 500 gm	655 2590
282	BORIC ACID, AR GRADE CAS 10043-35-3 H_3Bo_3 F. wt. 61.83	500 gm 5 Kg	390 3550	469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 $Na_2S_2O_3 \cdot 5H_2O$ F. Wt. 248.18	500 gm 5 Kg	215 1765
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 $Co(NO_3)_2 \cdot 6H_2O$ F. Wt. 291.03	100 gm 500 gm	650 2375	2325	STRONTIUM NITRATE, (ANH.), EXTRA PURE CAS 10042-76-9 $Sr(NO_3)_2$ F. Wt. 211.63	500 gm	430
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 $CoSO_4 \cdot 7H_2O$ F. Wt. 281.10	100 gm 500 gm	580 2700	3508	ZINC SULPHATE (Hepta), AR GRADE CAS 7446-20-0 $ZnSO_4 \cdot 7H_2O$ F. wt. 287.55	500 gm 5 Kg	460 4365
320	CUPRIC SULPHATE (Penta), AR GRADE CAS 7758-99-8 $CuSO_4 \cdot 5H_2O$ F. wt. 249.68	500 gm	630				
973	ETHYLENE DIAMINE TETRAACETIC ACID FERRIC-MONO SODIUM, EXTRA PURE CAS 15708-41-5 $C_{10}H_{12}N_2O_8FeNa$ F. wt. 367	100 gm 500 gm	230 815				

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
MACRONUTRIENTS							
242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH_4Cl F. wt. 53.49	500 gm 5 Kg	300 2885	218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K_2HPO_4 F. Wt. 174.17	500 gm 5 Kg	735 5125
256	AMMONIUM DIHYDROGEN PHOSPHATE, AR GRADE CAS 7722-76-1 $\text{NH}_4\text{H}_2\text{PO}_4$ F. wt. 115.02	500 gm	465	220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7778-77-0 KH_2PO_4 F. Wt. 329.25	500 gm 5 Kg	610 5710
238	AMMONIUM HYDROGEN CARBONATE, AR GRADE CAS 1066-33-7 CH_3NO_3 F. wt. 79.056	500 gm	210	511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. wt. 56.11	500 gm 5 Kg	520 3730
246	AMMONIUM MOLYBDATE (Tetra), AR GRADE CAS 12054-85-2 $(\text{NH}_4)_6\text{MO}_7\text{O}_{24}\cdot 4\text{H}_2\text{O}$ F. wt. 1235.86	100 gm 500 gm	1025 4160	634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. wt. 166.0	100 gm 500 gm	1405 5780
258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 $(\text{NH}_4)_2\text{SO}_4$ F. wt. 132.16	500 gm 5 Kg	225 1850	761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO_3 F. Wt. 101.10	500 gm 5 Kg	300 2110
289	CALCIUM CARBONATE (Precipitated), (ANH.), AR GRADE CAS 471-34-1 CaCO_3 F. wt. 100.09	500 gm	295	407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K_2SO_4 F. wt. 101.1	500 gm	365
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 $\text{CaCl}_2\cdot 2\text{H}_2\text{O}$ F. wt. 147.02	500 gm	390	763	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 $\text{NaH}_2\text{PO}_4\cdot 2\text{H}_2\text{O}$ F. Wt. 156.01	500 gm 5 Kg	370 3880
828	CALCIUM CITRATE (Tetra) CAS 5785-44-4 $\text{C}_{12}\text{H}_{10}\text{Ca}_3\text{O}_{14}\cdot 4(\text{H}_2\text{O})$ F. wt. 570.50	500 gm	485	451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO_3 F. wt. 85.0	500 gm	410
160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 $\text{CaH}_8\text{N}_2\text{O}_{10}$ F. wt. 236.15	500 gm 5 Kg	265 2430	ANTIBIOTIC POWDER			
163	tril-CALCIUM PHOSPHATE, EXTRA PURE CAS 7758-87-4 $\text{Ca}_3(\text{PO}_4)_2$ F. wt. 310.2	500 gm 5 Kg	320 2990	3300	ACETYLSALICYLIC ACID (Aspirin, 2-Acetoxybenzoic Acid) CAS 50-78-2 $\text{C}_9\text{H}_8\text{O}_4$ F. wt. 180.15	500 gm	760
614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 $\text{MgCl}_2\cdot 6\text{H}_2\text{O}$ F. wt. 203.3	500 gm 5 Kg	265 1960	573	ACTIDIONE (Cycloheximide), AR GRADE	1 gm 5 gm	2505 11950
357	MAGNESIUM NITRATE, (Hexa), EXTRA PURE CAS 13446-18-9 $\text{Mg}(\text{NO}_3)_2\cdot 6\text{H}_2\text{O}$ F. Wt. 256.41	500 gm	350	2028	AMOXYCILLIN (Trihydrate) * CAS 61336-70-7 $\text{C}_{16}\text{H}_{25}\text{N}_3\text{O}_8\text{S}$ F. wt. 419.5	1 gm	245
359	MAGNESIUM SULPHATE (Hepta), AR GRADE CAS 10034-99-8 $\text{MgSO}_4\cdot 7\text{H}_2\text{O}$ F. wt. 246.48	500 gm 5 Kg	280 1800	3078	AMPHOTERICIN B * CAS 1397-89-3 $\text{C}_{47}\text{H}_{79}\text{NO}_{17}$ F. wt. 924.1	1 gm 5 gm	1290 3200
386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl F. wt. 74.55	500 gm 5 Kg	340 3045	2007	AMPICILLIN SODIUM * CAS 69-52-3 $\text{C}_{16}\text{H}_{18}\text{N}_3\text{NaO}_4\text{S}$ F. wt. 371.4	1 gm 10 gm	295 2355
				4002	AUGMENTIN (Amoxicillin : clavulanic acid potassium 5:1)	1 gm	1465
				4228	CARBENDAZIM CAS 10605-21-7 $\text{C}_9\text{H}_9\text{N}_3\text{O}_2$ F. Wt. 191.19	1 gm 5 gm 25 gm	2400 9850 15400

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3314	CARBENICILLIN DISODIUM * CAS 4800-94-6 $C_{17}H_{16}N_2Na_2O_6S$ F. wt. 422.4	1 gm	1065	4209	METRONIDAZOLE CAS 443-48-1 $C_6H_8N_4O_3$ F. wt. 171.2	1 gm	5750
2016	CEFOTAXIME SODIUM * CAS 64485-93-4 $C_{16}H_{16}N_5NaO_7S_2$ F. wt. 477.4	1 gm 5 gm	1020 4310	4210	MINOCYCLINE HCL CAS 10118-90-8 $C_{23}H_{27}N_3O_7$ F. wt. 457.47	100 mg 1 gm	4740 24750
2012	CEPHALEXIN (Mono) * CAS 23325-78-2 $C_{16}H_{17}N_3O_4S.H_2O$ F. wt. 365.4	1 gm	1555	1713	NALIDIXIC ACID * CAS 389-08-2 $C_{12}H_{12}N_2O_3$ F. wt. 232.2	1 gm 5 gm	290 1215
2017	CHLORAMPHENICOL * CAS 56-75-7 $C_{11}H_{12}Cl_2N_2O_5$ F. wt. 323.1	5 gm 25 gm	800 3890	2003	NEOMYCIN SULPHATE CAS 1405-10-3 $C_{23}H_{46}N_6O_{13}.3H_2SO_4$ F. wt. 908.9 (Store at 2 - 8°C)	5 gm	235
4004	CLINDAMYCIN HCL CAS 18323-44-9 $C_{18}H_{33}ClN_2O_5.S.HCl$ F. wt. 424.98 g/mole	5 gm	3335	2463	NYSTATINE (10,00,000 u/vl) * CAS 1400-61-9 $C_{47}H_{75}NO_{17}$ F. wt. 926.10	1 vl	550
4207	D-CYCLOSERINE CAS 68-41-7 $C_9H_6N_2O_2$ F. wt. 102.09	1 gm	2650	2004	OXYTETRACYCLINE HCl * CAS 2058-46-0 $C_{22}H_{24}N_2O_9.HCl$ F. wt. 496.9	1 gm	420
1805	COLCHICINE CAS 64-86-8 $C_{22}H_{25}NO_6$ F. wt. 399.4 (Store at room temp.)	1 gm 10 gm	1680 15750	4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 $C_{23}H_{47}N_5O_{18}.S$ F. Wt. 713.71	1 gm 5 gm	3400 15500
2020	COLISTIN SULPHATE SODIUM (2,50,000/VL) * CAS 1264-72-8	1 vl	4755	2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$	1 vl 5 vl	555 2470
4208	DICAMBA CAS 1918-00-9 $C_8H_6Cl_2O_3$ F. wt. 221.04	100 mg 1 gm	4840 43600	3393	PENICILLIN BENZYL SODIUM (PENCILLIN-G) CAS 69-57-8 $C_{16}H_{17}N_2NaO_4S(1MU/vl)$ F. wt. 356.35	1 vl	300
3539	DOXYCYCLINE HCl CAS 10592-13-9 $C_{22}H_{24}N_2O_8.HCl$ F. wt. 480.89	1 gm	440	2200	RIFAMPICIN CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm	540
2023	ERYTHROMYCIN CAS 114-07-8 $C_{37}H_{67}NO_{13}$ F. wt. 733.9	1 gm	340	2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7.(H_2SO_4)_3$	5 gm 25 gm	665 2620
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 $C_{20}H_{40}N_4O_{10}$ F. wt. 692.70	500 mg 1 gm	3110 6205	3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_5O_3S$	5 gm 25 gm	235 870
2025	GENTAMYCIN SULPHATE * CAS 1405-41-0 $C_{21}H_{43}N_5O_7.H_7SO_4$ F. wt. 575.67	1 gm 5 gm	660 2995	070	TETRACYCLINE CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. wt. 444.43	5 gm	570
3357	HYGROMYCIN B CAS 31282-04-9 $C_{20}H_{37}N_3O_{13}$ F. wt. 527.60	100 mg 1 gm	3200 12650	478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	14580 54000
2035	KANAMYCIN SULPHATE (Mono) * CAS 29701-07-3 $C_{18}H_{37}N_5O_{10}.H_2O.S$ F. wt. 581.68	1 gm 5 gm	630 2220	071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	500 mg	665
2026	LINCOMYCIN HCl (Mono) * (10,00000 Unit/vl) CAS 7179-49-9 $C_{18}H_{37}ClN_2O_7S$ F. wt. 461.01	1 vl	1225	3441	TICARCILLIN SODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	1 gm 5 gm 25 gm	2000 8935 35735

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2031	TRIMETHOPRIM CAS 738-70-5 C ₁₄ H ₁₈ N ₄ O ₃ F. wt. 290.3	5 gm	690	4213	2, 8 HOMO BRASSINOLIDE CAS 80483-89-2 C ₂₉ H ₅₀ O ₆ F. wt. 494.70	10 mg 100 mg	3000 10500
072	TOBRAMYCIN SULPHATE CAS 49842-07-1 C ₁₈ H ₃₇ N ₅ O ₉ F. wt. 567.51	100 mg	935	606	INDOLE-3-ACETIC ACID (3-Indoleacetic acid, IAA) CAS 87-51-4 C ₁₀ H ₉ NO ₂ F. wt. 175.18 (Store at 2 - 15°C)	5 gm 25 gm 100 gm 1 Kg	380 1230 4365 30745
4211	VALIDAMYCINE CAS 37248-47-8 C ₂₀ H ₃₅ NO ₁₃ F. wt. 497.49	1 gm	5850	606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 C ₁₀ H ₈ KNO ₂ F. Wt. 213.27	25 gm 100 gm 1 kg	1200 3280 27500
2032	VANCOMYCIN HCl CAS 1404-93-9 C ₆₆ H ₇₅ Cl ₂ N ₉ O ₂₄ .HCl F. wt. 1485.7	500 mg	3155	607	INDOLE-3-BUTYRIC ACID * (3-Indolebutyric acid, IBA) CAS 133-32-4 C ₁₂ H ₁₃ NO ₂ F. wt. 203.33	5 gm 25 gm 100 gm 1 Kg	460 1565 4920 34790
PLANT GROWTH REGULATORS				607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C ₁₂ H ₁₂ KNO ₂ F. Wt. 241.33	25 gm 100 gm 1 kg	1530 4700 34650
3051	ABSCISIC ACID (ABA) CAS 21293-29-8 C ₁₅ H ₂₀ O ₄ F. wt. 264.3	100 mg 500 mg 1 gm	4000 18900 33300	4215	N ⁶ -(2-ISOPENTENYL)ADENINE; (ZIP) [6-(g-g-Dimethylallylamino)purine] CAS 2365-40-4 C ₁₀ H ₁₃ N ₅ F. wt. 203.24	1 gm 5 gm	14500 64200
4240	ACETOSYRINGONE CAS : 2478-38-8 C ₁₀ H ₁₂ O ₄ F. wt. 196.2	1 gm 5 gm	1990 9350	863	KINETIN (6-Furfurylamino)purine * CAS 525-79-1 C ₁₀ H ₉ N ₅ O F. wt. 215.21	1 gm 5 gm	255 1255
562	ADENINE SULPHATE (Dihydrate) (6 Aminopurine Sulphate) CAS 321-30-2 C ₁₀ H ₁₂ N ₁₀ O ₄ S F. wt. 368.34	10 gm 100 gm	685 6260	4214	meta-TOPOLINE CAS 75737-38-1 C ₁₂ H ₁₀ N ₃ OH F. wt. 241.25	25 mg 100 mg	2215 7910
4241	5-AMINOLEVULINIC ACID * CAS : C5H9NO3 C ₅ H ₉ NO ₃ F. wt. 131.12	1 gm 5 gm	21700 65700	2122	α-NAPHTHALENE ACETIC ACID CAS 86-87-3 C ₁₂ H ₁₀ O ₂ F. wt. 186.21	25 gm 100 gm 500 gm 25 kg	185 580 2595 POR
2565	p-CHLOROPHOXY ACETIC ACID (4 CPA) CAS 122-88-3 C ₈ H ₇ ClO ₃ F. wt. 186.6	25 gm	1975	2122A	α-NAPHTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 C ₁₂ H ₉ O ₂ K F. Wt. 224.30	25 gm 100 gm 1 Kg	210 655 5670
4242	DAMINOZIDE CAS : 1596-84-5 C ₆ H ₁₂ N ₂ O ₃ F. wt. 160.17	5 gm	2500	3565	β-NAPHTHOXY ACETIC ACID CAS 120-23-0 C ₁₂ H ₁₀ O ₃ F. wt. 202.21	25 gm 100 gm	640 1840
2590	2,4, DICHLORO PHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 C ₈ H ₆ Cl ₂ O ₃ F. wt. 221.04	500 gm	3620	3570	PACLOBUTRAZOL * CAS 76738-62-0 C ₁₅ H ₂₀ ClN ₃ O F. wt. 293.80	5 gm 25 gm	1300 5490
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 C ₁₂ H ₁₀ ClN ₃ O F. wt. 247.68	5 gm	8985	906	PHENYLACETIC ACID (PAA; Benzeneacetic acid) CAS 103-82-2 C ₈ H ₈ O ₂ F. wt. 136.15	500 gm	690
4243	GENISTEIN CAS 466-72-0 C ₁₉ H ₁₀ O ₅ F. wt. 270.24	100 gm	8950	4244	PHLOROGLUCINOL CAS : 108-73-6 C ₆ H ₆ O ₃ F. wt. 126.11	25 gm 100 gm	1650 5860
3547	GIBBERELIC ACID (GA ₄₊₇) CAS 202467-69-4 C ₂₀ H ₁₉ N ₃ O ₇ S F. wt. 445.45	1 gm 5 gm 100 gm	1280 4980 76000	3576	PICLORAM CAS 1918-02-1 C ₆ H ₃ Cl ₃ N ₂ O F. wt. 241.46	1 gm 5 gm	2415 9590
849	GIBBERELIC ACID A3 (GA ₃) CAS 77-06-5 C ₁₉ H ₂₂ O ₆ F. wt. 346.37	1 gm 10 gm 100 gm 1 kg	120 1175 9370 POR				

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4245	PROHEXADIONE-CALCIUM CAS : 127277-53-6 C₁₀H₁₀CaO₅ F. Wt. 250.263	5 gm	2500	465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 C₆H₁₄O₆ F. wt. 182.17	100 gm 500 gm	145 540
680	SALICYCLIC ACID, AR GRADE	500 gm	755	1309	STARCH, POTATO (Insoluble) CAS 9005-84-9	500 gm	250
3584	THIDIAZURON CAS 51707-55-2 C₉H₈N₄OS F. wt. 220.25	250 mg 1 gm	4430 15530	TC 023	SUCROSE, for Tissue Culture & Molecular Biology CAS 57-50-1 C₁₂H₂₂O₁₁ F. wt. 342.3	500 gm 5 Kg	680 5510
3587	2,4,5, TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C₆H₅Cl₃O₃ F. wt. 255.49	5 gm 25 gm	3690 14935	TC 024	D-TREHALOSE (Dihydrate) CAS 6138-23-4 C₁₂H₂₂O₁₁·2H₂O F. Wt. 378.33	5 gm 25 gm	325 1135
4246	TRIACONTANOL 20% CAS : 593-50-0 C₃₀H₆₂O F. wt. 438.81 (Store at 2 - 4°C)	100 gm 500 gm	1800 7650	1312	D(+)-XYLOSE CAS 58-86-6 C₅H₁₀O₅ F. wt. 150.13	25 gm 100 gm 500 gm	200 430 1700
516	ZEATIN CAS 1637-39-4 C₁₀H₁₃N₅O F. wt. 219.25 (Store at 2 - 4°C)	100 mg 500 mg 1 gm	6990 29500 55000	GELLING AGENT			
CARBOHYDRATES				3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	920 4305 POR POR
3625	β-CYCLODEXTRIN CAS 7585-39-9 C₄₂H₇₀O₃₅ F. Wt. 1134.98	500 gm	2270	243 M	AGAR AGAR Type II CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	815 4045 POR POR
1315	D(-) FRUCTOSE (Bacteriological Grade) CAS 57-48-7 C₆H₁₂O₆ F. wt. 180.16	100 gm 500 gm	270 1225	1227	AGAROSE, (High EEO) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm	420 1690 4860 23220
TC 010	D(+)-GALACTOSE CAS 59-23-4 C₆H₁₂O₆ F. wt. 180.16	25 gm 100 gm 500 gm	550 1730 7990	1270	AGAROSE SPL (Low EEO) (Counterelectrophoresis) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm	325 1390 4830 22575
1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C₆H₁₂O₆·H₂O F. Wt. 198.17	500 gm 5 Kg 25 Kg	185 1410 POR	4139	CARRAGEENAN (Kappa Type) CAS 9000-07-1	100 gm 500 gm	710 3185
1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg	255 2110 POR	3526	GELATIN CRYSTAL, Bloom Type B (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg	1190 10580 POR
1305	LACTOSE (Mono) CAS 10039-26-6 C₁₂H₂₂O₁₁·H₂O F. wt. 360.31	500 gm	525	3318	GELLAN GUM Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg	1860 8005 13450
1244	MALTOSE (Mono) (for Bacteriology) CAS 6363-53-7 C₁₂H₂₄O₁₂ F. wt. 360.31	100 gm 500 gm	280 1150	3342	GELZAN CM® (GELRITE®) Regd. Trademark CP Kelco USA CAS 7110-51-1	100 gm 1 Kg 5 Kg	3780 33600 POR
365	D+MANNOSE CAS 3458-28-4 C₆H₁₂O₆ F. Wt. 180.16	25 gm 100 gm	1350 4860	2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C₆H₉O)_n F. Wt. 165.19	100 gm 500 gm 25 Kg	530 2265 POR
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C₆H₁₄O₆ F. wt. 182.17	100 gm 500 gm	425 1235				
TC 018	D-RAFFINOSE (Penta) CAS 17629-30-0 C₁₈H₃₂O₁₆·5H₂O F. wt. 594.52	10 gm 25 gm	880 1785				
1306	D-RIBOSE CAS 50-69-1 C₅H₁₀O₅ F. wt. 150.13	10 gm 25 gm 100 gm	605 1075 4085				

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
BUFFERING AGENT				3066	ALCIAN BLUE 8GX	5 gm 25 gm	1890 7840
3086	BES, SODIUM, EXTRA PURE CAS 66992-27-6 $C_6H_{14}NNaO_5$ F. wt. 235.23	5 gm 25 gm	795 3400	3093	5-BROMO-4-CHLORO-3-INDOLYL- β -D-GALCTOPYRANOSIDE (X-Gal) CAS 7240-90-6 $C_{14}H_{14}BrClNO_6$ F. wt. 408.63	100 mg 500 mg 1 gm	1460 6910 13390
3088	BIS-TRIS * CAS 6976-37-0 $C_6H_{19}NO_5$ F. wt. 209.24	25 gm 100 gm	1150 4220	3095	5-BROMO-4-CHLORO-3-INDOLYL- β -D-GLUCOPYRANOSIDE (X-Glucoside) CAS 15548-60-4 $C_{14}H_{15}BrClNO_6$ F. wt. 408.63	100 mg	5300
503	HEPES, FREE ACID CAS 7365-45-9 $C_8H_{18}N_2O_4S$ F. wt. 238.30	25 gm 100 gm 500 gm 1 Kg	705 1840 8085 16275	1614	BROMO CRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple)	5 mg 25 gm 100 gm	250 850 2400
2110	MES, (MONO) (2 (N-MORPHLINO) ETHANE SULFONIC ACID) CAS 4432-31-9 $C_6H_{13}NO_4SH_2O$ F. wt. 213.2	25 gm 100 gm 1 Kg	725 2875 22500	1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue)	5 gm 25 gm 100 gm	290 1115 3535
2219	PIPES (Piperazine-N,N-bis (2 Ethane Sulphonic Acid) CAS 5625-37-6 $C_8H_{18}N_2O_6S_2$ F. wt. 302.4	5 gm 25 gm	315 1125	3523	CELLULASE * CAS 9012-54-8 Activity 10,000 U/gm	1 gm	6905
487	TRIS, 99%+ Purity AR GRADE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 $C_4H_{11}NO_3$ F. wt. 121.14	100 gm 500 gm	675 3240	827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)]	100 gm 500 gm	1160 5240
488	TRIS HYDROCHLORIDE, AR GRADE CAS 1185-53-1 $C_4H_{11}NO_3.HCl$ F. wt. 157.6	100 gm 500 gm	880 3420	4224	CHITOSAN CAS 9012-76-4 $(C_6H_{11}NO_4)_n$ F. Wt. 309.54	25 gm 100 gm 1 Kg	825 2800 23500
ADSORBING AGENT				310	CITRIC ACID (Mono), AR GRADE CAS 5949-29-1 $C_6H_{10}O_8$ F. wt. 210.14	500 gm 5 Kg	565 4920
2903	CHAROCAL ACTIVATED, AR GRADE CAS 7740-44-0	500 gm	465	1850	DITHIOERY THREITOL (D.T.E.) * (1,4 Dithioerythritol) CAS 6892-68-8 $C_4H_{10}O_2S_2$ F. wt. 154.25	1 gm 5 gm	870 4235
910	POLYVINYL PYRROLIDINE K-25 (PVP) CAS 7740-44-0	100 gm 500 gm 25 Kg	1035 2935 POR	1852	DITHIOTHREITOL (DTT) (DL-DITHIOTHREITOL)* CAS 3483-12-3 $C_4H_{10}O_2S_2$ F. wt. 154.25	1 gm 5 gm	545 1520
2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 7740-44-0	100 gm 500 gm 25 Kg	530 2265 POR	304	ESCULINE (Aesculin) CAS 531-75-9 $C_{15}H_{16}O_9$ F. wt. 340.29	5 gm 25 gm	1190 5290
DISINFECTING AGENTS				597	GLYCEROL (Glycerine), AR GRADE CAS 56-81-5 $C_3H_8O_3$ F. wt. 92.09	500 ml 2.5 Ltr 5 Ltr	400 1615 2855
2632	8-HYDROXYQUINOLINE, AR GRADE, (Oxine) CAS 148-24-3 C_8H_7NO F. wt. 145.2	100 gm 500 gm	1025 4580	227	GUANIDINE HYDROCHLORIDE, AR GRADE CAS 50-01-1 CH_5N_3HCl F. wt. 95.53	25 gm 100 gm	430 925
OTHER ESSENTIAL INGREDIENTS				3156	ISOPROPYL- β -D-1-THIOGALACTOPYRANOSIDE (IPTG, DIOXAN FREE) * CAS 367-93-1 $C_9H_{18}O_5S$ F. wt. 238.3	1 gm 5 gm 25 gm	360 1645 7455
3300	ACETYSALICYLIC ACID (Aspirin)	500 gm	760	3556	MALEIC HYDRAZIDE CAS 123-33-1 $C_4H_4N_2O_2$ F. wt. 112.09	100 gm	605
3509	ADENOSINE (9- β -Riboluranosylademine) * CAS 58-61-7 $C_{10}H_{13}N_5O_4$ F. wt. 267.25	5 gm 25 gm 100 gm	315 1260 5050	363	(DL)-MALIC ACID CAS 6915-15-7 $C_4H_6O_5$ F. wt. 134.09	500 gm 5 Kg	575 4725
3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP- Na_2) CAS 16178-48-6 $C_{10}H_{13}N_5Na_2O_{10}P_2$ F. wt. 391.19	1 gm 5 gm	1400 6990	4142	MALT EXTRACT POWDER Bacteriological Grade	500 gm	980

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2651	METHYLENE BLUE, AR GRADE	25 gm 100 gm 1 kg	520 1780 15760	649	SILVER NITRATE, AR GRADE CAS 7761-88-8 AgNO ₃ F. wt. 169.87	10 gm 25 gm	2515 3810
3564	MTT Methylthiazolyldiphenyl Tetrazolium Bromide CAS 298-93-1 C ₁₈ H ₁₆ N ₅ SBr F. wt. 414.3 (Store at 2 - 8°C)	1 gm	4320	4247	SILICON DIOXIDE CAS-7631-86-9 SiO ₂ F. wt. 60.08	100 gm	1050
2153	NITRO BLUE TETRAZOLIUM (Nitro Tetrazolium Blue, NBT), AR GRADE CAS 298-83-9 C ₄₀ H ₃₀ Cl ₂ N ₁₀ O ₆ F. wt. 817.6	100 mg 250 mg 1 gm	430 865 2740	542	tri-SODIUM CITRATE (Dihydrate), AR GRADE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. wt. 294.1	500 gm 5 Kg	510 3050
3184	O-NITROPHENYL-b-D-GALACTOPYRANOSIDE (ONPG) CAS 369-07-3 C ₁₂ H ₁₅ NO ₈ F. wt. 301.25 (Store at 2 - 8°C)	500 mg 1 gm 5 gm	640 1245 5715	658	di-SODIUM HYDROGEN PHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. wt. 159.97	500 gm 5 Kg	520 3515
3518	PEPTONE (BACTO GRADE) CAS 73049-73-7	500 gm 5 Kg	1150 10975	440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH F. wt. 39.99	500 gm 5 Kg	290 2200
2457	PHLOROGLUCINOL, AR GRADE CAS 108-73-6 C ₆ H ₆ O ₃ F. wt. 126.11	25 gm 100 gm	1050 3990	659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 C ₃ H ₃ NaO ₃ F. wt. 110.04	100 gm 500 gm	1255 4430
908	POLYETHYLENE GLYCOL 4000 (P.E.G. 4000) CAS 25322-68-3	500 gm	440	663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 Na ₂ S ₂ O ₃ F. wt. 158.1	500 gm	290
1013	POLYETHYLENE GLYCOL 6000 (P.E.G. 6000) CAS 25322-68-3	500 gm	520	3436	SPERMIDINE [N-(3-Aminopropyl)-1,4-diaminobutane] CAS 124-20-9 C ₇ H ₁₉ N ₃ F. wt.145.2 (Store at 2 - 8°C)	1 gm 5 gm	3940 17740
670	POLYOXYETHYLENE SORBITAN MONOLAURATE (Tween 20) CAS 9005-64-5 C ₅₈ H ₁₁₃ O ₂₆ F. wt. 1226.5	500 ml	915	1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C ₄ H ₆ O ₄ F. wt. 118.09	500 gm 25 Kg	665 POR
511	POTASSIUM HYDROXIDE PELLETS, AR GRADE	500 gm 5 kg	520 3730	2742	TALCUM POWDER (400 mesh) CAS 14807-96-6	500 gm	135
3258	POTASSIUM SILICATE POWDER	500 gm 50 Kg	450 POR	3226	TALCUM POWDER (700 mesh) CAS 14807-96-6	500 gm	160
673	POLYOXYETHYLENE SORBITAN MONOLEATE (Tween 80) CAS 9005-65-6 C ₃₂ H ₆₀ O ₁₀ F. wt. 604.8	100 ml 500 ml	295 925	821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE	1 gm 5 gm	1260 5485
648	PROPYLENE GLYCOL CAS 57-55-6 C ₃ H ₈ O ₂ F. wt. 76.09	500 ml 5 ltr	430 3550	3514	TRYPTONE (REGULAR GRADE)	500 gm	1640
680	SALICYLIC ACID (2-Hydroxybenzoic acid), AR GRADE CAS 69-72-7 C ₇ H ₆ O ₃ F. wt. 138.12	500 gm	755	492	UREA, AR GRADE (Carbamide) CAS 57-13-6 CH ₄ N ₂ O F. wt. 60.06	500 gm 5 kg	485 4580
				4204	YEAST EXTRACT POWDER (Bacto Grade)	500 gm	1260



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

For
Enquiry

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3525	ACTINOMYCIN D CAS 50-76-0 C₆₂H₈₆N₃O₆S F. wt. 1255.42	1 mg 5 mg	1595 7195	2015	CEFAZOLIN SODIUM CAS 27164-46-1 C₁₄H₁₃NaO₄S₃ F. wt. 477.49	1 gm	2045
2001	AMIKACIN SULPHATE CAS 39831-55-5 C₂₂H₄₃N₅O₁₃·2H₂SO₄ F. wt. 781.76	1 gm	1785	4003	CEFIXIME CAS 79350-37-1 C₁₆H₁₅N₅O₇S₂ F. wt. 453.452	1 gm	935
4002	AMOXICLAV (Amoxicillin / Clavulanic Acid) CAS 61336-70-7 C₁₆H₂₅N₃O₈S F. wt. 419.45 CAS 58001-44-8 C₈H₉NO₅ F. wt. 199.16	1 gm	1465	2016	CEFOTAXIME SODIUM CAS 64485-93-4 C₁₆H₁₆N₅NaO₇S₂ F. wt. 477.45	1 gm 5 gm	1020 4310
2028	AMOXYCILLIN CAS 26787-78-0 C₁₆H₁₉N₃O₅S F. wt. 365.4	1 gm	245	3633	CEFOPERAZONE CAS 62893-19-0 C₂₅H₂₇N₉O₈S₂ F. wt. 645.68	5 gm	6220
035	AMPICILLIN / SULBACTAM CAS 69-52-3 C₁₆H₁₈N₃NaO₄S F. wt. 371.42 CAS 69388-84-7 C₈H₁₀NNaO₃S F. wt. 255.22	1 gm	1175	3636	CEFOXITIN CAS 35607-66-0 C₁₆H₁₇N₃O₇S₂ F. wt. 427.45	100 mg	5555
2007	AMPICILLIN SODIUM CAS 69-52-3 C₁₆H₁₈N₃O₄SNaF wt. 371.39	1 gm 10 gm 25 gm 100 gm	295 2355 5780 21955	3634	CEFSULODIN SODIUM SALT CAS 52152-93-9 C₂₂H₁₉NaO₈S₂ F. wt. 554.52	1 gm	6220
3007	AMPICILLIN (Trihydrate) (Soluble in water) CAS 7177-48-2 C₁₆H₁₉N₃O₄·3H₂O F. wt. 403.45	1 gm	310	2010	CEFTAZIDIME (Penta) CAS 72558-82-8 C₂₂H₂₂N₆O₇S₂ F. wt. 546.58	1 gm	1270
3078	AMPHOTERCIN B CAS 1397-89-3 C₄₇H₇₃NO₁₇ F. wt. 924.10	1 gm 5 gm	1290 3200	2011	CEFTRIAZONE SODIUM CAS 104376-79-6 C₁₆H₁₆N₆Na₂O₇S₃·½H₂O F. wt. 598.54	1 gm	15990
4002	AUGMENTIN (Amoxicillin : clavulanic acid potassium 5:1)	1 gm	1465	3632	CEFUROXIME CAS 55268-75-2 C₁₆H₁₆N₄O₈S F. wt. 424.38	1 gm	1200
4138	AZITHROMYCIN SULPHATE CAS 83905-01-5 C₃₈H₇₂N₂O₁₂ F. wt. 748.99	25 mg	9590	2012	CEPHALEXIN (MONO) CAS 23325-78-2 C₁₆H₁₉N₃O₅S F. wt. 365.4	1 gm	1555
2008	BACITRACIN (50,000 Units/vl) CAS 1405-87-4 C₆₆H₁₀₃N₁₇O₁₆S F. wt. 1422.69	1 vl	860	3119	CEPHALOTHIN SODIUM CAS 58-71-9 C₁₆H₁₅N₂O₆S₂Na F. wt. 418.41	500 mg	2220
2520	BACITRACIN ZINC CAS 1405-89-6 C₆₆H₁₀₁N₁₇O₁₆SZn F. wt. 1486.07	1 gm	1460	3120	CEPHALORIDINE CAS 50-59-9 C₁₅H₁₇N₃O₅S₂ F. wt. 415.48	500 mg	1065
4228	CARBENDAZIM CAS 10605-21-7 C₉H₉N₃O₂ F. Wt. 191.19	1 gm 5 gm 25 gm	2400 9850 15400	2017	CHLORAMPHENICOL CAS 56-75-7 C₁₁H₁₂Cl₂N₂O₅ F. wt. 323.13	5 gm 25 gm	800 3890
3314	CARBENICILLIN DISODIUM CAS 4800-94-6 C₁₇H₁₆N₂O₆SNa F. wt. 422.36	1 gm	1065	2019	CIPROFLOXACIN HCl CAS 86393-32-0 C₁₇H₁₈FN₃O₃·HCl·H₂O F. wt. 385.82	1 gm	480
2034	CEFACLOR CAS 53994-73-3 C₁₅H₁₄ClN₃O₄S F. wt. 367.81	1 gm	1175	4180	CLARITHROMYCIN CAS 81103-11-9 C₃₈H₆₉NO₁₃ F. wt. 474.96	100 mg 500 mg	4985 8880
2929	CEFADROXIL CAS 50370-12-2 C₁₆H₁₇N₃O₅S F. wt. 363.39	1 gm	3240	4004	CLINDAMYCIN HCL CAS 18323-44-9 C₁₈H₃₃ClN₂O₅·HCl F. wt. 424.98 g/mole	5 gm	3335
				4005	CLOXACILLIN CAS 61-72-3 C₁₉H₁₈ClN₃O₅S F. wt. 435.88	1 gm	1290

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2020	COLISTIN SULPHATE SODIUM (2,50,000 Units/vl) CAS 8068-28-8 C₅₈H₁₀SN₁₆O₂₈S₅Na₅ F. wt. 1351.59	1 vl	4755	4210	MINOCYCLINE HCL CAS 10118-90-8 C₂₃H₂₇N₃O₇ F. wt. 457.47	100 mg 1 gm	4740 24750
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 C₁₅H₂₃NO₄ F. wt. 281.36	1 gm 5 gm	2245 10740	3637	MOXALACTAM CAS 64952-97-2 C₂₀H₂₀N₆O₈S F. wt. 520.47	500 mg	12000
4207	D-CYCLOSERINE CAS 68-41-7 C₉H₆N₂O₂ F. wt. 102.09	1 gm	2650	2463	MYCOSTATINE (Nystatin) 10,00,000 unit/vl CAS 1400-61-9 C₄₇H₇₅NO₁₇ F. wt. 926.09	1 vl	550
4208	DICAMBA CAS 1918-00-9 C₈H₆Cl₂O₃ F. wt. 221.04	100 mg 1 gm	4840 43600	1713	NALIDIXIC ACID CAS 389-08-2 C₁₂H₁₂N₂O₃ F. wt. 232.24	1 gm 5 gm	290 1215
3539	DOXYCYCLINE HCl CAS 10592-13-9 C₂₂H₂₄N₂O₈HCl F. wt. 480.89	1 gm	440	3528	NATAMYCIN (Pimaricin) CAS 7681-93-8 C₃₃H₄₇NO₁₃ F. wt. 665.73 CAS 7681-93-8	1 gm 5 gm	580 2265
2023	ERYTHROMYCIN CAS 114-07-8 C₃₇H₆₇N₁₃ F. wt. 694.00	1 gm	340	2003	NEOMYCIN SULPHATE CAS 1405-10-3 C₂₃H₅₂N₆O₂₅S₃ F. wt. 908.88	5 gm	235
2024	ETHAMBUTOL Di-HCl CAS 1070-11-7 C₁₀H₂₄N₂O₂2HCl F. wt. 277.23	1 gm	1860	3384	NETILMICIN SULPHATE CAS 56391-57-2 C₄₂H₉₂N₁₀O₃₄S₅ F. wt. 1441.55	100 mg	14660
4006	FLUCONAZOLE CAS 86366-73-4 C₁₃H₁₂F₂N₆O F. wt. 306.2708	5 gm	3335	3590	NISIN CAS 1414-45-5 C₁₄₃H₂₃₀O₃₇N₄₂S₇ F. wt. 3354.07	1 gm 5 gm 25 gm	1065 3735 14220
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 C₂₀H₄₀N₄O₁₀ F. wt. 692.70	500 mg 1 gm	3110 6205	2962	NORFLOXACIN CAS 70458-96-7 C₁₆H₁₈FN₃O₃ F. wt. 319.33	1 gm	755
2025	GENTAMYCIN SULPHATE CAS 1405-41-0 C₂₁H₄₃N₅O₇H₂SO₄ F. wt. 575.67	1 gm 5 gm	660 2995	3529	NOVOBIOCIN SODIUM CAS 1476-53-5 C₃₁H₃₅N₂NaO₁₁ F. wt. 634.62	1 gm	4150
3357	HYGROMYCIN B CAS 31282-04-9 C₂₀H₃₇N₃O₁₃ F. wt. 527.60	100 mg 1 gm	3200 22650	063	OFLOXACIN CAS 82419-36-1 C₁₈H₂₀FN₃O₄ F. wt. 361.41	500 mg 5 gm	310 1910
2948	ISONIAZIDE 99% CAS 54-85-3 C₆H₇N₃O F. wt. 137.14	5 gm	220	3390	OXACILLIN SODIUM CAS 1173-88-2 C₁₉H₁₈N₃NaO₅S F. wt. 423.42	5 gm	2215
2035	KANAMYCIN SULPHATE CAS 25389-94-0 C₁₈H₃₆N₁₆N₄O₁₁H₂SO₄ F. wt. 582.58	1 gm 5 gm	630 2220	2004	OXYTETRACYCLINE HCl CAS 2058-46-0 C₂₂H₂₄N₂O₉.HCl F. wt. 496.9 (Store at 2 - 8°C)	1 gm	420
2026	LINCOCYCIN HCl (Mono) (10,0000 Unit/vl) CAS 7179-49-9 C₁₈H₃₇ClN₂O₈S F. wt. 461.01 (Store at 2 - 8°C)	1 vl	1225	4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 C₂₃H₄₇N₅O₁₈S F. wt. 713.71	1 gm 5 gm	3400 15500
4168	LOMEFLOXACIN HCL CAS 98079-52-8 C₁₇H₂₀ClF₂N₃O₃ F. wt. 387.81	1 gm	4180	3393	PENICILLIN BENZYL SODIUM (Pencilin-G) CAS 69-57-8 C₁₆H₁₇N₂NaO₄S(1MU/vl) F. wt. 356.35	1 vl	300
4176	MEROPENEM CAS 96036-03-2 C₁₇H₂₅N₃O₅S F. wt. 387.81	10 mg	4330	3572	PENICILLIN V POTASSIUM CAS 132-98-9 C₁₆H₁₇N₂O₆SK F. wt. 388.48	1 vl	310
4209	METRONIDAZOLE CAS 443-48-1 C₆H₉N₃O₃ F. wt. 171.2	1 gm	5750				

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3397	PHOSPHOMYCIN SODIUM CAS 26016-99-9 $C_3H_5O_4PNa_2$ F. wt. 182.02	1 gm 5 gm	1340 3875	3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm	235 870
3398	PIPERACILLIN SODIUM CAS 59703-84-3 $C_{23}H_{26}N_5NaO_7S$ F. wt. 539.54	1 gm 5 gm	2340 9690	3443	SULPHAMETHAZIDE CAS 57-68-1 $C_{12}H_{14}N_4O_2S$ F. wt. 278.33	25 gm	615
2005	POLYMYXIN B. SULPHATE (1 million units/vl) CAS 1405-20-5 $C_{55}H_{96}N_{16}O_{13} \cdot 2H_2SO_4$	1 vl 5 vl	555 2470	070	TETRACYCLINE CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. wt. 444.43	5 gm	570
3203	PYRAZINAMIDE CAS 98-96-4 $C_5H_5N_3O$	5 gm	1770	478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	8285 32000
2200	RIFAMPICIN CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm	540	3441	TICARCILLIN SODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	1gm 5 gm 25 gm	2000 8935 35735
068	SPARFLOXACIN CAS 110871-86-8 $C_{19}H_{22}F_2N_4O_3$ F. wt. 392.40	1 mg	310	071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	500 mg	665
3435	SPECTINOMYCIN HYDROCHLORIDE CAS 22189-32-8 $C_{14}H_{24}N_2O_7 \cdot 2HCl \cdot 5H_2O$ F. wt. 495.3	1 gm	1130	072	TOBRAMYCIN SULPHATE CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. wt. 567.51	100 mg	935
2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7 \cdot (H_2SO_4)_3$	5 gm 25 gm	665 2620	2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. wt. 290.32	5 gm	550
2033	SULPHADIAZINE CAS 68-35-9 $C_{10}H_{10}N_4O_2S$	5 gm	90	4211	VALIDAMYCINE CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. wt. 497.49	1 gm	5850
3244	SULPHACETAMIDE SODIUM CAS 127-56-0 $C_8H_9N_2NaO_3S \cdot aq$	5 gm	2620	2032	VANCOMYCIN HYDROCHLORIDE CAS 1404-93-9 $C_{66}H_{75}ClN_9O_{24} \cdot HCl$ F. wt. 1485.72	500 mg	3155



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

For
Enquiry

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 001	ACES (N-[2-Acetamido]-2-Aminoethane-Sulfonic Acid) CAS 7365-82-4 C₄H₁₀N₂O₄S F. Wt. 182.20 Assay : ≥99%	5 gm	485	TMB 012	AMMONIUM PERSULPHATE CAS 7727-54-0 (NH₄)₂S₂O₈ F. Wt. 228.2 Assay : ≥98%	25 gm	350
		25 gm	2180			100 gm	660
		100 gm	7635			500 gm	3020
TMB 002	ACETAMIDE (Amide C ₂) CAS 60-35-5 C₆H₅NO F. Wt. 59.07 Assay : ≥99%	100 gm	3645	TMB 013	AMMONIUM PHOSPHATE DIBASIC CAS 7783-28-0 (NH₄)₂HPO₄ F. Wt. 132.06 Assay : ≥98%	500 gm	490
TMB 003	ACRYLAMIDE CAS 79-06-1 C₃H₅NO F. Wt. 71.08 Assay : ≥99.9%	25 gm	305	TMB 014	AMMONIUM PHOSPHATE MONOBASIC CAS 7722-76-1 NH₄H₂PO₄ F. Wt. 115.03 Assay : ≥99%	500 gm	410
		100 gm	840			500 gm	410
		500 gm	3485				
		1 Kg	6260				
TMB 004	ADENOSINE DIPHOSPHATE DISODIUM SALT (Dihydrate) CAS 16178-48-6 C₁₀H₁₃N₅Na₂O₁₀P₂·H₂O F. Wt. 507.2 Assay : ≥95% Store Below 2-8°C	1 gm 5 gm	4500 20270	TMB 015	AMMONIUM SULPHATE CAS 7783-20-2 (NH₄)₂SO₄ F. Wt. 132.14 Assay : ≥99%	250 gm 500 gm	660 1305
TMB 090	AGAR AGAR CAS 9002-18-0	100 gm 500 gm 1 kg	1840 8475 POR	TMB 016	BES-BUFFER CAS 10191-18-1 C₆H₁₅NO₅S F. Wt. 213.25 Assay : ≥99.5%	25 gm 100 gm	815 2860
TMB 005	AGAROSE DNA Grade, Low Melting Point CAS 9012-36-6	10 gm 100 gm	3460 31110	TMB 017	BICINE CAS 150-25-4 C₆H₁₃NO₄ F. Wt. 163.17 Assay : ≥99%	25 gm 100 gm 500 gm	740 2590 11660
TMB 006	AGAROSE, LOW EEO (Nuclease and Protease Free) CAS 9012-36-6	10 gm 100 gm 500 gm 1 Kg	375 4340 19555 37505	TMB 018	BIS-TRIS (Bis[2-hydroxyethyl]Amino-Trishydroxymethyl) Methane) CAS 6976-37-0 C₈H₁₉NO₅ F. Wt. 209.24 Assay : ≥98%	25 gm 100 gm	1165 4090
TMB 007	ALCIAN BLUE 8GX CAS 33864-99-2 C₅₆H₆₈Cl₄CuN₁₆S₄ F. Wt. 1298.86	25 gm 50 gm	9770 17770	TMB 019	BISACRYLAMIDE [(N-N'-Methylene-Bis(Acrylamide))] CAS 110-26-9 C₇H₁₀N₂O₂ F. Wt. 154.17 Assay : ≥99%	25 gm 100 gm 250 gm 500 gm	575 2020 4440 7995
TMB 121	ALUMINIUM AMMONIUM SULPHATE CAS 7784-25-0 AlNH₄(SO₄)₂·12H₂O F. Wt. 453.32 Assay: ≥99.5%	500 gm	750	TMB 091	BORAX POWDER, (Deca) (Sodium Tetraborate) CAS 1303-96-4 Na₂B₄O₇·10H₂O F. Wt. 381.37 Assay : ≥99.5%	500 gm	575
TMB 008	AMMONIUM ACETATE CAS 631-61-8 C₂H₇NO₂ F. Wt. 77.08 Assay : ≥98%	100 gm 500 gm	530 1775	TMB 092	BORIC ACID CAS 10043-35-3 H₃BO₃ F. Wt. 61.83 Assay : ≥99.5%	500 gm 1 Kg	875 1580
TMB 009	AMMONIUM CHLORIDE CAS 12125-02-9 NH₄Cl F. Wt. 53.49 Assay : ≥99.5%	500 gm	750	TMB 020	BOVINE SERUM ALBUMIN CAS 9048-46-8 Assay : ≥98% Protein Store Below 2-8°C	5 gm 25 gm 100 gm 500 gm	440 1995 6995 31500
TMB 010	DI-AMMONIUM HYDROGEN CITRATE CAS 3012-65-5 C₆H₁₄N₂O₇ F. Wt. 226.18 Assay: ≥99%	500 gm	4030	TMB 021	BRILLIANT BLUE R-250 (Coomassie Brilliant Blue R-250) CAS 6104-59-2 C.I. No. 42660 C₄₅H₄₄N₃NaO₇S₂ F. Wt. 825.97	5 gm 25 gm 100 gm	1285 2500 8755
TMB 011	AMMONIUM MOLYBDATE (Tetra) CAS 12054-85-2 (NH₄)₆Mo₇O₂₄·4H₂O F. Wt. 1235.86 Assay: ≥99%	100 gm 500 gm	1730 7775				

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 022	CAPS (3-[Cyclohexylamino]-1-Propanesulphonic Acid) CAS 1135-40-6 C₉H₁₉NO₃S F. Wt. 221.32 Assay : ≥99%	25 gm 100 gm 250 gm 1 Kg	900 3155 6625 19995	TMB 033	ETHIDIUM BROMIDE CAS 1239-45-8 C₂₁H₂₀BrN₃ F. Wt. 394.31 Assay: ≥95%	1 gm 5 gm	705 2305
TMB 023	CHAPS CAS 75621-03-3 C₃₂H₅₈N₂O₇S F. Wt. 614.88 Assay : ≥98%	1 gm 5 gm 10 gm	1415 6275 11300	TMB 094	D-FRUCTOSE, (Levulose) CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16 Assay : ≥99%	100 gm 500 gm 1 Kg	230 995 1800
TMB 024	CALCIUM CHLORIDE (Dihydrate) CAS 10035-04-8 CaCl₂·2H₂O F. Wt. 147.01 Assay : ≥99%	100 gm 500 gm	295 1330	TMB 095	D-GALACTOSE CAS 59-23-4 C₆H₁₂O₆ F. Wt. 180.16 Assay : ≥99%	25 gm 100 gm 1 Kg	1950 9410 16900
TMB 025	CITRIC ACID (ANH.) CAS 77-92-9 C₆H₈O₇ F. Wt. 192.12 Assay : ≥99.5%	500 gm	750	TMB 034	D(+)-GLUCOSE (ANH.) CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.16 Assay: ≥99.5%	100 gm 500 gm	1100 4945
TMB 093	CITRIC ACID, (Mono) CAS 5949-29-1 C₆H₈O₇·H₂O F. Wt. 210.14 Assay : ≥99.5%	500 gm	650	TMB 035	L-GLUTATHIONE REDUCED CAS 70-18-8 C₁₀H₁₇N₃O₆S F. Wt. 307.32 Assay: ≥98% Store Below 2-8°C	1 gm 5 gm 25 gm 100 gm	1040 2285 6860 19220
TMB 026	CITRIC ACID TRISODIUM SALT (Dihydrate) CAS 6132-04-3 C₆H₅O₇Na₃·2H₂O F. Wt. 294.1 Assay : ≥99%	500 gm	1380	TMB 036	GLYCINE CAS 56-40-6 C₂H₅NO₂ F. Wt. 75.07 Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg	350 1240 1860 7100
TMB 027	COOMASSIE BRILLIANT BLUE G 250 CAS 6104-58-1 C.I. 42655 C₄₇H₄₈N₃NaO₇S₂ F. Wt. 854.02	5 gm 25 gm	1085 5055	TMB 037	GUANIDINE HYDROCHLORIDE CAS 50-01-1 CH₅N₃·HCl F. Wt. 95.53 Assay : ≥99%	25 gm 100 gm 500 gm	1410 4940 22255
TMB 028	COPPER (II) SULPHATE (Penta) CAS 7758-99-8 CuSO₄·5H₂O F. Wt. 249.69 Assay: ≥99.5%	100 gm 500 gm	140 650	TMB 038	GUANINE CAS 73-40-5 C₅H₄N₄O F. Wt. 151.13 Assay : ≥98% Store Below 2-8°C	50 gm	1755
TMB 029	CTAB (N-Cetyl-N,N,N-Trimethylammonium Bromide) CAS 57-09-0 C₁₉H₄₂BrN F. Wt. 364.45 Assay : ≥99%	100 gm 500 gm	555 2515	TMB 039	HEPES [N-(2-Hydroxyethyl) Piperazine-N'-(2-Ethanesulphonic Acid)] CAS 7365-45-9 C₈H₁₈N₂O₄S F. Wt. 238.3 Assay : ≥99%	25 gm 100 gm 500 gm	750 1950 8440
TMB 030	DL-DTT (DL-Dithiothreitol) CAS 3483-12-3 C₄H₁₀O₂S₂ F. Wt. 154.25 Assay: ≥99% Store Below 2-8°C	5 gm 25 gm	1755 7105	TMB 040	HEPES SODIUM SALT CAS 75277-39-3 C₈H₁₇N₂NaO₄S F. Wt. 260.29 Assay : ≥99% Store Below 30°C	25 gm 100 gm 500 gm	1430 3880 8355
TMB 031	1,4-Dithioerythritol (DTE) CAS 6892-68-8 C₄H₁₀O₂S₂ F. Wt. 154.25 Assay: ≥99% Store Below 2-8°C	1 gm 5 gm	1025 3980	TMB 041	ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE CAS 367-93-1 C₉H₁₈O₅S F. Wt. 238.30 Assay : ≥99% Store Below 2-8°C	1 gm 5 gm 10 gm 25 gm	795 2660 4440 8795
TMB 032	EDTA SODIUM SALT (Dihydrate) (Ethylenediaminetetraacetic Acid Disodium Salt Dehydrate) CAS 6381-92-6 C₁₀H₁₄N₂Na₂O₈·2H₂O F. Wt. 372.24 Assay: ≥99%	500 gm 1 Kg	2215 4175	TMB 042	LACTOSE (Monohydrate) CAS 64044-51-5 C₁₂H₂₂O₁₁·H₂O F. Wt. 360.31 Assay : ≥99.5%	500 gm 5 Kg	4225 38065

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 043	LAURYL SULPHATE SODIUM SALT (Dodecyl Sulphate Sodium Salt, SDS) CAS 151-21-3 C₁₂H₂₅NaO₄S F. Wt. 288.38 Assay : ≥99%	25 gm 100 gm 500 gm 1 Kg	460 1595 7105 12795	TMB 055	MTT 3-(4,5-Dimethyl-2-Thiazolyl)-2,5 Diphenyl-2H-Tetrazolium Bromide); Thiazolyl Blue CAS 298-93-1 C₁₈H₁₆BrN₅S F. Wt. 414.32 Assay : ≥98% Store Below 2-8°C	100 mg 500 mg 1 gm	1250 4150 7650
TMB 096	LITHIUM CHLORIDE, (ANH.) CAS 7447-41-8 LiCl F. Wt. 42.39 Assay : ≥99%	100 gm 500 gm	1510 7320	TMB 056	NITROBLUE TETRAZOLIUM CHLORIDE (NBT) CAS 298-83-9 C₄₀H₃₀N₁₀O₆Cl₂ F. Wt. 817.64 Assay : ≥98% Store Below 2-8°C	100 mg 250 mg 1 gm	710 1560 5470
TMB 044	MAGNESIUM ACETATE (Tetra) CAS 16674-78-5 C₄H₆MgO₄·4H₂O F. Wt. 214.45 Assay : ≥99%	100 gm	1350	TMB 057	p-NITROPHENYL PHOSPHATE DISODIUM (Hexa) CAS 333338-18-4 C₆H₄NNa₂O₆P·6H₂O F. Wt. 371.14 Assay : ≥98% Store Below 2-8°C	5 gm 25 gm	660 2995
TMB 045	MAGNESIUM CHLORIDE (Hexa) CAS 7791-18-6 MgCl₂·6H₂O F. Wt. 203.30 Assay : ≥99.5%	100 gm 500 gm	625 2925	TMB 058	PHENOL, CRYSTALS (Hydroxybenzene) CAS 108-95-2 C₆H₆O F. Wt. 94.11 Assay : ≥99% Store Below 2-8°C	100 gm 500 gm	410 1850
TMB 046	MAGNESIUM SULPHATE (Hexa) CAS 10034-99-8 MgSO₄·7H₂O F. Wt. 246.47 Assay : ≥99.5%	500 gm	2820	TMB 059	PIPES (Piperazine-N,N'-Bis(2-Ethanesulphonic Acid) CAS 5625-37-6 C₈H₁₆N₂O₆S₂ F. Wt. 302.37 Assay : ≥99.5%	100 gm 500 gm	3460 12885
TMB 047	DL-MALIC ACID CAS 6915-15-7 C₄H₆O₅ F. Wt. 134.09 Assay : ≥99%	500 gm	580	TMB 060	POTASSIUM ACETATE CAS 127-08-2 C₂H₃KO₂ F. Wt. 98.14 Assay : ≥99%	100 gm 500 gm	1280 2440
TMB 048	D-(+)-MALTOSE (Mono) CAS 6363-53-7 C₁₂H₂₂O₁₁·H₂O F. Wt. 360.31 Assay : ≥95%	100 gm 500 gm	210 945	TMB 061	POTASSIUM CHLORIDE CAS 7447-40-7 KCl F. Wt. 74.55 Assay : ≥99%	500 gm	2160
TMB 049	MANGANESE (II) CHLORIDE (Tetra) CAS 13446-34-9 MnCl₂·4H₂O F. Wt. 197.91 Assay : ≥98%	100 gm 500 gm	140 650	TMB 097	POTASSIUM IODIDE CAS 7681-11-0 KI F. Wt. 166.00 Assay : ≥99.5%	100 gm 250 gm	2490 5650
TMB 050	D-MANNITOL CAS 69-65-8 C₆H₁₄O₆ F. Wt. 182.17 Assay : ≥99%	500 gm 1 Kg	1055 1900	TMB 062	POTASSIUM NITRATE CAS 7757-79-1 KNO₃ F. Wt. 101.1 Assay : ≥99%	500 gm	540
TMB 051	2-MERCAPTOETHANOL CAS 60-24-2 C₂H₆OS F. Wt. 78.13 Assay : ≥98%	100 ml 500 ml	655 3785	TMB 063	POTASSIUM PHOSPHATE DIBASIC (ANH.) CAS 7758-11-4 K₂HPO₄ F. Wt. 174.18 Assay : ≥99%	100 gm 500 gm	220 975
TMB 052	MES (Monohydrate) [2-(N-Morpholino) Ethanesulphonic Acid Monohydrate] CAS 145224-94-8 C₆H₁₃NO₄S·H₂O F. Wt. 213.25 Assay : ≥90%	25 gm 100 gm	810 3070	TMB 064	POTASSIUM PHOSPHATE MONOBASIC (ANH.) CAS 7778-77-0 KH₂PO₄ F. Wt. 136.09 Assay : ≥99%	100 gm 500 gm	810 3800
TMB 053	MOPS (3-(N-Morpholino) Propanesulphonic Acid) CAS 1132-61-2 C₇H₁₅NO₄S F. Wt. 209.26 Assay : ≥99.5%	25 gm 100 gm 500 gm	750 2645 11905	TMB 065	SILVER NITRATE CAS 7761-88-8 AgNO₃ F. Wt. 169.87 Assay : ≥99%	10 gm 25 gm 100 gm	2950 6500 22750
TMB 054	MOPSO BUFFER CAS 68399-77-9 C₇H₁₅NO₄S F. Wt. 225.26 Assay : ≥99%	25 gm	1395	TMB 066	SODIUM ACETATE (Trihydrate) CAS 6131-90-4 C₂H₃O₂Na·3H₂O F. Wt. 136.08 Assay : ≥99%	500 gm	255

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 067	SODIUM BICARBONATE CAS 144-55-8 NaHCO₃ F. Wt. 84.01 Assay : ≥99.7%	100 gm 500 gm	240 975	TMB 079	TRIS, FREE BASE (Tris-[Hydroxymethyl] Aminomethane) CAS 77-86-1 C₄H₁₁NO₃ F. Wt. 121.14 Assay : ≥99%	100 gm 500 gm 1 Kg 5 Kg	660 2485 4705 21195
TMB 068	SODIUM CARBONATE (ANH.) (Soda Ash) CAS 497-19-8 Na₂CO₃ F. Wt. 105.99 Assay : ≥99.9%	100 gm 500 gm 1 Kg	1820 3460 6660	TMB 080	TRIS HYDROCHLORIDE CAS 1185-53-1 C₄H₁₁NO₃·HCl F. Wt. 157.6 Assay : ≥99%	100 gm 500 gm 1 Kg	660 2965 5340
TMB 069	SODIUM CHLORIDE CAS 7647-14-5 NaCl F. Wt. 58.44 Assay : ≥99.5%	500 gm 1 Kg 5 Kg	685 1325 6130	TMB 081	TRIS (HYDROXYMETHYL) AMINOMETHANE ACETATE CAS 6850-28-8 C₆H₁₅NO₅ F. Wt. 181.19 Assay : ≥99%	25 gm 100 gm	1240 4340
TMB 070	SODIUM HYDROXIDE PELLETS CAS 1310-73-2 NaOH F. Wt. 40.00 Assay : ≥98%	100 gm 500 gm 5 Kg	170 435 3955	TMB 082	TWEEN 20 CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	100 ml	3165
TMB 071	SODIUM PHOSPHATE DIBASIC (Dihydrate) CAS 10028-24-7 Na₂HPO₄·2H₂O F. Wt. 177.99 Assay : ≥99%	500 gm 5 Kg	1230 11735	TMB 083	TWEEN 80 CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml	3165
TMB 072	SODIUM PHOSPHATE MONOBASIC (ANH.) CAS 7558-80-7 NaH₂PO₄ F. Wt. 119.98 Assay : ≥98%	500 gm	785	TMB 084	UREA CAS 57-13-6 CH₄N₂O F. Wt. 60.06 Assay : ≥99.5%	500 gm 1 Kg 5 Kg	840 1590 7635
TMB 073	SODIUM SULPHATE (ANH.) CAS 7757-82-6 Na₂SO₄ F. Wt. 142.04 Assay : ≥99%	1 Kg	485	TMB 085	X-GAL (5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside) CAS 7240-90-6 C₁₄H₁₅BrClN₂O₆ F. Wt. 408.63 Assay : ≥98% Store Below 2-8°C	100 mg 500 mg 1 gm	1240 5595 10075
TMB 074	SUCROSE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.3 Assay : ≥99.5%	500 gm 5 Kg	635 5880	TMB 086	X-GLUCURONO CHA SALT (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt) CAS 114162-64-0 C₂₀H₂₆BrClN₂O₇ F. Wt. 521.79 Assay : ≥98% Store Below 2-8°C	100 mg 500 mg 1 gm	7105 14220 19550
TMB 075	TEMED (N,N,N',N'-Tetramethylethylenediamine) CAS 110-18-9 C₆H₁₆N₂ F. Wt. 116.20 Assay : ≥99% Store Below 2-8°C	100 ml	960	TMB 087	X-GLUCURONO SODIUM SALT (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium) CAS 129541-41-9 C₁₄H₁₂BrClN₂O₇ F. Wt. 444.59 Assay : ≥98% Store Below 2-8°C	100 mg 500 mg 1 gm	7700 34660 51995
TMB 076	TES (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) CAS 7365-44-8 C₆H₁₅NO₅S F. Wt. 229.25 Assay : ≥99%	100 gm	5700	TMB 088	X-GLUCOSIDE (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside) CAS 15548-60-4 C₁₄H₁₅BrClNO₆ F. Wt. 408.63 Assay : ≥97% Store Below 2-8°C	1 mg 5 gm 10 mg	1420 6660 12240
TMB 077	TRICINE CAS 5704-04-1 C₆H₁₃NO₅ F. Wt. 179.17 Assay : ≥99%	100 gm	4825	TMB 089	ZINC SULPHATE (Hepta) CAS 7446-20-0 ZnSO₄·7H₂O F. Wt. 287.56 Assay : ≥99.5%	500 gm	510
TMB 078	2,3,5-TRIPHENYLTETRAZOLIUM CHLORIDE CAS 298-96-4 C₁₉H₁₅N₄Cl F. Wt. 334.8 Assay : ≥99%	10 gm 25 gm	1510 3675				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3051	ABSCISIC ACID (ABA, DORMIVE) CAS 21293-29-8 C ₁₅ H ₂₀ O ₄ F. wt. 264.3 *	100 mg 500 mg 1 gm	4000 18900 33300	573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 C ₁₅ H ₂₃ NO ₄ F. wt. 281.36	1 gm 5 gm	2505 11950
3051A	ABSCISIC ACID (ABA) 10% CAS 21293-29-8 C ₁₅ H ₂₀ O ₄ F. wt. 264.3 *	10 gm 25 gm 100 gm	895 1735 5095	561	ADENINE 99% (6 Aminopurine, Vitamin β) CAS 73-24-5 C ₅ H ₅ N ₅ F. wt. 135.13	5 gm 25 gm 1 Kg	295 1190 30940
210	ACACIA GUM POWDER (Spray Dried) (PHARMA GRADE) CAS 9000-01-5	500 gm	605	562	ADENINE SULPHATE (Adenine Hemi Sulphate) CAS 321-30-2 C ₁₀ H ₁₂ N ₁₀ O ₄ S F. wt. 368.34	10 gm 100 gm	685 6260
3599	ACES BUFFER CAS 7365-82-4 C ₄ H ₁₀ N ₂ O ₄ S F. wt. 182.20	5 gm 25 gm 100 gm	585 2580 9460	3509	ADENOSINE CAS 58-61-7 C ₁₀ H ₁₃ N ₅ O ₄ F. wt. 267.25 *	5 gm 25 gm 100 gm	315 1260 5050
681	ACETAMIDE (for Synthesis) CAS 60-35-5 C ₂ H ₅ NO F. wt. 59.07	100 gm 500 gm	190 655	3061	ADENOSINE 5-MONOPHOSPHATE AMP Free Acid CAS 61-19-8 C ₁₀ H ₁₄ N ₅ O ₇ P F. wt. 347.22 *	1 gm 5 gm 25 gm	385 1750 7730
002	ACETANILIDE (N-Phenylacetamide), AR GRADE CAS 103-84-4 C ₈ H ₉ NO F. wt. 135.17	500 gm	870	3287	ADENOSINE-5-MONO PHOSPHATE DISODIUM (5'-ADP-Na ₂) CAS 4578-31-8 C ₁₀ H ₁₃ N ₅ Na ₂ O ₇ P F. wt. 391.18 *	1 gm 5 gm 25 gm	190 775 3385
982	ACETYL CHOLINE CHLORIDE, AR GRADE CAS 60-31-1 C ₇ H ₁₆ ClNO ₂ F. wt. 181.68 *	5 gm 25 gm	1350 5580	3063	ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na ₂) CAS 16178-48-6 C ₁₀ H ₁₃ N ₅ Na ₂ O ₁₀ P ₂ F. wt. 391.19 *	1 gm 5 gm	1470 7320
1143	N-ACETYL-L-CYSTEINE CAS 616-91-1 C ₅ H ₉ NO ₃ S F. wt. 163.20 *	5 gm 25 gm 100 gm	325 1440 3885	3064	ADENOSINE-5-TRIPHOSPHATE DISODIUM (5'-ATP-Na ₂) CAS 987-65-5 C ₁₀ H ₁₄ N ₅ Na ₂ O ₁₃ P ₃ F. wt. 551.15 *	1 gm 5 gm 25 gm	290 835 2900
3058	N-ACETYL-L-TYROSINE CAS 537-55-3 C ₁₁ H ₁₃ NO ₄ F. wt. 223.23 *	5 gm	1920	500	ADIPIC ACID, (Hexanedioic Acid) CAS 124-04-9 C ₆ H ₁₀ O ₄ F. wt. 146.14	500 gm	520
3300	ACETYLSALICYLIC ACID (Aspirin) CAS 50-78-2 C ₉ H ₈ O ₄ F. wt. 180.15	500 gm	760	2506	L-ADRENALINE, AR GRADE (Epinephrine) CAS 51-43-4 C ₉ H ₁₃ NO ₃ F. wt. 183.204	5 gm	9450
1681	ACID BLUE 9(Erioglaucine)(Brilliant Blue FCF) CAS 3844-45-9 C ₃₇ H ₃₄ Na ₂ N ₂ O ₉ S ₃ F. wt. 792.86	10 gm	760	304	AESCULIN (Esculin) CAS 531-75-9 C ₁₅ H ₁₆ O ₉ F. wt. 340.29	5 gm 25 gm	1345 5805
1640	ACID FUCHSIN CAS 3244-88-0 C.I. 42685 C ₂₀ H ₁₇ N ₃ Na ₂ O ₉ S ₃ F. wt. 585.55	25 gm 100 gm	575 1940	3500	AGAR AGAR Type I CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	920 4305 POR POR
1610	ACRIDINE ORANGE CAS 65-61-2 C.I. 46005 C ₁₇ H ₂₀ ClN ₃ F. wt. 301.81	10 gm 25 gm	2180 3870	3628	AGAR AGAR, FOOD GRADE CAS 9002-18-0	100 gm 500 gm	790 3150
1695	ACRIFLAVINE (Eufllavine) (For Biochemistry) CAS 8048-52-0 C.I. 46000 C ₁₄ H ₁₄ ClN ₃ F. wt. 259.73	5 gm 25 gm	330 1380	1227	AGAROSE, HIGH EEO (0.23-0.26) CAS 9012-36-6 C ₂₄ H ₄₈ O ₁₉ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	420 1690 6040 26120
646	ACRIFLAVINE HYDROCHLORIDE CAS 8063-24-9 C ₁₄ H ₁₃ N ₃ .HCl F. wt. 259.73	5 gm 25 gm	580 2630				
201	ACRYLAMIDE, EXTRA PURE CAS 79-06-1 C ₃ H ₅ NO F. wt. 71.08	500 gm	685				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1282	AGAROSE, MEDIUM EEO (0.16-0.19) CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	445 1785 5620 23560	024	ALUMINIUM METAL POWDER, AR GRADE CAS 7429-90-5 Al F. wt. 26.98	500 gm	710
1258	AGAROSE, LOW EEO (0.05-0.13) CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	290 1275 4450 21620	231	ALUMINIUM AMMONIUM SULPHATE, (Ammonium Alum), EXTRA PURE CAS 7784-26-1 $AlNH_4(SO_4)_2 \cdot 12H_2O$ F. wt. 453.33	500 gm 50 Kg	240 POR
1270	AGAROSE, LOW EEO Spl. For immunoelectrophoresis, Counterelectrophoresis CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	325 1390 4830 22575	232	ALUMINIUM AMMONIUM SULPHATE, (Ammonium Alum), AR GRADE CAS 7784-26-1 $AlNH_4(SO_4)_2 \cdot 12H_2O$ F. wt. 453.33	500 gm 50 Kg	305 POR
1283	AGAROSE, LOW EEO Spl. For Routine Use CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	25 gm 100 gm 500 gm	1275 4450 21620	2598	ALUMINIUM NITRATE (Nonahydrate), EXTRA PURE CAS 7784-27-2 $Al(NO_3)_3 \cdot 9H_2O$ F. wt. 375.134	500 gm	300
1101	β -ALANINE, 99%+PURITY Crystalline (L-Aminopropionic Acid) CAS 107-95-9 $C_3H_7NO_2$ F. wt. 89.10	25 gm 100 gm 500 gm	265 905 4300	753	ALUMINIUM POTASSIUM SULPHATE, (Potash-Alum), EXTRA PURE CAS 7784-24-9 $AlK_2S_2 \cdot 12H_2O$ F. wt. 474.39	500 gm 5 Kg 50 Kg	230 1630 POR
1102	DL-ALANINE, 99%+PURITY Crystalline CAS 302-72-7 $C_3H_7NO_2$ F. wt. 89.10	25 gm 1 Kg	185 4730	230	ALUMINIUM POTASSIUM SULPHATE, (Potash-Alum) AR GRADE CAS 7784-24-9 $AlK_2S_2 \cdot 12H_2O$ F. wt. 474.39	500 gm 5 Kg 50 Kg	330 3015 POR
1103	L-ALANINE, 99%+PURITY Crystalline CAS 56-41-7 $C_3H_7NO_2$ F. wt. 89.10	25 gm 100 gm 500 gm	265 725 2910	791	ALUMINIUM SULPHATE, EXTRA PURE CAS 7784-31-8 $Al_2(SO_4)_3 \cdot 18H_2O$ F. wt. 666.42	500 gm 5 Kg 50 Kg	170 1360 POR
322	ALBUMIN EGG POWDER (Egg Albumin Powder) CAS 9006-59-1	500 gm 25 Kg	4250 POR	1601	AMIDO BLACK 10 B, (Naphthol Blue Black) CAS 1064-48-8 C.I. 20470 (Acid Black-1) $C_{22}H_{14}N_6O_9S_2 Na_2$ F. wt. 616.50	25 gm 100 gm	200 505
3066	ALCIAN BLUE 8GX CAS 33864-99-2 C.I. 74240 $C_{56}H_{68}Cl_4CuN_{16}S_4$ F. wt. 1298.86	5 gm 25 gm	1890 7840	TCK 05	AMINO ACID KIT (Biochemistry) (20 Amino Acid 1 gm each & 4 Amino Acid 100 mg each) *	1 Kit	3275
684	ALGINIC ACID (PHARMA GRADE) CAS 9005-32-7 $(C_6H_8O_6)_n$ F. wt. 176.13	500 gm	1565	TCK 06	AMINO ACID KIT (22 Essential Amino Acid 1gm each) *	1 Kit	3150
019	ALIZARIN CYANINE GREEN (Acid Green 25) CAS 4403-90-1 C.I. 61570 $C_{28}H_{20}N_2O_8S_2Na_2$ F. wt. 622.57	25 gm	405	4020	1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID, EXTRA PURE CAS 116-63-2 $C_{10}H_9NO_3S$ F. wt. 239.25	25 gm	420
020	ALIZARIN RED S, (Sodium Alizarin Sulphonate) CAS 130-22-3 C.I. 58005 $C_{14}H_7NaO_7S$ F. wt. 342.26	25 gm 100 gm	605 2180	036	4-AMINOANTIPYRINE (4-Amino Phenazone) CAS 83-07-8 $C_{11}H_{13}N_3O$ F. wt. 203.25	25 gm 100 gm	1100 3800
3069	ALLOXAN (Mono) CAS 2244-11-3 $C_4H_2N_2O_4 \cdot HO_2$ F. wt. 160.10	25 gm 100 gm	725 2690	4022	2-AMINOPHENOL for synthesis (Ortho-Aminophenol) CAS 95-55-6 C_6H_7NO F. wt. 109.13	100 gm	650
3288	ALLYLTHIOUREA (Thiosinamine) CAS 109-57-9 $C_4H_8N_2S$ F. wt. 116.18	25 gm 100 gm	2220 7720				


CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
233	4-AMINO BENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 C₇H₇NO₂ F. wt. 137.14	100 gm 500 gm	455 1975	800	AMMONIUM CERIC SULPHATE (Dihydrate) EXTRA PURE CAS 10378-47-9 CeH₁₆N₄O₁₆S₄ · 2H₂O F. wt. 632.55	100 gm 500 gm	1225 5440
996	DL-2-AMINO BUTYRIC ACID CAS 2835-81-6 C₄H₉NO₂ F. wt. 103.12	25 gm 100 gm	1635 4910	241	AMMONIUM CHLORIDE, EXTRA PURE CAS 12125-02-9 NH₄Cl F. wt. 53.49	500 gm 5 Kg 50 Kg	290 2090 POR
796	p-AMINO-N, N-DIMETHYLANILINE OXALATE (N, N-Dimethyl-p-Phenylenediamine Oxalate) (for oxidase reagent) CAS 62778-12-5 C₁₀H₁₄N₂O₄ F. wt. 226.23	1 gm 5 gm	605 2615	242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH₄Cl F. wt. 53.49	500 gm 5 Kg 50 Kg	300 2885 POR
841	4-AMINO N,N-DIMETHYLANILINE SULPHATE (N, N-Dimethyl-p-Phenylenediamine Sulphate) CAS 536-47-0 C₈H₁₄N₂SO₄ F. wt. 234.87	5 gm 25 gm	3500 10080	2514	AMMONIUM CITRATE DIBASIC (di-Ammonium Hydrogen Citrate) CAS 3012-65-5 C₆H₁₄N₂O₇ F. wt. 226.19	500 gm	855
042	4-AMINOPHENOL (p-Aminophenol) CAS 123-30-8 C₆H₇NO F. wt. 109.13	100 gm 500 gm	240 1105	802	tri-AMMONIUM CITRATE, EXTRA PURE CAS 3458-72-8 C₆H₁₇N₃O₇ F. wt. 243.22	500 gm 50 Kg	880 POR
234	AMMONIUM ACETATE, EXTRA PURE CAS 631-61-8 C₂H₃O₂NH₄ F. wt. 77.08	500 gm 50 Kg	330 POR	686	tri-AMMONIUM CITRATE, AR GRADE CAS 3458-72-8 C₆H₁₇N₃O₇ F. wt. 243.22	500 gm	915
235	AMMONIUM ACETATE, AR GRADE CAS 631-61-8 C₂H₃O₂NH₄ F. wt. 77.08	500 gm 50 Kg	360 POR	551	AMMONIUM DICHROMATE, EXTRA PURE CAS 7789-09-5 (NH₄)₂Cr₂O₇ F. wt. 252.07	500 gm	985
236	AMMONIUM AMIDO SULPHONATE, EXTRA PURE (Ammonium Sulphamate) CAS 7773-06-0 H₆N₂O₃S F. wt. 114.125	500 gm	435	255	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, EXTRA PURE (Ammonium Phosphate, Monobasic) CAS 7722-76-1 NH₄H₂PO₄ F. wt. 115.03	500 gm	425
237	AMMONIUM BICARBONATE, EXTRA PURE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH₃NO₃ F. wt. 79.056	500 gm 5 Kg 50 Kg	210 2015 POR	256	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7722-76-1 NH₄H₂PO₄ F. wt. 115.03	500 gm	465
238	AMMONIUM BICARBONATE, AR GRADE (Ammonium Hydrogen Carbonate) CAS 1066-33-7 CH₃NO₃ F. wt. 79.056	500 gm	265	330	AMMONIUM FERRIC CITRATE, (Brown) CAS 1185-57-5 C₁₂H₂₂FeN₃O₁₄ F. Wt. 488.16	500 gm	390
4023	AMMONIUM BIFLUORIDE, EXTRA PURE CAS 1341-49-7 F₂H₃N F. wt. 57.04	500 gm	480	243	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), EXTRA PURE CAS 7783-85-9 (NH₄)₂Fe(SO₄)₂·6H₂O F. wt. 392.16	500 gm 50 Kg	210 POR
240	AMMONIUM CARBONATE, EXTRA PURE CAS 506-87-6 (NH₄)₂CO₃ F. wt. 96.09	500 gm	265	244	AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), AR GRADE CAS 7783-85-9 (NH₄)₂Fe(SO₄)₂·6H₂O F. wt. 392.16	500 gm 50 Kg	320 POR
053	AMMONIUM CARBONATE, AR GRADE CAS 506-87-6 (NH₄)₂CO₃ F. wt. 96.09	500 gm	335	804	AMMONIUM FLUORIDE, EXTRA PURE CAS 12125-1-8 FH₄N F. wt. 37.04	500 gm	675
054	AMMONIUM CERIC NITRATE, EXTRA PURE CAS 16774-21-3 H₈N₈CeO₁₈ F. wt. 548.26	100 gm	980				
4025	AMMONIUM CERIC NITRATE, AR GRADE CAS 16774-21-3 CeH₈N₈O₁₈ F. wt. 548.22	100 gm	1305				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
055	AMMONIUM FORMATE, EXTRA PURE CAS 540-69-2 CH ₅ NO ₂ F. wt. 63.06	500 gm	395	251	AMMONIUM PERSULPHATE, EXTRA PURE CAS 7727-54-0 H ₈ N ₂ O ₈ S ₂ F. wt. 228.20	500 gm 25 Kg	345 POR
056	AMMONIUM FORMATE, AR GRADE CAS 540-69-2 CH ₅ NO ₂ F. wt. 63.06	500 gm	415	252	AMMONIUM PERSULPHATE, AR GRADE CAS 7727-54-0 H ₈ N ₂ O ₈ S ₂ F. wt. 228.20	500 gm 25 Kg	380 POR
2514	di-AMMONIUM HYDROGEN CITRATE, EXTRA PURE CAS 3012-65-5 C ₆ H ₁₄ N ₂ O ₇ F. wt. 226.19	500 gm	855	060	AMMONIUM PURPURATE, (Murexide) CAS 3051-09-0 C.I. 56085 C ₈ H ₈ N ₆ O ₆ F. wt. 284.19	5 gm 25 gm	295 945
253	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, EXTRA PURE (DiAmmonium phosphate dibasic) CAS 7783-28-0 (NH ₄) ₂ HPO ₄ F. wt. 132.07	500 gm 50 Kg	465	236	AMMONIUM SULPHAMATE, EXTRA PURE (Ammonium Amido Sulphonate) CAS 7773-06-0 H ₈ N ₂ O ₃ S F. wt. 114.125	500 gm	435
254	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, AR GRADE CAS 7783-28-0 (NH ₄) ₂ HPO ₄ F. wt. 132.07	500 gm	480	257	AMMONIUM SULPHATE, EXTRA PURE CAS 7783-20-2 (NH ₄) ₂ SO ₄ F. wt. 132.14	500 gm 5 Kg 50 Kg	210 1350 POR
806	AMMONIUM META VANADATE, (Ammonium Vanadate), EXTRA PURE CAS 7803-55-6 NH ₄ VO ₃ F. wt. 116.98	100 gm 500 gm	675 2810	258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 (NH ₄) ₂ SO ₄ F. wt. 132.16	500 gm 5 Kg 50 Kg	225 1850 POR
807	AMMONIUM META VANADATE, AR GRADE CAS 7803-55-6 NH ₄ VO ₃ F. wt. 116.98	100 gm 500 gm	755 2920	576	AMMONIUM(+)TARTRATE, AR GRADE CAS 3164-29-2 C ₄ H ₁₂ N ₂ O ₆ F. wt. 184.15	500 gm	1365
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 (NH ₄) ₆ MO ₇ O ₂₄ ·4H ₂ O F. wt. 1235.86	100 gm 500 gm 25 Kg	895 3780 POR	921	AMMONIUM THIOCYANATE, EXTRA PURE (Ammonium Sulphocyanate) (Amonium Rhodanide) CAS 1762-95-4 CH ₄ N ₂ S F. wt. 76.12	500 gm 50 Kg	485 POR
246	AMMONIUM MOLYBDATE, (Tetra), AR GRADE CAS 12054-85-2 (NH ₄) ₆ MO ₇ O ₂₄ ·4H ₂ O F. wt. 1235.86	100 gm 500 gm 25 Kg	1025 4160 POR	1417	α-AMYLASE (Diastase) 2000 Anson Unit/gm CAS 9000-90-2	100 gm 500 gm	425 2015
057	AMMONIUM NICKEL SULPHATE, (Hexa), (Nickel Ammonium Sulphate), EXTRA PURE CAS 7785-20-8 H ₈ N ₂ NiO ₈ S ₂ ·6H ₂ O F. wt. 395.00	500 gm	1360	1617	ANILINE BLUE, (Spirit Soluble) CAS 28631-66-5 C.I. 42775 C ₃₂ H ₂₅ N ₃ O ₃ Na ₂ S ₃ F. wt. 737.73	25 gm 100 gm	840 2460
249	AMMONIUM OXALATE (Mono), EXTRA PURE CAS 6009-70-7 C ₂ H ₈ N ₂ O ₄ HO ₂ F. wt. 142.12	500 gm 5 Kg	370 3000	074	ANILINE BLUE (China Blue) (Water Soluble) CAS 28983-56-4 C.I. 42780 C ₃₇ H ₂₇ N ₃ Na ₂ O ₉ S ₃ F. wt. 799.80	25 gm 100 gm	620 2180
250	AMMONIUM OXALATE, (Mono), AR GRADE CAS 6009-70-7 C ₂ H ₈ N ₂ O ₄ ·H ₂ O F. wt. 142.12	500 gm	415	3295	ANILINE HYDROCHLORIDE CAS 142-04-1 C ₆ H ₅ NH ₂ ·HCl F. wt. 129.59	500 gm	1130
				3296	ANILINE SULPHATE CAS 542-16-5 C ₁₂ H ₁₄ N ₂ H ₂ SO ₄ F. wt. 284.33	500 gm	1300

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
076	ANTHRACENE 99%, EXTRA PURE CAS 120-12-7 C.I. 10790 C ₁₄ H ₁₀ F. wt. 178.23	100 gm	2370	1105	L-ARGININE HYDROCHLORIDE (Mono) 99%+PURITY, CRYSTALLINE CAS 1119-34-2 C ₆ H ₁₄ N ₄ O ₂ .HCl F. wt. 210.67	25 gm 100 gm 1 Kg	270 690 6090
079	ANTHRAQUINONE CAS 84-65-1 C ₁₄ H ₈ O ₂ F. wt. 208.22	500 gm	1035	088	ARSENAZO I, (Neothorin) AR GRADE CAS 520-10-5 C ₁₆ H ₁₀ AsN ₂ Na ₃ O ₁₁ S ₂ F. wt. 614.27	1 gm 5 gm	1300 4810
080	ANTHRONE (9,10, Dihydro-9-oxoanthracene) CAS 90-44-8 C ₁₄ H ₁₀ O F. wt. 194.24	25 gm	680	089	ARSENAZO III, AR GRADE CAS 62337-00-2 C ₂₂ H ₁₆ As ₂ N ₄ Na ₂ O ₁₁ S ₂ F. wt. 820.33	1 gm 5 gm	1065 4360
2516	ANTIMONY METAL POWDER 99% CAS 7440-36-0 Sb F. wt. 121.76	500 gm	3700	090	ARSENIC TRIOXIDE, EXTRA PURE CAS 1327-53-3 As ₂ O ₃ F. wt. 197.84	500 gm	420
2517	ANTIMONY POTASSIUM TARTRATE, EXTRA PURE CAS 28300-74-5 C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O F. wt. 667.87	100 gm 500 gm 25 Kg	415 1670 POR	1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 C ₆ H ₈ O ₆ F. wt. 176.12	100 gm 500 gm	545 2375
811	ANTIMONY POTASSIUM TARTRATE, (Potassium Antimony (iii) Oxide Tartrate), AR GRADE CAS 28300-74-5 C ₈ H ₄ K ₂ O ₁₂ Sb ₂ ·3H ₂ O F. wt. 667.87	100 gm 500 gm 25 Kg	465 1890 POR	1715	L-ASCORBIC ACID (Vitamin C), AR GRADE CAS 50-81-7 C ₆ H ₈ O ₆ F. wt. 176.13	25 gm 100 gm 500 gm	245 665 2885
809	ANTIMONY TRICHLORIDE, EXTRA PURE CAS 10025-91-9 SbCl ₃ F. wt. 228.13	100 gm 500 gm	580 2450	1714	L-ASCORBIC ACID SODIUM (Sodium Ascorbate) CAS 134-03-2 C ₆ H ₇ NaO ₆ F. wt. 198.11	100 gm 500 gm	615 2750
810	ANTIMONY TRICHLORIDE, AR GRADE (Antimony (III) Chloride) CAS 1309-64-4 SbCl ₃ F. wt. 228.13	100 gm 500 gm	630 2665	1148	DL-ASPARAGINE (Mono) 98.5%+Purity, Crystalline CAS 3130-87-8 C ₄ H ₈ N ₂ O ₃ ·H ₂ O F. wt. 150.14	25 gm 100 gm	3360 13415
085	ANTIMONY TRIOXIDE, EXTRA PURE CAS 1309-64-4 Sb ₂ O ₃ F. wt. 291.52	500 gm	1765	1106	L- ASPARAGINE (Mono) 99%+Purity Crystalline CAS 5794-13-8 C ₄ H ₈ N ₂ O ₃ ·H ₂ O F. wt. 150.14	25 gm 100 gm 500 gm	335 910 3895
086	ANTIMONY TRIOXIDE, AR GRADE CAS 1309-64-4 Sb ₂ O ₃ F. wt. 291.52	100 gm 500 gm	675 2070	1107	DL-ASPARTIC ACID 99%+Purity, Crystalline CAS 617-45-8 C ₄ H ₇ NO ₄ F. wt. 133.11	25 gm 100 gm 500 gm	170 515 2050
2519	ANTIPYRINE, (Phenazone) CAS 60-80-0 C ₁₁ H ₁₂ N ₂ O F. wt. 188.23	100 gm 500 gm	1030 3865	1108	L- ASPARTIC ACID 99%+Purity, Crystalline CAS 56-84-8 C ₄ H ₇ NO ₄ F. wt. 133.10	25 gm 100 gm 500 gm	105 375 1600
087	D (-) ARABINOSE, AR GRADE CAS 10323-20-3 C ₅ H ₁₀ O ₅ F. wt. 150.13	5 gm 25 gm	620 2200	1638	AURAMINE CAS 2465-27-2 C.I. 41000 C ₁₇ H ₂₁ N ₃ ClH F. wt. 303.84	25 gm 100 gm	180 430
259	L (+) ARABINOSE CAS 87-72-9 C ₅ H ₁₀ O ₅ F. wt. 150.13	25 gm 100 gm	1000 4055	1022	AZOMETHIN-H-MONOSODIUM SALT CAS 206752-32-1 C ₁₇ H ₁₂ NNaO ₈ S ₂ ·xH ₂ O F. wt. 445.40	1 gm 5 gm	935 3725
1104	L- ARGININE 99%+PURITY (Free Base) CAS 74-79-3 C ₆ H ₁₄ N ₄ O ₂ F. wt. 174.20	25 gm 100 gm 1 Kg	250 785 6990	1699	AZUR A CAS 531-53-3 C.I. 52005 C ₁₄ H ₁₄ ClN ₃ S F. wt. 291.80	5 gm 25 gm 100 gm	225 750 2840
				1689	AZUR I (AZUR B) CAS 531-55-5 C ₁₅ H ₁₆ ClNS ₃ F. wt. 305.83	5 gm 25 gm	330 805

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1697	AZUR II (Azur I and Methylene Blue) CAS 37247-10-2 C.I. 52010/52015 $C_{40}H_{52}Cl_2N_6S_2$ F. wt. 751.94	25 gm	615	273	BARIUM SULPHATE, EXTRA PURE CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm 5 kg	270 1975
1694	AZUR II EOSIN CAS 53092-85-6	25 gm	350	274	BARIUM SULPHATE, AR GRADE CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm	395
094	BALSAM CANADA (Synthetic) CAS 8007-47-4	500 ml	2455	1603	BASIC FUCHSIN (Fuchsin Basic, Margneta Basic) CAS 632-99-5 C.I. 42510 $C_{20}H_{20}ClN_3$ F. Wt. 337.86	25 gm 100 gm 1 Kg	245 680 5485
3301	BARBITURIC ACID CAS 67-52-7 $C_4H_4N_2O_3$ F. Wt. 128.09	100 gm 500 gm	630 2730	4028	BATHOPHENANTHROLINE, AR GRADE CAS 1662-01-7 $C_{24}H_{16}N_2$ F. wt. 332.4	250 mg	2220
099	BARIUM ACETATE, EXTRA PURE CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	680	3501	B. MEAT EXTRACT PASTE (For General Purpose, Bacteriological Grade)	500 gm 25 Kg	1065 POR
262	BARIUM ACETATE, AR GRADE CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	850	3502	B. MEAT EXTRACT POWDER (For General Purpose, Bacteriological Grade)	500 gm 25 Kg	1485 POR
264	BARIUM CARBONATE, EXTRA PURE CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	470	4029	BENTONITE POWDER CAS 1302-78-9 $Al_2O_3 \cdot 4(SiO_2) \cdot H_2O$ F. wt. 360.31	500 gm	305
265	BARIUM CARBONATE, AR GRADE CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	870	108	BENZAMIDE CAS 55-21-0 C_7H_7NO F. Wt. 121.14	500 gm	1350
266	BARIUM CHLORIDE, (Dihydrate), EXTRA PURE CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$ F. Wt. 244.27	500 gm 5 Kg	275 2345	109	BENZANILIDE CAS 93-98-1 $C_{13}H_{11}NO$ F. Wt. 197.24	100 gm 500 gm	545 2090
267	BARIUM CHLORIDE, (Dihydrate), AR GRADE CAS 10326-27-9 $BaCl_2 \cdot 2H_2O$ F. Wt. 244.27	500 gm	350	4030	BENZENE SULPHONIC ACID, EXTRA PURE CAS 98-11-3 $C_6H_6O_3S$ F. wt. 158.18	500 gm	4200
4026	BARIUM DIPHENYLAMINE SULPHONATE, AR GRADE CAS 6211-24-1 $C_{24}H_{20}BaN_2O_6S_2$ F. wt. 633.88	5 gm 25 gm	280 885	4031	BENZETHONIUM CHLORIDE (Hyamine 1622) CAS 121-54-0 $C_{27}H_{42}ClNO_2$ F. wt. 448.08	25 gm	1685
268	BARIUM HYDROXIDE, (Octa), EXTRA PURE CAS 12230-71-6 $Ba(OH)_2 \cdot 8H_2O$ F. Wt. 315.48	500 gm 5 Kg	260 2470	3085	BENZIL CAS 134-81-6 $C_{14}H_{10}O_2$ F. Wt. 210.24	500 gm	1800
270	BARIUM NITRATE, EXTRA PURE CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm 5 Kg	350 3350	2525	BENZIMIDAZOLE CAS 51-17-2 $C_7H_8N_2$ F. Wt. 118.14	25 gm 100 gm	220 680
4027	BARIUM NITRATE, AR GRADE CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm	550	276	BENZOIC ACID, EXTRA PURE CAS 65-85-0 C_6H_5COOH F. wt. 122.12	500 gm 25 Kg	430 POR
2522	BARIUM PEROXIDE, EXTRA PURE CAS 1304-29-6 BaO_2 F. Wt. 169.34	500 gm	710	4032	BENZOIC ACID, AR GRADE (Meets Analytical Standards of IP, BP, USP, Ph.Eur.) CAS 65-85-0 $C_7H_6O_2$ F. wt. 122.12	500 gm 25 Kg	1025 POR
				2526	BENZOIN CAS 119-53-9 $C_{14}H_{12}O_2$ F. Wt. 212.25	100 gm 500 gm	445 1190

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
817	BENZOIN-<i>O</i>-OXIME, (Cupron), AR GRADE CAS 441-38-3 C₁₄H₁₃NO₂ F. Wt. 227.27	25 gm 100 gm	410 1220	4036	BISMUTH SUBNITRATE, EXTR APURE (Bismuth Oxynitrate) CAS 10361-46-3 BiNO₃ F. wt. 286.99	100 gm 500 gm	980 4410
3469	BENZOPHENONE (Diphenylketene) CAS 119-61-9 C₁₃H₁₀O F. Wt. 182.22	500 gm	970	4037	BISMUTH OXIDE, EXTRA PURE CAS 1304-76-3 Bi₂O₃ F. wt. 465.65	100 gm 500 gm	980 4750
117	1,2,3, BENZOTRIAZOLE (Benzotriazole) CAS 95-14-7 C₆H₅N₃ F. Wt. 119.12	100 gm	380	682	BISMUTH SULPHATE CAS 7787-68-0 Bi₂O₃S₃ F. Wt. 706.15	100 gm 500 gm	1335 5175
816	6-BENZYLADENINE (6BAP) * (6-Benzylaminopurine) Plant Growth Regulator CAS 1214-39-7 C₁₂H₁₁N₅ F. Wt. 225.25	1 gm 5 gm 25 gm 1 Kg 50 Kg	160 620 865 17325 POR	2537	BISPHENOL A CAS 80-05-7 C₁₅H₁₆O₂ F. Wt. 228.29	500 gm	425
3086	BES, SODIUM, EXTRA PURE (N,N-Bis(2-hydroxyethyl)-2-amino ethane sulphonic acid sodium CAS 66992-27-6 C₆H₁₄NNaO₅S F. Wt. 235.23	5 gm 25 gm	795 3400	130	BIURET, AR GRADE (Allophanic Acid Amide) CAS 108-19-0 C₂H₃N₃O₂ F. Wt. 103.08	25 gm	990
2388	BETAINE HYDROCHLORIDE CAS 590-46-5 C₅H₁₂ClNO₂ F. Wt. 153.61	100 gm	1790	821	BLUE TETRAZOLIUM CHLORIDE, AR GRADE CAS 1871-22-3 C₄₀H₃₆Cl₂N₈O₂ F. Wt. 731.67	1 gm 5 gm	1260 5485
121	BILIRUBIN, AR GRADE CAS 635-65-4 C₃₃H₃₆N₄O₆ F. Wt. 584.68	500 mg 1 gm	3810 7130	279	BORAX POWDER, (Deca) (Sodium Tetraborate), EXTRA PURE CAS 1303-96-4 Na₂B₄O₇·10H₂O F. Wt. 381.37	500 gm 5 kg 50 kg	235 2240 POR
1709	D-BIOTIN (Vitamin H) * CAS 58-85-5 C₁₀H₁₆N₂O₃S F. Wt. 244.31	1 gm 10 gm 25 gm	595 4835 10710	280	BORAX POWDER, (Deca) (Sodium Tetraborate), AR GRADE CAS 1303-96-4 Na₂B₄O₇·10H₂O F. Wt. 381.37	500 gm 5 kg 50 kg	300 2775 POR
2533	BIPHENYL (Diphenyl) CAS 92-52-4 C₆H₅C₆H₅ F. Wt. 154.21	100 gm 500 gm	430 1935	281	BORIC ACID, EXTRA PURE CAS 10043-35-3 H₃BO₃ F. Wt. 61.83	500 gm 5 Kg 50 Kg	345 2990 POR
2534	2-2 BIPYRIDYL (2,2-Dipyridyl), AR GRADE CAS 366-18-7 C₁₀H₈N₂ F. Wt. 156.18	5 gm 25 gm	640 2630	282	BORIC ACID, AR GRADE CAS 10043-35-3 H₃BO₃ F. Wt. 61.83	500 gm 5 Kg 50 Kg	390 3550 POR
3088	BIS-TRIS, EXTRA PURE (Bis(2-hydroxyethyl)amino-trishydroxy methy methane) CAS 6976-37-0 C₈H₁₃NO₅ F. Wt. 209.24	25 gm 100 gm	1150 4220	4170	di-BORON TRIOXIDE, EXTRA PURE CAS 1303-86-2 B₂O₃ F. Wt. 69.62	250 gm 500 gm	3045 5775
371	BISACRYLAMIDE, AR GRADE (N-N-Methylene-bisacrylamide) for Electrophoresis CAS 110-26-9 C₇H₁₀N₂O₂ F. Wt. 154.17	25 gm 100 gm 500 gm	475 915 2585	1226	BOVINE ALBUMIN FRACTION-V * (Albumin Bovine Fraction-V) CAS 9048-46-8	5 gm 25 gm 100 gm	880 2690 11900
4033	BISMUTH CARBONATE, EXTRA PURE CAS 5892-10-4 (BiO)₂CO₃ F. wt. 509.97	100 gm 500 gm	910 4440	133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 C₁₂H₂₅O·C₂H₄O)_n	500 ml	1345
4034	BISMUTH CHLORIDE, EXTRA PURE (Bismuth Trichloride) CAS 7787-60-2 BiCl₃ F. wt. 315.34	100 gm 500 gm	1830 7340	1681	BRILLIANT BLUE FCF (Erioglaucine A) CAS 3844-45-9 C₃₇H₃₄N₂Na₂O₃S₃ F. Wt. 792.86	10 gm	760
4035	BISMUTH NITRATE, EXTRA PURE CAS 10035-06-0 BiN₃O₉ F. wt. 394.99	100 gm 500 gm	705 3205	1696	BRILLIANT BLUE G-250, (Coomsie Brilliant Blue G) for Electrophoresis CAS 6104-58-1 C.I. 42655 C₄₇H₄₈N₃NaO₇S₂ F. Wt. 854.02	5 gm 25 gm	925 3085

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1653	BRILLIANT CRESYL BLUE, AR GRADE CAS 81029-05-2 (C ₁₇ H ₂₀ ClN ₄) ₂ ZnCl ₂ F. Wt. 771.92	25 gm 100 gm	3605 12535	3327	BROMOTHYMOL BLUE SODIUM CAS 34722-90-2 C ₂₇ H ₂₇ Br ₂ O ₅ Na F. Wt. 646.35	5 gm 25 gm	230 815
1611	BRILLIANT GREEN CAS 633-03-4 C.I. 24040 C ₂₇ H ₃₃ N ₂ HO ₄ S F. Wt. 482.65	25 gm 100 gm 1 Kg	210 620 5330	3308	BRUCINE CAS 357-57-3 C ₂₃ H ₂₆ N ₂ O ₄ F. Wt. 394.46	25 gm	1575
1630	BRILLIANT GREEN FCF CAS 2353-45-9 C.I. 42053 C ₃₇ H ₃₄ N ₂ O ₁₀ S ₃ Na ₂ F. Wt. 808.85	5 gm 25 gm	360 1405	3309	BRUCINE SULPHATE (Hepta) CAS 5787-00-8 (C ₂₃ H ₂₆ N ₂ O ₄) ₂ ·H ₂ SO ₄ ·7H ₂ O F. Wt. 1013.13	25 gm	1150
1654	BRILLIANT YELLOW CAS 3051-11-4 C.I. 24890 C ₂₆ H ₁₈ N ₄ Na ₂ O ₈ S ₂ F. Wt. 624.56	25 gm	275	284	BUFFER CAPSULES pH 4.0	10 Cap. 10x10	205 1840
4254	5-BROMO-4-CHLORO-3-INDOLYL- α-D-GALACTOPYRANOSIDE *  CAS 107021-38-5 C ₁₄ H ₁₃ BrClNO ₆ F. Wt. 408.63	100 mg 500 mg	6845 24675	285	BUFFER CAPSULES pH 7.0	10 Cap. 10x10	205 1840
3093	5-BROMO-4-CHLORO-3-INDOLYL- β-D-GALACTOPYRANOSIDE (X-Gal) * CAS 7240-90-6 C ₁₄ H ₁₄ BrClNO ₆ F. Wt. 408.63	100 mg 500 gm 1 gm	1460 6910 13390	286	BUFFER CAPSULES pH 9.2	10 Cap. 10x10	205 1840
4161	5-BROMO-4-CHLORO-3-INDOLYL-β-D- GLUCURONIDE CYCLOHEXYL AMMONIUM * SALT CAS 114162-64-0 C ₂₀ H ₂₆ BrClN ₂ O ₇ F. Wt. 521.79	1 gm	21980	4041	1-BUTANE SULPHONIC ACID SODIUM SALT (Anhydrous), (For HPLC) CAS 2386-54-1 C ₄ H ₉ NaO ₃ S F. wt. 160.16	25 gm	1230
3096	5-BROMO-4-CHLORO-3-INDOLYL- PHOSPHATE di-SODIUM (BCIP) * CAS 102185-33-1 C ₈ H ₆ BrClNO ₄ PNa ₂ F. Wt. 370.43	500 mg 1 gm	18140 32660	4042	1-BUTANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC) CAS 2386-54-1 C ₄ H ₉ NaO ₃ S·H ₂ O F. wt. 178.16	25 gm	1175
275	BROMO CRESOL GREEN SODIUM, AR GRADE CAS 62625-32-5 C ₂₁ H ₁₄ Br ₄ NaO ₅ S F. Wt. 720.0	5 gm 25 gm	585 2480	581	BUTYLATED HYDROXY ANISOLE, (B.H.A.) CAS 121-00-6 C ₁₁ H ₁₆ O ₂ F. Wt. 180.24 (Store at 25°C)	100 gm 500 gm 25 Kg	835 3000 POR
1612	BROMOCRESOL GREEN, AR GRADE (Bromo Cresol Blue) CAS 76-60-8 C ₂₁ H ₁₄ Br ₄ O ₅ S F. Wt. 698.01	5 gm 25 gm 100 gm	635 3025 11345	582	BUTYLATED HYDROXY TOLUENE, (B.H.T.) (2,6-di-tert-butyl-p-cresol) CAS 128-37-0 C ₁₅ H ₂₄ O F. Wt. 220.35	500 gm 5 Kg 25 Kg	745 5815 POR
1614	BROMOCRESOL PURPLE, AR GRADE (pH 5.2-6.8, Yellow to Purple) CAS 115-40-2 C ₂₁ H ₁₆ Br ₂ O ₅ S F. Wt. 540.24	5 gm 25 gm 100 gm	250 850 2400	144	tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C ₁₀ H ₁₄ O ₂ F. Wt. 166.22	100 gm 500 gm	410 1785
1656	BROMOPHENOL BLUE INDICATOR, AR GRADE CAS 115-39-9 C ₁₉ H ₁₀ Br ₄ O ₅ S F. Wt. 669.96	5 gm 25 gm	230 875	3098	BUTYL-P-HYDROXY BENZOATE (Butyl Paraben) CAS 94-26-8 C ₁₁ H ₁₄ O ₃ F. Wt. 194.23	500 gm	1365
1021	BROMOPHENOL BLUE SODIUM CAS 34725-61-6 C ₁₉ H ₉ Br ₄ NaO ₅ S F. Wt. 691.97	5 gm	3350	3109	CADMIUM SULPHATE (Octa), EXTRA PURE CAS 7790-84-3 3CdSO ₄ ·8H ₂ O F. wt. 769.50	100 gm 500 gm	480 1225
4039	BROMOPYROGALLOL RED, AR GRADE CAS 16574-43-9 C ₁₉ H ₁₀ Br ₂ O ₅ S F. wt. 558.15	1 gm 5 gm	690 2730	3110	CADMIUM SULPHATE (Octa), AR GRADE CAS 7790-84-3 3CdSO ₄ ·8H ₂ O F. wt. 769.50	100 gm 500 gm	580 2170
1657	BROMOTHYMOL BLUE (pH 5.8-7.6, Yellow to Blue) CAS 76-59-5 C ₂₇ H ₂₈ Br ₂ O ₅ S F. Wt. 624.38	5 gm 25 gm 100 gm	290 1115 3535	3111	CAFFEINE (ANH) (as per IP) CAS 58-08-2 C ₈ H ₁₀ N ₄ O ₂ F. Wt. 194.19	100 gm 500 gm 25 Kg	460 1830 POR
				148	CALAMINE (as per IP) CAS 8011-96-9	500 gm 25 Kg	575 POR
				149	CALCEIN, AR GRADE (Fluorescein Complexone) CAS 1461-15-0 C ₃₀ H ₂₆ N ₂ O ₁₃ Na ₂ F. Wt. 622.55	1 gm 5 gm	235 840

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
287	CALCIUM ACETATE, (PHARMA GRADE) (for soil test) CAS 62-54-4 $C_4H_6CaO_4$ F. Wt. 158.17	500 gm 25 Kg	460 POR	298	CALCIUM HYDROXIDE (Purified) CAS 1305-62-0 $Ca(OH)_2$ F. Wt. 74.09	500 gm 5 Kg 50 Kg	175 1550 POR
4043	CALCIUM ACETATE, AR GRADE CAS 62-54-4 $C_4H_6CaO_4$ F. Wt. 158.17	500 gm 25 Kg	690 POR	299	CALCIUM HYDROXIDE, AR GRADE CAS 1305-62-0 $Ca(OH)_2$ F. Wt. 74.09	500 gm 50 Kg	695 POR
4007	CALCIUM BUTYRATE CAS 5743-36-2 $C_8H_{14}CaO_4$ F. Wt. 214.27	500 gm 25 Kg	580 POR	2915	CALCIUM HYPOPHOSPHITE	500 gm	1045
288	CALCIUM CARBONATE (Precipitated), (ANH.) EXTRA PURE CAS 471-34-1 $CaCO_3$ F. Wt. 100.09	500 gm 5 Kg 50 Kg	190 1365 POR	157	CALCIUM LACTATE, EXTRA PURE CAS 814-80-2 $C_6H_{10}CaO_6$ F. Wt. 218.22	500 gm	490
289	CALCIUM CARBONATE (Precipitated), (ANH.) AR GRADE CAS 471-34-1 $CaCO_3$ F. Wt. 100.09	500 gm 50 Kg	295 POR	159	CALCIUM NITRATE (Tetra), EXTRA PURE CAS 13477-34-4 $Ca(NO_3)_2 \cdot H_2O$ F. Wt. 236.15	500 gm 5 Kg 50 Kg	180 1570 POR
290	CALCIUM CHLORIDE (Fused), EXTRA PURE CAS 10043-52-4 $CaCl_2$ F. wt. 110.98	500 gm 5 kg 25 kg	185 1335 POR	160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 $Ca(NO_3)_2 \cdot H_2O$ F. Wt. 236.15	500 gm 5 Kg	265 2430
291	CALCIUM CHLORIDE (Dihydrate), EXTRA PURE CAS 10035-04-8 $CaCl_2 \cdot 2H_2O$ F. Wt. 147.02	500 gm 5 Kg 50 Kg	240 1510 POR	695	CALCIUM OXIDE POWDER, EXTRA PURE CAS 1305-78-8 CaO F. Wt. 56.077	500 gm	245
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 $CaCl_2 \cdot 2H_2O$ F. Wt. 147.02	500 gm 50 Kg	390 POR	4046	di-CALCIUM PHOSPHATE (Dihydrate), EXTRA PURE CAS 7789-77-7 $CaHPO_4 \cdot 2H_2O$ F. wt. 172.1	500 gm 25 Kg	220 POR
587	CALCIUM CHLORIDE (ANH.), EXTRA PURE CAS 10043-52-4 $CaCl_2$ F. Wt. 110.98	500 gm	370	296	CALCIUM PHOSPHATE DIBASIC (ANH.), EXTRA PURE CAS 7757-93-9 $CaHPO_4$ F. Wt. 136.06	500 gm 5 Kg	345 3045
828	CALCIUM CITRATE (Tetra), EXTRA PURE CAS 5785-44-4 $Ca_3(C_6H_5O_7)_2 \cdot 4(H_2O)$ F. Wt. 570.50	500 gm 25 Kg	485 POR	163	CALCIUM PHOSPHATE TRIBASIC (tri-Calcium Phosphate), EXTRA PURE CAS 7758-87-4 $Ca_3(PO_4)_2$ F. Wt. 310.20	500 gm 5 Kg 50 Kg	320 2990 POR
1701	CALCIUM-D-PANTOTHENATE (VITAMIN B₅) CAS 137-08-6 $C_{18}H_{32}CaN_2O_{10}$ F. wt. 476.53 (Store at 2-8°C)	25 gm 100 gm 1 Kg	835 2760 24015	933	CALCIUM PROPIONATE, EXTRA PURE CAS 4075-81-4 $C_6H_{10}CaO_4$ F. Wt. 186.22	500 gm 5 Kg 25 Kg	435 3720 POR
4044	CALCIUM FLUORIDE CAS 7789-75-5 CaF_2 F. wt. 78.07	500 gm	960	164	CALCIUM SULPHATE (Dihydrate), EXTRA PURE CAS 10101-41-4 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm	315
823	CALCIUM GLUCONATE (Mono) CAS 18016-24-5 $C_{12}H_{22}CaO_{14} \cdot H_2O$ F. Wt. 448.39	500 gm	415	165	CALCIUM SULPHATE (Dihydrate), AR GRADE CAS 10101-41-4 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm	345
3113	CALCIUM GLYCEROPHOSPHATE CAS 17603-42-8 $C_3H_8PO_6Na$ F. Wt. 194.06	500 gm	1165	5086	CALCIUM SULPHATE (Dihydrate), (FOOD GRADE) CAS 7778-18-9 $CaSO_4 \cdot 2H_2O$ F. Wt. 172.17	500 gm 25 Kg	400 POR
				2995	CALCON (Solo Chrome Dark Blue / Eriochrome blue dark) CAS 2538-85-4 C.I. 15705 $C_{20}H_{13}N_2NaO_5S$ F. Wt. 416.38	5 gm 25 gm 100 gm	305 1050 3265

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1025	CALCONCARBOXYLIC ACID, AR GRADE (Patton & Reeder's Reagent) CAS 3737-95-9 C₂₁H₁₄N₂O₇S F. Wt. 438.42	5 gm 25 gm	210 715	4139	CARRAGEENAN (Kappa Type) CAS 9000-07-1	100 gm 500 gm	710 3185
4048	CALMAGITE, AR GRADE CAS 3147-14-6 C₁₇H₁₄N₂O₅S F. wt. 358.37	1 gm 5 gm	185 605	209	CASEIN (Soluble in Alkali) (Fat Free, Vitamin Free) CAS 9000-71-9	500 gm	1785
094	CANADA BALSAM (Synthetic) CAS 8007-47-4	500 ml	2455	510	CATALASE (2000-5000 Unit/Mg) (from Bovine Liver) CAS 9001-05-2 *	1 gm	6000
TCK 002	CARBOHYDRATE KIT (21 items of 1 gm each) Adonitol, L-Arabinose, Cellobiose, Dextrose, Dulcitol, Galactose, Fructose, Inositol, Inulin, Lactose, Maltose, Mannitol, Mannose, Melibiose, Raffinose, Rhamnose, Salicin, Sorbitol, Sucrose, Trehalose, Xylose	1 Kit 5 Kit	4220 19180	4050	CATECHOL 99%, AR GRADE (Pyrocatechol) CAS 120-80-9 C₆H₆O₂ F. wt. 110.11	100 gm 500 gm	475 2200
TCK 003	CARBOHYDRATE KIT, TYPE A (4 Amino Sugars of 1 gm each) N-Acetylgalactosamine, N-Acetylglucosamine, D-Galactosamine HCl, D-Glucosamine HCl	1 Kit	8200	4231	CEDARWOOD OIL Optically clear, nonfluorescent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml	550 645 1590 6600
1658	CARBOL FUCHSIN (Para fuchsin and Phenol) CAS 4197-24-4 C₂₆H₂₆ClN₃O F. Wt. 431.96	25 gm 100 gm	670 1820	4232	CEDARWOOD OIL, AR GRADE Optically clear, nonfluorescent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml	570 670 1700 7000
293	CARBOLIC ACID, CRYSTAL (Phenol Crystal), EXTRA PURE CAS 108-95-2 C₆H₅OH F. Wt. 94.11	500 gm	495	939	D-CELLOBIOSE CAS 528-50-7 C₁₂H₂₂O₁₁ F. Wt. 342.29	5 gm 25 gm	835 3450
170	CARBOPOL® 934 CAS 9003-01-4	500 gm	2730	3523	CELLULOSE CAS 9012-54-8 * Activity 10,000 U/gm	1 gm	6905
2546	CARBOPOL® 940 CAS 9003-01-4	500 gm	2835	TC 006	CELLULOSE FOR CC CAS 9004-34-6 (C ₆ H ₁₀ O ₅) _n	500 gm	530
826	CARBOXYMETHYL CELLULOSE Sodium High Viscosity (CMC) (15 mpas) CAS 9000-11-7	500 gm 25 Kg	865 POR	TC 007	CELLULOSE FOR TLC CAS 9004-34-6 (C ₆ H ₁₀ O ₅) _n	500 gm	530
1659	CARMINE, (Carminic Acid) CAS 1390-65-4 C.I. 75470 C₂₂H₂₀O₁₃ F. Wt. 492.38	5 gm 25 gm	660 3135	TC 005	CELLULOSE POWDER CAS 9004-34-6 (C ₆ H ₁₀ O ₅) _n	500 gm 25 Kg	500 POR
2547	CARMINIC ACID (Neutral Red 4), AR GRADE CAS 1260-17-9 C.I. 75470 C₂₂H₂₀O₁₃ F. Wt. 492.38	1 gm	2505	2550	CETOSTEARYL ALCOHOL, EXTRA PURE CAS 8005-44-5	500 gm	485
1721	L-CARNITINE (VITAMIN-B₇) CAS 541-15-1 C₇H₁₅NO₃ F. Wt. 161.2 *	5 gm 25 gm	2390 9095	584	CETRIMIDE, (N-Cetyl N,N,N-Trimethylammonium Bromide), EXTRA PURE CAS 57-09-0 C₁₉H₄₂NBr F. Wt. 364.62	100 gm 500 gm 25 Kg	315 1360 POR
				2556	CETRIMIDE, (N-Cetyl N,N,N-Trimethylammonium Bromide), AR GRADE CAS 57-09-0 C₁₉H₄₂NBr F. wt. 364.45	100 gm 500 gm	465 2120
				2553	CETYL ALCOHOL, (1-Hexadecanol), EXTRA PURE CAS 36653-82-4 C₁₆H₃₄O F. Wt. 242.44	500 gm	595

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3316	CHAPS BUFFER CAS 75621-03-3 C₃₂H₅₈N₂O₇S F. wt. 614.9	1 gm 5 gm	730 3540	305	CHOLESTEROL (as per USP), EXTRA PURE * CAS 57-88-5 C₂₇H₄₆O F. Wt. 386.65	100 gm 500 gm	6450 33480
203	CHARCOAL ACTIVATED POWDER, EXTRA PURE CAS 7440-44-0 F. Wt. 12.01	500 gm 25 Kg	385 POR	4053	CHOLESTEROL, AR GRADE CAS 57-88-5 C₂₇H₄₆O F. wt. 386.65	5 gm 25 gm 100 gm	495 2160 8190
2903	CHARCOAL ACTIVATED, AR GRADE CAS 7440-44-0 F. Wt. 12.01	500 gm	465	307	CHOLIC ACID Purity 99%+ CAS 81-25-4 C₂₀H₄₀O₅ F. Wt. 408.57	25 gm 100 gm	2835 10290
2931	CHARCOAL ACTIVATED, GRANULAR SPECIAL GRADE 2.0 - 5.0 mm CAS 7440-44-0 F. Wt. 12.01	500 gm	485	4178	CHOLIC ACID SODIUM CAS 361-09-1 C₂₀H₃₉NaO₅ F. Wt. 430.56	25 gm 100 gm 5 Kg	2320 8750 POR
4255	CHES CAS 103-47-9 C₆H₁₁NO₅S F. wt. 207.29	25 gm 100 gm	2150 7775	3125	CHROMAZUROL S CAS 1667-99-8 C₂₃H₁₃Cl₂Na₃O₉S F. Wt. 605.28	10 gm	2080
074	CHINA BLUE (Aniline Blue W/S) CAS 28983-56-4 C.I. 42780 C₃₇H₂₇N₃Na₂O₉S₃ F. wt. 799.80	25 gm 100 gm	620 2180	3126	CHROMIUM ACETATE, EXTRA PURE CAS 1066-30-4 C₆H₁₆Cr₂O₁₀ F. Wt. 376.2	500 gm	1630
827	CHITIN [Poly (N-acetyl-1,4-D-glucopyranosamine)] CAS 1398-61-4 (C ₆ H ₁₃ NO ₅) _n	100 gm 500 gm 25 Kg	1160 5240 POR	185	CHROMIUM (III) CHLORIDE (Hexa) EXTRA PURE CAS 10060-12-5 Cl₃Cr.6H₂O F. Wt. 266.45	500 gm 25 gm	1145 POR
4224	CHITOSAN CAS 9012-76-4 (C₆H₁₁NO₄)_n F. Wt. 309.54	25 gm 100 gm 1 Kg	825 2800 23500	187	CHROMIUM (III) NITRATE (Nona) EXTRA PURE CAS 7789-02-8 CrN₃O₉.9H₂O F. Wt. 400.15	500 gm	1185
183	CHLORAMINE-T (Trihydrate), AR GRADE CAS 7080-50-4 C₇H₁₃N₃ClNNaO₅S F. Wt. 281.69	500 gm	1500	189	CHROMIUM PICOLINATE, EXTRA PURE CAS 14639-25-9 C₁₆H₁₂N₃O₆Cr F. Wt. 418.33	25 gm 100 gm	840 2520
2559	CHLOROACETIC ACID, EXTRA PURE (Monochloroacetic Acid) CAS 79-11-8 C₂H₃ClO₂ F. Wt. 94.50	500 gm	250	2570	CHROMIUM (III) SULPHATE BASIC, EXTRA PURE CAS 39380-78-4 Cr₄(SO₄)₅(OH)₂ F. Wt. 722.32	500 gm	435
2560	CHLOROauric ACID, min.49% Au (Gold chloride) CAS 16961-25-4 HAuCl₄.3H₂O F. wt. 339.79	1 gm	10600	4054	CHROMIUM OXIDE GREEN, EXTRA PURE CAS 1308-38-9 Cr₂O₃ F. wt. 151.99	500 gm	1225
182	CHLOROPHENOL RED, AR GRADE CAS 4430-20-0 C₁₉H₁₂Cl₂O₅S F. Wt. 423.27	5 gm 25 gm	545 2145	192	CHROMIUM TRIOXIDE, EXTRA PURE (Chromium (VI) Oxide/Chromic acid) CAS 1333-82-0 CrO₃ F. Wt. 99.99	500 gm	785
2565	p-CHLOROPHENOXY ACETIC ACID (4 CPA) CAS 122-88-3 C₈H₇ClO₃ F. Wt. 186.59	25 gm	1975	196	CHROMOTROPIC ACID DISODIUM (Dihydrate), AR GRADE CAS 5808-22-0 C₁₀H₆Na₂O₈S₂.2H₂O F. Wt. 400.29	10 gm 25 gm	655 1530
1707	CHOLECALCIFEROL (Vitamin D₃) * CAS 67-97-0 C₂₇H₄₄O F. Wt. 384.64	1 gm	1565	199	CINNAMIC ACID, (β phenyl acrylic acid) EXTRA PURE CAS 140-10-3 C₉H₈O₂ F. Wt.148.05	100 gm 500 gm	380 1410

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
309	CITRIC ACID, (Mono), EXTRA PURE CAS 5949-29-1 C ₆ H ₈ O ₇ ·H ₂ O F. Wt. 210.14	500 gm 5 Kg 25 Kg	315 3000 POR	2409	COPPER METAL POWDER 99.5% (325 mesh) Electrolytic Grade CAS 7440-50-8 Cu F. Wt. 63.55	500 gm	1945
310	CITRIC ACID, (Mono), AR GRADE CAS 5949-29-1 C ₆ H ₁₀ O ₈ F. Wt. 210.14	500 gm 5 Kg 25 Kg	565 4920 POR	1687	COTTON BLUE, (Water Blue) CAS 28983-56-4 C.I. 42780 C ₃₇ H ₂₇ N ₃ Na ₂ O ₉ S ₃ F. Wt. 799.82	25 gm 100 gm	620 2180
311	CITRIC ACID (ANH.), EXTRA PURE CAS 77-92-9 C ₆ H ₈ O ₇ F. Wt. 192.12	500 gm 5 Kg 25 Kg	315 3000 POR	2574	COUMARIN [1-Benzopyran-2-One] CAS 91-64-5 C ₉ H ₆ O ₂ F. Wt. 146.143	100 gm 500 gm	520 2415
312	CITRIC ACID (ANH.), AR GRADE CAS 77-92-9 C ₆ H ₈ O ₇ F. Wt. 192.12	500 gm 5 Kg 25 Kg	565 4920 POR	1807	CREATINE (Mono) CAS 6020-87-7 C ₄ H ₉ N ₃ O ₂ ·H ₂ O F. Wt. 149.16	25 gm 100 gm	295 905
975	COBALT (II) ACETATE (Tetra), EXTRA PURE CAS 6147-53-1 Co(CH ₃ COO) ₄ ·4H ₂ O F. Wt. 249.08	100 gm 500 gm	810 3350	1808	CREATININE, AR GRADE CAS 60-27-5 C ₄ H ₇ N ₃ O F. Wt. 113.12	25 gm 100 gm 1 Kg	605 1645 13500
1801	COBALT (II) CARBONATE BASIC EXTRA PURE CAS 12602-23-2 ₂ CoCO ₃ ·3Co(OH) ₆ F. Wt. 516.73	100 gm 500 gm	1460 5510	1811	o-CRESOLPHTHALEIN (pH Indicator) CAS 596-27-0 C ₂₂ H ₁₈ O ₄ F. Wt. 346.38	5 gm 25 gm	180 505
976	COBALT (II) CHLORIDE (Hexa), EXTRA PURE CAS 7791-13-1 CoCl ₂ ·6(H ₂ O) F. Wt. 237.93	100 gm 500 gm	670 3130	4137	o-CRESOLPHTHALEIN COMPLEXONE CAS 2411-89-4 C ₃₂ H ₃₂ N ₂ O ₁₂ F. wt. 636.6	1 gm 5 gm	890 2960
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 Co(NO ₃) ₂ ·6H ₂ O F. Wt. 291.03	100 gm 500 gm	650 2375	1618	m-CRESOL PURPLE CAS 2303-01-7 C ₂₁ H ₁₈ O ₅ S F. Wt. 382.43	1 gm 5 gm	325 1265
1803	COBALT (II) NITRATE (Hexa), AR GRADE CAS 10026-22-9 Co(NO ₃) ₂ ·6H ₂ O F. Wt. 291.03	100 gm 500 gm	895 3455	1619	CRESOL RED, AR GRADE CAS 1733-12-6 C ₂₁ H ₁₈ O ₅ S F. Wt. 382.44	5 gm 25 gm	195 735
1804	COBALT (II) OXIDE, EXTRA PURE CAS 1308-06-1 Co ₃ O ₄ F. Wt. 240.80	100 gm 500 gm	1500 7340	1606	CRYSTAL VIOLET POWDER, EXTRA PURE (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42535 C ₂₅ H ₃₀ CIN ₃ F. Wt. 407.99	25 gm 100 gm 1 Kg	400 1395 10775
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 Co ₃ SO ₄ ·7H ₂ O F. Wt. 281.10	100 gm 500 gm	580 2700	1620	CRYSTAL VIOLET, AR GRADE (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 C ₂₅ H ₃₀ CIN ₃ F. Wt. 407.98	25 gm 100 gm 1 Kg	620 1890 14700
1805	COLCHICINE CAS 64-86-8 C ₂₂ H ₂₅ NO ₆ F. Wt. 399.44	1 gm 10 gm	1680 15750	1814	CUPFERRON, AR GRADE CAS 135-20-6 C ₆ H ₃ N ₃ O ₂ F. Wt. 155.15	25 gm	630
1615	CONGO RED CAS 573-58-0 C.I. 22120 C ₃₂ H ₂₂ N ₆ Na ₂ O ₆ S ₂ F. Wt. 696.67	25 gm 100 gm	485 1605	314	CUPRIC ACETATE, (Mono) EXTRA PURE CAS 6046-93-1 C ₄ H ₆ CuO ₄ ·H ₂ O F. Wt. 199.64	100 gm 500 gm	390 1285
1696	COOMASSIE BRILLIANT BLUE G 250 (Brilliant Blue G-250) For electrophoresis CAS 6104-58-1 C.I. 42655 C ₄₇ H ₄₈ NaO ₇ S ₂ F. Wt. 854.02	5 gm 25 gm	925 3085	1866	CUPRIC CARBONATE BASIC, EXTRA PURE CAS 12069-69-1 CH ₂ Cu ₂ O ₅ F. Wt. 221.12	500 gm	1630
1616	COOMASSIE BRILLIANT BLUE R-250 (Brilliant Blue R-250) CAS 6104-59-2 C.I. 42660 C ₄₅ H ₄₄ N ₃ NaO ₇ S ₂ F. Wt. 825.97	5 gm 25 gm	865 2840				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
315	CUPRIC CHLORIDE (Dihydrate), EXTRA PURE CAS 10125-13-0 CuCl ₂ ·2H ₂ O F. Wt. 170.48	500 gm	885	1139	L-CYSTEINE HYDROCHLORIDE (Mono) 99%+ Crystalline CAS 7048-04-6 C ₃ H ₈ NO ₂ ·SCL.H ₂ O F. Wt. 175.63	25 gm 100 gm 1 Kg 25 Kg	265 945 5330 POR
316	CUPRIC CHLORIDE (Dihydrate), AR GRADE CAS 10125-13-0 CuCl ₂ ·2H ₂ O F. Wt. 170.48	500 gm	1960	1140	L-CYSTINE, 99%+ CRYSTALLINE (Free Base) CAS 56-89-3 C ₆ H ₁₂ N ₂ O ₂ S ₂ F. Wt. 240.3	25 gm 100 gm 1 Kg	290 970 9070
317	CUPRIC NITRATE (Trihydrate), EXTRA PURE CAS 10031-43-3 Cu(NO ₃) ₂ ·3H ₂ O F. Wt. 241.60	500 gm	860	4056	CYTIDINE (For Biochemistry) CAS 65-46-3 C ₉ H ₁₃ N ₃ O ₅ F. wt. 243.22	1 gm 5 gm 25 gm	110 520 1580
1818	CUPRIC OXIDE, EXTRA PURE CAS 1317-38-0 CuO F. Wt. 79.55	100 gm 500 gm	415 1535	4057	CYTOSINE (For Biochemistry) CAS 71-30-7 C ₄ H ₅ N ₃ O F. wt. 111.1	1 gm 5 gm 25 gm	160 675 2995
319	CUPRIC SULPHATE (Penta), EXTRA PURE CAS 7758-99-8 CuSO ₄ ·5H ₂ O F. Wt. 249.68	500 gm 25 Kg	550 POR	4058	1-DECANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 13419-61-9 CH ₃ (CH ₂) ₉ SO ₃ Na F. wt. 244.33	25 gm	885
320	CUPRIC SULPHATE (Penta), AR GARDE CAS 7758-99-8 CuSO ₄ ·5H ₂ O F. Wt. 249.68	500 gm 25 Kg	630 POR	4059	1-DECANE SULPHONIC ACID SODIUM SALT (Mono), (For HPLC) CAS 13419-61-9 C ₁₀ H ₁₉ NaO ₃ ·S.H ₂ O F. wt. 178.16	25 gm	685
1819	CUPRIC SULPHATE (ANH.), EXTRA PURE CAS 7758-98-7 CuSO ₄ F. Wt. 159.61	500 gm 25 Kg	840 POR	666	DETERGENT TABOLENE (Neutral pH, W/O. Phosphate) (For glass ware cleaning)	500 ml 5 Ltr	295 1870
837	CUPRIC SULPHATE (ANH.), AR GRADE CAS 7758-98-7 CuSO ₄ F. Wt. 159.61	500 gm 25 Kg	945 POR	1823	DEVARDA'S ALLOY POWDER, EXTRA PURE CAS 8049-11-4	100 gm 500 gm	630 2625
2893	CUPROUS CHLORIDE, EXTRA PURE CAS 7758-89-6 CuCl F. Wt. 98.999	500 gm	1075	1313	DEXTRIN WHITE CAS 9004-53-9 (C ₆ H ₁₀ O ₅) _n ·xH ₂ O F. Wt. 414.55	500 gm	260
817	CUPRON, (Benzoin α-Oxime) AR GRADE CAS 441-38-3 C ₁₄ H ₁₃ NO ₂ F. Wt. 227.27	25 gm 100 gm	410 1220	1303	DEXTROSE (Mono), EXTRA PURE CAS 5996-10-1 C ₆ H ₁₂ O ₆ ·H ₂ O F. Wt. 198.17	500 gm 5 Kg 25 Kg	185 1410 POR
2936	CURCUMINE (Turmeric) CAS 458-37-7 C ₂₁ H ₂₀ O ₆ F. Wt. 368.39	5 gm 10 gm	835 3275	1317	DEXTROSE (Mono), AR GRADE CAS 5996-10-1 C ₆ H ₁₂ O ₆ ·H ₂ O F. Wt. 198.17	500 gm 5 Kg 25 Kg	230 1850 POR
1704	CYANOCOBALAMIN (Vitamin B ₁₂) CAS 68-19-9 C ₆₃ H ₈₈ CON ₁₄ O ₁₄ P F. Wt. 1355.38	1 gm 10 gm	2700 23335	1304	DEXTROSE (ANH.), EXTRA PURE CAS 50-99-7 C ₆ H ₁₂ O ₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg	255 2110 POR
3625	β-CYCLODEXTRIN CAS 7585-39-9 C ₄₂ H ₇₀ O ₃₅ F. Wt. 1134.98	500 gm	2270	1314	DEXTROSE (ANH.), AR GRADE CAS 50-99-7 C ₆ H ₁₂ O ₆ F. Wt. 180.16	500 gm 5 Kg 25 Kg	270 2535 POR
573	CYCLOHEXIMIDE (Actidione), AR GRADE CAS 66-81-9 C ₁₅ H ₂₃ NO ₄ F. wt. 281.36	1 gm 5 gm	2505 11955	1825	DIACETYL MONOXIME, AR GRADE (2,3, Butanedione Monoxime) CAS 57-71-6 C ₄ H ₇ NO ₂ F. Wt. 101.10	25 gm 100 gm	430 1395
1138	L-CYSTEINE, (Free Base) 99%+ Crystalline CAS 52-90-4 C ₃ H ₇ NO ₂ S F. Wt. 121.17	5 gm 25 gm 100 gm	130 365 1210				

D

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1417	DIASTASE * (α -Amylase, Activity 2000 A U/g) CAS 9000-90-2	100 gm 500 gm 5 Kg	425 2015 POR	1836	DIMETHYL GLYOXIME, EXTRA PURE (2,3, butanedionedioxime) CAS 95-45-4 $C_4H_8N_2O_2$ F. Wt. 116.12	100 gm 500 gm	625 2700
1827	trans-1,2-DIAMINO CYCLOHEXANE N,N,N',N'-TETRA ACETIC ACID (CDTA) EXTRA PURE CAS 13291-61-7 $C_{14}H_{22}N_2O_6 \cdot H_2O$ F. Wt. 364.36	25 gm 100 gm	2200 8130	1840	N,N-DIMETHYL p-PHENYLEDIAMINE Di HCl, AR GRADE CAS 536-46-9 $C_8H_{14}Cl_2N_2$ F. Wt. 209.12	25 gm	7800
3136	2,7 DICHLORO FLUORESCIN, AR GRADE CAS 76-54-0 $C_{20}H_{10}Cl_2O_5$ F. Wt. 401.2	10 gm	1155	796	N,N-DIMETHYL-p-PHENYLENE DIAMINE OXALATE (p-Amino-N,N dimethylaniline oxalate) CAS 62778-12-5 $C_{10}H_{14}N_2O_4$ F. wt. 226.23 (Store at 2-8°C)	1 gm 5 gm	605 2615
2589	2,6-DICHLOROPHENOL INDOPHENOL SODIUM, AR GRADE CAS 620-45-1 $C_{12}H_6Cl_2NNaO_2$ F. Wt. 290.08	1 gm 5 gm 25 gm	270 1150 4785	841	N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE (4-Amino-N,N dimethylaniline sulphate) CAS 536-47-0 $C_8H_{14}N_2SO_4$ F. wt. 234.87	5 gm 25 gm	3500 10080
2590	2,4-DICHLOROPHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 $C_6H_6Cl_2O_3$ F. Wt. 221.04	500 gm	3620	1842	DIMETHYL YELLOW (pH Indicator) CAS 60-11-7 C.I. 11020 $C_{14}H_{15}N_3$ F. Wt. 225.29	25 gm 100 gm	135 415
2591	2,6-DICHLOROQUINONE-4-CHLORIMIDE * (Gibbs Reagent) CAS 101-38-2 $C_6H_2Cl_3NO$ F. Wt. 210.45	5 gm 25 gm	1480 6030	4060	DIMIDIUM BROMIDE 98% (For Tenside Testing) CAS 518-67-2 $C_{20}H_{18}BrN_3$ F. wt. 380.28	100 mg 1 gm	390 3080
2942	DIETHYLENE GLYCOL, EXTRA PURE CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml 25 Kg	415 POR	2941	3,5 DINITROBENZOIC ACID, EXTRA PURE CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm	780 2510
2944	DIETHYLENE GLYCOL, AR GRADE CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml	465	1844	3,5- DINITROBENZOIC ACID, AR GRADE CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm	630 2730
754	DIGITONIN, AR GRADE CAS 11024-24-1 $C_{56}H_{92}O_{29}$ F. Wt. 1229.31	1 gm	25920	1845	2,4-DINITROPHENYL HYDRAZINE, EXTRA PURE CAS 119-26-6 $C_8H_8N_4O_4$ F. Wt. 198.14	25 gm 100 gm	195 650
839	L-3, 4-DIHYDROXYPHENYL L-ALANINE (L-DOPA) CAS 59-92-7 $C_9H_{11}NO_4$ F. Wt. 197.19	5 gm 25 gm	855 3890	2599	3,5-DINITROSALICYLIC ACID, AR GRADE CAS 609-99-4 $C_7H_4N_2O_7$ F. Wt. 228.12	25 gm 100 gm	630 2300
596	p -DIMETHYLAMINO BENZALDEHYDE (Ehrlich Reagent), EXTRA PURE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm 25 Kg	260 830 4000 POR	4061	DIOCTYL SODIUM SULPHOSUCCINATE 98% (DOSS) (AEROSOL OT) CAS 577-11-7 $C_{20}H_{37}NaO_7S$ F. wt. 444.56	500 gm	1490
795	p-DIMETHYL AMINO BENZALDEHYDE (Ehrlich Reagent), AR GRADE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm	300 950 4300	3138	DIPHENYLAMINE, EXTRA PURE CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm	335 1295
				1849	DIPHENYLAMINE, AR GARDE CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm	420 1455

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2601	N,N'-DIPHENYL BENZIDINE, AR GRADE CAS 531-91-9 C₂₄H₂₀N₂ F. Wt. 336.43	5 gm	2405	1623	ERIOCHROME BLACK T, EXTRA PURE CAS 1787-61-7 C.I. 14645 C₂₀H₁₂N₃NaO₇ S F. Wt. 461.38	25 gm 100 gm	250 810
2602	1,5-DIPHENYL CARBAZIDE, AR GRADE * CAS 140-22-7 C₁₃H₁₄N₄O F. Wt. 242.28	25 gm	990	1855	ERIOCHROME BLACK T, AR GRADE CAS 1787-61-7 C.I. 14645 C₂₀H₁₂N₃NaO₇ S F. Wt. 461.38	25 gm 100 gm	300 925
4062	1,5-DIPHENYL CARBAZONE, AR GRADE (Reagent For Mercury) CAS 538-62-5 C₁₃H₁₂N₄O F. wt. 240.26	5 gm 25 gm	485 2155	1856	ERIOCHROME CYANINE R, AR GRADE CAS 3564-18-9 C.I. 43820 C₂₃H₁₉Na₃O₉ S F. Wt. 536.39	5 gm 25 gm	385 1715
1850	1,4-DITHIOERYTHRITOL (D.T.E) * (Cleland Reagent) CAS 6892-68-8 C₄H₁₀O₂S₂ F. Wt. 154.25	1 gm 5 gm	870 4235	1681	ERIOGLAUCINE (Acid Blue 9) (Brilliant Blue FCF) CAS 3844-45-9 C.I. 42090 C₃₇H₃₄N₂Na₂O₉S₃ F. Wt. 792.86	10 gm	760
1852	DL-DITHIOTHREITOL (D.T.T.) * CAS 3483-12-3 C₄H₁₀O₂S₂ F. Wt. 154.25	1 gm 5 gm	545 1520	TC 009	ERYTHRITOL (Meso Erythritol) CAS 149-32-6 C₆H₁₀O₄ F. Wt. 122.12 (Store below 8°C)	5 gm 25 gm 100 gm	275 550 1645
2998	DITHIZONE (Diphenylthiocarbazone), EXTRA PURE CAS 60-10-6 C₁₃H₁₂N₄S F. Wt. 256.33	5 gm 25 gm	850 4095	1859	ERYTHROSIN B SODIUM CAS 16423-68-0 C.I. 45430 C₂₀H₆I₄Na₂O₅ F. Wt. 879.86	25 gm	850
1853	DITHIZONE, AR GRADE CAS 60-10-6 C₁₃H₁₂N₄S F. Wt. 256.33	5 gm 25 gm	1045 4345	304	ESCULIN (Aesculin) CAS 531-75-9 C₁₅H₁₆O₉ F. Wt. 367.30	5 gm 25 gm	1190 5290
755	DNA * (Deoxyribonucleic Acid) CAS 9007-49-2	5 gm 25 gm	1645 7070	3141	ETHIDIUM BROMIDE, EXTRA PURE CAS 1239-45-8 C₂₁H₂₀BrN₃ F. Wt. 394.31	1 gm 5 gm	520 2265
1023	DODECYL BENZENE SULPHONIC ACID SODIUM SALT CAS 121-65-3 C₁₈H₂₉NaO₃S F. Wt. 326.49	100 gm 500 gm	325 1430	4067	ETHIDIUM BROMIDE, AR GRADE (For Electrophoresis)	1 gm 5 gm	575 2420
3522	DPX MOUNTANT for Histology	250 ml	415	324	ETHYLENEDIAMINE TETRAACETIC ACID, (EDTA), EXTRA PURE CAS 60-00-4 C₁₀H₁₆N₂O₈ F. Wt. 292.24	100 gm 500 gm	235 830
TC 008	DULCITOL (Galactitol, Dulcite) CAS 608-66-2 C₆H₁₄O₆ F. Wt. 182.17	25 gm 100 gm	1350 4605	325	ETHYLENE DIAMINE TETRA ACETIC ACID, (EDTA), AR GRADE CAS 60-00-4 C₁₀H₁₆N₂O₈ F. Wt. 292.24	100 gm 500 gm	270 1020
596	EHRlich'S REAGENT CAS 100-10-7 C₉H₁₁NO F. Wt. 149.19	25 gm 100 gm 500 gm	260 830 4000	349	EDTA DIPOTASSIUM, EXTRA PURE CAS 25102-12-9 C₁₀H₁₄K₂N₂O₈·2H₂O F. Wt. 404.46	100 gm 500 gm	275 1035
1661	EOSINE (Spirit soluble) CAS 6359-05-3 C.I. 45386 C₂₂H₁₁Br₄KO₅ F. Wt. 714.03	25 gm 100 gm	345 1155	326	EDTA DIPOTASSIUM, AR GRADE CAS 25102-12-9 C₁₀H₁₄K₂N₂O₈·2H₂O F. Wt. 404.46	100 gm 500 gm 25 Kg	285 1080 POR
1669	EOSINE YELLOW, (Water soluble) CAS 548-26-5 C.I. 45380 C₂₀H₆Br₄Na₂O₅ F. Wt. 691.85	25 gm 100 gm 1 Kg	250 735 5515	327	EDTA DISODIUM, EXTRA PURE CAS 6381-92-6 C₁₀H₁₄N₂Na₂O₈·2H₂O F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	215 655 6075 POR

E

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
328	EDTA DISODIUM, AR GRADE CAS 6381-92-6 $C_{10}H_{14}N_2Na_2O_8 \cdot 2H_2O$ F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	240 915 7430 POR	331	FERRIC CHLORIDE (ANH.), EXTRA PURE CAS 7705-08-0 $FeCl_3$ F. Wt. 162.20	500 gm 5 Kg 50 Kg	245 2070 POR
973	EDTA FERRIC MONOSODIUM, EXTRA PURE CAS 15708-41-5 $C_{10}H_{12}FeN_2NaO_8$ F. Wt. 367.05	100 gm 500 gm	230 815	332	FERRIC CHLORIDE (ANH.), AR GRADE CAS 7705-08-0 $FeCl_3$ F. Wt. 162.20	500 gm 50 Kg	420 POR
2608	EDTA MAGNESIUM DISODIUM (Tetra), EXTRA PURE CAS 14402-88-1 $C_{10}H_{12}N_2O_8MgNa_2$ F. Wt. 358.50	500 gm	870	756	FERRIC CITRATE, (Mono), for Bacteriology CAS 2338-05-8 $C_6H_5FeO_7$ F. Wt. 244.94	500 gm	1040
2610	ETHYL-P-HYDROXY BENZOATE (Ethyl Paraben) CAS 120-47-8 $C_9H_{10}O_3$ F. Wt. 166.17	500 gm 5 Kg	1365 13230	4068	FERRIC NITRATE, EXTRA PURE CAS 7782-61-8 FeN_3O_9 F. wt. 241.86	500 gm	435
4065	EOSIN YELLOW (W/S) CAS 17372-87-1 C.I.45380 $C_{20}H_6Br_4Na_2O_5$ F. wt. 691.88	25 gm 100 gm	260 760	228	FERRIC ORTHOPHOSPHATE (Tetra), EXTRA PURE CAS 10045-86-0 $FePO_4$ F. Wt. 150.82	500 gm	875
2940	ETHYLENE GLYCOL, EXTRA PURE CAS 107-21-1 $C_2H_6O_2$ F. Wt. 62.07	500 ml	355	990	FERRIC OXIDE RED (Iron Oxide Red), EXTRA PURE CAS 1309-37-1 Fe_2O_3 F. Wt. 159.69	500 gm	425
2943	ETHYLENE GLYCOL, AR GRADE CAS 107-21-1 $C_2H_6O_2$ F. Wt. 62.07	500 ml	440	845	FERRIC SULPHATE (Hydrate), EXTRA PURE CAS 10028-22-5 $Fe_2(SO_4)_3 \cdot xH_2O$ F. Wt. 399.87	500 gm	445
1625	EVANS BLUE CAS 314-13-6 C.I. 23860 $C_{34}H_{24}N_6Na_4O_{14}S_4$ F. Wt. 960.80	5 gm 25 gm	1555 3690	243	FERROUS AMMONIUM SULPHATE, EXTRA PURE CAS 7783-85-9 $(NH_4)_2Fe(SO_4)_2 \cdot 6H_2O$ F. wt. 392.16	500 gm 50 Kg	210 POR
2613	FAST BLUE B SALT, (For microscopy) CAS 14263-94-6 C.I. 37235 $C_{14}H_{12}Cl_2N_4O_2 \cdot ZnCl_2$ F. Wt. 475.49	25 gm 100 gm	805 2960	244	FERROUS AMMONIUM SULPHATE, AR GRADE CAS 7783-85-9 $FeH_{20}N_2O_{14}S_2$ F. Wt. 392.14	500 gm 50 Kg	320 POR
1627	FAST BLUE BB SALT, AR GRADE CAS 5486-84-0 C.I. 37175 $C_{34}H_{36}Cl_4N_6O_6Zn$ F. Wt. 831.89	25 gm	5550	513	FERROUS SULPHATE (Hepta), EXTRA PURE CAS 7782-63-0 $FeSO_4 \cdot 7H_2O$ F. Wt. 278.01	500 gm 5 Kg 50 Kg	210 1500 POR
1630	FAST GREEN FCF CAS 2353-45-9 C.I. 42053 $C_{37}H_{34}N_2Na_2O_{10}S_3$ F. Wt. 808.85	5 gm 25 gm	360 1405	514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 $FeSO_4 \cdot 7H_2O$ F. Wt. 278.01	500 gm 50 Kg	335 POR
4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC-SODIUM COMPLEX CAS 84539-55-9 $C_{18}H_{18}FeN_2NaO_6$ F. Wt. 437.19	25 gm 100 gm	1995 4465	1879	FERROUS SULPHIDE STICKS (Iron sulphide sticks) CAS 1317-37-9 FeS F. Wt. 87.91	1 Kg	465
TR 052	FEHLING SOLUTION A	500 ml	280	1682	FIELD'S STAIN A, POWDER	25 gm 1 Kg	185 5250
TR 053	FEHLING SOLUTION B	500 ml	420	1683	FIELD'S STAIN B, POWDER	25 gm 1 Kg	185 5250
330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 $C_{12}H_{22}FeN_3O_{14}$ F. Wt. 488.16	500 gm 5 Kg 25 Kg	485 4330 POR	1880	FLUORESCEIN CAS 2321-07-5 C.I. 45350 $C_{20}H_{12}O_5$ F. Wt. 332.31	25 gm 100 gm	215 630

F

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
149	FLUORESCIN COMPLEXONE, (Calcein) AR GRADE CAS 1461-15-0 C₃₀H₂₆N₂O₁₃ F. Wt. 622.55	1 gm 5 gm	235 840	3318	GELLAN GUM Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg	1860 8005 13450
2616	FLUORESCIN SODIUM CAS 518-47-8 C₂₀H₁₀Na₂O₅ F. Wt. 376.27	25 gm 100 gm	305 960	3342	GELZAN-CM® (GELRITE®) For Tissue Culture (Regd. Trade mark of CP Kelco USA) CAS 7110-51-1	100 gm 1 Kg 5 Kg	3780 33600 POR
3147	5-FLUOROURACIL CAS 51-21-8 C₄H₃FN₂O₂ F. Wt. 130.08	1 gm 5 gm	510 1680	3526	GELATIN CRYSTAL, Bloom Type B (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg	1190 10580 POR
335	FOLIC ACID (Vitamin B₉) * CAS 59-30-3 C₁₉H₁₉N₇O₆ F. Wt. 441.40	5 gm 25 gm	240 600	4072	GELATIN POWDER (For Bacteriology) CAS 9000-70-8	500 gm	1190
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 C₁₂H₁₀ClN₃O F. wt. 247.68	5 gm	8985	1606	GENTIAN VIOLET, EXTRA PURE (Crystal violet or Methyl Violet) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.99	25 gm 100 gm 1 Kg	400 1395 10775
1301	D-FRUCTOSE, (Levulose) CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16	100 gm 500 gm 25 Kg	180 630 POR	1620	GENTIAN VIOLET, AR GRADE (Crystal Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 C₂₅H₃₀ClN₃ F. Wt. 407.98	25 gm 100 gm 1 Kg	620 1890 14700
1315	D-FRUCTOSE, (Levulose) (Bacteriological Grade) CAS 57-48-7 C₆H₁₂O₆ F. Wt. 180.16	100 gm 500 gm	270 1225	849	GIBBERELIC ACID (GA₃) (Plant growth regulator) CAS 77-06-5 C₁₉H₂₂O₆ F. Wt. 346.37	1 gm 10 gm 100 gm 1 kg	120 1175 9370 POR
1640	FUCHSIN ACID (Acid Fuchsin) CAS 3244-88-0 C.I. 42685 C₂₀H₁₇N₃Na₂O₉S₃ F. Wt. 585.55	25 gm 100 gm	575 1940	3547	GIBBERELIC ACID (GA₄₊₇) CAS 202467-69-4 C₂₀H₁₅N₃O₇S F. wt. 445.45	1 gm 5 gm 100 gm	1280 4980 76000
1603	FUCHSIN BASIC, (Rosaniline HCl) (Basic Fuchsin) CAS 632-99-5 C.I. 42510 C₂₀H₂₀N₃.HCl F. Wt. 337.86	25 gm 100 gm 1 Kg	245 680 5480	2591	GIBBS REAGENT * (2,6, Dichloroquinone-4-chlorimide) CAS 101-38-2 C₆H₂Cl₃NO F. Wt. 210.45	5 gm 25 gm	1480 6030
771	FUMARIC ACID, EXTRA PURE CAS 110-17-8 C₄H₄O₄ F. Wt. 116.07	500 gm	520	1672	GIEMSA'S STAIN (Azur Eosin Methylene Blue) CAS 51811-82-6	10 gm 25 gm 100 gm 1 Kg	285 665 2590 20830
4071	FUSION MIXTURE	500 gm	380	1303	D-GLUCOSE (Mono), (Dextrose) CAS 5996-10-1 C₆H₁₂O₆.H₂O F. Wt. 198.17	500 gm 5 Kg 25 Kg	185 1410 POR
TC 010	D-GALACTOSE CAS 59-23-4 C₆H₁₂O₄ F. Wt. 180.16	25 gm 100 gm 500 gm	550 1730 7990	1304	D-GLUCOSE (ANH.), (Dextrose) CAS 50-99-7 C₆H₁₂O₆ F. Wt. 180.15	500 gm 5 Kg 25 Kg	255 2110 POR
337	GALLIC ACID (Mono) (3,4,5, Trihydroxybenzoic Acid) CAS 5995-86-8 C₇H₆O₅. H₂O F. Wt. 188.14	100 gm 500 gm	1080 3230	1145	L-GLUTAMIC ACID 99%, EXTRA PURE (2- Amino Glutaric Acid) CAS 56-86-0 C₅H₉NO₄ F. Wt. 147.13	100 gm 500 gm	250 800

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1111	L-GLUTAMIC ACID, 99%+ Crystalline AR GRADE CAS 56-86-0 C ₅ H ₉ NO ₄ F. Wt. 147.13	100 gm 500 gm 25 Kg	1340 5380 POR	697	GUANINE (2-Amino 6-Hydroxypurine) CAS 73-40-5 C ₅ H ₅ N ₅ O F. Wt. 151.13	5 gm 25 gm	210 735
1112	L-GLUTAMIC MONO SODIUM, AR GRADE (Sodium Glutamate) 99%+ Crystalline CAS 142-47-2 C ₅ H ₉ NNaO ₄ F. Wt. 169.11	100 gm 500 gm 25 Kg	150 465 POR	600	GUANINE HCl * (2- Amino 6-Hydroxy Purine HCl) CAS 635-39-2 C ₅ H ₅ N ₅ O.HCl F. Wt. 187.59	5 gm 25 gm	300 1295
1114	L-GLUTAMINE, 99%+ Crystalline CAS 56-85-9 C ₅ H ₁₀ N ₂ O ₃ F. Wt. 146.14	25 gm 100 gm 500 gm	330 1030 5045	3346	GUANOSINE CAS 118-00-3 C ₁₀ H ₁₃ N ₅ O ₅ F. Wt. 283.241	10 gm 25 gm	655 1330
793	GLUTARIC ACID * CAS 110-94-1 C ₅ H ₈ O ₄ F. Wt. 132.12	100 gm 500 gm	880 4055	210	GUM ACACIA, PHARMA GRADE Spray Dried Powder CAS 9000-01-5	500 gm 25 Kg	605 POR
850	GLUTATHIONE (Oxidized) * CAS 70-18-8 C ₂₀ H ₃₂ N ₆ O ₁₂ S ₂ F. Wt. 612.60	500 mg	1730	1890	GUM XANTHAN (Xanthan Gum), AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg	395 1325 POR
757	GLUTATHIONE (Reduced) * CAS 70-18-8 C ₁₀ H ₁₇ N ₃ O ₆ S F. Wt. 307.32	1 gm 5 gm 25 gm	340 1500 5215	1673	HAEMATOXYLIN CAS 517-28-2 C.I. 75290 C ₁₆ H ₁₄ O ₆ F. Wt. 302.28	5 gm 25 gm 1 Kg	2095 8920 POR
598	GLYCEROL, (Glycerine), EXTRA PURE CAS 56-81-5 C ₃ H ₈ O ₃ F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr	350 1400 2690 POR	603	HEMIN (From Bovine) CAS 16009-13-5 C ₃₄ H ₃₂ ClFeN ₄ O ₄ F. Wt. 651.95	1 gm	1425
597	GLYCEROL, (Glycerine), AR GRADE CAS 56-81-5 C ₃ H ₈ O ₃ F. Wt. 92.09	500 ml 2.5 Ltr 5 Ltr 25 Ltr	400 1615 2855 POR	341	HEPARIN SODIUM SALT, 20,000 I.U./Vial CAS 9041-08-1	1 vial	800
851	GLYCEROL TRIBUTYRATE (Tributyrin) CAS 60-01-5 C ₁₅ H ₂₆ O ₃ F. Wt. 302.36	100 ml 500 ml	1470 6195	1891	HEPARIN SODIUM SALT * 1,00,000 I.U./Vial CAS 9041-08-1	1 vial	2205
1110	GLYCINE, EXTRA PURE (Amino Acetic Acid) CAS 56-40-6 C ₂ H ₅ NO ₂ F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg	200 670 6215 POR	503	HEPES, FREE ACID CAS 7365-45-9 C ₈ H ₁₈ N ₂ O ₄ S F. Wt. 238.30	25 gm 100 gm 500 gm 1 Kg	705 1840 8085 16275
1109	GLYCINE 99%+ CRYSTALLINE, AR GRADE CAS 56-40-6 C ₂ H ₅ NO ₂ F. Wt. 75.07	100 gm 500 gm 5 Kg 25 Kg	250 840 7270 POR	599	HEPES SODIUM (For Tissue Culture) CAS 75277-39-3 C ₈ H ₁₇ O ₄ N ₂ SNa F. Wt. 260.29	25 gm 100 gm 1 Kg	970 3420 30975
4701	GOLD CHLORIDE, ACS GRADE CAS 16903-35-8 HAuCl ₄ .3H ₂ O F. Wt. 339.79	1 gm	14450	1894	1-HEPTANE SULPHONIC ACID SODIUM (ANH.), (For HPLC) AR GRADE CAS 22767-50-6 C ₇ H ₁₅ NaO ₃ S F. Wt. 202.24	25 gm 100 gm	1015 3930
1672 A	GRAM'S IODINE CAS 12298-68-9 I ₂ K F. Wt. 419.81	25 gm	725	4073	1-HEPTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207300-90-1 C ₇ H ₁₅ NaO ₃ S.H ₂ O F. wt. 220.24	25 gm 100 gm	1015 3810
TK 004	GRAM'S STAIN KIT I Crystal Violet Gram 15-125 ml II Decolourizer Gram 15-125 ml III Iodine Gram 15-125 ml IV Safranin 0.5% w/v OR Basic Fuchsin 0.1%-125 ml	1 Kit	1035	3351	HEXAMINE CAS 100-97-0 C ₆ H ₁₂ N ₄ F. Wt. 140.19	500 gm 50 Kg	380 POR
227	GUANIDINE HYDROCHLORIDE, AR GRADE (2-Amino-6-hydroxypurine HCl) CAS 50-01-1 CH ₅ N ₃ .HCl F. Wt. 95.33	25 gm 100 gm	430 925	4074	1-HEXANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 2832-45-3 C ₆ H ₁₃ NaO ₃ S F. wt. 188.22	25 gm	1015
				4075	1-HEXANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC) CAS 207300-91-2 C ₆ H ₁₃ NaO ₃ S F. wt. 188.22	25 gm 100 gm	1015 3810

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
792	HIPPURIC ACID, 99%+ Crystalline CAS 495-69-2 C ₉ H ₉ NO ₃ F. Wt. 179.17	100 gm 500 gm	570 2250	2632	8-HYDROXYQUINOLINE, AR GRADE, (Oxine) CAS 148-24-3 C ₉ H ₇ NO F. Wt. 145.16	100 gm 500 gm	1025 4580
4213	2, 8 HOMOBRASSINOLIDE CAS 80483-89-2 C ₂₉ H ₅₀ O ₆ F. wt. 494.70	10 mg 100 mg	3000 10500	1015	HYDROQUINONE, EXTRA PURE (Quinol) CAS 123-31-9 C ₆ H ₆ O ₂ F. wt.110.11	500 gm	1705
1115	L-HISTIDINE, 99%+ Crystalline CAS 71-00-1 C ₆ H ₉ N ₃ O ₂ F. Wt. 155.15	25 gm 500 gm	860 12655	1904	HYDROQUINONE, AR GRADE (Quinol) CAS 123-31-9 C ₆ H ₆ O ₂ F. wt.110.11	500 gm	1755
1116	L-HISTIDINE HCl (Mono) 99%+ Crystalline CAS 5934-29-2 C ₆ H ₉ N ₃ O ₂ .HCl.H ₂ O F. Wt. 209.63	25 gm 100 gm 1 Kg 25 Kg	840 2520 22140 POR	3151	HYPOXANTHINE CAS 68-94-0 C ₅ H ₄ N ₄ O F. Wt. 136.112	5 gm 100 gm	410 3350
1899	HYDRAZINE SULPHATE, EXTRA PURE CAS 10034-93-2 H ₄ N ₂ .H ₂ SO ₄ F. Wt. 130.12	100 gm 500 gm 25 Kg	290 1350 POR	342	IMIDAZOLE, AR GRADE (Buffer Substance for pH 6.0-7.8) CAS 288-32-4 C ₃ H ₄ N ₂ F. Wt. 68.08	100 gm 500 gm	450 1555
2631	HYDRAZINE SULPHATE, AR GRADE CAS 10034-93-2 H ₄ N ₂ .H ₂ SO ₄ F. Wt. 130.12	100 gm 500 gm 25 Kg	540 2215 POR	345	IMMERSION OIL Optically clear non fluorescent for microscopy	25 ml 100 ml 500 ml	210 945 3465
1907	HYDROXYLAMINE HYDROCHLORIDE, EXTRA PURE CAS 5470-11-01 NH ₂ OH.HCl F. Wt. 69.49	100 gm 500 gm 25 Kg	265 1095 POR	346	IMMERSION OIL, AR GRADE Optically clear non fluorescent for microscopy	25 ml 100 ml 500 ml	230 1105 3885
1908	HYDROXYLAMINE HYDROCHLORIDE, AR GRADE CAS 5470-11-1 ClH ₄ NO F. wt. 69.49	100 gm 500 gm	415 1450	1915	INDIGO CARMINE, AR GRADE CAS 860-22-0 C.I. 73015 C ₁₆ H ₈ N ₂ Na ₂ O ₈ S ₂ F. Wt. 466.36	25 gm 100 gm	320 965
4077	HYDROXYLAMINE SULPHATE, EXTRA PURE (Hydroxylammonium Sulphate) CAS 10039-54-0 H ₈ N ₂ O ₆ S F. wt. 164.14	500 gm	600	1916	INDOLE, AR GRADE (1-Benzo-Pyrrole) CAS 120-72-9 C ₈ H ₇ N F. Wt. 117.15	10 gm 100 gm	165 1395
4078	HYDROXYLAMINE SULPHATE, AR GRADE (Hydroxylammonium Sulphate) CAS 10039-54-0 H ₈ N ₂ O ₆ S F. wt. 164.14	500 gm	755	606	INDOLE-3-ACETIC ACID (IAA) * (3-Indoleacetic acid) CAS 87-51-4 C ₁₀ H ₉ NO ₂ F. Wt. 175.18	5 gm 25 gm 100 gm 1 Kg	380 1230 4365 30745
1911	HYDROXY NAPHTHOL BLUE, SODIUM, AR GRADE CAS 63451-35-4 C ₂₀ H ₁₂ N ₂ Na ₂ O ₁₁ S ₃ F. Wt. 598.50	5 gm 25 gm	280 1155	606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 C ₁₀ H ₈ KNO ₂ F. Wt. 213.27	25 gm 100 gm 1 Kg	1200 3280 27500
1117	L-HYDROXY-L-PROLINE, 99%+ Crystalline CAS 51-35-4 C ₅ H ₉ NO ₃ F. Wt. 131.13	5 gm 25 gm	385 1370	607	INDOLE-3-BUTYRIC ACID (IBA) * (3-Indolebutyric acid) CAS 133-32-4 C ₁₂ H ₁₃ NO ₂ F. Wt. 203.33	5 gm 25 gm 100 gm 1 Kg	460 1565 4920 34790
1912	HYDROXY PROPYL METHYL CELLULOSE (HPMC) E 15 LV CAS 9004-65-3 C ₃₂ H ₆₀ O ₁₉ F. Wt. 748.81	500 gm	3360	607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 C ₁₂ H ₁₂ KNO ₂ F. Wt. 241.33	25 gm 100 gm 1 Kg	1530 4700 34650




CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
J 604	INOSITOL (Meso Inositol) CAS 87-89-8 $C_6H_{12}O_6$ F. Wt. 180.16	25 gm 100 gm 1 Kg	305 830 7350	4082	KIESELGUHR G CAS 61790-53-2 O_2Si F. wt. 60.08	500 gm	370
K TC 014	INULIN, AR GRADE CAS 9005-80-5 $(C_6H_{10}O_5)_n$ F. Wt. Approx. 5,000	25 gm 100 gm	995 3350	863	KINETIN (6-Furfurylaminopurine)AR GRADE * CAS 525-79-1 $C_{10}H_9N_5O$ F. Wt. 215.21	1 gm 5 gm	255 1255
L 347	IODINE (Resublimed), EXTRA PURE CAS 7553-56-2 I_2 F. Wt. 253.81	100 gm 500 gm 25 Kg	1525 6695 POR	1938	KOJIC ACID CAS 501-30-4 $C_6H_8O_4$ F. Wt. 142.11	1 gm 25 gm	195 520
348	IODINE (Resublimed), AR GRADE CAS 7553-56-2 I_2 F. wt. 253.81	100 gm 500 gm	1405 6480	TR 008	KOVAC'S INDOLE REAGENT Indole test for Microbiology	100 ml	295
4079	2-iodobenzoic acid, MIN.98% CAS 88-67-5 $C_7H_5IO_2$ F. wt. 248.02	100 gm	2500	1940	LACTIC ACID, (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 $C_3H_6O_3$ F. Wt. 90.08	500 ml (Pb) 2.5 Ltr 25 Ltr	690 2900 POR
1927	IRON METAL POWDER (300 Mesh) Electrolytic Grade CAS 7439-89-6 Fe F. Wt. 55.85	1 Kg	880	1305	LACTOSE (Mono) CAS 10039-26-6 $C_{12}H_{22}O_{11} \cdot H_2O$ F. Wt. 360.31	500 gm 25 Kg	525 POR
3154	ISATIN (Indole-2,3-dione), AR GRADE CAS 91-56-5 $C_8H_5NO_2$ F. Wt. 147.13	25 gm 100 gm	565 1940	1316	LACTOSE (Mono) 99% + Crystalline Bacteriological Grade CAS 10039-26-6 $C_{12}H_{22}O_{11} \cdot H_2O$ F. Wt. 360.31	500 gm 25 Kg	630 POR
1119	L-ISOLEUCINE, 99% + Crystalline CAS 73-32-5 $C_6H_{13}NO_2$ F. Wt. 131.17	5 gm 25 gm	130 450	3158	LAURIC ACID CAS 143-07-7 $C_{12}H_{24}O_2$ F. Wt. 200.32	500 gm	580
4215	N6-(2-ISOPENTENYL)ADENINE; (2IP) [6-(g-g-Dimethylallylamino)purine] CAS 2365-40-4 $C_{10}H_{13}N_5$ F. wt. 203.24	1 gm 5 gm	14500 64200	444	LAURYL SULPHATE SODIUM, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	500 gm 25 kg	655 POR
3156	ISOPROPYL β-D-THIOGALACTOPYRANOSIDE (IPTG Dioxan Free) CAS 367-93-1 $C_9H_{16}O_5S$ F. Wt. 238.30 (Store Below 8°C)	1 gm 5 gm 25 gm	360 1645 7455	445	LAURYL SULPHATE SODIUM, AR GRADE CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	100 gm 500 gm	1190 4750
1933	JACK BEAN MEAL (Uric Acid activator) CAS 9002-13-5	100 gm 500 gm	240 1080	1943	LEAD METAL POWDER CAS 7439-92-1 Pb F. Wt. 207.19	500 gm	775
1934	JANUS GREEN B CAS 2869-83-2 $C_{30}H_{31}ClN_6$ F. Wt. 511.06	5 gm 25 gm	735 2730	351	LEAD ACETATE (Trihydrate), EXTRA PURE CAS 6080-56-4 $C_6H_8O_4Pb \cdot 3(H_2O)$ F. Wt. 379.33	500 gm	490
1935	JENNER'S STAIN (Eosin Methylene Blue) CAS 62851-42-7	25 gm 100 gm	560 2120	352	LEAD ACETATE BASIC (Lead Subacetate Basic) for Sugar Analysis by Horne CAS 51404-69-4 $C_2H_4O_3Pb$ F. Wt. 283.25	500 gm 2.5 Kg	710 2945
1937	KAOLIN LIGHT, EXTRA PURE (as per IP) CAS 1332-58-7 $H_2Al_2Si_2O_8 \cdot H_2O$ F. Wt. 258.16	500 gm	195	1944	LEAD CARBONATE BASIC, MIN 98% CAS 1344-36-1 $C_2H_2O_6Pb$ F. wt. 329.23	500 gm	1045
1120	α-KETOGLUTARIC ACID * (2 Oxo Glutaric Acid) 99% + Purity, Crystalline CAS 328-50-7 $C_5H_6O_5$ F. Wt. 146.10	25 gm 100 gm	560 1945	2639	LEAD (II) CHLORIDE (ANH.), (for Synthesis) CAS 7758-95-4 $PbCl_2$ F. Wt. 278.11	500 gm	840

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1946	LEAD DIOXIDE, EXTRA PURE (Lead Peroxide) CAS 1309-60-0 O₂Pb F. wt. 239.19	500 gm	1255	4087	di-LITHIUM TETRABORATE, AR GRADE CAS 12007-60-2 B₂Li₂O₇ , F. wt. 169.12	100 gm 500 gm	2105 10260
1947	LEAD MONOXIDE (Litharge, Lead Oxide Yellow) CAS 1317-36-8 PbO F. Wt. 223.20	500 gm	610	1634	LITMUS BLUE, Indicator paper (10 books of 20 Leaves in Box)	200 lvs	265
864	LEAD NITRATE, EXTRA PURE 10099-74-8 N₂O₆Pb F. wt. 331.2	500 gm	525	1636	LITMUS RED, Indicator paper (10 books of 20 leaves in box)	200 lvs	265
1674	LEISHMAN'S STAIN C.I. 881038 (Eosin Methylene Blue) CAS 12627-53-1	25 gm 100 gm 1 Kg	585 2215 POR	1688	LITMUS INDICATOR, EXTRA PURE CAS 1393-92-6	10 gm 25 gm 100 gm	310 525 1890
1121	L-LEUCINE, 99% + Crystalline CAS 61-90-5 C₆H₁₃NO₂ F. Wt. 131.17	25 gm 100 gm 500 gm	290 860 4310	1122	L-LYSINE, MONO HCl, 99% + Crystalline CAS 657-27-2 C₆H₁₄N₂O₂.HCl F. Wt. 182.65	100 gm 500 gm 25 Kg	380 1295 POR
1950	LIGHT GREEN CAS 7114-03-06 C.I. 42040 C₂₇H₃₄N₂O₄S F. Wt. 482.63	25 gm 100 gm	885 2640	4233	LYSOL (Cresol and Soap Solution) CAS 12772-68-8	500 ml 5 Ltr	435 2835
1686	LIGHT GREEN SF CAS 5141-20-8 C.I. 42095 C₃₇H₃₄N₂Na₂O₉S₃ F. Wt. 792.85	25 gm 100 gm	1035 4030	2951	LYSOZYME * CAS 12650-88-3	1 gm 5 gm	770 2850
2640	LIPASE * CAS 9001-62-1	25 gm 100 gm	1180 3650	2950	LYSOZYME CHLORIDE * CAS 52219-07-5	1 gm 5 gm	895 4040
4085	LITHIUM BROMIDE, (ANH.), EXTRA PURE CAS 7550-35-8 LiBr F. wt. 86.85	500 gm	3675	4088	MAGNESIUM (Metal Turning) CAS 7439-95-4 Mg F. wt. 24.31	500 gm	1350
668	LITHIUM CARBONATE, EXTRA PURE CAS 554-13-2 Li₂CO₃ F. Wt. 73.89	100 gm 500 gm 25 Kg	1000 3995 POR	1964	MAGNESIUM ACETATE, (Tetra), EXTRA PURE CAS 16674-78-5 C₄H₁₄MgO₈ F. wt. 214.45	500 gm	655
4140	LITHIUM CARBONATE, AR GRADE CAS 554-13-2 Li₂CO₃ F. wt. 73.89	100 gm 500 gm	980 4355	1965	MAGNESIUM ACETATE, (Tetra), AR GRADE CAS 16674-78-5 C₄H₁₄MgO₈ F. wt. 214.45	250 gm	1970
3322	LITHIUM CHLORIDE, (ANH.), EXTRA PURE CAS 7447-41-8 LiCl F. Wt. 42.39	500 gm	4725	355	MAGNESIUM CARBONATE BASIC (Light) EXTRA PURE CAS 546-93-0 MgCO₃ F. Wt. 84.31	500 gm	1035
1955	LITHIUM HYDROXIDE, (Mono) EXTRA PURE CAS 1310-66-3 LiOH.H₂O F. Wt. 41.96	500 gm 25 Kg	7350 POR	2393	MAGNESIUM CARBONATE (Heavy), EXTRA PURE CAS 546-93-0 MgCO₃ F. Wt. 84.31	500 gm	1010
4086	LITHIUM NITRATE, (ANH.), EXTRA PURE CAS 7790-69-4 LiNO₃ F. wt. 68.95	500 gm	3750	2394	MAGNESIUM CHLORIDE, (ANH.), EXTRA PURE CAS 7786-30-3 MgCl₂ F. Wt. 95.21	500 gm	1630
613	LITHIUM SULPHATE (Mono), EXTRA PURE CAS 10102-25-7 LiSO₄.H₂O F. Wt. 121.01	100 gm 500 gm	730 3260	356	MAGNESIUM CHLORIDE (Hexa), EXTRA PURE CAS 7791-18-6 MgCl₂.6H₂O F. Wt. 203.30	500 gm 5 Kg 50 Kg	225 1550 POR
				614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 MgCl₂.6H₂O F. Wt. 203.30	500 gm 5 Kg 50 Kg	265 1960 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
758	MAGNESIUM CITRATE (Nonahydrate) CAS 153531-96-5 $Mg_3(C_6H_5O_7)_2 \cdot 9H_2O$ F. Wt. 613.25	500 gm	1305	363	DL-MALIC ACID (DL-Hydroxysuccinic Acid) CAS 6915-15-7 $C_4H_5O_5$ F. Wt. 134.09	500 gm 5 Kg	575 4725
357	MAGNESIUM NITRATE, (Hexa), EXTRA PURE CAS 13446-18-9 $Mg(NO_3)_2 \cdot 6H_2O$ F. Wt. 256.41	500 gm	350	2955	MALONIC ACID, EXTRA PURE CAS 141-82-2 $C_3H_4O_4$ F. Wt. 104.06	100 gm 500 gm	525 1670
1968	MAGNESIUM OXIDE (Light), EXTRA PURE CAS 1309-48-4 MgO F. wt. 40.30	500 gm	795	446	MALONIC ACID SODIUM CAS 141-95-7 $C_3H_2Na_2O_4$ F. Wt. 148.03	25 gm 100 gm	230 825
2953	PHOSPHATE DI-BASIC TRIHYDRATE CAS 7782-75-4 $MgHPO_4 \cdot 3H_2O$ F. Wt. 174.33	500 gm	630	3527	MALT EXTRACT PASTE (Food Grade) CAS 8002-48-0	500 gm 50 Kg	755 POR
358	MAGNESIUM SULPHATE, (Hepta), EXTRA PURE CAS 10034-99-8 $MgSO_4 \cdot 7H_2O$ F. Wt. 246.48	500 gm 5 Kg 50 Kg	190 1150 POR	3506	MALT EXTRACT POWDER (Food Grade) CAS 8002-48-0	500 gm 5 Kg 25 Kg	895 8925 POR
359	MAGNESIUM SULPHATE, (Hepta), AR GRADE CAS 10034-99-8 $MgSO_4 \cdot 7H_2O$ F. Wt. 246.48	500 gm 5 Kg 50 Kg	280 1800 POR	4142	MALT EXTRACT POWDER Bacteriological Grade CAS 8002-48-0	500 gm 25 Kg	980 POR
871	MAGNESIUM SULPHATE (ANH.), EXTRA PURE CAS 7487-88-9 $MgSO_4$ F. Wt. 120.37	500 gm 50 Kg	400 POR	1321	MALTODEXTRINE POWDER, (D/E 20) (Maltodextrin) CAS 9050-36-6 $C_4H_{12}O_6$ F. Wt. 180.16	500 gm 5 Kg 25 Kg	270 2375 POR
1973	MAGNESIUM TRISILICATE (Hydrate) CAS 39365-87-2 $2MgO \cdot 3SiO_2 \cdot xH_2O$ F. Wt. 260.86 + xH ₂ O	500 gm	195	1244	MALTOSE (Mono), EXTRA PURE (For Bacteriology) CAS 6363-53-7 $C_{12}H_{24}O_{12}$ F. Wt. 360.31	100 gm 500 gm 25 Kg	280 1150 POR
1974	MAGNESON I, AR GRADE (Reagent for Mg) CAS 74-39-5 $C_{12}H_{19}N_3O_3$ F. Wt. 259.22	25 gm 100 gm	375 1365	766	MALTOSE (Mono), AR GRADE (For Bacteriology) CAS 6363-53-7 $C_{12}H_{12}O_{11} \cdot H_2O$ F. Wt. 360.31	100 gm 500 gm	325 1400
1975	MAGNESON II, AR GRADE (Reagent for Mg) CAS 5290-62-0 $C_{16}H_{11}N_3O_3$ F. Wt. 293.28	25 gm 100 gm	610 1785	1979	DL-MANDELIC ACID CAS 90-64-2 $C_8H_8O_3$ F. Wt. 152.15	100 gm 500 gm	1055 3565
1641	MALACHITE GREEN (Malachite Green Oxalate) CAS 2437-29-8 C.I. 42000 $C_{25}H_{26}N_2O_4$ F. Wt. 927.03	25 gm 100 gm 500 gm	180 465 1575	2396	MANGANESE CARBONATE, EXTRA PURE CAS 598-62-9 $MnCO_3$ F. Wt. 114.95	500 gm 25 Kg	415 POR
360	MALEIC ACID, EXTRA PURE CAS 110-16-7 $C_4H_4O_4$ F. Wt. 116.07	500 gm 25 Kg	620 POR	704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 $MnCl_2 \cdot 4H_2O$ F. Wt. 197.91	500 gm 50 Kg	770 POR
362	MALEIC ANHYDRIDE [2,5-Furandione] CAS 108-31-6 $C_4H_2O_4$ F. Wt. 98.06	500 gm 5 Kg 25 Kg	515 4200 POR	705	MANGANESE (II) CHLORIDE, (Tetra), AR GRADE CAS 13446-34-9 $MnCl_2 \cdot 4H_2O$ F. Wt. 197.91	500 gm 50 Kg	780 POR
3556	MALEIC HYDRAZIDE CAS 123-33-1 $C_4H_4N_2O_2$ F. Wt. 112.09	100 gm	605	1980	MANGANESE DIOXIDE, (Black), TECH. CAS 1313-13-9 MnO_2 F. Wt. 86.94	500 gm	265
				702	MANGANESE (II) SULPHATE, (Mono), EXTRA PURE CAS 10034-96-5 $MnSO_4 \cdot H_2O$ F. Wt. 169.02	500 gm 5 Kg 50 Kg	415 3360 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
703	MANGANESE (II) SULPHATE, (Mono), AR GRADE CAS 10034-96-5 MnSO ₄ ·H ₂ O F. Wt. 169.02	500 gm 50 Kg	610 POR	789	MERCURIC IODIDE RED, EXTRA PURE CAS 7774-29-0 HgI ₂ F. Wt. 454.40	100 gm	3080
1245	D-MANNITOL, EXTRA PURE CAS 69-65-8 C ₆ H ₁₄ O ₆ F. Wt. 182.17	100 gm 500 gm 5 Kg 25 Kg	355 1145 10290 POR	880	MERCURIC NITRATE (Mono), EXTRA PURE CAS 7783-34-8 Hg(NO ₃) ₂ ·H ₂ O F. Wt. 342.62	100 gm 250 gm	3130 7775
1246	D-MANNITOL, AR GRADE CAS 69-65-8 C ₆ H ₁₄ O ₆ F. Wt. 182.17	100 gm 500 gm 25 Kg	425 1235 POR	616	MERCURIC OXIDE RED, EXTRA PURE CAS 21908-53-2 HgO F. Wt. 216.59	100 gm 500 gm	3565 17280
365	D+ MANNOSE CAS 3458-28-4 C ₆ H ₁₂ O ₆ F. Wt. 180.16	25 gm 100 gm	1350 4860	618	MERCURIC OXIDE YELLOW, EXTRA PURE CAS 21908-53-2 HgO F. Wt. 216.59	100 gm	3565
1982	D-MELIBIOSE 99% (Mono) CAS 585-99-9 C ₁₂ H ₂₂ O ₁₁ F. Wt. 342.30	5 gm	13150	882	MERCURIC SULPHATE, EXTRA PURE (Mercury (II) Sulphate) CAS 7783-35-9 HgSO ₄ F. Wt. 296.65	100 gm 250 gm 500 gm	2835 6090 11550
1710	MENADIONE, * (2-Methyl-1-4-naphthoquinone) (VITAMIN K ₃) CAS 58-27-5 C ₁₁ H ₈ O ₂ F. Wt. 172.18	25 gm	1210	883	MERCURIC SULPHATE, AR GRADE CAS 7783-35-9 HgO ₄ S F. wt. 296.65	250 gm	6825
1716	MENADIONE SODIUM BISULPHITE * (Vitamin K ₃ Sodium Sulphate) CAS 130-37-0 C ₁₁ H ₈ NaO ₅ S F. Wt. 276.24	25 gm	770	4090	MERCURIC THIOCYANATE, EXTRA PURE CAS 592-85-8 C ₂ HgN ₂ S ₂ F. wt. 316.75	100 gm	4200
3513	MERCAPTOACETIC ACID SODIUM SALT (Sodium Thioglycollate) CAS 367-51-1 C ₂ H ₃ NaO ₂ S F. Wt. 114.10	100 gm 500 gm	925 2740	4091	MERCUROUS CHLORIDE, AR GRADE CAS 10112-91-1 Cl ₂ Hg ₂ F. wt. 472.08	100 gm	3565
1988	2-MERCAPTOETHANOL, AR GRADE CAS 60-24-2 C ₂ H ₆ OS F. Wt. 78.13	100 ml 500 ml	840 3545	1996	MERCUROUS NITRATE, (Dihydrate), EXTRA PURE CAS 14836-60-3 Hg ₂ (NO ₃) ₂ ·2H ₂ O F. Wt. 561.22	100 gm	3565
1989	MERCURIC ACETATE, EXTRA PURE CAS 1600-27-7 C ₆ H ₆ HgO ₄ F. Wt. 318.70	100 gm 500 gm	3050 14175	2414	MERCURY (Metal), EXTRA PURE CAS 7439-97-6 Hg F. Wt. 200.59	100 gm	2495
1990	MERCURIC ACETATE, AR GRADE CAS 1600-27-7 C ₆ H ₆ HgO ₄ F. Wt. 318.70	100 gm	3360	4214	META-TOPOLINE CAS 75737-38-1 C ₁₂ H ₁₀ N ₃ OH F. wt. 241.25	25 mg 100 mg	2215 7910
369	MERCURIC CHLORIDE, EXTRA PURE (Mercury (II) Chloride) CAS 7487-94-7 HgCl ₂ F. Wt. 271.52	100 gm 250 gm 500 gm	2730 6590 11550	1124	DL-METHIONINE 99%+ Purity, Crystalline CAS 59-51-8 C ₅ H ₁₁ NO ₂ S F. Wt. 149.21	100 gm 500 gm 1 Kg 25 Kg	470 1755 3400 POR
370	MERCURIC CHLORIDE, AR GRADE (Mercury (II) Chloride) CAS 7487-94-7 HgCl ₂ F. Wt. 271.52	100 gm 250 gm	2945 6860	1123	L-METHIONINE 99%+ Purity, Crystalline CAS 63-68-3 C ₅ H ₁₁ NO ₂ S F. Wt. 149.21	25 gm 100 gm 500 gm 25 Kg	290 1055 5160 POR
				4260	4-METHYLBELLIFERYL-β-D-GALACTOPYRANOSIDE (MUGA: MU-GAL) CAS 6160-78-7 C ₁₆ H ₁₈ O ₈ F. Wt. 338.31	250 mg	8880
				1687	METHYL BLUE, (Water Blue) CAS 28983-56-4 C.I. 42780 C ₃₇ H ₂₇ N ₃ Na ₃ O ₉ S ₃ F. Wt. 799.82	25 gm 100 gm	620 2180
				2433	METHYL CELLULOSE (High Viscosity) 4000 CPS CAS 9004-67-5	500 gm	2100

N

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4257	METHYL- α -D-GALACTOPYRANOSIDE (METHYL- α -D-GALACTOSIDE) *  NEW CAS 3396-99-4 C ₇ H ₁₄ O ₆ F. Wt. 194.18	1 gm 5 gm	1905 8025	2122A	α -NAPHTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 C ₁₂ H ₉ O ₂ K F. Wt. 224.30	25 gm 100 gm 1 Kg	210 655 5670
4258	METHYL- β -D-GALACTOPYRANOSIDE (METHYL- β -D-GALACTOSIDE) *  NEW CAS 97-30-3 C ₇ H ₁₄ O ₆ F. Wt. 194.18	1 gm	1990	2122	α -NAPHTHALENE ACETIC ACID CAS 86-87-3 C ₁₂ H ₁₀ O ₂ F. Wt. 128.17	25 gm 100 gm 500 gm 25 kg	185 580 2595 POR
4259	METHYL- α -D-GLUCOPYRANOSIDE (METHYL- α -D-GLUCOSIDE) *  NEW CAS 1824-94-8 C ₇ H ₁₄ O ₆ F. Wt. 194.18	100 gm	4005	2379	NAPHTHALENE CAS 91-20-3 C ₁₀ H ₈ F. Wt. 128.17	500 gm	485
4225	METHYL EUGENOL CAS 93-15-2 C ₁₁ H ₁₄ O ₂ F. Wt. 178.23	500 gm	5155	1602	MUREXIDE, (Ammonium Purpurate), AR GRADE CAS 3051-09-0 C.I. 56085 C ₈ H ₈ N ₆ O ₆ F. Wt. 284.19	5 gm 25 gm	370 1050
2103	METHYL GREEN, AR GRADE CAS 7114-03-6 C.I. 42590 C ₂₇ H ₃₅ Cl ₄ N ₃ Zn F. Wt. 608.79	10 gm 25 gm	1775 3690	060	MUREXIDE, (Ammonium Purpurate) CAS 3051-09-0 C.I. 56085 C ₈ H ₈ N ₆ O ₆ F. Wt. 284.19	5 gm 25 gm	295 945
1604	METHYL ORANGE (ORANGE III) CAS 547-58-0 C.I. 13025 C ₁₄ H ₁₄ N ₃ NaO ₃ S F. Wt. 327.33	25 gm 100 gm 1 Kg	180 585 4625	3564	MTT * (Methyl Thiazolyl Diphenyl Tetrazolium Bromide) CAS 298-93-1 C ₁₈ H ₁₆ N ₅ SBr F. Wt. 414.32	1 gm	4320
884	METHYL PARABEN (Methyl 4-Hydroxy Benzoate) CAS 99-76-3 C ₈ H ₈ O ₃ F. Wt. 152.15	500 gm	950	3596	3-MORPHOLINOPROPANE SULPHONIC ACID (MOPS-BUFFER) CAS 1132-61-2 C ₇ H ₁₅ NO ₄ S F. wt. 209.26	25 gm 1 Kg	1205 24100
619	METHYL PARABEN SODIUM (Methyl-P-Hydroxy Benzoate Sodium) CAS 5026-62-0 C ₈ H ₇ NaO ₃ F. Wt. 174.13	500 gm 25 Kg	1055 POR	2110	2-MORPHOLINO ETHANE SULPHONIC ACID (MES) BUFFER CAS 4432-31-9 C ₆ H ₁₃ NO ₄ S F. Wt. 195.2	25 gm 100 gm 1 Kg	725 2875 22500
1605	METHYL RED CAS 493-52-7 C.I. 13020 C ₁₅ H ₁₅ N ₃ O ₂ F. Wt. 269.30	25 gm 100 gm	220 790	1542	MORIN DIHYDRATE, AR GRADE CAS 6472-38-4 C.I. 75660 C ₁₅ H ₁₀ O ₇ .2H ₂ O F. Wt. 338.27	1 gm 5 gm	1050 4440
1633	METHYL THYMOL BLUE SODIUM (Methyl Red Thymol Blue) CAS 1945-77-3 C ₃₇ H ₄₃ N ₂ O ₁₃ NaS F. Wt. 778.82	5 gm 25 gm	205 735	1112	MONO SODIUM GLUTAMATE CAS 142-47-2 C ₉ H ₉ NNaO ₄ F. Wt. 169.11	100 gm 500 gm 25 Kg	150 530 POR
1606	METHYL VIOLET, EXTRA PURE (Crystal Violet or Gentian Violet) CAS 548-62-9 C.I. 42555 C ₂₅ H ₃₀ CIN ₃ F. Wt. 407.99	25 gm 100 gm 1 Kg	400 1395 10775	4095	MOLYBDIC ACID, (Hydrate), AR GRADE CAS 7782-91-4 H ₂ MoO ₄ F. wt. 161.95	100 gm 500 gm	1415 5545
1620	METHYL VIOLET (Crystal Violet or Gentian Violet) CAS 548-62-9 C.I. 42555 C ₂₅ H ₃₀ CIN ₃ F. Wt. 407.98	25 gm 100 gm 1 Kg	620 1890 14700	948	MOLYBDIC ACID (Mono), EXTRA PURE CAS 7782-91-4 MoO ₃ H ₂ O F. Wt. 1161.95	100 gm 25 Kg	1305 POR
371	N,N-METHYLENE BISACRYLAMIDE, For Electrophoresis, AR GRADE CAS 110-26-9 C ₇ H ₁₀ N ₂ O ₂ F. Wt.154.17	25 gm 100 gm 500 gm	475 1510 6250	4094	MOLYBDENUM TRIOXIDE CAS 1313-27-5 MoO ₃ F. wt. 143.95	100 gm 500 gm	1360 6350
1607	METHYLENE BLUE, EXTRA PURE CAS 61-73-4 C ₁₆ H ₁₈ N ₃ SCI F. Wt. 319.85	25 gm 100 gm 1 Kg	425 1640 14080	4093	MOLYBDENUM DISULPHIDE CAS 1317-33-5 MoS ₂ F. wt. 160.09	100 gm	1210
2651	METHYLENE BLUE, AR GRADE CAS 61-73-4 C ₁₆ H ₁₈ N ₃ SCI F. Wt. 319.85	25 gm 100 gm 1 Kg	520 1780 15760	4092	METHYL GREEN (For Microscopical) Staining (C.I.42590) CAS 22383-16-0 C ₂₆ H ₃₃ Cl ₂ N ₃ F. wt. 458.47	10 gm 25 gm	1315 2730

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
893	1-NAPHTHOL (1-Hydroxynaphthalene) CAS 90-15-3 C₁₀H₈O F. Wt. 144.17	100 gm 500 gm	325 1315	3178	NEW METHYLENE BLUE (Basic Blue 24) CAS 6586-05-0 C.I.52030 C₁₈H₂₂Cl N₃S. ZnCl₂ F. Wt. 416.05	5 gm	3570
2381	2-NAPHTHOL (β-Naphthol) CAS 135-19-3 C₁₀H₈O F. Wt. 144.17	500 gm	1240	759	NIACIN (Nicotinic Acid) CAS 59-67-6 C₆H₅NO₂ F. Wt. 123.11	25 gm 100 gm 1 Kg	155 360 2865
2465	1-NAPHTHOLBENZEIN (pH Indicator) CAS 145-50-6 C₂₇H₁₈O₂ F. Wt. 374.43	5 gm 25 gm	630 2940	685	NIACINAMIDE (Nicotinamide) CAS 98-92-0 C₆H₆N₂O F. Wt. 122.12	25 gm 100 gm 1 Kg	115 360 2855
1632	α-NAPHTHOLPHTHALEIN CAS 596-01-0 C₂₇H₁₈O₂ F. Wt. 418.44	1 gm 5 gm	840 3040	2130	NICKEL CARBONATE BASIC PURIFIED CAS 12607-70-4 CH₄Ni₃O₇ F. Wt. 304.18	500 gm	2510
2656	1,2-NAPHTHOLQUINONE-4 SULPHONIC ACID SODIUM SALT CAS 521-24-4 C₁₀H₅NaO₅S F. Wt. 260.19	5 gm 25 gm	585 2340	2131	NICKEL CHLORIDE, (Hexa), EXTRA PURE CAS 7791-20-0 NiCl₂.6H₂O F. wt. 237.69	500 gm	1470
3565	β-NAPHTHOXY ACETIC ACID CAS 120-23-0 C₁₂H₁₀O₃ F. Wt. 202.21	25 gm 100 gm	640 1840	3323	NICKEL (II) NITRATE (Hexa), EXTRA PURE CAS 13478-00-7 N₂NiO₆.6H₂O F. Wt. 290.79	500 gm	1210
2121	1-NAPHTHYLACETATE, AR GRADE (Naphthol free) CAS 830-81-9 C₁₂H₁₀O₂ F. Wt. 186.21	5 gm 25 gm	545 1870	2135	NICKEL OXIDE BLACK, EXTRA PURE CAS 1314-06-3 NiO F. wt. 74.69	100 gm 500 gm	1800 4410
2122	1-NAPHTHYLACETIC ACID (α-Naphthalene Acetic Acid) CAS 86-87-3 C₁₂H₁₀O₂ F. Wt.186.21	25 gm 100 gm 500 gm 25 Kg	185 580 2595 POR	3324	NICKEL SULPHATE (Hexa) CAS 10101-97-0 NiSO₄.6H₂O F. Wt. 262.85	500 gm	3350
2124	1-NAPHTHYLAMINE, AR GRADE CAS 134-32-7 C₁₀H₉N F. Wt. 143.19	100 gm 500 gm	1260 5045	3179	NICOTINAMIDE ADENINE DINUCLEOTIDE * (DPN;NAD) CAS 53-84-9 C₂₁H₂₇N₇O₁₄P₂ F. Wt. 663.43	1 gm 5 gm	825 4000
TR 028	α-NAPHTHYLAMINE SOLN. CAS 134-32-7 C₁₀H₉N F. Wt. 143.19	100 ml	265	3180	NICOTINAMIDE ADENINE DINUCLEOTIDE * REDUCED SODIUM (NADH Disodium) CAS 606-68-8 C₂₁H₂₇N₇Na₂O₁₄P₂ F. Wt. 709.41	1 gm 5 gm	2085 9430
1913	N-(1-NAPHTHYL) ETHYLENE DIAMINE DIHYDROCHLORIDE (2-NEDA) CAS 1465-25-4 C₁₂H₁₄N₂ F. Wt. 259	5 gm 25 gm	700 2320	3181	NICOTINAMIDE ADENINE DINUCLEOTIDE * PHOSPHATE DISODIUM (NADP Disodium) CAS 24292-60-2 C₂₁H₂₆N₇Na₂O₁₇P₃ F. Wt. 787.37	100 mg 1 gm	1080 10425
2126	NEOCUPROINE, AR GRADE (2,9, Dimethyl-1-10 Phenanthroline) CAS 484-11-7 C₁₄H₁₂N₂ F. Wt. 208.26	1 gm 5 gm	1205 5920	1678	NIGROSINE B (A/S) CAS 8005-02-5 C.I. 50415	25 gm 100 gm 1 Kg	145 480 4540
2127	NEOCUPROINE HYDROCHLORIDE (Mono) (2,9, Dimethyl-1-10 Phenanthroline HCl) AR GRADE CAS 7296-20-0 C₁₄H₁₂N₂.HCl.H₂O F. Wt. 262.72	1 gm 5 gm	1510 7020	1645	NIGROSINE, (W/S) CAS 8005-02-5 C.I. 50420	25 gm 100 gm	150 475
1643	NEUTRAL RED (pH Indicator) CAS 553-24-2 C.I.50040 C₁₅H₁₇ClN₄ F. Wt. 288.78	5 gm 25 gm 100 gm	355 1275 4605	2143	NILE BLUE CHLORIDE CAS 2381-85-3 C.I. 51180 C₂₀H₂₀ClN₃O F. Wt. 353.85	25 gm	1185
1643 A	NEUTRAL RED, AR GRADE CAS 553-24-2 C₁₅H₁₇ClN₄ F. Wt. 288.78	5 gm 25 gm 100 gm	410 1395 5330				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2144	NILE BLUE SULPHATE (Nile Blue A), AR GRADE CAS 3625-57-8 C.I. 51180 C₄₀H₄₀N₆O₆S F. Wt. 732.84	25 gm	1455	2160	2-NITROSO-1-NAPHTHOL, AR GRADE (Reagent for Cobalt & Zirconium) CAS 132-53-6 C₁₀H₇NO₂ F. Wt. 173.17	5 gm 25 gm	655 2625
2145	NINHYDRIN, 99%, EXTRA PURE CAS 485-47-2 C₉H₄O₃.H₂O F. Wt. 178.14	10 gm 25 gm 100 gm	560 1190 4105	2161	NITROSO-R-SALT, AR GRADE CAS 525-05-3 C₁₀H₅NNa₂O₈S₂ F. Wt. 377.26	25 gm 100 gm	355 1080
1608	NINHYDRIN, AR GRADE for detection and assay of Amino Acid CAS 485-47-2 C₉H₄O₃.H₂O F. Wt. 178.14	10 gm 25 gm 100 gm	700 1460 4320	1146	DL-NORLEUCINE CAS 616-06-8 C₆H₁₃NO₂ F. Wt. 131.17	5 gm 25 gm	3070 6635
2146	NIOBIUM PENTOXIDE 99.9%, AR GRADE CAS 1313-96-8 Nb₂O₅ F. Wt. 265.81	25 gm	1260	2463	NYSTATIN (10,00,000 Units/vl) * CAS 1400-61-9 C₄₇H₇₅NO₁₇ F. Wt. 926.10	1 vl	555
2892	2-NITROBENZALDEHYDE, AR GRADE CAS 552-89-6 C₇H₅NO₃ F. Wt. 151.11	10 gm 25 gm	275 650	3386	1-OCTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207596-29-0 C₈H₁₇NaO₃S.H₂O F. wt. 234.29	25 gm	980
2702	4-(4-NITROBENZYL) PYRIDINE, AR GRADE CAS 1083-48-3 C₁₂H₁₀N₂O₂ F. Wt. 214.22	5 gm 25 gm	2590 11880	3387	1-OCTANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC) CAS 5324-84-5 C₈H₁₇NaO₃S F. wt. 216.28	25 gm	1000
3385	4-NITROBENZOIC ACID CAS 62-23-7 C₇H₅NO₄ F. Wt. 167.12	500 gm	1565	4098	OCTYL SULPHATE SODIUM SALT, AR GRADE, (For HPLC) CAS 142-31-4 C₈H₁₇NaO₄S F. wt. 232.3	5 gm	2075
2153	NITRO B.T., AR GRADE * (Nitro Blue Tetrazolium Chloride) CAS 298-83-9 C₄₀H₃₀Cl₂N₁₀O₆ F. Wt. 817.64	100 mg 250 mg 1 gm	430 865 2740	1693	OIL RED IV (Sudan IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 C₂₄H₂₀N₄O F. Wt. 380.44	25 gm 100 gm	255 720
2155	P-NITROPHENOL, EXTRA PURE CAS 100-02-7 C₆H₅NO₃ F. Wt. 139.12	500 gm 5 Kg 25 Kg	810 POR POR	2163	OLEIC ACID, (Elainic Acid), EXTRA PURE (For Biochemistry) CAS 112-80-1 C₁₈H₃₄O₂ F. Wt. 282.46 (Store at 2-8°C)	500 ml	430
3184	O-NITROPHENYL-β-D GALACOPYRANOSIDE * (ONPG) CAS 369-07-3 C₁₂H₁₅NO₈ F. Wt. 301.25	500 mg 1 gm 5 gm	640 1245 5715	3520	OLIVE OIL CAS 8001-25-0	100 ml 500 ml	620 2005
1974	4-(4-NITRO PHENYL AZO)-1-NAPHTHOL, (Magneson- I), AR GRADE CAS 74-39-5 C₁₂H₉N₃O₄ F. Wt. 259.22	25 gm 100 gm	375 1365	1639	ORANGE G (Acid Orange 10) CAS 1936-15-8 C.I. 16230 C₁₆H₁₀N₂O₇S₂Na₂ F. Wt. 452.38	25 gm 100 gm 1 Kg	225 715 POR
1975	4-(4-NITROPHENYL AZO) RESORCINOL, (Magneson-II), AR GRADE CAS 5290-62-0 C₁₆H₁₁N₃O₃ F. Wt. 293.28	25 gm 100 gm	610 1785	2165	ORCEIN (For Microscopy) 1400-62-0 C₂₈H₂₄N₂O₇ F. wt. 500.49	5 gm 10 gm	1730 3210
2158	4-NITROPHENYL PHOSPHATE DISODIUM, HEXAHYDRATE, AR GRADE CAS 333338-18-4 C₆H₄NO₆PNa₂.6H₂O F. Wt. 371.14	5 gm 25 gm	660 3015	1125	L-ORNITHINE MONOHYDROCHLORIDE 99%+ PURITY, CRYSTALLINE CAS 3184-13-2 C₅H₁₂N₂O₂.HCl F. Wt. 168.62	25 gm 100 gm 500 gm	650 2285 10170
2159	1-NITROSO-2-NAPHTHOL, AR GRADE CAS 131-91-9 C₁₀H₇NO₂ F. Wt. 173.17	25 gm 100 gm	1150 4400	2166	ORCINOL (Mono) (3,5-Dihydroxytoluence Mono) CAS 6153-39-5 C₇H₈O₂.H₂O F. Wt. 142.15	10 gm 25 gm	860 2045

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
372	OXALIC ACID , (Dihydrate), EXTRA PURE CAS 6153-56-6 C₂H₂O₄.2H₂O F. Wt. 126.07	500 gm 5 Kg 50 Kg	335 2970 POR	4175	PARAFFIN WAX (With Ceresin) (Block Form) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg	1090
TR 020	OXIDASE REAGENT (Gorden - Mcleod Reagent)	100 ml	410	376	PARAFFIN WAX (With Ceresin) (Solid) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	500 gm 1 Kg 2 Kg	675 1090 1905
3570	PACLOBUTRAZOL CAS 76738-62-0 C₁₅H₂₀ClN₃O F. Wt. 293.80	5 gm 25 gm	1300 5490	623	PARAFORMALDEHYDE 96% (For Synthesis) CAS 30525-89-4 (CH₂O)₄ F. wt. 90.08	500 gm	275
3186	PAN, INDICATOR 1-(2-Pyridylazo)-2-Naphthol CAS 85-85-8 C₁₅H₁₁N₃O F. Wt. 249	1 gm 5 gm	1235 5285	2178	PARAROSANILINE (BASE) (Para Fuchsin) CAS 25620-78-4 C.I. 42500 C₁₉H₁₉N₃O F. Wt. 305.37	25 gm	1575
4100	PAR INDICATOR, AR GRADE CAS 16593-81-0 C₁₁H₈N₃NaO₂.H₂O F. wt. 255.21	1 gm 5 gm	790 3400	2179	PARAROSANILINE HYDROCHLORIDE (Para Fuchsin HCl) CAS 569-61-9 C.I. 42500 C₁₉H₁₇N₃.HCl F. Wt. 323.82	25 gm 100 gm	1365 4655
1401	PANCREATIN 1NF CAS 8049-47-6	100 gm 500 gm	1435 4530	1025	PATTON & REEDER'S REAGENT, AR GRADE (Calcon Carboxylic Acid) CAS 3737-95-9 C₂₁H₁₄N₂O₇S F. Wt. 438.42	5 gm 25 gm	210 715
1403	PANCREATIN 4 NF * CAS 8049-47-6	100 gm	3220	1405	PECTIN, PURE (Poly-D-galaeturonic acid methyl ester) CAS 9000-69-5	100 gm 500 gm	910 4245
1404	PAPAIN (SPRAY DRIED) (Activity 100 T.U./gm or 6,000 usp/gm) CAS 9001-73-4	100 gm 500 gm	360 1590	3392	PECTINASE * CAS 9032-75-1	25 gm	3570
609	PARAFFIN LIQUID, (HEAVY) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	340 1275 POR	3188	1-PENTANE SULPHONIC ACID SODIUM SALT (ANH.), (For HPLC) CAS 22767-49-3 C₅H₁₁NaO₃S F. wt. 192.21	25 gm	1000
622	PARAFFIN LIQUID (LIGHT) CAS 8012-95-1	500 ml 2.5 Ltr 25 Ltr	460 1760 POR	3395	1-PENTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC) CAS 207605-40-1 C₅H₁₁NaO₃S.H₂O F. wt. 192.2	25 gm	1360
375	PARAFFIN WAX (Block Form) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg	1030	2668	PENTAERYTHRITOL CAS 115-77-5 C₅H₁₂O₄ F. Wt. 136.15	500 gm	545
4173	PARAFFIN WAX (Solid) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	1 Kg	1040	1406	PEPSIN 1:3,000 * CAS 9001-75-6	100 gm 500 gm 5 Kg	3290 14250 POR
4174	PARAFFIN WAX (Block Form) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 Kg	1090	2185	PEPSIN 1:10,000 * CAS 9001-75-6	25 gm 100 gm	1810 7015
2175	PARAFFIN WAX, (Solid) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	1 Kg 2 Kg	1150 1670	1266	PEPTONE, PHARMA GRADE (See more Peptones in Biological Media Base)	500 gm 25 Kg	960 POR
				3518	PEPTONE, BACTO GRADE (See more Peptones in Biological Media Base)	500 gm 5 Kg 25 Kg	1150 10975 POR
				3521	PEPTONE PASTE Bacteriological Grade	500 gm 50 Kg	910 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3519	PEPTONE GR (Granular), BACTO GRADE	500 gm 5 Kg 25 Kg	1665 15175 POR	904	PHENYLMERCURIC NITRATE, AR GRADE CAS 8003-05-02 $C_6H_5HgNO_3$ F. Wt. 634.40	25 gm 100 gm	7875 29855
2197	1,10, PHENANTHROLINE (Mono), AR GRADE CAS 5144-89-8 $C_{12}H_8N_2 \cdot H_2O$ F. Wt. 198.22	5 gm 25 gm	515 2060	2457	PHLOROGLUCINOL, AR GRADE (1,3,5, Trihydroxybenzene) CAS 108-73-6 $C_6H_6O_3$ F. Wt. 126.11	25 gm 100 gm	1050 3990
2198	1,10, PHENANTHROLINE HYDROCHLORIDE, AR GRADE CAS 3829-86-5 $C_{12}H_8N_2 \cdot H_2O$ F. Wt. 234.69	5 gm 25 gm	620 2205	2211	PHLOXIN B (Cyanosine, Eosin 10 B) CAS 18472-87-2 $C_{20}H_2Br_4Cl_4Na_2O_5$ F. Wt. 829.64	25 gm 100 gm	500 1740
2519	PHENAZONE (Antipyrine) CAS 60-80-0 $C_{11}H_{12}N_2O$ F. Wt. 188.23	100 gm 500 gm	905 3875	2972	PHOSPHOMOLYBDIC ACID, EXTRA PURE CAS 51429-74-4 $H_3PO_4 \cdot 12MoO_3 \cdot xO \cdot H_2O$ F. Wt. 1825.25	25 gm	1420
293	PHENOL CRYSTAL, EXTRA PURE CAS 108-95-2 C_6H_6O F. Wt. 94.11	500 gm	495	773	PHOSPHOMOLYBDIC ACID, AR GRADE CAS 51429-74-4 $H_3PO_4 \cdot 12MoO_3 \cdot xOH_2O$ F. Wt. 1825.25	25 gm	1480
1670	PHENOLPHTHALEIN (White) (pH 8.2-10.0) CAS 77-09-8 $C_{20}H_{14}O_4$ F. Wt. 318.32	25 gm 100 gm 500 gm 25 Kg	165 540 2590 POR	2215	PHOSPHOROUS PENTOXIDE, EXTRA PURE CAS 1314-56-3 P_2O_5 F. wt. 283.89	500 gm	790
TBL 070	PHENOLPHTHALEIN, 1% W/V CAS 77-09-8 $C_{20}H_{14}O_4$ F. Wt. 318.32	125 ml 500 ml	145 400	2000	PHOSPHOROUS PENTOXIDE, AR GRADE CAS 1314-56-3 P_2O_5 F. wt. 283.89	500 gm	990
1671	PHENOL RED (pH Indicator) CAS 143-74-8 $C_{19}H_{14}O_5S$ F. Wt. 354.38	5 gm 25 gm 100 gm	175 485 1700	981	PHOSPHOTUNGSTIC ACID, EXTRA PURE CAS 12501-23-4 $H_3PO_4 \cdot 12WO_3 \cdot xH_2O$ F. Wt. 2880.05	100 gm 500 gm	2000 9720
1671A	PHENOL RED SODIUM, (w/s) AR GRADE CAS 34487-61-1 $C_{19}H_{13}NaO_5S$ F. Wt. 376.36	25 gm	630	2673	PHTHALIC ACID, EXTRA PURE CAS 88-99-3 $C_8H_6O_4$ F. wt. 166.13	500 gm	485
906	PHENYLACETIC ACID (α -Tolylic Acid) CAS 103-82-2 $C_8H_8O_2$ F. Wt. 136.15	500 gm	690	907	PHTHALIC ANHYDRIDE, EXTRA PURE CAS 85-44-9 $C_8H_4O_3$ F. Wt. 148.1	500 gm 25 Kg	375 POR
1126	DL-PHENYLALANINE 99%+ Crystalline CAS 150-30-1 $C_9H_{11}NO_2$ F. Wt. 165.19	25 gm 100 gm	650 2140	2450	PHTHALIMIDE CAS 85-41-6 $C_8H_5NO_2$ F. Wt. 147.13	500 gm	525
1127	L-PHENYLALANINE 99%+ Crystalline CAS 63-91-2 $C_9H_{11}NO_2$ F. Wt. 165.19	25 gm 100 gm 500 gm	305 915 3395	3576	PICLORAM CAS 1918-02-1 $C_6H_5Cl_3N_2O_2$ F. Wt. 241.46	1 gm 5 gm	2415 9590
2669	N-PHENYLANTHRANILIC ACID, AR GRADE (Redox Indicator) CAS 91-40-7 $C_{13}H_{11}NO_2$ F. Wt. 213.23	25 gm 100 gm	1315 4935	4101	PICRIC ACID, EXTRA PURE (Moistened With Water) CAS 88-89-1 $C_6H_3N_3O_7$ F. wt. 229.10	500 gm	915
2208	PHENYLHYDRAZINE HYDROCHLORIDE, EXTRA PURE CAS 59-88-1 $C_6H_8N_2 \cdot HCl$ F. Wt. 144.60	100 gm 250 gm	675 1515	770	PIPERAZINE (ANH) CAS 110-85-0 $C_4H_{10}N_2$ F. Wt. 86.14	100 gm 500 gm 25 Kg	320 1075 POR
903	PHENYLMERCURIC ACETATE CAS 62-38-4 $C_8H_8HgO_2$ F. wt. 336.74	25 gm 100 gm	3080 11340	2219	PIPES (Buffer) (Piperazine-N,N-bis (2 ethane sulphonic acid)) CAS 5625-37-6 $C_8H_{18}N_2O_6S_2$ F. Wt. 302.4	5 gm 25 gm	335 1255

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
908	POLYETHYLENE GLYCOL-4000 (PEG-4000) CAS 25322-68-3	500 gm 25 Kg	440 POR	2686	POTASSIUM BISULPHATE, EXTRA PURE (Potassium Hydrogen Sulphate) CAS 7646-93-7 KHSO ₄ F. Wt. 136.17	500 gm	315
1013	POLYETHYLENE GLYCOL-6000 (PEG-6000) CAS 25322-68-3	500 gm 25 Kg	520 POR	3128	POTASSIUM BISULPHITE, EXTRA PURE (Potassium Hydrogen Sulphite) CAS 7773-03-7 KHSO ₃ F. Wt. 120.16	500 gm 5 Kg	400 3815
2224	POLYVINYL ALCOHOL M.W. 125,000 CAS 9002-89-5 (C ₂ H ₄ O) _n F. Wt. 165.19	500 gm	645	919	POTASSIUM BITARTRATE (Potassium Hydrogen Tartrate) CAS 868-14-4 Kc ₄ H ₅ O ₆ F. Wt. 188.18	500 gm	1025
2115	POLYVINYL PYRROLIDINE K-30 (PVP) CAS 9003-39-8 (C ₆ H ₉ O) _n F. Wt. 165.19	100 gm 500 gm 25 Kg	530 2265 POR	711	POTASSIUM BROMATE, EXTRA PURE CAS 7758-01-2 KBrO ₃ F. Wt. 167.00	500 gm 50 Kg	815 POR
1675	PONCEAU S, Sodium Salt CAS 6226-79-5 C.I 27195 C ₂₂ H ₁₂ N ₄ Na ₄ O ₁₃ S ₄ F. Wt. 760.57	25 gm	730	628	POTASSIUM BROMIDE, EXTRA PURE CAS 7758-02-03 KBr F. Wt. 119.002	500 gm 50 Kg	625 POR
380	POTASSIUM ACETATE, EXTRA PURE CAS 127-08-2 C ₂ H ₃ KO ₂ F. Wt. 98.15	500 gm 50 Kg	440 POR	2680	POTASSIUM BROMIDE, AR GRADE CAS 7758-02-03 KBr F. Wt. 119.002	500 gm	735
381	POTASSIUM ACETATE, AR GRADE CAS 127-08-2 C ₂ H ₃ KO ₂ F. Wt. 98.15	500 gm 50 Kg	440 POR	4102	POTASSIUM BROMIDE IR FOR SPECTROSCOPY CAS 7758-02-3 Kbr F. wt. 119.00	100 gm	3600
753	POTASSIUM ALUM, EXTRA PURE CAS 7784-24-9 ALKO ₈ S ₂ .12H ₂ O F. Wt. 474.39	500 gm 5 Kg 50 Kg	230 1630 POR	383	POTASSIUM CARBONATE (ANH.), EXTRA PURE CAS 584-08-7 K ₂ CO ₃ F. Wt. 138.21	500 gm 50 Kg	345 POR
230	POTASSIUM ALUM, AR GARDE CAS 7784-24-9 ALKO ₈ S ₂ .12 H ₂ O F. Wt. 74.39	500 gm 5 Kg 50 Kg	355 3155 POR	384	POTASSIUM CARBONATE (ANH.), AR GRADE CAS 584-08-7 K ₂ CO ₃ F. Wt. 138.21	500 gm 50 Kg	400 POR
2517	POTASSIUM ANTIMONY TARTRATE, (Trihydrate), EXTRA PURE CAS 28300-74-5 C ₈ H ₄ K ₂ O ₁₂ Sb ₂ .3H ₂ O F. Wt. 667.87	100 gm 500 gm	415 1670	385	POTASSIUM CHLORIDE, EXTRA PURE CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg	305 2395 POR
811	POTASSIUM ANTIMONY TARTRATE, (Trihydrate), AR GRADE CAS 28300-74-5 C ₈ H ₄ K ₂ O ₁₂ Sb ₂ .3H ₂ O F. Wt. 667.87	100 gm 500 gm	465 1890	386	POTASSIUM CHLORIDE, AR GRADE CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg	340 3045 POR
382	POTASSIUM BICARBONATE, EXTRA PURE (Potassium Hydrogen Carbonate) CAS 298-14-6 KHCO ₃ F. Wt. 100.115	500 gm 50 Kg	425 POR	2226	POTASSIUM CHLOROPLATINATE (Hexa) (40% Platinum) CAS 16921-30-5 K ₂ PtCl ₆ F. Wt. 485.98	1 gm	7200
4226	POTASSIUM BICARBONATE, AR GRADE CAS 298-14-6 KHCO ₃ F. Wt. 100.12	500 gm	645	911	POTASSIUM CHROMATE, EXTRA PURE CAS 7789-00-6 K ₂ CrO ₄ F. Wt. 194.19	500 gm 50 Kg	815 POR
3511	POTASSIUM BICARBONATE (R.O. SPL) For R.O. Water CAS 298-14-6 KHCO ₃ F. Wt. 100.12	500 gm 5 Kg 50 Kg	535 4480 POR	912	POTASSIUM CHROMATE, AR GRADE CAS 7789-00-6 K ₂ CrO ₄ F. wt. 194.19	500 gm	970
				913	tri-POTASSIUM CITRATE (Mono) CAS 6100-05-6 C ₆ H ₅ K ₃ O ₇ .H ₂ O F. Wt. 324.41	500 gm 50 Kg	435 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
387	POTASSIUM DICHROMATE, EXTRA PURE CAS 7778-50-9 $K_2Cr_2O_7$, F. Wt. 294.18	500 gm 5 Kg 50 Kg	870 7765 POR	919	POTASSIUM HYDROGEN TARTRATE, (Potassium Bitartrate) CAS 868-14-4 $C_4H_5KO_6$, F. Wt. 188.18	500 gm 50 Kg	1025 POR
388	POTASSIUM DICHROMATE, AR GRADE CAS 7778-50-9 $K_2Cr_2O_7$, F. Wt. 294.18	500 gm 50 Kg	895 POR	2230	POTASSIUM HYDROXIDE FLAKES, EXTRA PURE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg	365 2745 POR
389	POTASSIUM DIHYDROGENORTHOPH POSPHATE (Mono Potassium Phosphate), (ANH.), EXTRA PURE CAS 7778-77-0 KH_2PO_4 , F. Wt. 136.09	500 gm 5 Kg 50 Kg	535 5110 POR	504	POTASSIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg	465 3365 POR
220	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH), AR GRADE CAS 7778-77-0 KH_2PO_4 , F. Wt. 329.25	500 gm 5 Kg 50 Kg	610 5710 POR	511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. Wt. 56.11	500 gm 5 Kg 50 Kg	520 3730 POR
737	POTASSIUM FERRICYANIDE, EXTRA PURE CAS 13746-66-2 $K_3Fe(CN)_6$, F. Wt. 329.25	100 gm 500 gm 50 Kg	340 1225 POR	393	POTASSIUM IODATE, EXTRA PURE CAS 7758-05-6 KIO_3 , F. Wt. 214.001	100 gm 500 gm 25 Kg	970 4430 POR
631	POTASSIUM FERROCYANIDE, EXTRA PURE CAS 13943-58-3 $K_4Fe(CN)_6$, F. Wt. 368.35	500 gm 50 Kg	945 POR	2231	POTASSIUM IODATE, AR GRADE CAS 7758-05-06 KIO_3 , F. Wt. 214.001	100 gm 500 gm 25 Kg	1295 4535 POR
916	POTASSIUM FLUORIDE (ANH.), EXTRA PURE CAS 7789-23-3 KF F. Wt. 58.10	500 gm	935	394	POTASSIUM IODIDE (Confirming IP), EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm 25 Kg	1240 5615 POR
2229	POTASSIUM FORMATE, EXTRA PURE CAS 590-29-4 $CHKO_2$, F. Wt. 84.12	100 gm 500 gm	275 840	634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm 25 Kg	1405 5780 POR
636	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE CAS 7758-11-4 K_2HPO_4 , F. Wt. 174.17	500 gm 5 Kg 50 Kg	685 4625 POR	3200	POTASSIUM LACTATE 50% CAS 996-31-6 $C_3H_5KO_3$, F. Wt. 128.17	500 ml	600
218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K_2HPO_4 , F. Wt. 174.17	500 gm 5 Kg 50 Kg	735 5125 POR	3128	POTASSIUM METABISULPHITE, (Potassium Pyrosulphite), EXTRA PURE CAS 16731-55-8 $K_2S_2O_5$, F. Wt. 222.32	500 gm 5 Kg 50 Kg	400 3815 POR
509	POTASSIUM HYDROGEN PHTHALATE (Potassium Biphthalate), EXTRA PURE CAS 877-24-7 $C_8H_5KO_4$, F. Wt. 204.22	500 gm 50 Kg	630 POR	397	POTASSIUM METAPERIODATE, AR GRADE CAS 7790-21-8 KIO_4 , F. Wt. 230	100 gm 500 gm	1390 6395
877	POTASSIUM HYDROGEN PHTHALATE, AR GRADE CAS 877-24-7 $C_8H_5KO_4$, F. Wt. 204.22	500 gm 50 Kg	760 POR	761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO_3 , F. Wt. 101.10	500 gm 5 Kg 50 Kg	300 2110 POR
2686	POTASSIUM HYDROGEN SULPHATE, EXTRA PURE CAS 7646-93-7 $KHSO_4$, F. Wt. 136.17	500 gm 50 Kg	315 POR	399	POTASSIUM NITRATE, AR GRADE CAS 7757-79-1 KNO_3 , F. wt. 101.1	500 gm 50 Kg	340 POR
392	POTASSIUM HYDROGEN SULPHATE, AR GRADE CAS 7646-93-7 $KHSO_4$, F. Wt. 136.17	500 gm 50 Kg	760 POR	2687	POTASSIUM NITRITE, EXTRA PURE CAS 7758-09-0 KNO_2 , F. Wt. 85.10	500 gm 50 Kg	1365 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
505	POTASSIUM OXALATE (Mono), (Dipotassium Oxalate), EXTRA PURE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$ F. Wt. 85.10	500 gm 50 Kg	445 POR	4018	POTASSIUM STEARATE CAS 593-29-3 $C_{18}H_{35}KO_2$ F. Wt. 322.57	500 gm	515
920	POTASSIUM OXALATE, AR GRADE CAS 6487-48-5 $C_2K_2O_4 \cdot H_2O$ F. Wt. 85.10	500 gm 50 Kg	490 POR	406	POTASSIUM SULPHATE, EXTRA PURE CAS 7778-80-5 K_2SO_4 F. Wt. 174.26	500 gm 50 Kg	330 POR
400	POTASSIUM PERMANGANATE, EXTRA PURE CAS 7722-64-7 $KMnO_4$ F. Wt. 158.03	500 gm 5 Kg 50 Kg	615 6395 POR	407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K_2SO_4 F. wt. 101.1	500 gm 50 Kg	365 POR
2236	POTASSIUM PERMANGANATE, AR GRADE CAS 7722-64-7 $KMnO_4$ F. Wt. 158.03	500 gm	725	408	POTASSIUM TELLURITE, EXTRA PURE (for bacteriology) CAS 7790-58-1 K_2TeO_3 F. Wt. 253.81	25 gm 100 gm	2990 11735
2237	POTASSIUM PERSULPHATE, EXTRA PURE (Potassium Peroxodisulphate) CAS 7727-21-1 $K_2S_2O_8$ F. Wt. 270.32	500 gm 50 Kg	535 POR	2225	POTASSIUM TERT-BUTOXIDE (For Synthesis) CAS 865-47-4 C_4H_9KO F. wt. 112.21	100 gm 500 gm 25 kg	840 3745 POR
2238	POTASSIUM PERSULPHATE, AR GRADE CAS 7727-21-1 $K_2O_8S_2$ F. wt. 270.32	500 gm	775	699	POTASSIUM TETRAOXALATE (Dihydrate) CAS 6100-20-5 $C_4H_3KO_8 \cdot 2H_2O$ F. Wt. 254.19	500 gm	605
636	POTASSIUM PHOSPHATE DIBASIC (ANH.), (Dipotassium Hydrogen Orthophosphate), EXTRA PURE CAS 7758-11-4 K_2HPO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	685 4625 POR	409	POTASSIUM THIOCYANATE, EXTRA PURE (Potassium Sulphocyanide) CAS 333-20-0 KSCN F. Wt. 97.18	500 gm 50 Kg	800 POR
218	POTASSIUM PHOSPHATE DIBASIC (ANH.), (Dipotassium Hydrogen Orthophosphate), AR GRADE CAS 7758-11-4 K_2HPO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	735 5125 POR	410	POTASSIUM THIOCYANATE, AR GRADE CAS 333-20-0 KSCN F. Wt. 97.18	500 gm	1135
389	POTASSIUM PHOSPHATE MONOBASIC, EXTRA PURE CAS 7778-77-0 KH_2PO_4 F. Wt. 174.18	500 gm 5 Kg 50 Kg	535 5110 POR	2694	POTASSIUM TITANIUM OXALATE, AR GRADE CAS 14402-67-6 $C_4K_2O_9Ti \cdot 2H_2O$ F. Wt. 354.13	100 gm 500 gm	1360 5410
3259	tri-POTASSIUM PHOSPHATE CAS 7778-53-2 K_3PO_4 F. Wt. 212.27	500 gm	1680	1309	POTATO STARCH (Invaluable) CAS 9005-84-9	500 gm	250
3258	POTASSIUM SILICATE POWDER CAS 1312-76-1 K_2O_3Si F. Wt. 154.28	500 gm 50 Kg	450 POR	1128	L-PROLINE, 99%+ Purity, Crystalline CAS 147-85-3 $C_5H_9NO_2$ F. Wt. 115.13	5 gm 25 gm 500 gm	110 370 4935
403	POTASSIUM SODIUM TARTRATE (Tetra), EXTRA PURE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$ F. Wt. 282.22	100 gm 500 gm 25 Kg	245 800 POR	211	n-PROPYL GALLATE (Antioxidant & Preservative) CAS 121-79-9 $C_{10}H_{12}O_5$ F. Wt. 212.20	100 gm 500 gm	1245 4085
404	POTASSIUM SODIUM TARTRATE (Tetra), AR GRADE CAS 6381-59-5 $C_4H_4KNaO_6 \cdot 4H_2O$ F. Wt. 282.22	100 gm 500 gm 25 Kg	300 1005 POR	922	PROPYL PARABEN (Propyl-P-Hydroxybenzoate) CAS 94-13-3 $C_{10}H_{12}O_3$ F. Wt. 180.2	500 gm	1195
405	POTASSIUM SORBATE (Granular) AR GRADE CAS 24634-61-5 $C_6H_7KO_2$ F. Wt. 150.22	500 gm 25 Kg	895 POR	637	PROPYL PARABEN SODIUM (Propyl-P-Hydroxy Benzoate Sodium) CAS 35285-69-9 $C_{10}H_{11}NaO_3$ F. Wt. 202.00	500 gm	1620
				648	PROPYLENE GLYCOL (1,2-Propanediol) CAS 57-55-6 $C_3H_8O_2$ F. Wt. 76.09	500 ml 5 Ltr 50 Ltr	850 6800 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
639	PYRIDOXAL HYDROCHLORIDE CAS 65-22-5 C ₈ H ₉ NO ₃ .HCl F. Wt. 203.62	1 gm	445	411	L-RHAMNOSE 99% PURITY CAS 10030-85-0 C ₆ H ₁₂ O ₅ .H ₂ O F. Wt. 182.17	5 gm	630
		5 gm	2240			25 gm	2625
1705	PYRIDOXINE HYDROCHLORIDE (VITAMIN B ₆) CAS 58-56-0 C ₈ H ₁₁ NO ₃ .HCl F. Wt. 205.64	10 gm	185	1609	RHODAMINE B CAS 81-88-9 C.I. 45170 C ₂₈ H ₃₁ ClN ₂ O ₃ F. Wt. 479.02	25 gm	260
		25 gm	465			100 gm	730
171	PYROCATECHOL (1, 2 Dihydroxybenzene) CAS 120-80-9 C ₆ H ₆ O ₃ F. Wt. 110.10	100 gm	400	1703	RIBOFLAVIN (Vitamin B ₂), Vitamin G CAS 83-88-5 C ₁₇ H ₂₀ N ₄ O ₆ F. Wt. 376.36	10 gm	290
		500 gm	960			25 gm	695
2148	PYROGALLOL, EXTRA PURE CAS 87-66-1 C ₆ H ₆ O ₃ F. Wt. 126.11	100 gm	1830	929	RIBOFLAVIN-5-PHOSPHATE, EXTRA PURE * CAS 130-40-5 C ₁₇ H ₂₀ N ₄ NaO ₉ .P ₂ H ₂ O F. Wt. 514.36	5 gm	185
		500 gm	8615			25 gm	605
925	PYROGALLOL, AR GRADE (Pyrogallol Acid, 1,2,3, Trihydroxybenzene) CAS 87-66-1 C ₆ H ₆ O ₃ F. Wt. 126.11	100 gm	1905	1306	D-RIBOSE CAS 50-69-1 C ₅ H ₁₀ O ₅ F. Wt. 150.13	10 gm	605
		500 gm	8940			25 gm	1075
3204	PYRONINE G (PYRONINE) CAS 92-32-0 C.I. 45005 C ₁₇ H ₁₉ ClN ₂ O F. Wt. 302.8	5 gm	2490	1603	ROSANILINE HCl CAS 632-99-5 C ₂₀ H ₂₀ N ₃ .HCl F. Wt. 337.86	25 gm	245
						100 gm	680
659	PYRUVIC ACID SODIUM, AR GRADE (Sodium Pyruvate) CAS 113-24-6 C ₃ H ₃ NaO ₃ F. Wt. 110.0	100 gm	1255	1677	ROSE BENGAL (Acid red 94) CAS 632-69-9 C.I. 45440 C ₂₀ H ₂ Cl ₄ I ₄ Na ₂ O ₅ F. Wt. 1017.64	1 Kg	5485
		500 gm	4430			25 gm	1355
3207	QUININE HYDROCHLORIDE (Dihydrate) CAS 6119-47-7 C ₂₀ H ₂₄ N ₂ O ₂ .HCl.2H ₂ O F. Wt. 396.92	25 gm	2750	1664	p-ROSOLIC ACID (Aurin) CAS 603-45-2 C.I. 43800 C ₁₅ H ₁₄ O ₃ F. Wt. 290.32	100 gm	4950
						25 gm	1410
2632	8-QUINOLINOL (8-Hydroxyquinoline), (Oxine) CAS 148-24-3 C ₉ H ₇ NO F. Wt. 145.16	100 gm	1025	2435	RUTIN (Trihydrate) (Vitamin P) (for Biochemistry) CAS 153-18-4 C ₂₇ H ₃₀ O ₁₆ .3H ₂ O F. Wt. 628.50	25 gm	840
		500 gm	4580			100 gm	3205
2252	QUINOLINE YELLOW (Water Soluble) CAS 8004-92-0 C.I. 47005 C ₁₈ H ₉ NNa ₂ O ₈ S ₂ F. Wt. 477.38	5 gm	265	1646	SAFRANINE-T (Safranin-O) CAS 477-73-6 C.I. 50240 C ₂₀ H ₁₉ ClN ₄ F. Wt. 350.85	25 gm	540
		25 gm	1195			100 gm	1730
698	RNA (From Torula Yeast) CAS 63231-63-0	25 gm	2300	TC 019	D-SALICIN CAS 4138-52-3 C ₁₃ H ₁₈ O ₇ F. Wt. 286.28	500 gm	8375
		100 gm	8370			5 gm	1160
TC 018	D-RAFFINOSE (Penta) CAS 17629-30-0 C ₁₈ H ₃₂ O ₁₆ .5H ₂ O F. Wt. 594.52	500 gm	33490	691	SALICYLIC ACID, EXTRA PURE (2-Hydroxy Benzoic Acid) CAS 69-72-7 C ₇ H ₆ O ₃ F. Wt. 138.12	10 gm	1890
		10 gm	880			25 gm	4150
507	RESAZURIN SODIUM CAS 62758-13-8 C ₁₂ H ₆ NO ₄ Na F. Wt. 251.18	25 gm	1785	680	SALICYCLIC ACID, AR GRADE (2-Hydroxy Benzoic Acid) CAS 69-72-7 C ₇ H ₆ O ₃ F. Wt. 138.12	500 gm	755
		5 gm	4275			100 gm	1050
2981	RESORCINOL, (1,3 Dihydroxybenzene), EXTRA PURE CAS 108-46-3 C ₆ H ₆ O ₂ F. Wt. 110.1	100 gm	2150	4227	SAPONIN CAS 8047-15-2	500 gm	4250
		500 gm	4100			100 gm	3400
				553	SELENIUM DIOXIDE CAS 7446-08-4 SeO ₂ F. Wt. 110.96	500 gm	15345

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3620	L-SELENOMETHIONINE CAS 3211-76-5 $C_6H_{11}NO_2Se$ F. Wt. 196.11	1 gm	16990	2708	SILICOTUNGSTIC ACID, 99.5%, AR GRADE CAS 12027-38-2 $H_4O_{40}SiW_{12}$ F. wt. 2878.17	25 gm 100 gm	775 2855
1130	L-SERINE 99%+Purity, Crystalline CAS 56-45-1 $C_3H_7NO_3$ F. Wt. 105.09	10 gm 25 gm 1 Kg	280 670 20130	2709	SILVER ACETATE, (Acetic Acid Silver Salt), EXTRA PURE CAS 563-63-3 $C_2H_3AgO_2$ F. Wt. 166.91	25 gm	4485
412	SILICA GEL (Self Indicating Blue) 5-8 mm CAS 63231-67-4	500 gm 5 Kg 50 Kg	275 2365 POR	954	SILVER CARBONATE, EXTRA PURE CAS 534-16-7 CAg_2O_3 F. wt. 275.75	25 gm	6490
2257	SILICA GEL (Self Indicating White) 5-8 mm CAS 63231-67-4	500 gm 5 Kg	315 2625	512	SILVER CHLORIDE, EXTRA PURE CAS 7783-90-6 $AgCl$ F. Wt. 143.32	25 gm	4485
414	SILICA GEL, 60- 120 mesh (for column chromatography) For CC CAS 63231-67-4	500 gm	445	2982	SILVER IODIDE CAS 7783-96-2 AgI F. Wt. 234.77	25 gm	4665
2258	SILICA GEL, 100-200 mesh CAS 63231-67-4	500 gm	445	419	SILVER NITRATE, EXTRA PURE CAS 7761-88-8 $AgNO_3$ F. Wt. 169.87	10 gm 25 gm	2450 3535
2259	SILICA GEL, 60-200 mesh CAS 63231-67-4	500 gm	540	649	SILVER NITRATE, AR GRADE CAS 7761-88-8 $AgNO_3$ F. Wt. 169.87	10 gm 25 gm	2515 3810
2260	SILICA GEL, 200-400 mesh For TLC CAS 63231-67-4	500 gm	540	2266	SILVER OXIDE, EXTRA PURE CAS 20667-12-3 Ag_2O F. wt. 123.87	25 gm	7270
415	SILICA GEL G For TLC CAS 112926-00-8	500 gm	475	2267	SILVER SULPHATE, EXTRA PURE CAS 10294-26-5 Ag_2SO_4 F. Wt. 311.80	25 gm 5 Kg	3595 POR
416	SILICA GEL HF 254 For TLC CAS 112926-00-8	500 gm	3290	650	SILVER SULPHATE, AR GRADE CAS 10294-26-5 Ag_2SO_4 F. Wt. 311.80	25 gm	3865
417	SILICA GEL, H for TLC w/o Binder CAS 63231-67-4	500 gm	520	651	SKIM MILK POWDER (Fat Free)	500 gm	910
418	SILICA GEL, GF 254 for TLC w/o Binder CAS 63231-67-4	500 gm	3290	422	SODIUM ACETATE (ANH.), EXTRA PURE CAS 127-09-3 $C_2H_3NaO_2$ F. Wt. 82.03	500 gm 5 Kg 50 Kg	250 2300 POR
642	SILICONE, High Vacuum GREASE (Vacuum Grease)	500 gm	1735	221	SODIUM ACETATE (ANH.), AR GRADE CAS 127-09-3 $C_2H_3NaO_2$ F. Wt. 82.03	500 gm 5 Kg 50 Kg	455 4170 POR
932	SILICONE ANTIFOAMING AGENT (NON IONIC)	100 ml 500 ml	315 960	420	SODIUM ACETATE (Trihydrate), EXTRA PURE CAS 6131-90-4 $C_2H_3NaO_2.3H_2O$ F. Wt. 100.04	500 gm 5 Kg 50 Kg	260 1615 POR
644	SILICONE OIL (for Oil Bath, upto 250°C) CAS 63148-62-9 $C_6H_{18}OSi_2$ F. Wt. 162.38	100 ml 500 ml	320 1025	2270	SODIUM ACETATE (Trihydrate), AR GRADE CAS 6131-90-4 $C_2H_3NaO_2.3H_2O$ F. Wt. 136.08	500 gm 5 Kg 50 Kg	280 2005 POR
645	SILICOTUNGSTIC ACID, EXTRA PURE CAS 12027-38-2 $H_4O_{40}SiW_{12}$ F. wt. 2878.17	25 gm 100 gm	700 2700				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
435	SODIUM ACID PHOSPHATE (Sodium dihydrogen orthophosphate) CAS 13472-35-0 $\text{NaH}_2\text{PO}_4 \cdot 2\text{H}_2\text{O}$ F. Wt. 156.01	500 gm 5 Kg 50 Kg	370 3335 POR	2984	SODIUM BICARBONATE 'SPL' (for R.O. Water) CAS 144-55-8 NaHCO_3 F. Wt. 84.01	500 gm 5 Kg 50 Kg	215 1905 POR
3623	SODIUM ACID PYROPHOSPHATE, (SAPP) (Food Grade) CAS 7758-16-9 $\text{Na}_2\text{H}_2\text{P}_2\text{O}_7$ F. Wt. 221.94	500 gm 5 Kg	405 3100	428	SODIUM BIASELENITE (Sodium Hydrogen Selenite) CAS 7782-82-3 NaHSO_3 F. Wt. 150.95	100 gm 1 Kg	4000 35455
423	SODIUM ALGINATE, EXTRA PURE (Sodium Polymannuronate) CAS 9005-38-3	500 gm 5 Kg 25 Kg	1730 16850 POR	780	SODIUM BISULPHATE, EXTRA PURE (Sodium Hydrogen Sulphate) CAS 10034-88-5 $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$ F. Wt. 138.07	500 gm	380
2983	SODIUM ALGINATE (Alginic Acid Sodium Salt), AR GRADE CAS 9005-38-3 $\text{C}_{14}\text{H}_{22}\text{O}_{13}$ F. wt. 101.1	500 gm	1945	2292	SODIUM BISULPHATE, AR GRADE (Sodium Hydrogen Sulphate) CAS 10034-88-5 $\text{NaHSO}_4 \cdot \text{H}_2\text{O}$ F. Wt. 138.07	500 gm	530
3424	SODIUM ARSENATE (Hepta), EXTRA PURE CAS 10048-95-0 $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$ F. Wt. 312.01	25 gm 100 gm	770 1340	946	SODIUM BISULPHITE, EXTRA PURE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO_3 F. Wt. 104.06	500 gm 50 Kg	250 POR
4104	SODIUM ARSENATE (Hepta), AR GRADE CAS 10048-95-0 $\text{Na}_2\text{HAsO}_4 \cdot 7\text{H}_2\text{O}$ F. Wt. 312.01	25 gm 100 gm	830 1365	655	SODIUM BISULPHITE, AR GRADE (Sodium Hydrogen Sulphite) CAS 7631-90-5 NaHSO_3 F. Wt. 104.06	500 gm	510
2273	SODIUM ARSENITE, AR GRADE CAS 7784-46-5 NaAsO_2 F. Wt. 129.91	100 gm 500 gm	2095 8400	2275	SODIUM BROMATE, EXTRA PURE CAS 7789-38-0 NaBrO_3 F. Wt. 150.89	500 gm 50 Kg	935 POR
1714	SODIUM ASCORBATE (Ascorbic Acid Sodium) CAS 134-03-2 $\text{C}_2\text{H}_3\text{NaO}_6$ F. Wt. 198.11	100 gm 500 gm	615 2750	936	SODIUM BROMIDE, EXTRA PURE CAS 7647-15-6 NaBr F. Wt. 102.89	500 gm 50 Kg	625 POR
424	SODIUM AZIDE, EXTRA PURE CAS 26628-22-8 NaN_3 F. Wt. 65.01	100 gm 500 gm	420 1825	2276	SODIUM BROMIDE, AR GRADE CAS 7647-15-6 NaBr F. Wt. 102.89	500 gm 50 Kg	780 POR
425	SODIUM AZIDE, AR GRADE CAS 26628-22-8 NaN_3 F. Wt. 65.01	100 gm 500 gm	520 2035	4008	SODIUM BUTYRATE CAS 156-54-7 $\text{C}_4\text{H}_7\text{NaO}_2$ F. Wt. 110.09	100 gm 500 gm 25 Kg	835 3235 POR
426	SODIUM BENZOATE, EXTRA PURE CAS 532-32-1 $\text{C}_7\text{H}_5\text{NaO}_2$ F. Wt. 144.11	500 gm 25 Kg	485 POR	2278	SODIUM CACODYLATE (Trihydrate) CAS 6131-99-3 $\text{C}_2\text{H}_5\text{AsNaO}_2 \cdot 3\text{H}_2\text{O}$ F. Wt. 214.03	25 gm 100 gm	5250 21000
427	SODIUM BENZOATE, AR GRADE CAS 532-32-1 $\text{C}_7\text{H}_5\text{NaO}_2$ F. Wt. 144.11	500 gm 25 Kg	745 POR	431	SODIUM CARBONATE (ANH.), EXTRA PURE CAS 497-19-8 Na_2CO_3 F. Wt. 105.99	500 gm 5 Kg 50 Kg	245 1895 POR
429	SODIUM BICARBONATE, EXTRA PURE (Sodium Hydrogen Carbonate) CAS 144-55-8 NaHCO_3 F. Wt. 84.01	500 gm 5 Kg 50 Kg	195 1725 POR	432	SODIUM CARBONATE (ANH.), AR GRADE CAS 497-19-8 Na_2CO_3 F. Wt. 105.99	500 gm 5 Kg 50 Kg	270 2375 POR
430	SODIUM BICARBONATE, AR GRADE CAS 144-55-8 NaHCO_3 F. Wt. 84.01	500 gm 5 Kg 50 Kg	250 1995 POR	938	SODIUM CARBONATE (Mono), EXTRA PURE CAS 5968-11-6 $\text{Na}_3\text{CO}_3 \cdot \text{H}_2\text{O}$ F. Wt. 124.00	500 gm 50 Kg	285 POR
				2280	SODIUM CARBONATE (Mono), AR GRADE CAS 5968-11-6 $\text{Na}_3\text{CO}_3 \cdot \text{H}_2\text{O}$ F. Wt. 124.00	500 gm 50 Kg	365 POR







CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
215	SODIUM CHLORIDE, EXTRA PURE CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	155 950 POR	763	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 NaH ₂ PO ₄ ·2H ₂ O F. Wt. 156.01	500 gm 5 Kg 50 Kg	370 3880 POR
216	SODIUM CHLORIDE, AR GRADE CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	185 1150 POR	688	SODIUM DIPHENYLAMINE SULPHONATE, AR GRADE CAS 6152-67-6 C ₁₂ H ₁₀ NNaO ₃ S F. Wt. 271.27	5 gm 25 gm	300 1340
924	SODIUM CHLORIDE for Tissue Culture, Molecular Biology Grade CAS 7647-14-5 NaCl F. Wt. 58.44	500 gm 5 Kg 50 Kg	910 7875 POR	436	SODIUM DITHIONITE, EXTRA PURE CAS 7775-14-6 Na ₂ S ₂ O ₄ F. Wt. 174.11	500 gm	525
4178	SODIUM CHOLATE (Cholic Acid Sodium) CAS 361-09-1 C ₂₄ H ₃₉ NaO ₅ F. Wt. 430.56	25 gm 100 gm 25 Kg	2320 8750 POR	444	SODIUM DODECYL SULPHATE, (Sodium Lauryl Sulphate), EXTRA PURE CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. Wt. 288.38	500 gm 10 Kg	655 POR
2281	SODIUM CHROMATE (Tetra) EXTRA PURE CAS 10034-82-9 Na ₂ CrO ₄ ·4H ₂ O F. Wt. 234.03	500 gm 25 Kg	585 POR	445	SODIUM DODECYL SULPHATE, AR GRADE CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. wt. 298.38	100 gm 500 gm	1190 4750
2882	SODIUM CHROMATE (Tetra) AR GRADE CAS 10034-82-9 Na ₂ CrO ₄ ·4H ₂ O F. Wt. 234.03	500 gm	675	777	SODIUM FLUORIDE, EXTRA PURE CAS 7681-49-4 NaF F. Wt. 41.99	500 gm 50 Kg	565 POR
541	tri-SODIUM CITRATE, (Dihydrate), EXTRA PURE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. Wt. 294.10	500 gm 5 Kg 25 Kg	335 2710 POR	706	SODIUM FLUORIDE, AR GRADE CAS 7681-49-4 NaF F. Wt. 41.99	500 gm	830
542	tri-SODIUM CITRATE, (Dihydrate), AR GRADE CAS 6132-04-3 C ₆ H ₅ Na ₃ O ₇ ·2H ₂ O F. Wt. 294.10	500 gm 5 Kg 25 Kg	510 3750 POR	2289	SODIUM FORMATE, EXTRA PURE CAS 141-53-7 CHNaO ₂ F. Wt. 68.01	500 gm	385
653	tri-SODIUM CITRATE, (ANH.), EXTRA PURE CAS 68-04-2 C ₆ H ₅ Na ₃ O ₇ F. Wt. 258.07	500 gm 5 Kg 25 Kg	460 3640 POR	4105	SODIUM FORMATE, AR GRADE CAS 141-53-7 CHNaO ₂ F. Wt. 68.01	500 gm	460
2291	SODIUM CITRATE DIBASIC, EXTRA PURE (Di Sodium Hydrogen Citrate) CAS 6132-05-4 C ₆ H ₆ Na ₂ O ₇ F. Wt. 236.09	500 gm 50 Kg	460 POR	941	SODIUM GLUCONATE CAS 527-07-1 (D-Gluconic Acid Sodium Salt) C ₆ H ₁₁ NaO ₇ F. Wt. 218.14	500 gm 50 Kg	315 POR
2283	SODIUM COBALTINITRIDE, EXTRA PURE CAS 13600-98-1 Na ₃ Co(NO ₂) ₆ F. wt. 403.94	100 gm	2175	943	SODIUM β-GLYCEROPHOSPHATE, AR GRADE CAS 819-83-0 C ₃ H ₅ O ₆ P ₂ Na F. Wt. 306.11	25 gm 100 gm 500 gm	385 1260 5985
434	SODIUM DICHROMATE, (Dihydrate), EXTRA PURE CAS 7789-12-0 Na ₂ Cr ₂ O ₇ ·2H ₂ O F. Wt. 298.00	500 gm 50 Kg	740 POR	944	SODIUM HEXAMETAPHOSPHATE, 62% (Sodium Polyphosphate, Graham's Salts), EXTRA PURE CAS 68915-31-1 (NaPO ₃) ₁₂₋₁₃ ·NaO ₂ F. Wt. 611.78	500 gm 5 Kg 50 Kg	430 2800 POR
2286	SODIUM DIETHYLDITHIOCARBAMATE, AR GRADE CAS 20624-25-3 (C ₂ H ₅) ₂ NCS ₂ Na·3H ₂ O F. Wt. 225.31	100 gm 500 gm	535 2245	429	SODIUM HYDROGEN CARBONATE, EXTRA PURE CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg	195 1725 POR
435	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), EXTRA PURE CAS 13472-35-0 NaH ₂ PO ₄ ·2H ₂ O F. Wt. 156.01	500 gm 5 Kg 50 Kg	370 3335 POR	430	SODIUM HYDROGEN CARBONATE, AR GRADE CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg	250 1995 POR
				2984	SODIUM HYDROGEN CARBONATE 'SPL' For R.O Water CAS 144-55-8 NaHCO ₃ F. Wt. 84.01	500 gm 5 Kg 50 Kg	215 1905 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4150	di-SODIUM GLYCINE CARBONATE CAS 50610-34-9 C ₃ H ₄ NO ₅ Na ₃ F. Wt. 203.0	500 gm	555	779	SODIUM HYDROXIDE FLAKES CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg	250 1615 POR
2291	di-SODIUM HYDROGEN CITRATE, EXTRA PURE CAS 6132-05-4 C ₆ H ₆ Na ₂ O ₇ F. Wt. 236.09	500 gm 25 Kg	460 POR	439	SODIUM HYDROXIDE PELLETS, EXTRA PURE CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg	270 1995 POR
460	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), EXTRA PURE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. Wt. 177.99	500 gm 5 Kg 50 Kg	400 3665 POR	440	SODIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-73-2 NaOH F. Wt. 40.00	500 gm 5 Kg 50 Kg	290 2200 POR
658	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate), AR GRADE CAS 10028-24-7 Na ₂ HPO ₄ ·2H ₂ O F. Wt. 177.99	500 gm 5 Kg 50 Kg	520 3515 POR	2718	SODIUM HYPOPHOSPHITE (Mono), CAS 10039-56-2 NaH ₂ PO ₂ ·H ₂ O F. Wt. 105.99	500 gm	615
459	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE CAS 7558-79-4 Na ₂ HPO ₄ F. Wt. 141.96	500 gm 5 Kg 50 Kg	420 4415 POR	544	SODIUM IODIDE, EXTRA PURE CAS 7681-82-5 NaI F. Wt. 149.89	100 gm 250 gm	1400 3700
217	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH), AR GRADE CAS 7558-79-4 Na ₂ HPO ₄ F. Wt. 141.96	500 gm 5 Kg 50 Kg	625 5170 POR	2294	SODIUM LACTATE 60% CAS 72-17-3 C ₃ H ₅ NaO ₃ F. Wt. 112.06	500 ml	460
446	SODIUM MALONATE CAS 141-95-7 C ₃ H ₂ Na ₂ O ₄ F. Wt. 148.03	25 gm 100 gm	280 825	444	SODIUM LAURYL SULPHATE, EXTRA PURE (Sodium Dodecyl Sulphate) CAS 151-21-3 C ₁₂ H ₂₅ NaO ₄ S F. Wt. 288.38	500 gm	655
4221	di-SODIUM OCTABORATE TETRAHYDRATE CAS 12280-03-4 Na ₂ B ₈ O ₁₃ ·4H ₂ O F. Wt. 412.53	500 gm	450	445	SODIUM LAURYL SULPHATE 99%+ AR GRADE CAS 151-21-3 NaC ₁₂ H ₂₅ SO ₄ F. Wt. 288.38	100 gm 500 gm	1190 4750
2309	di-SODIUM TARTRATE (Dihydrate) CAS 6106-24-7 C ₄ H ₄ Na ₂ O ₆ ·2H ₂ O F. Wt. 230.08	500 gm	865	447	SODIUM METABISULPHITE, EXTRA PURE CAS 7681-57-4 (Sodium Pyrosulfite) Na ₂ S ₂ O ₅ F. Wt. 190.11	500 gm 5 Kg 50 Kg	240 1905 POR
428	SODIUM HYDROGEN SELENITE for Bacteriology CAS 7782-82-3 NaHSeO ₃ F. Wt. 150.95	100 gm 1 Kg	4000 35455	448	SODIUM METABISULPHITE, AR GRADE CAS 7681-57-4 Na ₂ S ₂ O ₅ F. Wt. 190.11	500 gm 5 Kg 50 Kg	280 2755 POR
780	SODIUM HYDROGEN SULPHATE (Mono), EXTRA PURE CAS 10034-88-5 NaHSO ₄ ·H ₂ O F. Wt. 138.07	500 gm	380	2296	SODIUM METABORATE (Tetra) CAS 10555-76-7 BNaO ₂ ·4H ₂ O F. Wt. 137.86	500 gm	420
2292	SODIUM HYDROGEN SULPHATE, (Mono), AR GRADE CAS 10034-88-5 NaHSO ₄ ·H ₂ O F. Wt. 138.07	500 gm	530	2722	SODIUM METAPERIODATE, EXTRA PURE CAS 7790-28-5 NaIO ₄ F. Wt. 213.89	100 gm 500 gm 25 Kg	1060 5015 POR
946	SODIUM HYDROGEN SULPHITE, EXTRA PURE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO ₃ F. Wt. 104.061	500 gm	250	4106	SODIUM METAPERIODATE, AR GRADE (Sodium Periodate) CAS 7790-28-5 INaO ₄ F. wt. 213.89	100 gm 500 gm	1440 5495
655	SODIUM HYDROGEN SULPHITE, AR GRADE (SODIUM BISULPHITE) CAS 7631-90-5 NaHSO ₃ F. Wt. 104.061	500 gm	510	2298	SODIUM METAVANADATE (ANH.), AR GRADE CAS 13718-26-8 NaVO ₃ F. Wt. 121.93	100 gm 500 gm	1150 4910
				2299	SODIUM METHOXIDE, EXTRA PURE CAS 124-41-4 NaOCH ₃ F. Wt. 54.02	500 gm 5 Kg 25 Kg	645 6275 POR
				449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 Na ₂ MoO ₄ ·2H ₂ O F. Wt. 241.95	100 gm 500 gm 25 Kg	655 2590 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
656	SODIUM MOLYBDATE (Dihydrate), AR GRADE CAS 10102-40-6 $\text{Na}_2\text{MoO}_4 \cdot 2\text{H}_2\text{O}$ F. wt. 241.9	100 gm 500 gm 25 Kg	760 3240 POR	4154	SODIUM PERCARBONATE (Granules) CAS 15630-89-4 $\text{Na}_2\text{CO}_3 \cdot 1.5\text{H}_2\text{O}$ F. wt. 156.98	1 Kg	430
450	SODIUM NITRATE, EXTRA PURE CAS 7631-99-4 NaNO_3 F. Wt. 84.99	500 gm 5 Kg 50 Kg	280 2005 POR	4097	SODIUM PERCARBONATE (Tablet) CAS 15630-89-4 $\text{Na}_2\text{CO}_3 \cdot 1.5\text{H}_2\text{O}$ F. Wt. 157.01	1 Kg	430
3430	SODIUM NITRATE (Food Grade) CAS 7631-99-4 NaNO_3 F. Wt. 84.99	500 gm 5 Kg 50 Kg	420 3580 POR	2304	SODIUM PERSULPHATE, EXTRA PURE CAS 7775-27-1 $\text{Na}_2\text{S}_2\text{O}_8$ F. Wt. 238.03	500 gm 50 Kg	430 POR
451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 NaNO_3 F. wt. 85.0	500 gm 50 Kg	410 POR	459	SODIUM PHOSPHATE DIBASIC, (ANH.) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 7558-79-4 Na_2HPO_4 F. Wt. 141.96	500 gm 5 Kg 50 Kg	420 4415 POR
452	SODIUM NITRITE, EXTRA PURE CAS 7632-00-0 NaNO_2 F. Wt. 68.99	500 gm 5 Kg	325 1785	217	SODIUM PHOSPHATE DIBASIC, (ANH.) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 7558-79-4 Na_2HPO_4 F. Wt. 141.96	500 gm 5 Kg 50 Kg	625 5170 POR
772	SODIUM NITROPRUSSIDE, EXTRA PURE (Sodium Nitroferrocyanide dihydrate) CAS 13755-38-9 $\text{Na}_2[\text{Fe}(\text{CN})_5\text{NO}] \cdot 2\text{H}_2\text{O}$ F. Wt. 297.95	100 gm 500 gm 10 Kg	775 3770 POR	460	SODIUM PHOSPHATE DIBASIC, (Dihydrate) (Disodium Hydrogen Orthophosphate), EXTRA PURE CAS 10028-24-7 $\text{Na}_2\text{HPO}_4 \cdot 2\text{H}_2\text{O}$ F. Wt. 177.99	500 gm 5 Kg 50 Kg	400 3665 POR
2720	SODIUM OLEATE (Pure), EXTRA PURE CAS 143-19-1 $\text{C}_{18}\text{H}_{33}\text{NaO}_2$ F. Wt. 304.44	500 gm 50 Kg	1015 POR	658	SODIUM PHOSPHATE DIBASIC, (Dihydrate) (Disodium Hydrogen Orthophosphate), AR GRADE CAS 10028-24-7 $\text{NaHPO}_4 \cdot 2\text{H}_2\text{O}$ F. Wt. 177.99	500 gm 5 Kg 50 Kg	520 3515 POR
2300	tri-SODIUM ORTHOPHOSPHATE (ANH.), EXTRA PURE CAS 7601-54-9 Na_3PO_4 F. Wt. 163.94	500 gm 50 Kg	350 POR	692	SODIUM POLYANETHOL SULPHONATE, (SPS), AR GRADE CAS 55963-78-5	1 gm 5 gm	420 1670
4107	tri-SODIUM ORTHO-PHOSPHATE, (Dodecahydrate), EXTRA PURE CAS 10101-89-0 $\text{H}_{24}\text{Na}_3\text{O}_{16}\text{P}$ F. wt. 380.12	500 gm 5 kg 50 kg	315 2660 POR	403	SODIUM POTASSIUM TARTRATE, (Tetra), EXTRA PURE CAS 6381-59-5 $\text{C}_4\text{H}_4\text{KNaO}_6 \cdot 4\text{H}_2\text{O}$ F. Wt. 282.22	100 gm 500 gm 25 Kg	245 800 POR
4108	tri-SODIUM ORTHO-PHOSPHATE (Dodecahydrate), AR GRADE CAS 10101-89-0 $\text{H}_{24}\text{Na}_3\text{O}_{16}\text{P}$ F. wt. 380.12	500 gm 5 kg 50 kg	360 2600 POR	404	SODIUM POTASSIUM TARTRATE, (Tetra), AR GRADE CAS 6381-59-5 $\text{C}_4\text{H}_4\text{KNaO}_6 \cdot 4\text{H}_2\text{O}$ F. Wt. 282.22	100 gm 500 gm 25 kg	300 1005 POR
455	SODIUM OXALATE, (di Sodium Oxalate), EXTRA PURE CAS 62-76-0 $\text{Na}_2\text{C}_2\text{O}_4$ F. Wt. 133.999	500 gm	370	955	SODIUM PROPIONATE, EXTRA PURE CAS 137-40-6 $\text{C}_3\text{H}_5\text{NaO}_2$ F. Wt. 96.07	500 gm 50 Kg	480 POR
456	SODIUM OXALATE, AR GRADE CAS 62-76-0 $\text{C}_2\text{Na}_2\text{O}_4$ F. Wt. 133.999	500 gm	405	2724	tetra-SODIUM PYROPHOSPHATE (ANH.), (TSPP), EXTRA PURE CAS 7722-88-5 $\text{Na}_4\text{P}_2\text{O}_7$ F. Wt. 265.90	500 gm 50 Kg	865 POR
2721	SODIUM PENTACHLOROPHENATE CAS 131-52-2 $\text{C}_6\text{Cl}_5\text{NaO}$ F. Wt. 288.32	500 gm 50 Kg	420 POR	659	SODIUM PYRUVATE, AR GRADE CAS 113-24-6 $\text{C}_3\text{H}_3\text{NaO}_3$ F. Wt. 110.0	100 gm 500 gm	1255 4430
2301	SODIUM PERBORATE (Tetra), EXTRA PURE CAS 10486-00-7 $\text{NaBO}_3 \cdot 4\text{H}_2\text{O}$ F. Wt. 153.86	500 gm 50 Kg	255 POR	4110	SODIUM RHODIZONATE, AR GRADE (Sensitivity To BA 1:200000)	1gm 5gm	550 1305















CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2727	SODIUM SALICYLATE, EXTRA PURE CAS 54-21-7 $C_7H_5NaO_3$ F. Wt. 160.11	500 gm 25 Kg	780 POR	464	SODIUM THIOCYANATE, EXTRA PURE CAS 540-72-7 $NaSCN$ F. Wt. 81.07	500 gm 50 Kg	620 POR
2728	SODIUM SELENATE, (ANH.), AR GRADE CAS 13410-01-0 Na_2SeO_4 F. Wt. 188.94	100 gm	3455	2730	SODIUM THIOCYANATE, AR GRADE CAS 540-72-7 $NaSCN$ F. Wt. 81.07	500 gm 50 Kg	915 POR
683	SODIUM SELENITE, (ANH.) (Culture Media Ingredient) CAS 10102-18-8 Na_2SeO_3 F. Wt. 172.96	25 gm 100 gm 500 gm	910 2835 13390	3513	SODIUM THIOGLYCOLLATE (for Bacteriology) * CAS 367-51-1 $C_2H_3NaO_2S$ F. Wt. 114.10	100 gm 500 gm 10 Kg	925 2740 POR
2240	SODIUM SUCCINATE, (Hexa), EXTRA PURE CAS 6106-21-4 $C_4H_4Na_2O_4.6H_2O$ F. Wt. 270.15	100 gm 500 gm	160 610	469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 $Na_2S_2O_3.5H_2O$ F. Wt. 248.18	500 gm 5 Kg 50 Kg	215 1765 POR
701	SODIUM SULPHATE (ANH.), EXTRA PURE CAS 7757-82-6 Na_2SO_4 F. Wt. 142.04	500 gm 5 Kg 50 Kg	230 1725 POR	4111	SODIUM THIOSULPHATE, (Penta), AR GRADE CAS 10102-17-7 $Na_2S_2O_3.5H_2O$ F. wt. 248.18	500 gm	250
543	SODIUM SULPHATE (ANH.), AR GRADE CAS 7757-82-6 Na_2SO_4 F. Wt. 142.04	500 gm 5 Kg 50 Kg	260 2045 POR	2235	SODIUM THIOSULPHATE (ANH.), EXTRA PURE CAS 7772-98-2 $Na_2S_2O_3$ F. Wt. 158.11	500 gm 50 Kg	215 POR
661	SODIUM SULPHIDE FLAKES (Iron Free) CAS 1313-84-4 Na_2S F. Wt. 78.05	500 gm	290	663	SODIUM THIOSULPHATE (ANH.), AR GRADE CAS 7772-98-2 $Na_2S_2O_3$ F. Wt. 158.11	500 gm 50 Kg	290 POR
952	SODIUM SULPHITE (ANH.), EXTRA PURE CAS 7757-83-7 Na_2SO_3 F. Wt. 126.04	500 gm 5 Kg 50 Kg	325 2665 POR	2895	SODIUM TRIPOLYPHOSPHATE (STPP) (ANH.) CAS 7758-29-4 $Na_2S_2O_3$ F. Wt. 367.86	500 gm 50 Kg	285 POR
662	SODIUM SULPHITE (ANH.), AR GRADE CAS 7757-83-7 Na_2SO_3 F. Wt. 126.04	500 gm 5 Kg 50 Kg	370 2945 POR	953	SODIUM TUNGSTATE (Dihydrate), EXTRA PURE CAS 10213-10-2 $Na_2O_4W.2H_2O$ F. Wt. 329.86	100 gm 500 gm 10 Kg	915 4395 POR
3260	SODIUM STEARATE (Stearic Acid Sodium Salt) CAS 822-16-2 $C_{18}H_{35}NaO_2$ F. Wt. 306.46	500 gm	395	2298	SODIUM (META) VANADATE (ANH.), AR GRADE CAS 13718-26-8 $NaVO_3$ F. Wt. 121.93	100 gm 500 gm	1150 4910
2309	di-SODIUM TARTRATE (Dihydrate) CAS 6106-24-7 $C_4H_4Na_2O_6.2H_2O$ F. Wt. 230.08	500 gm 50 Kg	865 POR	1623	SOLOCHROME BLACK T (ERICHROME BLACK T) CAS 1787-61-7 $C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38	25 gm 100 gm	250 810
279	SODIUM TETRABORATE, (Decahydrate) (BORAX), EXTRA PURE CAS 1303-96-4 $Na_2B_4O_7.10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg	235 2240 POR	1856	SOLOCHROME CYANINE R, AR GRADE CAS 3564-18-9 C.I. 43820 $C_{23}H_{15}Na_3O_9S$ F. Wt. 536.40	5 gm 25 gm	385 1715
280	SODIUM TETRABORATE, (Decahydrate) (BORAX), AR GRADE CAS 1303-96-4 $Na_2B_4O_7.10H_2O$ F. Wt. 381.37	500 gm 5 kg 50 kg	300 2775 POR	2995	SOLOCHROME DARK BLUE, (Calcon) CAS 2538-85-4 C.I. 15705 $C_{20}H_{13}N_2NaO_5S$ F. Wt. 416.38	5 gm 25 gm 100 gm	305 1050 3265
4083	SODIUM TETRAPHENYL BORON, AR GRADE (Kalignost) CAS 143-66-8 $C_{24}H_{20}BNa$ F. wt. 342.22	10 gm 25 gm	795 1915	2732	SORBIC ACID, EXTRA PURE * CAS 110-44-1 $C_6H_8O_2$ F. Wt. 112.12	500 gm	1240
				465	D-SORBITOL POWDER (D-Glucitol) CAS 50-70-4 $C_6H_{14}O_6$ F. Wt. 182.17	100 gm 500 gm 25 Kg	145 540 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3065	L-SORBOSE CAS 87-79-6 C₆H₁₂O₆ F. Wt. 180.16	25 gm 100 gm	2500 7200	2323	STRONTIUM CHLORIDE, (Hexa), EXTRA PURE CAS 10025-70-4 SrCl₂·6H₂O F. Wt. 266.61	500 gm 50 Kg	530 POR
466	SOYABEAN MEAL (Defatted) (Non GMO Powder)	500 gm 25 gm	325 POR	2325	STRONTIUM NITRATE, (ANH.), EXTRA PURE CAS 10042-76-9 Sr(NO₃)₂ F. Wt. 211.63	500 gm 50 Kg	430 POR
467	SOYA LECITHIN POWDER * (L-α-phosphatidyl choline 22%) CAS 8002-43-5 C₃₆H₇₂NO₈P F. Wt. 677.93	100 gm 500 gm	1505 3360	2735	STRONTIUM SULPHATE (ANH.) CAS 7759-02-6 SrSO₄ F. Wt. 183.68	500 gm	420
4205	SOYA PEPTONE (REGULAR GRADE) (For General Purpose For Bactriological Work) CAS 91079-38-8	500 gm 50 Kg	1400 POR	1016	SUCCINIC ACID, EXTRA PURE CAS 110-15-6 C₄H₆O₄ F. Wt. 118.09	500 gm 25 Kg	665 POR
2733	SPADNS, AR GRADE CAS 23647-14-5 C₁₆H₉N₂O₁₁S₃Na₃ F. Wt. 570.41	1 gm 5 gm	365 1335	2328	SUCCINIC ANHYDRIDE CAS 108-30-5 C₄H₄O₃ F. Wt.100.07	100 gm 500 gm 25 Kg	280 1150 POR
3436	SPERMIDINE * CAS 124-20-9 C₇H₁₉N₃ F. Wt. 145.25	1 gm 5 gm	3940 17740	4702	SUCROSE, ACS GRADE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm	580
2317	STANNOUS CHLORIDE (Dihydrate), EXTRA PURE CAS 10025-69-1 SnCl₂·2H₂O F. wt. 225.63	100 gm 250 gm	605 1295	1307	SUCROSE, EXTRA PURE CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg 50 Kg	290 2265 POR
2318	STANNOUS CHLORIDE (Dihydrate), AR GRADE CAS 10025-69-1 SnCl₂·2H₂O F. wt. 225.63	100 gm 250 gm	635 1455	1308	SUCROSE, AR GRADE (Bacto Grade, Reducing Sugar absent.) CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg 50 Kg	530 4875 POR
3006	STANNOUS FLOURIDE (ANH.) CAS 7783-47-3 SnF₂ F. Wt.156.69	500 gm	2750	TC 023	SUCROSE, for Tissue Culture and Molecular Biology CAS 57-50-1 C₁₂H₂₂O₁₁ F. Wt. 342.30	500 gm 5 Kg	680 5510
2734	STANNOUS OXIDE, EXTRA PURE CAS 21651-19-4 SnO F. Wt. 134.71	500 gm	4290	3503	SUCRALOSE (600 Times Sweeter Than Sugar) CAS 56038-13-2 C₁₂H₂₂O₁₁ F. Wt. 397.64	25 gm 100 gm	1750 5250
1310	STARCH CORN (Maize) (Insoluble) CAS 9005-84-9 (C₆H₁₀O₅)_n F. Wt. 162.14	500 gm 25 Kg	260 POR	2737	SUDAN (I) CAS 842-07-9 C₁₆H₁₂N₂O F. Wt. 248.28	25 gm 100 gm	145 525
1309	STARCH POTATO (Insoluble) CAS 9005-84-9 (C₆H₁₀O₅)_n F. Wt. 162.14	500 gm	250	1692	SUDAN (III) CAS 85-86-9 C.I. 26100 C₂₂H₁₆N₄O F. Wt. 352.39	25 gm 100 gm	175 450
1311	STARCH SOLUBLE, EXTRA PURE CAS 9000-84-9 (C₆H₁₀O₅)_n	500 gm 25 Kg	915 POR	1693	SUDAN (IV) (Oil Red IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 C₂₄H₂₀N₄O F. Wt. 380.44	25 gm 100 gm	255 720
1318	STARCH SOLUBLE, AR GRADE CAS 9004-84-9 (C₆H₁₀O₅)_n	500 gm	970	1647	SUDAN BLACK B, (for Microscopy) CAS 4197-25-5 C.I. 26150 C₂₉H₂₄N₆ F. Wt. 456.54	10 gm 25 gm	1070 2400
2321	STEARIC ACID, FLAKES (Carboxylic Acid) CAS 57-11-4 C₁₈H₃₆O₂ F. Wt. 284.48	500 gm 25 Kg	395 POR	2333	SULPHAMIC ACID, (Amido Sulfonic Acid), EXTRA PURE CAS 5329-14-6 NH₂SO₃H F. Wt. 97.10	500 gm 50 Kg	275 POR
2322	STRONTIUM CARBONATE CAS 1633-05-2 SrCO₃ F. Wt. 147.63	500 gm 50 Kg	755 POR				

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2407	SULPHANILAMIDE, EXTRA PURE CAS 63-74-1 C ₆ H ₈ N ₂ O ₂ S F. Wt. 172.20	500 gm	3360	4262	L-(+)-TARTARIC ACID, AR GRADE  CAS 87-69-4 C ₄ H ₆ O ₆ F. Wt. 150.09	500 gm	1665
2741	SULPHANILAMIDE, AR GRADE CAS 63-74-1 C ₆ H ₈ N ₂ O ₂ S F. Wt. 172.20	100 gm 500 gm	1070 4265	474	DL-TARTARIC ACID (SYNTHETIC) CAS 133-37-9 C ₄ H ₆ O ₆ F. Wt. 150.09	500 gm 50 Kg	485 POR
468	SULPHANILIC ACID, EXTRA PURE CAS 121-57-3 C ₆ H ₇ NO ₃ S F. Wt. 173.19	100 gm 500 gm 50 Kg	405 1455 POR	474	DL-TARTARIC ACID (SYNTHETIC) CAS 133-37-9 C ₄ H ₆ O ₆ F. Wt. 150.09	500 gm 50 Kg	420 POR
470	SULPHANILIC ACID, AR GRADE (4-Aminobenzene Sulphonic Acid) CAS 121-57-3 C ₆ H ₇ NO ₃ S F. Wt.173.19	100 gm 500 gm 50 Kg	485 2005 POR	1648	TARTRAZINE, (for Microcopy) CAS 1934-21-0 C.I. 19140 C ₁₆ H ₆ N ₄ Na ₃ O ₉ S ₂ F. Wt. 534.3	25 gm 100 gm	110 355
776	5-SULPHOSALICYLIC ACID DIHYDRATE, EXTRA PURE CAS 5965-83-3 C ₇ H ₆ O ₆ S.2H ₂ O F. Wt. 254.22	100 gm 500 gm 50 Kg	280 970 POR	956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 C ₂ H ₇ NO ₃ S F. Wt. 125.15	25 gm 100 gm	440 1315
2412	SULPHUR POWDER, EXTRA PURE CAS 7704-34-9 S F. Wt. 32.07	500 gm	250	4113	TBTU (2-(1H-Benzotriazole-1-yl)-1,1,3,3 Tetramethyluronium Tetrafluoroborate) CAS 125700-67-6 C ₁₁ H ₁₆ N ₅ O.BF ₄ F. wt. 321.08	5 gm 25 gm	650 3315
665	TABOLENE GL (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr 50 Ltr	325 2030 POR	4263	TEICOPLANIN *  CAS 61036-62-2	1 gm	11125
666	TABOLENE GLW (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) For Glassware Cleaning	500 ml 5 Ltr 50 Ltr	325 2030 POR	4264	TELLURIUM DIOXIDE  CAS 7446-07-3 TeO ₂ F. Wt. 159.60	50 gm	15675
667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr	325 1870 POR	4265	TELLURIUM (IV) CHLORIDE  CAS 10026-07-0 TeCl ₄ F. Wt. 269.41	25 gm	25140
2742	TALCUM POWDER (400 mesh) (Magnesium Silicate) CAS 14807-96-6 3MgO.4SiO ₂ .H ₂ O F. Wt. 379.29	500 gm	135	775	TEMED, AR GRADE (N,N,N,N-Tetra-Methylethylene Diamine) CAS 110-18-9 C ₆ H ₁₆ N ₂ F. Wt. 116.21	100 ml 500 ml	755 2045
3226	TALCUM POWDER (700 mesh) CAS 14807-96-6 3MgO.4SiO ₂ .H ₂ O F. Wt. 379.29	500 gm	160	4266	TERGITOL-7  CAS 68131-40-8	100gm 500gm	4755 21370
2782	TANNIC ACID, (Gallotannin), EXTRA PURE CAS 1401-55-4 C ₇₆ H ₅₂ O ₄₆ F. Wt. 1701.20	100 gm 500 gm 25 Kg	955 4150 POR	2743	TERPINEOL (Mixture of Isomers) (PHARMA GRADE) CAS 8006-39-1 C ₁₀ H ₁₈ O F. Wt. 154.25	500 ml 2.5 Ltr	765 3205
4112	TANNIC ACID, AR GRADE CAS 1401-55-4 C ₇₆ H ₅₂ O ₄₆ F. wt. 1701.2	100 gm 250 gm	1070 2100	4114	TETRABUTYL AMMONIUM BROMIDE, AR GRADE CAS 1643-19-2 C ₁₆ H ₃₆ BrN F. wt. 322.37	500 gm	2340
4261	TAPS BUFFER  (N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID) CAS 29915-38-6 C ₇ H ₁₇ NO ₆ S F. Wt. 243.28	25 gm 100 gm	1740 5755	4117	TETRABUTYL AMMONIUM FLUORIDE CAS 87749-50-6 C ₁₆ H ₃₆ FN F. wt. 261.46	25 gm 100 gm	2240 6745
472	L (+) TARTARIC ACID, EXTRA PURE CAS 87-69-4 C ₄ H ₆ O ₆ F. Wt. 150.09	100 gm 500 gm 25 Kg	315 1030 POR	4118	TETRABUTYL AMMONIUM IODIDE, AR GRADE CAS 311-28-4 C ₁₆ H ₃₆ IN F. wt. 369.37	25 gm 100 gm	435 1685
				4119	TETRABUTYL R (For HPLC) CAS 32503-27-8 (CH ₃ CH ₂ CH ₂ CH ₂) ₄ N(HSO ₄) F. wt. 339.53	100 gm	2390
				144	Tert-BUTYL HYDROQUINONE (TBHQ) CAS 1948-33-0 C ₁₀ H ₁₄ O ₂ F. Wt. 166.22	100 gm 500 gm 25 Kg	410 1785 POR

T

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
775	N,N,N,N-TETRA METHYLETHYLENEDIAMINE (TEMED), AR GRADE CAS 110-18-9 C ₆ H ₁₆ N ₂ F. Wt. 116.21	100 ml 500 ml	755 2045	2341	1-THIOGLYCEROL 98% (Mono Thioglycerol) CAS 96-27-5 C ₃ H ₈ O ₂ S F. Wt. 108.15	100 ml 500 ml	3240 15660
4267	N,N,N',N'-TETRAACETYLETHYLENEDIAMINE CAS 10543-57-4 NEW F. Wt. 228.25	50 gm 100 gm	3115 5605	4275	2-THIOURACIL NEW (4-HYDROXY-2-MERCAPTOPYRIMIDINE) CAS 141-90-2 C ₄ H ₄ N ₂ OS F. Wt.128.15	25 gm 100 gm	2290 8015
654	N,N,N,N-TETRAMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE, AR GRADE CAS 637-01-4 C ₁₀ H ₁₆ N ₂ .2HCl F. Wt. 237.17	5 gm 25 gm	1140 5175	3513	THIOGLYCOLLIC ACID SODIUM SALT (For Bacteriology) CAS 367-51-1 C ₂ H ₃ NaO ₂ S F. Wt. 114.1	100 gm 500 gm 10 Kg	925 2740 POR
4268	TETRABUTYL AMMONIUM NEW CHLORIDE CAS 1112-67-0 C ₁₆ H ₃₆ ClN F. Wt. 261.46	25 gm	16050	478	THIOMERSAL, EXTRA PURE CAS 54-64-8 C ₉ H ₅ HgNaO ₂ S F. wt. 404.81	25 gm 100 gm	14580 54000
821	TETRAZOLIUM BLUE CHLORIDE, AR GRADE CAS 1871-22-3 C ₄₀ H ₃₂ Cl ₂ N ₈ O ₈ F. Wt. 731.67	1 gm 5 gm	1260 5485	2751	THIOSEMICARBAZIDE, AR GRADE CAS 79-19-6 CH ₅ N ₃ S F. Wt. 91.14	25 gm 100 gm	380 1405
475	TETRAZOLIUM RED SALT (TTC), AR GRADE (2,3,5-Triphenyl Tetrazolium Chloride) CAS 298-96-4 C ₁₉ H ₁₅ ClN ₄ F. Wt. 334.81	10 gm 25 gm	1645 4055	479	THIOUREA, EXTRA PURE CAS 62-56-6 CH ₄ N ₂ S F. Wt. 76.12	500 gm 50 Kg	810 POR
4269	TETRAZOLIUM VIOLET NEW CAS 1719-71-7 C ₂₃ H ₁₇ ClN ₄ F. Wt. 384.86	1 gm	6045	4120	THIOUREA, AR GRADE CAS 62-56-6 C ₇ H ₇ ClN ₂ S F. wt. 186.66	500 gm	1190
2906	THALLIUM ACETATE CAS 563-68-8 C ₂ H ₃ O ₂ Tl F. Wt. 263.43	1 gm 10 gm	1180 10900	4276	THORIN INDICATOR NEW OCTAHYDRATE, AR GRADE CAS 3688-92-4 C ₁₆ H ₁₁ AsN ₂ Na ₂ O ₁₀ S ₂ F. Wt.576.3	5 gm 10 gm	8885 15975
4270	THIABENDAZOLE NEW CAS XXXXX XXXXX F. Wt. XXXX	50 gm 100 gm	27085 49250	1131	L-THREONINE, 99%+ Crystalline CAS 72-19-5 C ₄ H ₉ NO ₃ F. Wt. 119.12	5 gm 25 gm 500 gm	155 610 9030
1702	THIAMINE HYDROCHLORIDE * (Vitamin B ₁ Hydrochloride) CAS 67-03-8 C ₁₂ H ₁₇ ClN ₄ OS.HCl F. Wt. 337.27	25 gm 100 gm 500 gm	700 2485 11665	4277	THROMBIN NEW From Bovine plasma CAS 9002-04-4	1 gm	37305
3584	THIDIAZURON * CAS 51707-55-2 C ₉ H ₈ N ₄ OS F. Wt.220.25	250 mg 1 gm	4430 15530	961	THYMIDINE (2-Deoxyriboside Thymidine) CAS 50-89-5 C ₁₀ H ₁₄ N ₂ O ₅ F. Wt. 242.22	1 gm 5 gm	420 1645
4272	THIOACETAMIDE, AR GRADE NEW CAS 62-55-5 C ₂ H ₅ NS F. Wt.75.13	100gm	3690	963	THYMININE, (5-Methyluracil) CAS 65-71-4 C ₅ H ₆ N ₂ O ₂ F. Wt. 126.11	5 gm 25 gm	375 1255
959	THIOACETAMIDE (Ethanethioamide), * EXTRA PURE CAS 62-55-5 C ₂ H ₅ NS F. Wt.75.13	100 gm	1940	1668	THYMOL BLUE CAS 76-61-9 C ₂₇ H ₃₀ O ₅ S F. Wt. 466.59	5 gm 25 gm	195 900
4273	THIOACETIC ACID NEW CAS 507-09-5 C ₂ H ₄ OS F. Wt. 76.12	100gm	4025	4278	THYMOL BLUE SODIUM SALT NEW CAS 62625-21-2 C ₂₇ H ₂₉ NaO ₅ S F. Wt.488.57	5 gm	1215
2750	2-THIOBARBITURIC ACID, AR GRADE CAS 504-17-6 C ₄ H ₄ N ₂ O ₂ S F. Wt.144.15	25 gm 100 gm	1210 4165	2343	THYMOL, CRYSTAL, EXTRA PURE CAS 89-83-8 C ₁₀ H ₁₄ O F. Wt. 150.22	100 gm 500 gm 50 Kg	740 2635 POR
4274	THIOGLYCOLIC ACID, NEW 80% SOLUTION IN WATER CAS 68-11-1 C ₂ H ₄ O ₂ S F. Wt.92.12	100 ml 500 ml	375 1760	4123	THYMOLPHTHALEIN, AR GRADE CAS 125-20-2 C ₂₈ H ₃₀ O ₄ F. wt. 430.53	5 gm 25 gm	180 755

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
964	THYMOLPHTHALEIN COMPLEXONE for E.D.T.A. Titration CAS 1913-93-5 C₃₈H₃₈N₂Na₄O₁₂ F. Wt. 808.71	1 gm 5 gm	2900 11065	4286	TOLUENE-3,4-DITHIOL, AR GRADE  CAS 496-74-2 C₇H₆S₂ F. Wt. 156.27	5 gm	45115
1667	THYMOLPHTHALEIN (pH Indicator) CAS 125-20-2 C₂₈H₃₀O₄ F. Wt. 430.53	5 gm 25 gm	185 790	4287	p-TOLUENESULPHONIC ACID  MONOHYDRATE, AR GRADE CAS 6192-52-5 C₇H₆SO₃.H₂O F. Wt. 190.22	100 gm 500 gm	755 3355
2752	THYMOL VIOLET (Indicator) CAS 7512-38-1 C₄₀H₃₉N₂NaO₉S F. Wt. 746.8	5 gm 25 gm	440 1625	TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml	280
2988	TIN (METAL) GRANULATED CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	1090 5290	4288	p-TOLUIDINE, EXTRA PURE  CAS 106-49-0 C₇H₇N F. Wt. 107.15	500 gm	2500
760	TIN (METAL) POWDER CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	1150 5290	4289	TOLUIDINE BLUE 0  CAS 92-31-9 C₁₅H₁₆N₃SCI F. Wt. 305.83	25 gm 100 gm	1020 3550
4280	TIN (II) CHLORIDE DIHYDRATE,  AR GRADE CAS 10025-69-1 SnCl₂.2H₂O F. Wt. 225.65	100 gm 500 gm	1020 4565	4290	TOMATO POWDER  	250 gm	520
4281	TIN (IV) CHLORIDE  PENTAHYDRATE CAS 10026-06-9 SnCl₄.5H₂O	500 gm	4070	4291	META-TOPOLIN  	25 mg 100 mg	4755 16180
4282	TIN(IV) OXIDE, AR GRADE  CAS 18282-10-5 SnO₂ F. Wt. 150.71	250 gm	14770	1676	TOLUIDINE BLUE CAS 92-31-9 C.I. 52040 (C₁₅H₁₆C₃N₃S)₂ZnCl₂ F. Wt. 305.83	25 gm 100 gm	730 2530
4283	TIRON, AR GRADE  (4,5-Dihydroxy-1,3-benzenedisulfonic acid disodium salt) CAS 149-45-1 C₆H₄O₆S₂Na₂ F. Wt. 314.2	10 gm 25 gm	1105 2430	TC 024	D-TREHALOSE DIHYDRATE CAS 6138-23-4 C₁₂H₂₂O₁₁.2H₂O F. Wt. 378.33	5 gm 25 gm	325 1135
4284	TITANIUM (IV) BUTOXIDE  CAS 5593-70-4 C₁₆H₃₆O₄Ti F. Wt. 340.30	500 gm	25075	4703	D-TREHALOSE DIHYDRATE, ACS GRADE CAS 6138-23-4 C₁₂H₂₂O₁₁.2H₂O F. Wt. 378.33	5 gm 25 gm	485 1730
482	TITANIUM DIOXIDE, EXTRA PURE CAS 13463-67-7 TiO₂ F. Wt. 79.87	500 gm 5 Kg 25 Kg	475 3770 POR	4124	1,2,4-TRIAZOLE (For Synthesis) CAS 288-88-0 C₂H₃N₃ F. wt. 69.07	100 gm 500 gm	485 1620
4285	TITANIUM METAL POWDER  CAS 7440-32-6 Ti F. Wt. 47.87	100 gm	10285	851	TRIBUTYRIN (Glycerol Tributyrate) CAS 60-01-5 C₁₅H₂₆O₆ F. Wt. 302.36	100 ml 500 ml	1470 6195
483	TITANIUM DIOXIDE, AR GRADE CAS 13463-67-7 TiO₂ F. wt. 79.87	100 gm	1500	484	TRICHLORO ACETIC ACID, EXTRA PURE CAS 76-03-9 C₂HCl₃O₂ F. Wt. 163.39	100 gm 500 gm 25 Kg	150 625 POR
1650	TITAN YELLOW CAS 1829-00-1 C.I. 19540 C₂₈H₁₉N₅Na₂O₆S₄ F. Wt. 695.71	10 gm 25 gm	375 815	4292	2,4,6-TRICHLOROPHENOL  CAS 88-06-2 C₆H₃Cl₃O F. Wt. 197.45	500 gm	5820
1666	O-TOLIDINE, AR GRADE (Reagent for Halogen and gold) CAS 119-93-7 C₁₄H₁₆N₂ F. Wt. 212.29	25 gm 100 gm	770 2730	3587	2,4,5 TRICHLOROPHENOXY ACETIC ACID CAS 93-76-5 C₈H₅Cl₃O₃ F. Wt. 255.49	5 gm 25 gm	3690 14935
2345	O-TOLIDINE DIHYDROCHLORIDE, AR GRADE CAS 612-82-8 C₁₄H₁₆N₂.2HCl F. Wt. 285.22	25 gm 100 gm	570 1870	966	TRICINE (N-[Tris(Hydroxymethyl Methyl) Glycine]) CAS 5704-04-1 C₆H₁₃NO₅ F. Wt. 179.17	25 gm 100 gm	1350 5165
				4293	TRICLOSAN  CAS 3380-34-5 C₁₂H₇Cl₃O₂ F. Wt. 289.54	100 gm	2750
				2354	TRITHANOLAMINE 85% CAS 102-71-6 C₆H₁₅NO₃ F. Wt. 149.19	500 ml 5 Ltr 50 Ltr	530 4670 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2356	TRIETHYLAMINE 99% CAS 121-44-8 C ₆ H ₁₅ NO ₃ F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr	340 1410 POR	966	TRICINE (N-[Tris(Hydroxymethyl Methyl) Glycine]) CAS 5704-04-1 C ₆ H ₁₃ NO ₅ F. Wt. 179.17	25 gm 100 gm	970 2925
4294	2,3,5-TRIIODOBENZOIC ACID (TIBA)	5 gm	3820	669	TRITON X 100® CAS 9002-93-1 C ₃₄ H ₆₂ O ₁₁ F. Wt. 646.86	100 ml 500 ml	395 1100
4125	TRIETHYLBENZYLAMMONIUM CHLORIDE, EXTRA PURE 56-37-1 C ₁₃ H ₂₂ CIN F. wt. 227.77	500 gm	745	4298	TROPAEOLIN-O CAS 547-57-9 C ₁₂ H ₉ N ₂ NaO ₅ S F. Wt. 316.27	25 gm	1005
2031	TRIMETHOPRIM CAS 738-70-5 C ₁₄ H ₁₈ N ₄ O ₃ F. Wt. 290.30	5 gm	690	1651	TRYPAN BLUE, CAS 72-57-1 C.I. 23850 C ₃₄ H ₂₈ N ₆ O ₁₄ S ₄ F. Wt. 872.88	25 gm 100 gm	975 3085
4295	2,4,6-TRINITROPHENOL CAS 88-89-1 C ₆ H ₃ N ₃ O ₇ F. Wt. 229.1	500 gm	1075	4300	TRYPSIN INHIBITOR (From Soyabean) * CAS 9035-81-8	500 mg	56500
4129	TRIMETHYL SULPHONIUM IODIDE, MIN 99% (For Synthesis) CAS 1774-47-6 C ₃ H ₉ IOS F. wt. 220.07	100 gm 500 gm	1575 3910	489	TRYPSIN 2000 U/G (0.2 anson U/G) * CAS 9002-07-7 C ₆ H ₁₅ O ₁₂ P ₃ F. Wt. 372.10	100 gm 500 gm	2020 8985
486	TRIS, EXTRA PURE (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 C ₁₄ H ₁₈ N ₄ O ₃ F. Wt. 121.14	100 gm 500 gm 25 Kg	595 2450 POR	490	TRYPSIN 1: 250 * CAS 9002-07-7 C ₆ H ₁₅ O ₁₂ P ₃ F. Wt. 372.10	25 gm 100 gm	2520 7680
487	TRIS, 99.9%+ PURITY (Biological Buffer), AR GRADE CAS 77-86-1 C ₄ H ₁₁ NO ₃ F. Wt. 121.14	100 gm 500 gm 25 Kg	675 3240 POR	4301	TRYPSIN 1: 250 (Gamma-irradiated) * CAS 9002-07-7 C ₆ H ₁₅ O ₁₂ P ₃ F. Wt. 372.10	25 gm 100gm 500 gm	4500 12500 14350
4130	TRIS ULTRAPURE (For HPLC) CAS 77-86-1 C ₄ H ₁₁ NO ₃ F. wt. 121.14	500 gm	5695	3514	TRYPTONE (Regular Grade) General Purpose For Bactriology	500 gm	1640
672	TRIS-HYDROCHLORIDE, EXTRA PURE (Tris Hydroxymethyl Aninomethane HCl) CAS 1185-53-1 C ₄ H ₁₁ NO ₃ .HCl F. Wt. 157.60	100 gm 500 gm 25 Kg	725 3055 POR	1133	DL-TRYPTOPHAN, 99%+PURITY, CRYSTALLINE CAS 54-12-6 C ₁₁ H ₁₂ N ₂ O ₂ F. Wt. 204.22	5 gm 25 gm	520 2455
488	TRIS-HYDROCHLORIDE, AR GRADE CAS 1185-53-1 C ₄ H ₁₇ NO ₃ .HCl F. Wt. 157.60	100 gm 500 gm 25 Kg	880 3420 POR	1134	L-TRYPTOPHAN, 99%+ PURITY, CRYSTALLINE CAS 73-22-3 C ₁₁ H ₁₂ N ₂ O ₂ F. Wt. 204.23	5 gm 25 gm 500 gm	230 780 11745
4297	TRIS(HYDROXYMETHYL) AMINOMETHANE SULPHATE CAS 6992-38-7 C ₄ H ₁₁ NO ₃ .0.5H ₂ SO ₄ F. Wt. 170.17	25 gm 100 gm	2510 8780	4131	TUNGSTIC ACID 99%, AR GRADE CAS 7783-03-1 H ₂ O ₄ W F. wt. 249.85	100 gm	1180
4261	N-[TRIS(HYDROXYMETHYL) METHYL]-3-AMINOPROPANESULPHONIC ACID (TAPS BUFFER) CAS 29915-38-6 C ₇ H ₁₇ NO ₅ S F. Wt. 243.28	25 gm 100 gm	1740 5755	4302	DODECA-TUNGSTOPHOSPHORIC ACID HYDRATE, AR GRADE CAS 12501-23-4 H ₃ PO ₄ .12WO ₃ .XH ₂ O F. Wt. 2880.05	100 gm 500 gm	3175 14250
				981	TUNGSTOPHOSPHORIC ACID, EXTRA PURE CAS 12501-23-4 H ₃ PO ₄ .12WO ₃ .XH ₂ O F. Wt. 2880.05	100 gm 500 gm	2000 9720

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4156	TWEEN 20 (Polysorbate 20) CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	500 ml 25 Ltr	755 POR	4307	L-VALINE (From non-animal source) CAS 72-18-4 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm 1 kg	280 980 8820
670	TWEEN 20 ® (Regd. Trademark ICI UK) CAS 9005-64-5 C₅₈H₁₁₃O₂₆ F. Wt. 1226.5	500 ml 25 Ltr	915 POR	1136	DL-VALINE CAS 516-06-3 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm	1205 4385
4155	TWEEN 80 (Polysorbate 80) CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml 500 ml	215 810	1137	L-VALINE , 99%+ Purity, Crystalline CAS 72-18-4 C₅H₁₁NO₂ F. Wt. 117.15	25 gm 100 gm	305 965
673	TWEEN 80 ® (Regd. Trademark ICI UK), CAS 9005-65-6 C₃₂H₆₀O₁₀ F. Wt. 604.8	100 ml 500 ml 25 Ltr	295 925 POR	4308	VANADIUM (III) CHLORIDE CAS 7718-98-1 VCl₃ F. Wt. 157.3	10 gm	26630
3234	DL-TYROSINE CAS 556-03-6 C₅H₁₁NO₃ F. Wt. 181.19	5 gm	645	2769	VANADIUM PENTOXIDE, EXTRA PURE CAS 1314-62-1 V₂O₅ F. wt. 181.88	100 gm 500 gm	845 3965
4303	UNIVERSAL INDICATOR	100 ml 500 ml	145 625	4309	VANADYL SULPHATE HYDRATE CAS 27774-13-6 VO₂SO₄.xH₂O F. Wt. 163.00	100 gm	3330
1135	L-TYROSINE , 99%+ Crystalline CAS 60-18-4 C₅H₁₁NO₃ F. Wt. 181.19	25 gm 100 gm 500 gm	280 915 4255	2770	VANILLIN (4-Hydroxy-3-Methoxy Benzaldehyde) CAS 121-33-5 C₈H₈O₃ F. Wt. 152.15	100 gm 500 gm	810 3900
1663	UNIVERSAL INDICATOR POWDER * (pH 2 to 10)	25 gm 100 gm	410 1215	1711	VITAMIN A ACETATE , (Retinol acetate) * CAS 127-47-9 C₂₂H₃₂O₂ F. Wt. 328.5	25 gm 100 gm	3240 12275
674	URACIL CAS 66-22-8 C₄H₄N₂O₂ F. Wt. 112.09	5 gm 25 gm	85 385	1702	VITAMIN B₁ (Thiamine hydrochloride) * CAS 67-03-8 C₁₂H₁₇ClN₄OS.HCl₂ F. Wt. 337.27	25 gm 100 gm 500 gm	700 2485 11665
4304	UREA (Meets USP/EP/JP/BP Testing specifications) CAS 57-13-6 N₂H₄CO F. Wt. 60.06	500 gm 1 Kg 5 Kg	1245 1850 6000	1703	VITAMIN B₂ (Riboflavin), Vitamin G CAS 83-88-5 C₁₇H₂₀N₄O₆ F. Wt. 376.36	10 gm 25 gm 100 gm	290 695 2645
491	UREA, EXTRA PURE CAS 57-13-6 CH₄N₂O F. Wt. 60.06	500 gm 5 Kg 50 Kg	245 4350 POR	759	VITAMIN B₃ (Nicotinic Acid) CAS 59-67-6 C₆H₅NO₂ F. Wt. 123.11	25 gm 100 gm 1 Kg	155 360 2865
492	UREA, AR GRADE CAS 57-13-6 CH₄N₂O F. Wt. 60.06	500 gm 5 Kg 50 Kg	485 4580 POR	561	VITAMIN B₄ (Adenine 99%) (6-Aminopurine) CAS 73-24-5 C₅H₅N₅ F. Wt. 135.13	5 gm 25 gm 1 Kg	295 1190 30940
4305	UREA PHOSPHATE CAS 4861-19-12 CN₂H₇PO₃ F. Wt. 158.05	500 gm	1620	1701	VITAMIN B₅ (Calcium-D-Pantothenate) * CAS 137-08-6 C₁₈H₃₂CaN₂O₁₀ F. wt. 476.53	25 gm 100 gm	835 2760
1933	UREASE (Jackbean Meal) CAS 9002-13-5	100 gm 500 gm 25 kg	240 1080 POR	1705	VITAMIN B₆ (Pyridoxine Hydrochloride) * CAS 58-56-0 C₈H₁₁NO₃.HCl F. Wt. 205.64	10 gm 25 gm 100 gm	185 465 1730
2768	URIC ACID, AR GRADE CAS 69-93-2 C₅H₄N₄O₃ F. Wt. 168.0	25 gm 100 gm	2050 6995	1709	VITAMIN B₇ , Coenzyme (D-Biotin) * CAS 58-85-5 C₁₀H₁₆N₂O₃S F. Wt. 244.31	1 gm 10 gm 25 gm	595 4835 10710
3451	URIDINE 99% (For Biochemistry) CAS 58-96-8 C₉H₁₂N₂O₆ F. wt. 244.2	1 gm 5 gm 25 gm	200 795 3260	604	VITAMIN B₈ (Inositol) * CAS 61-19-8 C₆H₁₂O₆ F. Wt. 180.16	25 gm 100 gm 1 Kg	305 830 7350
642	VACCUM GREASE SILICONE (High Vacuum Grease)	500 gm	1735	335	VITAMIN B₉ (Folic Acid) * CAS 59-30-3 C₁₉H₁₉N₇O₆ F. Wt. 441.40	5 gm 25 gm	240 600
4306	D-VALINE CAS 640-68-6 C₅H₁₁NO₂ F. Wt. 117.15	1 gm 5 gm 25 gm	230 1020 4575				





CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
233	VITAMIN B ₁₀ (PABA) CAS 150-13-0 C ₇ H ₇ NO ₂ F. Wt. 137.14	100 gm 500 gm	455 2465	3095	X-GLUCOSIDE * CAS 15548-60-4 C ₁₄ H ₁₅ BrClNO ₆ F. Wt. 408.63	100 mg	5300
1704	VITAMIN B ₁₂ (Cyanocobalamin) * CAS 68-19-9 C ₆₃ H ₈₈ CoN ₁₄ O ₁₄ P F. Wt. 1355.38	1 gm 10 gm	2700 23335	4146	XANTHAN GUM, EXTRA PURE CAS 11138-66-2	100 gm 500 gm 25 Kg	395 1070 POR
1721	VITAMIN B ₇ (L-Carnitine) * CAS 541-15-1 C ₇ H ₁₅ NO ₃ F. Wt. 161.20	5 gm 25 gm	2390 9095	1890	XANTHAN GUM, AR GRADE CAS 11138-66-2	100 gm 500 gm 25 Kg	395 1325 POR
1706	VITAMIN C (Ascorbic Acid) CAS 50-81-7 C ₆ H ₈ O ₆ F. Wt. 176.12	100 gm 500 gm	545 2375	3237	XANTHINE (2,4 Dihydropyentane) CAS 69-89-6 C ₉ H ₅ N ₄ O ₂ F. Wt. 152.11	5 gm 25 gm	755 3025
1715	VITAMIN C, AR GRADE CAS 50-81-7 C ₆ H ₈ O ₆ F. Wt. 176.13	25 gm 100 gm 500 gm	245 665 2885	2772	XYLENOL ORANGE, AR GRADE CAS 1611-35-4 C ₃₁ H ₃₂ N ₂ O ₁₃ S F. Wt. 672.67	5 gm 10 gm	415 750
1707	VITAMIN D ₃ (Cholecalciferol) * CAS 67-97-0 C ₂₇ H ₄₄ O F. Wt. 384.64	1 gm	1060	1312	D(+)XYLOSE CAS 58-86-6 C ₉ H ₁₀ O ₅ F. Wt. 150.13	25 gm 100 gm 500 gm	200 430 1700
1708	VITAMIN E, POWDER * (DL-Tocopherol Acetate) 50% Powder CAS 10191-41-0 C ₂₉ H ₅₀ O ₂ F. Wt. 430.71	50 gm	750	3515	YEAST EXTRACT PASTE For Bactriology	500 gm	875
1709	VITAMIN H (D-Biotin) * CAS 58-85-5 C ₁₀ H ₁₆ N ₂ O ₃ S F. Wt. 244.31	1 gm 10 gm 25 gm	595 4835 10710	4204	YEAST EXTRACT POWDER (Bacto Grade) For General Purpose For Bacteriology	500 gm	1260
1710	VITAMIN K ₃ (Menadione) CAS 58-27-5 C ₁₁ H ₈ O ₂ F. Wt. 172.18	25 gm	1210	4132	YTRTRIUM OXIDE 99.9% AR CAS 1314-36-9 Y ₂ O ₃ F. wt. 225.81	10 gm 25 gm	690 1490
1716	VITAMIN K ₃ SODIUM BISULPHITE * Water Soluble CAS 130-37-0 C ₁₁ H ₉ NaO ₃ S F. Wt. 276.24	25 gm 100 gm	850 2495	516	ZEATIN (Plant Growth Regulator) * CAS 1637-39-4 C ₁₀ H ₁₃ N ₅ O F. Wt. 219.25	100 mg 500 mg 1 gm	6990 29500 55000
1665	WRIGHT'S STAIN (Wright's Eosin Methylene Blue) CAS 68988-92-1	25 gm 100 gm	620 2205	4313	TRANS-ZEATIN RIBOSIDE	10 mg	25515
3004	XYLENE CYANOL FF (ACID BLUE 147) CAS 2650-17-1 C ₂₅ H ₂₇ N ₂ NaO ₆ S ₂ F. Wt. 538.61	5 gm 25 gm	1575 5815	493	ZINC ACETATE (Dihydrate), EXTRA PURE CAS 5970-45-6 C ₄ H ₆ O ₄ Zn.2H ₂ O F. Wt. 219.51	500 gm 50 Kg	520 POR
4310	XYLENOL ORANGE TETRASODIUM SALT, PRACTICAL GRADE CAS 3618-43-7 C ₃₁ H ₂₈ N ₂ O ₁₃ SNa F. Wt. 760.58	5 gm 10 gm	645 1165	494	ZINC ACETATE (Dihydrate), AR GRADE CAS 5970-45-6 C ₄ H ₆ O ₄ Zn.2H ₂ O F. Wt. 219.51	500 gm 50 Kg	775 POR
4311	XYLIDINE PONCEAU	25 gm	6505	4314	ZINC BORATE, EXTRA PURE CAS 1332-07-6 2ZnO.3B ₂ O ₃ .3.5H ₂ O F.Wt. 434.62	1 kg	4755
4312	XYLIDYL BLUE I SODIUM SALT, EXTRA PURE CAS 14936-97-1 C ₂₅ H ₂₀ N ₃ NaO ₆ S F.Wt. 513.50	1 gm	6755	677	ZINC CARBONATE BASIC CAS 5970-47-8 3Zn(OH) ₂ .2ZnCO ₃ F. Wt. 549.01	500 gm	1505
3093	X-GAL (5-BROMO-4-CHLORO-3 INDOLYL-β-D-GALACTOPYRANOSIDE) * CAS 7240-90-6 C ₁₄ H ₁₅ BrClNO ₆ F. Wt. 408.63	100 mg 500 mg 1 gm	1460 6910 13390	2369	ZINC CHLORIDE (ANH.), EXTRA PURE CAS 7646-85-7 ZnCl ₂ F. Wt. 136.30	500 gm 50 Kg	495 POR
				4315	ZINC CHLORIDE (ANH) Meets USP/EP/JP/BP CAS 7646-85-7 ZnCl ₂ F.Wt. 136.30	100 gm 500 gm 1 kg	1145 3230 4850
				2371	ZINC METAL, (Granules) CAS 7440-66-6 Zn F. Wt. 65.37	500 gm 50 Kg	1250 POR

W

X

Y

Z

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
700	ZINC METAL (Powder) (325 mesh) CAS 7440-66-6 Zn F. Wt. 65.38	500 gm 50 Kg	755 POR	495	ZINC OXIDE, EXTRA PURE CAS 1314-13-2 ZnO F. Wt. 81.38	500 gm 5 Kg 50 Kg	610 5485 POR
4133	ZINC (METAL) DUST 325 MESH, EXTRA PURE CAS 7440-66-6 Zn F. wt. 65.38	500 gm	885	496	ZINC OXIDE, AR GRADE CAS 1314-13-2 ZnO F. wt. 81.38	500 gm	810
4134	ZINC (METAL) DUST 325 MESH, AR GRADE CAS 7440-66-6 (Pharma Grade) Zn F. wt. 65.38	500 gm	950	2785	ZINC PICOLINATE CAS 17949-65-4 C ₁₂ H ₈ N ₂ O ₄ Zn ₂ F. Wt. 309.61	100 gm	4245
3507	ZINC CHLORIDE DRY, AR GRADE CAS 7646-85-7 ZnCl ₂ F. wt. 136.28	500 gm	760	2445	ZINCON SODIUM, AR GRADE CAS 62625-22-3 C ₂₀ H ₁₉ N ₄ NaO ₆ S F. Wt. 480.43	1 gm 5 gm	810 3995
4316	ZINC CITRATE TRIBASIC  DIHYDRATE CAS 5990-32-9 C ₁₂ H ₁₀ O ₁₄ Zn ₃ ·2H ₂ O F. Wt. 610.4	500 gm	2320	2777	ZINC STEARATE, Pharma Grade CAS 557-05-1 2(C ₁₈ H ₃₅ O ₂) ₂ Zn F. Wt. 632.33	500 gm	420
4317	ZINC  DIBENZYL DITHIOCARBAMATE, AR GRADE CAS 14726-36-4 C ₃₀ H ₂₈ N ₂ S ₂ Zn F. Wt. 610.19	25 gm	19590	497	ZINC SULPHATE (HEPTA), EXTRA PURE CAS 7446-20-0 ZnSO ₄ ·7H ₂ O F. Wt. 287.55	500 gm 5 Kg 50 Kg	285 2550 POR
4318	ZINC GLUCONATE  CAS 4468-02-4 C ₁₂ H ₂₂ O ₁₄ Zn F. Wt. 455.68	500 gm	2185	3508	ZINC SULPHATE (HEPTA), AR GRADE CAS 7446-20-0 ZnSO ₄ ·7H ₂ O F. Wt. 287.55	500 gm 5 Kg 50 Kg	460 4365 POR
4136	ZINC NITRATE (Hexahydrate), EXTRA PURE CAS 10196-18-6 Zn(NO ₃) ₂ ·6H ₂ O F. wt. 297.49	500 gm	535	499	ZINC SULPHATE (Monohydrate), Pharma Grade CAS 7446-19-7 ZnSO ₄ ·H ₂ O F. Wt. 179.48	500 gm 5 Kg 50 Kg	450 3950 POR
4319	ZINC OXALATE HYDRATE,  EXTRA PURE CAS 547-68-2 ZnC ₂ O ₄ ·xH ₂ O F. Wt. 153.41	500 gm	3410	4001	ZINC SULPHATE (Monohydrate), AR GRADE CAS 7446-19-7 ZnSO ₄ ·H ₂ O F. Wt. 179.48	500 gm 5 Kg	575 4875

pH Indicator Paper Strips

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 031	pH INDICATOR PAPER 1.0 - 14.0	200 lvs	300	TBL 057	pH INDICATOR PAPER 6.5 - 9.0	200 lvs	300
TBL 036	pH INDICATOR PAPER 2.0 - 10.5	200 lvs	300	TBL 061	pH INDICATOR PAPER 8.0 - 10.5	200 lvs	300
TBL 037	pH INDICATOR PAPER 2.0 - 4.5	200 lvs	300	1634	LITMUS PAPER - BLUE	200 lvs	300
TBL 044	pH INDICATOR PAPER 3.8 - 5.3	200 lvs	300	1636	LITMUS PAPER - RED	200 lvs	300
TBL 047	pH INDICATOR PAPER 3.5 - 6.0	200 lvs	300	1635	STARCH IODIDE PAPERS	200 lvs	300
TBL 048	pH INDICATOR PAPER 5.0 - 7.5	200 lvs	300				

pH Buffer Capsules

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
284	BUFFER CAPSULES pH 4.0	10 Cap. 10x10	205 1840	286	BUFFER CAPSULES pH 9.2	10 Cap. 10x10	205 1840
285	BUFFER CAPSULES pH 7.0	10 Cap. 10x10	205 1840				

Acids & Solvents

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
569	ACETIC ACID, Glacial CAS 64-19-7 CH ₃ COOH F. wt. 60.05	500 ml 2.5 ltr 5 ltr 25 ltr	POR POR POR POR	3200	POTASSIUM LACTATE 50% CAS 996-31-6 C ₃ H ₅ KO ₃ F. Wt. 128.17	500 ml	POR
568	ACETONE CAS 67-64-1 (CH ₃) ₂ CO F. wt. 58.08	500 ml 2.5 ltr 25 ltr	POR POR POR	4143	PROPICIONIC ACID CAS 79-09-4 C ₃ H ₆ O ₂ F. wt. 74.08	500 ml 2.5 ltr 25 ltr	POR POR POR
049	AMMONIA SOLUTION 25% CAS 1336-21-6 NH ₃ F. wt. 17.03	500 ml 2.5 ltr 5 ltr 25 ltr	POR POR POR POR	2401	SODIUM HYPOCHLORITE 4% CAS 7681-52-9 NaClO F. wt. 74.44	500 ml 1 ltr 5 ltr 25 ltr	POR POR POR POR
133	BRIJ 35 (Polyoxyethylene Lauryl ether) CAS 9002-92-0 C ₁₂ H ₂₅ O.(C ₂ H ₄ O) _n	500 ml	1100	2294	SODIUM LACTATE 60% CAS 72-17-3 C ₃ H ₅ NaO ₃ F. Wt. 112.06	500 ml	POR
023	BENZALKONIUM CHLORIDE 50% CAS 63449-41-2	500 ml 5 ltr 25 ltr	POR POR POR	696	SOLUTION FOR LEISHMAN STAIN (S.F.L) CAS 67-56-1 CH ₄ O F. wt. 32.04	500 ml 2.5 ltr 25 ltr	POR POR POR
4169	BENZALKONIUM CHLORIDE 80% CAS 63449-41-2	25 ltr 50 ltr	POR POR	665	TABOLENE GL (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr	POR POR
1861	ETHYL ACETATE CAS 141-78-6 CH ₃ COO ₂ H ₅ F. wt. 88.11	500 ml 2.5 ltr 25 ltr	POR POR POR	666	TABOLENE GLW (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) ForGlassware Cleaning	500 ml 5 Ltr	POR POR
1940	LACTIC ACID, (Hydroxy Propionic Acid), EXTRA PURE CAS 50-21-5 C ₃ H ₆ O ₃ F. Wt. 90.08	500 ml 2.5 ltr 25 ltr	POR POR POR	667	TABOLENE GP General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr	POR POR
718	FORMALDEHYDE SOLUTION 37-41% CAS 50-00-0 CH ₂ O F. wt. 30.03	500 ml 2.5 ltr 5 ltr 30 ltr	POR POR POR POR	2743	TERPINEOL (Mixture of Isomers) (PHARMA GRADE) CAS 8006-39-1 C ₁₀ H ₁₈ O F. Wt. 154.25	500 ml 2.5 Ltr	POR POR
353	ISO PROPYL ALCOHOL CAS 67-63-0 C ₃ H ₈ O F. wt. 60.10	500 ml 2.5 ltr 5 ltr 25 ltr	POR POR POR POR	2354	TRIETHANOLAMINE 85% CAS 102-71-6 C ₆ H ₁₅ NO ₃ F. Wt. 149.19	500 ml 5 Ltr 50 Ltr	POR POR POR
2163	OLEIC ACID, (Elainic Acid), EXTRA PURE (For Biochemistry) CAS 112-80-1 C ₁₈ H ₃₄ O ₂ F. Wt. 282.46 (Store at 2-8°C)	500 ml	POR	2356	TRIETHYLAMINE 99% CAS 121-44-8 C ₆ H ₁₅ NO ₃ F. Wt. 101.19	500 ml 2.5 Ltr 25 Ltr	POR POR POR
876	ORTHO-PHOSPHORIC ACID CAS 7664-38-2 H ₃ PO ₄ F. wt. 98.00	500 ml 2.5 ltr 5 ltr 25 ltr	POR POR POR POR	670	TWEEN 20® (Regd. Trademark ICI UK) CAS 9005-64-5 C ₅₈ H ₁₁₃ O ₂₆ F. Wt. 1226.5	500 ml 25 Ltr	POR POR
				673	TWEEN 80® (Regd. Trademark ICI UK) CAS 9005-65-6 C ₃₂ H ₆₀ O ₁₀ F. Wt. 604.8	100 ml 500 ml	POR POR

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5000	ACETIC ACID	25 Kg	POR	5019	CITRIC ACID (ANH.)	25 Kg	POR
5100	ACETIC ACID GLACIAL	25 Kg	POR	5020	CITRIC ACID, (Mono)	25 Kg	POR
5122	ACETIC ACID (9000)	25 Kg	POR	5098	COPPER SULPHATE (Penta)	50 Kg	POR
5001	ACETONE	25 Ltr	POR	5125	DEGREASER	25 Kg	POR
TBF 095	AGAR AGAR (TYPE-I)	25 Kg	POR	5024	EDTA DISODIUM	25 Kg	POR
TBF 104	AGAR AGAR (TYPE-II)	25 Kg	POR	5025	FERRIC CHLORIDE (ANH.)	50 Kg	POR
5002	AMMONIUM BICARBONATE, (Ammonium Hydrogen Carbonate)	50 Kg	POR	5026	FERROUS SULPHATE (Hepta)	50 Kg	POR
5003	AMMONIUM CHLORIDE	50 Kg	POR	5027	FOLIC ACID (Vitamin B ₉)	25 Kg	POR
5132	tri-AMMONIUM CITRATE	25 Kg	POR	5137	GALACTOSE	25 Kg	POR
5123	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE	50 Kg	POR	5028	GLYCEROL, (Glycerine)	35 Kg	POR
5021	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE (DAP)	50 Kg	POR	TBF 158	GLYCINE (Amino Acetic Acid)	25 Kg	POR
5095	AMMONIUM HYDROXIDE (Ammonia Solution)	25 Ltr	POR	5126	GLUCO DELTA LACTONE, (For Cheese)	25 Kg	POR
5004	AMMONIUM PERSULPHATE (For Distillery)	50 Kg	POR	5133	HYDROGEN PEROXIDE 35%	25 Kg	POR
5139	L-ARABINOSE	25 Kg	POR	5099	ISOPROPYL ALCOHOL	25 Ltr	POR
5113	L-ASCORBIC ACID	25 Kg	POR	5030	LACTIC ACID, (Hydroxy Propionic Acid)	25 Ltr	POR
5005	BENZOIC ACID	25 Kg	POR	5031	MAGNESIUM CHLORIDE (Hexa)	50 Kg	POR
5006	BUTYLATED HYDROXY ANISOLE, (B.H.A.)	25 Kg	POR	5032	MAGNESIUM SULPHATE, (Hepta)	50 Kg	POR
5007	BUTYLATED HYDROXY TOLUENE, (B.H.T.)	25 Kg	POR	5134	MANGANESE CHLORIDE	25 Kg	POR
5008	CAFFEINE (ANH) (Food Grade)	25 Kg	POR	5033	DL-MALEIC ACID	25 Kg	POR
5009	CALCIUM ACETATE, (Dried) (For Atorvastatin)	25 Kg	POR	5034	MANGANESE (II) SULPHATE, (Mono)	50 Kg	POR
5112	CALCIUM BUTYRATE	25 Kg	POR	5138	MANNOSE	25 Kg	POR
5010	CALCIUM CARBONATE (Precipitated)	50 Kg	POR	5127	METHYL PARABEN	10 Kg 25 Kg	POR POR
5011	CALCIUM CHLORIDE (ANH.)	50 Kg	POR	5035	METHYL PARABEN SODIUM	10 Kg 25 Kg	POR POR
5096	CALCIUM CHLORIDE (Dihydrate)	50 Kg	POR	5128	MICROSIL (Food Grade Sterilizer)	25 Ltr	POR
5012	CALCIUM CITRATE (Tetrahydrate)	50 Kg	POR	5036	NIACIN (Nicotinic Acid) (Vitamin B ₃)	25 Kg	POR
TBF 155	CALCIUM DIACETATE	25 Kg	POR	5037	NIACINAMIDE (Nicotinamide) (Vitamin PP)	25 Kg	POR
5124	CALCIUM GLUCONATE (Mono)	50 Kg	POR	5038	n-PROPYL GALLATE	25 Kg	POR
5013	CALCIUM HYDROXIDE (Purified)	50 Kg	POR	5039	ortho PHOSPHORIC ACID	25 Kg	POR
5014	CALCIUM LACTATE POWDER (Penta)	25 Kg	POR	5040	POLYVINYL PYRROLIDINE K-25 (PVP)	25 Kg	POR
5088	CALCIUM PEROXIDE	25 Kg	POR	5041	POLYVINYL PYRROLIDINE K-30 (PVP)	25 Kg	POR
5118	MONO CALCIUM PHOSPHATE (Monobasic) (MCP)	25 Kg	POR	5042	POTASSIUM ACETATE	25 Kg	POR
5022	di-CALCIUM PHOSPHATE (Dihydrate) (DCP)	25 Kg	POR	5101	POTASSIUM BENZOATE	25 Ltr	POR
5015	tri-CALCIUM PHOSPHATE (ANH.)	25 Kg	POR	5043	POTASSIUM BICARBONATE	50 Kg	POR
5016	CALCIUM PHOSPHATE (TCP)	25 Kg	POR	5090	POTASSIUM BROMATE	50 Kg	POR
5017	CALCIUM PROPIONATE	25 Kg	POR	5044	POTASSIUM CARBONATE (ANH.)	50 Kg	POR
5109	CALCIUM SULPHATE (ANH.)	50 Kg	POR	5045	POTASSIUM CHLORIDE	50 Kg	POR
5086	CALCIUM SULPHATE (Dihydrate)	50 Kg	POR				
TBF 206	CARRAGEENAN (Kappa)	25 Kg	POR				

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5079	tri-POTASSIUM CITRATE (Mono)	25 Kg	POR	5080	tri-SODIUM CITRATE, (ANH.)	50 Kg	POR
5046	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH.)	50 Kg	POR	5115	tri-SODIUM CITRATE, (Dihydrate)	50 Kg	POR
5063	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	POR	TBF 006	SODIUM DIACETATE, (Dry Vinegar)	25 Kg	POR
5047	POTASSIUM HYDROXIDE, FLAKES	50 Kg	POR	5069	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate)	50 Kg	POR
5048	POTASSIUM HYDROXIDE, PELLETS	50 Kg	POR	5023	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate)	50 Kg	POR
5135	POTASSIUM HYDROXIDE POWDER	25 Kg	POR	5119	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	POR
5049	POTASSIUM IODATE	25 Kg	POR	5085	SODIUM HYDROSULPHITE	50 Kg	POR
5050	POTASSIUM IODIDE	25 Kg	POR	5104	SODIUM HYPOCHLORITE 4%	25 Ltr	POR
5051	POTASSIUM METABISULPHITE	50 Kg	POR	5070	SODIUM HYDROXIDE FLAKES	50 Kg	POR
5052	POTASSIUM NITRATE	50 Kg	POR	5071	SODIUM HYDROXIDE PELLETS	50 Kg	POR
5091	POTASSIUM PERSULPHATE	50 Kg	POR	5117	SODIUM LAURYL SULPHATE	25 Kg	POR
5107	POTASSIUM PROPIONATE	25 Kg	POR	5072	SODIUM METABISULPHITE	50 Kg	POR
5092	POTASSIUM SODIUM TARTRATE	25 Kg	POR	5073	SODIUM NITRATE	50 Kg	POR
TBF 197	POTASSIUM SORBATE (GRANULAR)	25 Kg	POR	5074	SODIUM NITRITE	50 Kg	POR
5054	POTASSIUM SULPHATE	50 Kg	POR	5121	SODIUM OLEATE	25 Kg	POR
5055	PROPYLENE GLYCOL (1,2-Propanediol)	25 Ltr	POR	5075	SODIUM POTASSIUM TARTRATE, (Tetra)	25 Kg	POR
5103	PROPYLENE GLYCOL ALGINATE (PGA)	25 Kg	POR	TBF 127	SODIUM PROPIONATE	50 Kg	POR
5056	PROPYL PARABEN	25 Kg	POR	5120	SODIUM SULPHATE (ANH.)	50 Kg	POR
5057	PROPYL PARABEN SODIUM	25 Kg	POR	5076	SODIUM SULPHITE (ANH.)	50 Kg	POR
5058	SODIUM ACETATE (ANH.)	50 Kg	POR	5136	SODIUM TRIPOLYPHOSPHATE	25 Kg	POR
5059	SODIUM ACETATE (Trihydrate)	50 Kg	POR	TBF 2732	SORBIC ACID POWDER	25 Kg	POR
5060	SODIUM ACID PYROPHOSPHATE (SAPP)	50 Kg	POR	5110	SORBITOL LIQUID	25 Kg	POR
5114	SODIUM ALGINATE	50 Kg	POR	5093	SORBITOL POWDER	25 Kg	POR
5102	SODIUM ASCORBATE	25 Kg	POR	5078	TITANIUM DIOXIDE	25 Kg	POR
5061	SODIUM BENZOATE	25 Kg	POR	5082	POLYSORBATE 20	50 Kg	POR
5062	SODIUM BICARBONATE	50 Kg	POR	5083	POLYSORBATE 80	50 Kg	POR
5064	SODIUM BUTYRATE	25 Kg	POR	5108	UREA	50 Kg	POR
5065	SODIUM CARBONATE (ANH.)	50 Kg	POR	5094	XANTHAM GUM	25 Kg	POR
5066	SODIUM CARBONATE (Mono)	50 Kg	POR	5129	YEAST EXTRACT	25 Kg	POR
5067	SODIUM CHLORIDE	50 Kg	POR	5130	ZINC CARBOANTE	50 Kg	POR
5068	SODIUM CITRATE DIBASIC (Di Sodium Hydrogen Citrate)	50 Kg	POR	5131	ZINC CHLORIDE	50 Kg	POR
				5084	ZINC SULPHATE (Hepta)	50 Kg	POR
				5105	ZINC SULPHATE (Mono)	50 Kg	POR

Our all Food Products are Produced under FSSC and FSSAI Approved facilities.

Food Additives

CODE	PRODUCT NAME	CODE	PRODUCT NAME
FOOD PRESERVATIVE		DISINFECTANTS FOR FOOD INDUSTRY	
TBF 218	BUFFERED LACTIC ACID	TBF 222	MICROSIL (Nano Silver Disinfectant)
TBF 226	POTASSIUM LACTATE (Liquid)	TBF 159	STREPTO SOLENE (Disinfectant)
TBF 227	SODIUM LACTATE (Liquid)	GUMMING/THICKENING AGENTS	
TBF 128	CALCIUM PROPIONATE POWDER (VICTORY CAP)	TBF 095	AGAR AGAR POWDER (TYPE-I)
TBF 127	SODIUM PROPIONATE POWDER (VICTORY NAP)	TBF 104	AGAR AGAR POWDER (TYPE-II)
TBF 137	CALCIUM LIQUID (VICTORY NA)	TBF 206	CARRAGEENAN (Kappa) Refined
TBF 223	NATAMYCIN	TBF 156	CARRAGEENAN (Kappa) Semi Refined
TBF 224	NISIN	TBF 157	GELLAN GUM (Uses Milk, Juice Thicker & Smoother)
TBF 197	POTASSIUM SORBATE (VIMULX SORBATE)	1890	XANTHAN GUM
TBF 2732	SORBIC ACID POWDER (VIMULX SORBIC)	NUTRITIONAL PRODUCTS	
SEASONING / FLAVORING PURPOSE		TBF 010	BREWER YEAST PROTEIN
TBF 205	DI SODIUM SUCCINATE (Hexa)	TBF 219	COLLAGEN PEPTIDE (Bovine)
TBF 006	SODIUM DIACETATE (Dry Vinegar)	TBF 220	COLLAGEN PEPTIDE (Fish/Marine)
TBF 082	HYDROLYSED VEGETABLE PROTEIN (Soya) (High/Low Salt)	TBF 016	DRIED YEAST INACTIVE (for Biscuits)
TBF 083	HYDROLYSED VEGETABLE PROTEIN (Yeast) (High/Low Salt)	TBF 005	DARK MALT EXTRACT POWDER (Caramel Colour Replacer)
TBF 134	YEAST EXTRACT PASTE	TBF 129	MALT EXTRACT PASTE
TBF 100	YEAST EXTRACT POWDER (Chicken Flavor)	TBF 037	MALT EXTRACT POWDER
TBF 098 A	YEAST EXTRACT POWDER - R (High Salt)	TBF 114	MALT EXTRACT POWDER (Chocolate Flavor)
TBF 098	YEAST EXTRACT POWDER - R (Low Salt)	TBF 221	METHYL SULFONYL METHANE (MSM)
TBF 108	YEAST EXTRACT POWDER - R PLUS (Savoury Taste)	TBF 225	PEA PROTEIN ISOLATE
TBF 109	YEAST EXTRACT POWDER - R EXTRA PLUS (Savoury Taste)	TBF 105	SODIUM CASEINATE (PROTEIN 90%)
		TBF 207	SOYA LECITHIN LIQUID
		TBF 066	SOYA LECITHIN POWDER
		TBF 107	SOYA PROTEIN ISOLATE
		TBF 148	WHEY PROTEIN CONCENTRATE 35%
		TBF 149	WHEY PROTEIN CONCENTRATE 70%
		TBF 150	WHEY PROTEIN CONCENTRATE 80%



+91-011-71239900



marketing@titanbiotechltd.com



www.tmmedia.in

**For
Enquiry**

Agro Products

PRODUCT NAME
FORMULATED BIO-STIMULATORS
Nano AMINOFERT GOLD
AMINOFERT GOLD
Brassinolides 0.01% (PEP BASSIL DOUBLE)
Potassium Humate 20% (ECO GOLD LIQUID 20%)
Root Development Base (RDB BASE)
Seaweed Liquid 20% (SEA-PEP)
BASIC BIO-STIMULATORS
Amino Acid Mixture 40% (AMINOFERT- 400)
Amino Acid Mixture 50% (AMINOFERT- 500)
Amino Acid Mixture 70% (AMINOFERT- 700)
Amino Acid Mixture 80% (AMINOFERT- 800)
AMINO ACID CHELATED MINERALS
Boron Amino Acid Chelate-B 12% (AMINOFERT- B)
Calcium Amino Acid Chelate-Ca 12% (AMINOFERT- Ca)
Calcium Boron Amino Acid Chelate-CB 6:1 (AMINOFERT- CB)
Copper Amino Acid Chelate-Cu 12% (AMINOFERT- Cu)
Ferrous Amino Acid Chelate-Fe 12% (AMINOFERT- Fe)
Magnesium Amino Acid Chelate-Mg 6% (AMINOFERT- Mg)
Manganese Amino Acid Chelate-Mn 12% (AMINOFERT- Mn)
Molybdenum Amino Acid Chelate - Mo 2% (AMINOFERT- Mo)
Zinc Amino Acid Chelate-Zn 12% (AMINOFERT- Zn)
BIO-FUNGICIDES/ BIO-NEMATICIDES/ BIOPESTICIDES
Trichoderma Viride 1.5% W.P. (TRICHO PEP-V)
Trichoderma Harzianum 1.0% W.P. (TRICHO PEP-H)
Pseudomonas Fluorescens 1.0% W.P. (PSEUDO PEP)
Paecilomyces Lilacinus 1.0% W.P. (PAECILO PEP)
BEAUVERIA BASSIANA
BACILLUS SUBTILIS
METARHIZIUM ANISOPLIAE
BIO-FERTILIZERS
Mycorrhiza (Endo & Ecto 60 Spores/1200 IP/gm) (MYCO-PEP)
Mycorrhiza, Concentrated (3500 ip/gm) (MYCO KING)
Acetobacter (ACETO-PEP)
Azospirillum (AZOS-PEP)

PRODUCT NAME
Azotobacter (AZOTO-PEP)
Rhizobium (RHIZO-PEP)
Phosphate Solubilizing Bacteria (PSB PEP)
Potassium Solubilizing Bacteria (KSB PEP)
Zinc Solubilizing Bacteria (ZSB PEP)
Sulphur Solubilizing Bacteria (SSB PEP)
BIO-NPK (Consortium Of Nitrogen, Potassium & Phosphate Solubilising Bacteria)
ADJUVANTS & SPREADERS
SIL-ONE
PEP APSA 80
WATER SOLUBLE FERTILIZERS
SOLUBLE SULPHUR WITH CALCIUM
SOLUBLE SILICA WITH POTASSIUM
CROP TIGER
PLANT GROWTH REGULATORS (TECHNICAL)
POTASSIUM HUMATE 98%
SEAWEED EXTRACT
PLANT GROWTH REGULATORS (FORMULATIONS)(AS PER CIB & RC)
ANA 4.5% α -Naphthyl Acetic Acid 4.5% (PEP FRUIT FIX)
Forchlorfenuron (CPPU) 0.1% W/W
Gibberellic Acid (GA ₃) 0.001% (PEP GIBB)
Gibberellic Acid (GA ₃) 0.186% (PEP GIBB)
Paclobutrazol 23% SC (PEP STAR)
FUNGICIDES
COPPER OXYCHLORIDE 50% WP
COPPER OXYCHLORIDE 50% WG
COPPER OXYCHLORIDE 56% OP
TEBUCONAZOLE 2% D.S.
TEBUCONAZOLE 5.36% FS
INSECTICIDES
ACETAMIPRID 20% SP
CYPERMETHRIN 1.0% CHALK
CYPERMETHRIN 10% E.C.
CYPERMETHRIN 25% E.C.

Agro Products

PRODUCT NAME
INSECTICIDES
CARTAP HYDROCHLORIDE 4% GR
EMAMECTIN BENZOATE 5% SG
EMAMECTIN BENZOATE 1.9% EC
FIPRONIL 5% SC
FIPRONIL 80% WG
IMIDACLOPRID 0.3% GR
IMIDACLOPRID 2.15% GEL
IMIDACLOPRID 17.8% SL
IMIDACLOPRID 70% WS
IMIDACLOPRID 70% WG
IMIDACLOPRID 30.5% SC
LAMBDA CYHALOTHRIN 2.5% EC
LAMBDA CYHALOTHRIN 5% EC.
LAMBDA CYHALOTHRIN 10% WP
LAMBDA-CYHALOTHRIN 4.9% (Capsule Suspension)

PRODUCT NAME
PROFENOPHOS 50% EC
THIAMETHOXAM 25% WG
PESTICIDES
CHLORPYRIPHOS 2% RTU
CHLORPYRIPHOS 20% EC
CHLORPYRIFOS 50% EC
LIME SULPHUR 22% SC
HERBICIDES
CLODINAFOP PROPARGYL 15% WP
METRIBUZIN 70% W.P.
ACARICIDES
FENPYROXIMATE 5% EC
FENPYROXIMATE 5% SC
TRIAZOPHOS 20% E.C.
TRIAZOPHOS 40% E.C.



Customized & formulations packagings are also available for our B 2 B Customers



For more Formulations/Technicals, Please Contact Us

mail@peptechbio.com



PEPTECH BIOSCIENCES LIMITED

www.peptechbio.com



Biotechnology & Fermentation Products (Bacteriological Grade)

CODE	PRODUCT NAME	CODE	PRODUCT NAME
242 M	AGAR AGAR TYPE-I For General Purpose, Bacteriological Grade	1262	CASEIN ACID HYDROLYSATE (Technical) Bacteriological Grade
1201	AGAR AGAR POWDER Bacteriological Grade	1230	CASEIN ACID HYDROLYSATE (STD) TBL POWDER Bacteriological Grade
1202	AGAR AGAR POWDER Highly Purified	1231	CASEIN ACID HYDROLYSATE Less than 3% NaCl
1243	AGAR AGAR POWDER (HIGH GEL) At low temp. like NMT 38C	1232	CASEIN ACID HYDROLYSATE Special for Pertussis Vaccine production
1228	AGAR SPECIAL Equivalent to Agar Noble	1233	CASEIN ACID HYDROLYSATE (Vitamin Free) Bacteriological Grade
1203	AGAR AGAR POWDER (as per IP) Bacteriological Grade	1501	CASITONE Peptic Digest Casein With Dipeptides and Tripeptides
3540	AGAR AGAR For Molecular Biology	1512 V	VEG. CEH ENZYMATIC HYDROLYSATE (TYPE I) Equivalent to Casein Enzymatic Hydrolysate
1525	B. MEAT EXTRACT PASTE For General Purpose, Bacteriological Grade	1512	CASEIN ENZYMATIC HYDROLYSATE (TYPE I) Tryptic Digest Casein With Dipeptides (Tryptone Type I)
1204	B. MEAT EXTRACT POWDER (TYPE-I) For General Purpose, Bacteriological Grade	1513	CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER Bacteriological Grade
1205 V	VEG. BE EXTRACT POWDER Equivalent to Beef Extract Powder	1216	CORN MEAL EXTRACT POWDER Culture Media Ingredient
1205	B. MEAT EXTRACT POWDER Bacteriological Grade	3531	CORN STEEP LIQUOR Bacteriological Grade
1206	B. MEAT EXTRACT (STD) TBL POWDER Bacteriological Grade	1580	COTTON SEED PEPTONE Bacteriological Grade
1207	BILE SALT POWDER Bacteriological Grade	3533	DRIED YEAST POWDER (ACTIVE) Bacteriological Grade
1234	BILE SALT (STD) TBL POWDER Bacteriological Grade	1210	GELATIN CRYSTAL, Bloom Type B Bacteriological Grade
1208	BILE SALT MIXTURE Equivalent to Bile Salt No.3, Bacteriological Grade	1502 V	VEG. GEL PEPTONE Equivalent to Gelatin Peptone
1235	BILE SALT MIXTURE (STD) TBL POWDER Bacteriological Grade	1502	GELATONE (Gelatin Peptone) Bacteriological Grade
1236 V	VEG. BIOPEPTONE Equivalent to Biopeptone	3534	GELATONE (STD.) TBL POWDER Bacteriological Grade
1236	BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE) Used as Additional Enrichment of Microorganisms	1251 V	VEG. H. INFUSION POWDER Equivalent to Heart Infusion Powder
1240 V	VEG. BH INFUSION POWDER Equivalent to Brain Heart Infusion Powder	1251	HEART INFUSION POWDER Bacteriological Grade
1240	BRAIN HEART INFUSION POWDER Bacteriological Grade	1242 V	VEG. LB HYDROLYSATE Equivalent to Lactalbumin Hydrolysate
1262 V	VEG. CA HYDROLYSATE Equivalent to Casein Acid Hydrolysate	1242	LACTALBUMIN HYDROLYSATE Rich in All Essential Amino Acids and Suitable for Vaccine Production

Biotechnology & Fermentation Products (Bacteriological Grade)

CODE	PRODUCT NAME	CODE	PRODUCT NAME
3535	LACTOSE (Mono) (Gamma Irradiated) Bacteriological Grade	1219	MEAT INFUSION POWDER For Vaccine Production
4509	LACTOSE (MONO) , Sterile (Gamma Irradiated) (Triple Pack) Culture Media Ingredient	1504 V	VEG. MP PEPTONE Equivalent to Meat Peptone
1297	LIVER EXTRACT PASTE Bacteriological Grade	1504	MEAT PEPTONE Bacteriological Grade
1212 V	VEG. Liv. EXTRACT POWDER Equivalent to Liver Extract Powder	1259	MEAT PEPTONE - P Peptic Digest Animal Meat Tissue (Bacteriological Grade)
1212	LIVER EXTRACT POWDER Bacteriological Grade	1260	MEAT PEPTONE - T Tryptic Digest Animal Meat Tissue (Bacteriological Grade)
1241	LIVER EXTRACT POWDER (Protolysed) For Cultivation of Fastidious Anaerobes and Bulk Production Vaccines, Steroids and Enzymes	1507 V	VEG. MYCO PEPTONE Equivalent to Mycological Peptone
1239 V	VEG. LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Bacteriological Grade	1507	MYCOLOGICAL PEPTONE Bacteriological Grade
1239	LIVER HYDROLYSATE POWDER Hydrolysis of Liver by Enzyme, Bacteriological Grade	1518	MYCOLOGICAL PEPTONE (STD) TBL POWDER Bacteriological Grade
1213 V	VEG. Liv INFUSION POWDER Equivalent to Liver Infusion Powder	1524	OAT MEAL POWDER Bacteriological Grade
1213	LIVER INFUSION POWDER Suitable for Vaccine Production	1220	OX BILE POWDER General Purpose (Bacteriological Grade)
3537	D-MANNITOL (Gamma Irradiated) Bacteriological Grade	4506	PEA PROTEIN HYDROLYSATE (PEA PEPTONE) Bacteriological Grade
1298	MALT EXTRACT PASTE Bacteriological Grade	1527	PEPTONE PASTE Bacteriological Grade
1214	MALT EXTRACT POWDER Bacteriological Grade	3542	PEPTONE - F Bacteriological Grade
1215	MALT EXTRACT (STD) TBL POWDER Bacteriological Grade	1506	PEPTONE - R Bacteriological Grade
1299	MEAT EXTRACT PASTE Bacteriological Grade	1578	PEPTONE - RG (Granular) Bacteriological Grade
1217 V	VEG. M. EXTRACT POWDER Equivalent to Meat Extract Powder	1505 V	VEG. PEPTONE-TBL Equivalent to Peptone TBL
1217	MEAT EXTRACT POWDER Bacteriological Grade	1505	PEPTONE - TBL Bacteriological Grade
1218	MEAT EXTRACT (STD) TBL POWDER Bacteriological Grade	1519	PEPTONE (STD) TBL POWDER Bacteriological Grade
1219 V	VEG. M. INFUSION POWDER Equivalent to Meat Infusion Powder	1508	PEPTONE SPECIAL Equivalent to Neopeptone
		1581	PEPTONE TYPE-III Bacteriological Grade

Biotechnology & Fermentation Products (Bacteriological Grade)

CODE	PRODUCT NAME	CODE	PRODUCT NAME
1221 V	VEG. PM HYDROLYSATE Equivalent to Peptonized Milk	1512 V	VEG. TRYPTONE (TYPE-I) Veg. Enzymatic Digestive with Dipptides
1221	PEPTONIZED MILK Suitable for Lactobacilli, Yeast & Molds	1512	TRYPTONE (TYPE-I) Tryptic enzymatic digest of casein with dipeptides
1509 V	VEG. PP PEPTONE Equivalent to Proteose Peptone	1513	TRYPTONE (STD) TBL POWDER Bacteriological Grade
1509	PROTEOSE PEPTONE (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides	1521 V	VEG. TRYP HYDROLYSATE Enzymatic Hydrolysate of Protein, that replace Meat Infusion
1523	PROTEOSE PEPTONE (STD) TBL POWDER Bacteriological Grade	1521	TRYPTOSE Enzymatic hydrolysate of Protein that Replace Meat Infusion
221 M	SODIUM CHOLATE (Cholic Acid Sodium) Bacteriological Grade	1265	TRYPTOSE (STD) TBL POWDER To promote excellent growth of highly fastidious microorganisms
220 M	SODIUM DEOXYCHOLATE Bacteriological Grade	1629	WHEAT PEPTONE Bacteriological Grade
212 M	SODIUM TAUROCHOLATE Bacteriological Grade	1631	WHEAT EXTRACT TYPE-I Bacteriological Grade
1261	SODIUM TAUROGLYCOCHOLATE Bacteriological Grade	1637	WHEAT EXTRACT TBL POWDER Bacteriological Grade
3543	SOLUBLE STARCH Bacteriological Grade	1300	YEAST AUTOLYSATE POWDER Autolysate of Fresh Yeast For Bacteriology
3548	SOYATONE (HN) (Soya Peptone HN) Bacteriological Grade	1531	YEAST EXTRACT PASTE For Bacteriology
1510	SOYATONE (SOYA PEPTONE) Peptic Digest of Soyabean Meal, Bacteriological Grade	3550	YEAST EXTRACT POWDER - F Bacteriological Grade
1511	SOYATONE (STD) TBL POWDER (Soya Peptone) Bacteriological Grade	1532	YEAST EXTRACT POWDER - R Bacteriological Grade
3544	SOYATONE PASTE (Soya Peptone Paste) Bacteriological Grade	1224	YEAST EXTRACT POWDER TYPE-I Bacteriological Grade
1528	SOYATONE - R (Soya Peptone - R) Bacteriological Grade	1225	YEAST EXTRACT TBL POWDER Low salt content refined rich in B-group of Vitamins
3546	SOYATONE TYPE-I (Soya Peptone TYPE-I) Bacteriological Grade	1264	YEAST EXTRACT (STD) TBL POWDER Bacteriological Grade
1522	TRYPTONE - D Tryptic Digest Casein for Vaccine Production	4141	YEAST EXTRACT (ULTRA PURIFIED) Cell Culture Media Ingredients
1529	TRYPTONE - R General purpose for Bacteriology	1628	YEAST PEPTONE Bacteriological Grade
1520	TRYPTONE - T For tetanus Toxin		

Pharmaceuticals, Healthcare & Nutraceutical Products


CODE	PRODUCT NAME	CODE	PRODUCT NAME
TBF 007	BILE EXTRACT POWDER (Ox Bile Desicated)	TBF 171	PH PROTEIN CASITONE 20% (Liquid)
TBF 010	BREWER YEAST PROTEIN	TBF 172	PH PROTEIN CASITONE 30% (Liquid)
TBF 128	CALCIUM PROPIONATE POWDER (VICTORY CAP)	TBF 173	PH PROTEIN CASITONE 40% (Liquid)
TBF 211	CEREBROPROTEIN HYDROLYSATE POWDER (Tablet/Capsule Grade)	TBF 168	PH PROTEIN CASITONE 55-60% (Powder)
TBF 089	COLLAGEN PEPTIDE (TYPE - I)	TBF 169	PH PROTEIN CASITONE 75-80% (Powder)
TBF 202	COLLAGEN PEPTIDE (TYPE - I) (Instant)	TBF 170	PH PROTEIN CASITONE 90% (Powder)
TBF 200	COLLAGEN PEPTIDE (TYPE - I) (Super)	TBF 176	PH PROTEIN SOYATONE 20% (Liquid)
TBF 216	COLLAGEN PEPTIDE (TYPE-I & III)	TBF 177	PH PROTEIN SOYATONE 30% (Liquid)
TBF 090	COLLAGEN PEPTIDE (TYPE - II)	TBF 179	PH PROTEIN SOYATONE 40% (Liquid)
TBF 185	DRIED YEAST POWDER (Active)	TBF 174	PH PROTEIN SOYATONE 55-60% (Powder)
TBF 016	DRIED YEAST POWDER (Inactive)	TBF 175	PH PROTEIN SOYATONE-75-80% (Powder)
TBF 092	ESSENTIAL PHOSPHOLIPIDS	TBF 127	SODIUM PROPIONATE POWDER (VICTORY NAP)
TBF 213	HEPATOHYDROLYSATE (Liver Protein Hydrolysate)	TBF 178	SODIUM CASEINATE (Protein 90%)
TBF 077	IRON PROTEIN SUCCINYLA TE (Syrup / Tablet Form)	TBF 066	SOYA LECITHIN POWDER
TBF 187	LIVER EXTRACT PASTE	TBF 148	WHEY PROTEIN CONCENTRATE 35%
TBF 188	LIVER EXTRACT POWDER	TBF 149	WHEY PROTEIN CONCENTRATE 70%
TBF 129	MALT EXTRACT PASTE	TBF 150	WHEY PROTEIN CONCENTRATE 80%
TBF 037	MALT EXTRACT POWDER	TBF 134	YEAST EXTRACT PASTE
TBF 208	MARINE COLLAGEN PEPTIDE (Fish Collagen)	TBF 136	YEAST EXTRACT POWDER - F
TBF 130	MEAT EXTRACT POWDER	TBF 098	YEAST EXTRACT POWDER - R
TBF 003	MEDICINAL YEAST	TBF 186	YEAST EXTRACT POWDER (Type-1)
TBF 094	METHYL SULFONYL METHANE (MSM)		
TBF 001	Di SODIUM GLYCINE CARBONATE (For Effervscent Tablet)		
TBF 002	MONO SODIUM GLYCINE CARBONATE (For Effervscent Tablet)		
TBF 040	PANCREATIN 1NF	TBF 138	CHELATED MINERALS CALCIUM AMINO ACID CHELATE 12%
TBF 041	PANCREATIN 4NF	TBF 214	CALCIUM MAGNESIUM CHELATE 6:1 %
TBF 106	PANCREATIN 8NF	TBF 139	CHROMIUM AMINO ACID CHELATE 5%
TBF 047	PEPTONE (Pharma Grade)	TBF 140	COBALT AMINO ACID CHELATE 2%
TBF 215	PEPTONE PASTE	TBF 141	COPPER AMINO ACID CHELATE 12%
TBF 054	PROTEIN HYDROLYSATE LIQUID 20% (Casein)	TBF 204	FERROUS BISGLYCINATE
TBF 056	PROTEIN HYDROLYSATE LIQUID 30% (Casein)	TBF 153	IODINE AMINO ACID CHELATE 1%
TBF 058	PROTEIN HYDROLYSATE LIQUID 40% (Casein)	TBF 142	IRON AMINO ACID CHELATE 12%
TBF 053	PROTEIN HYDROLYSATE POWDER 55-60% (Casein)	TBF 143	MAGNESIUM AMINO ACID CHELATE 6%
TBF 052	PROTEIN HYDROLYSATE POWDER 75-80% (Casein)	TBF 144	MANGANESE AMINO ACID CHELATE 12%
TBF 051	PROTEIN HYDROLYSATE POWDER 90% (Casein)	TBF 145	POTASSIUM AMINO ACID CHELATE 20%
TBF 163	PROTEIN HYDROLYSATE LIQUID 20% (Soya)	TBF 146	SELENIUM AMINO ACID CHELATE 2%
TBF 164	PROTEIN HYDROLYSATE LIQUID 30% (Soya)	TBF 147	ZINC AMINO ACID CHELATE 12%
TBF 165	PROTEIN HYDROLYSATE LIQUID 40% (Soya)	TBF 201	ZINC ASCORBATE
TBF 166	PROTEIN HYDROLYSATE POWDER 55-60% (Soya)	TBF 203	ZINC BISGLYCINATE
TBF 167	PROTEIN HYDROLYSATE POWDER 75-80% (Soya)		

Veterinary & Animal Feed Ingredients

CODE	PRODUCT NAME	CODE	PRODUCT NAME
	CONTRIBUTING NUTRITION TO FEED		
TVA 001	NUTRIVET - 2000 Protein Hydrolysate Liquid-20% (Casein / Soya)	TVA 028	NUTRIVET - CU Copper Amino Acid Chelate 12%
TVA 002	NUTRIVET - 3000 Protein Hydrolysate Liquid-30% (Casein / Soya)	TVA 029	NUTRIVET - FE Iron Amino Acid Chelate 12%
TVA 003	NUTRIVET - 4000 Protein Hydrolysate Liquid-40% (Casein / Soya)	TVA 030	NUTRIVET - I Iodine Amino Acid Chelate 1%
TVA 004	NUTRIVET - 5560 Protein Hydrolysate Powder 55-60% (Casein / Soya)	TVA 031	NUTRIVET - MG Magnesium Amino Acid Chelate 6%
TVA 005	NUTRIVET - 7580 Protein Hydrolysate Powder 75-80% (Casein / Soya)	TVA 032	NUTRIVET - MN Manganese Amino Acid Chelate 12%
TVA 006	NUTRIVET - 9000 Protein Hydrolysate Powder 90% (Casein)	TVA 033	NUTRIVET - SE Selenium Amino Acid Chelate 0.02%/ 0.05%
TVA 007	NUTRIVET - BEP Meat Extract Powder	TVA 034	NUTRIVET - ZN Zinc Amino Acid Chelate 12%
TVA 008	NUTRIVET - BP Meat Extract Paste	TVA 035	NUTRIVET - CAP Calcium Propionate Powder
TVA 009	NUTRIVET - BY Brewer Yeast Protein	TVA 037	NUTRIVET - NAP Sodium Propionate Powder
TVA 010	NUTRIVET - DYI Dried Yeast Inactive	TVA 036	NUTRIVET - CBT Calcium Butyrate Powder
TVA 011	NUTRIVET - LC 2 mcg Liver Crude (1:15) (Injectible)	TVA 038	NUTRIVET - SBT Sodium Butyrate Powder
TVA 012	NUTRIVET - LC 8 mcg Liver Crude (1:50) (Injectible)	TVA 039	NUTRIVET - CAGL Calcium Glycinate
TVA 013	NUTRIVET - LYC-20 Live Yeast Culture	TVA 040	NUTRIVET - CUGL Copper Glycinate
TVA 014	NUTRIVET - LEP Liver Extract Powder	TVA 041	NUTRIVET - FEGL Ferrous Glycinate
TVA 015	NUTRIVET - LP Liver Extract Paste	TVA 042	NUTRIVET - MGGL Magnesium Glycinate
TVA 016	NUTRIVET - MOS (Mannan Oligosaccharides)	TVA 043	NUTRIVET - MNGL Manganese Glycinate
TVA 017	NUTRIVET - OBP Ox Bile Extract Powder (Ox-Bile Desiccated)	TVA 044	NUTRIVET - ZNGL Zinc Glycinate
TVA 018	PANCREATIN 1NF	TVA 045	NUTRIVET-DYA Dried Yeast Active
TVA 019	NUTRIVET - PEP Peptone Powder	TVA 046	AQUATIC PROTEIN 40% Protein 40% (for Aquatic Animals like Fish & Shrimps)
TVA 020	NUTRIVET - PP Peptone Paste	1110	GLYCINE
TVA 021	NUTRIVET - ST Stomach Extract Powder		AMINO ACID CHELATED MINERALS
TVA 022	NUTRIVET - YCW Yeast Cell Wall	TVA 025	CALCIUM AMINO ACID CHELATE 12%
TVA 023	NUTRIVET - YEP Yeast Extract Powder	TVA 026	CHROMIUM AMINO ACID CHELATE 5%
TVA 024	NUTRIVET - YP Yeast Extract Paste	TVA 027	COBALT AMINO ACID CHELATE 0.2% & 2%
TVA 025	NUTRIVET - CA Calcium Amino Acid Chelate 12%	TVA 028	COPPER AMINO ACID CHELATE 12%
TVA 026	NUTRIVET - CH Chromium Amino Acid Chelate 5%	TVA 030	IODINE AMINO ACID CHELATE 1%
TVA 027	NUTRIVET - CO Cobalt Amino Acid Chelate 0.2% & 2%	TVA 029	IRON AMINO ACID CHELATE 12%
		TVA 031	MAGNESIUM AMINO ACID CHELATE 6%
		TVA 032	MANGANESE AMINO ACID CHELATE 12%
		TVA 033	SELENIUM AMINO ACID CHELATE 0.02%/ 0.05%
		TVA 034	ZINC AMINO ACID CHELATE 12%



REMARKABLE PRESENCE IN MORE THAN 77 COUNTRIES



TTAN BIOTECH LIMITED

Manufacturer & Exporter



For Online Shopping

www.amazon.in

www.mymicrolab.com

