TM MEDIA®



PRICE LIST

2022-23

TM MEDIA®

www.tmmedia.in

PRICE LIST 2022 - 23

TITAN BIOTECH LIMITED

Manufacturer & Exporter

ISO 9001:2015 ISO 13485:2016 ISO 11133:2014 fssai GMP CE FSSC 22000

R. O. & WORKS
Unit I : A-902 A, RIICO Industrial Area, Phase-III, Bhiwadi-301019, (Raj.), India
Unit II : E-540, Industrial Area, Chopanki, Bhiwadi-301707, (Raj.), India

CORPORATE OFFICE
903-909, 9th Floor, Bigjos Tower, Netaji Subhash Place,
Delhi-110034, India

+91-9999-1687-70 www.tmmedia.in marketing@titanbiotechltd.com



GENERAL TERMS AND CONDITIONS

SERVICES
A team of experts are dedicated to provide the highest levels of technical support and customer service. The Technical service department is available to answer questions about products. Along with it our technical sales representative is equipped with knowledge for product selection and evaluation.

ORDERS
The foremost mandatory point is that the order must carry complete details such as TM Product Code, Product Name, Pack Size and Price. In case the adequate information is not shared, the order will not be processed further. Orders, once placed, will not be edited or cancelled. Orders placed with us for execution, may be supplied directly through our stockist which is company's prerogative. All correspondence related to Purchase Orders should be done at our Headquarters (Delhi, India).

PRICE
The price mentioned in this list are applicable from 1st April 2022. No previous price list is applicable. This price list to be treated for further order and confirm these prices when placing an order. The prices are subject to change without prior notice. With mutual consent, the order will be finalized in case of change in price. All the amendments for the year 2022-23 will be updated on website www.tmmedia.in/ product catalogue

TAXES AND DUTIES
Good and Service Tax (GST) is applicable on the products above the prices mentioned. State Road Permit/ E-Way Bills is also essential (if applicable), without which order despatch will not be processed. In case of any exemptions from GST, the certificate must be shared with the order otherwise GST will be charged extra as applicable.
Our GST No. is 08AAACT0078J1ZA.

STANDARD PACK SIZE
The orders for Culture Media and Media Bases are accepted in lot of 20 X 500 gm, 40 X 100 gm. Order for liquid items like Inorganic Acids, Ammonia Solution, Organic Solvents, other chemicals are accepted in lots of 20 X 500 ml (Plastic Bottles), 4 X 2.5 ltr and 2 X 5 ltr. In case of chemical in powder form, the order size begins with 20 X 500gm. A similar standard is followed for Media supplements and other products. This is essential to avoid breakage during transit. Every possible care is taken care during packaging as a standard operating procedure. Though we cannot assure breakage / leakage on delivery, we accept no responsibility of transportation.

DANGEROUS GOODS
Highly inflammable and corrosive materials are not accepted by road carriers and passenger trains and hence quick delivery cannot be assured.
To know about material safety for product, Material Safety Data Sheet (MSDS) is available on website www.tmmedia.in.

INSURANCE
If requested, the goods can be insured and charged on the invoice.

DELIVERY & FREIGHT
TM Media takes pride to provide the best customer service. As a mandate, the orders are processed and delivered within the specified schedule shared on the sales quote. In case of orders that require special handling, an additional fee might be applicable. All orders of the net value (after discount) of Rs. 25,000/- or more will be supplied F.O.R destination by general road transporter (if the location falls under ODA location supply would be till transporter godown). For orders with net value less than (after discount)Rs. 25,000/-, the consignment will be dispatched on freight to pay basis. The amount mentioned is without GST. This is not applicable for the products on Page no.279-281. Freight charges will be prepaid and added to the invoice as a separate item. There is a minimum charge per shipment for shipping and handling. A hazardous charge will be processed for shipment of hazardous materials. We recommend consolidating all hazardous materials onto a single order if possible to minimize hazardous charges. Please report all questions regarding a shipment to Customer Service within 7 days of receipt.

PAYMENTS
The payment must be made along with orders. In case of credit is given from the date of receipt of the consignment, the terms of payment must be met without any delay. In case the party fails to adhere, an interest of 18% will be charged from the due date. Payments must be made in demand draft, pay order, cheques drawn in favour of "Titan Biotech Ltd."

BANK DETAILS

A/C Name	Titan Biotech Limited
Bank Name	HDFC Bank
A/C No.	50200014683687
Branch Add.	B-34, Ashok Vihar, New Delhi-110052
IFSC Code	HDFC 0001261

STANDING ORDERS
Standing orders are welcome and such requests must be received at least 10 working days prior to the scheduled shipment.

DAMAGE
In the event of damaged goods, it is advised to retain goods and packaging. Kindly advise our office and the local carrier without delay.

RETURNS
Any issue related to product return must be coordinated with our representative. Request for returns must be made within 7 days of receipt. No returns will be entertained if there has been any error from customer. Perishable or temperature sensitive products cannot be returned for any reason. These items include but are not limited to:

• Blood Culture Media • Reagents • Diagnostic Tests • Prepared Culture Media
• Susceptibility and Differentiation Disks • Dehydrated Culture Media • Chemicals

The return will be accepted after due submission of adequate information, sufficing the reason of return. If the requested information is not received within 7 days we shall consider that we have dealt with complaint and the matter will be treated as "closed". Full and final replacement along with return invoice should be completed within 15 days.

COPYRIGHT
No imitation of our brand logo of TM Media or brand packaging is allowed. If found otherwise, Titan Biotech Ltd has full authority to take such situation in court for legal action. Titan Biotech Ltd will take no responsibility of any damage caused by fake or imitated products. It is advised that the customers must avoid such sellers for their own best interests. To know if the product is authentic, please reach out to marketing@titanbiotechltd.com

TECHNICAL SUPPORT AND DOCUMENTATION
All the product information and quality control specifications, which include ISO guidelines, GMP guidelines, USP/JP/EP/BP and also CLSI guidelines are provided in the TM Media Manual. For a copy of the manual please contact your local Technical Sales Representative or Technical Service at customercare@titanbiotechltd.com Also, for Technical Data (TD), Material Safety Data Sheet (MSDS), Certificates of Analysis (COA) are available 24/7 on www.tmmedia.in.

DISCLAIMER
All the items listed here are for Laboratory use only and we assume no responsibility whatsoever, if used otherwise.

FORCE MAJURE
We and our authorized stockists shall not be responsible for any delay or part supply due to circumstances beyond our control such as riots, strikes, civil commotion, shortage of raw material, natural calamities, government restrictions and budgetary changes by the Government etc. However, the period of delay would be informed to the customers.

JURISDICTION
All disputes are subject to Alwar, Rajasthan jurisdiction only.




DIGITALLY, AROUND THE GLOBE

Our website www.tmmedia.in facilitates our customer with:

- ✓ Anytime access to Technical Data (TD), Certificate of Analysis (COA) and Material Safety Data Sheet (MSDS).
- ✓ Easy search and enquiry for the multiple product.
- ✓ Staying ahead with the relevant information via 'BLOGS' section on our website and regular emails.

Steps to view and download product related documents





Step 1

Browse www.tmmedia.in. Find links to COA, MSDS and TD on the right side of screen. Click on the desired option.

Step 2

Pop- up will appear. In case of TD and MSDS, enter Product Code or Product Name. In case of COA, enter Batch no. / Lot no. Click on 'Submit'.





Step 3

The result page will allow to check the product code and name. The link will let you view/download. You'll also get the email along with related PDF..

TITAN BIOTECH LTD.

We at Titan Biotech Limited have committed our state of the art technology towards quality management and quality assurance. The motto of the company is to achieve customer satisfaction with the desired quality product at competitive cost. The company is invested with well-trained professionals to follow International Quality Standards. The management assures the compliance with periodic reviews and mystery audits. Mandatorily, every production batch is tested and its COA and MSDS are recorded in the pre-defined format.

Suresh Singla
MANAGING DIRECTOR



The Brand-TM Media

With pleasure, we introduce our updated Price list for the financial year 2022 -23. As a commitment to this industry, even this year we have introduced newer products. Titan Biotech Ltd. started its journey in 1992 to pursue innovation in the field of biotechnology and advanced life science. The strong hold on technical expertise has given wings to our business journey with the remarkable market presence in more than 77 countries. Under the brand 'TM Media', Titan Biotech Limited has flourished with its microbiology products in full length around the world.

The Research and Development department supports our objective to evolve and keep pace with the industry's growing needs.The product range has emerged manifold with more than 2000 products for categories including Biological Media Bases, Dehydrated Culture Media, Media Supplements, Readymade Culture Media (in all forms), Molecular Bio Grade Chemicals, Antibiotic Sensitivity Discs, Plant Tissue Culture Media, Laboratory Chemicals and Microbiological Consumables. We understand our customers' choices very well, thus Culture Media are available from veg and non veg sources. TM Media has expatiated its product list for applications in various industries including Pharmaceutical, Nutraceutical, Medical & Diagnostics, Food & Beverages, Biotechnology & Fermentation, Cosmetic, Veterinary & Animal Feed, Agriculture industries as well as for research projects.

Our quality standards of production facility and products are regulated and certified by International organizations. We are glad to have support from Pharmexcil, Capexil, FIEO and AIFPA for trade relations.The entirety of the company is grounded with belief in relationship and quality. We own the responsibility to fulfill customers' particular requirements. The formula has been simple for us that our progress is when our customers progresses.

Suresh Singla

MANAGING DIRECTOR

CERTIFICATES



ISO 13485:2016





FSSC 22000



FSSAI

ISO 11133:2014



"We believe in Quality and relationship"


GMP






ISO 9001:2015

REGISTRATION CERTIFICATE
EUROPEAN UNION





LABEL



1. Product Name
2. Synonym of Product Name
3. Use of the Product
4. Received/Opened Date
5. For in Vitro Diagnostics
6. ISO Certification Number 13485:2016
7. Caution
8. Expiry Date
9. Country of Origin
10. Copyright Clause
11. Company Name & Address
12. Company Logo
13. Symbol for Certification of Good Manufacturing Practices
14. Symbol for European Conformity
15. Manufacturer Symbol
16. Customer Care Cell (Contact No. & Email ID)
17. Website URL
18. ISO Certification 9001:2015 & 11133:2014
19. QR Code Scan for Technical Data
20. Product Code Number
21. Pack Size
22. Lot/Batch Number
23. Product's Brand Name
24. Disposal Procedure
25. Instructions for Preparation of Medium
26. pH Range
27. Composition of lthe Medium
28. Formula Weight

PACKING

Dehydrated Culture Media



25 Kg



5 Kg



1 Kg



500 gm



250 gm

Molecular Biology Grade Chemicals*



250 gm 500 gm 1 Kg 5 Kg

Lab Chemicals*



500 gm 100 gm

Antibiotic Disc



1 Vial : 100 Discs



1 Cartridge : 250 Discs



1 Blister Set : 5 X 50 Discs

Viral Transport Kit



Ready to Use Culture Media



5 Plates Pack



50 ml



25 ml

*Bulk quantity is available on request



PHARMA MICROBIOLOGY SOLUTIONS

AIR SAMPLER

User- friendly and comprehensive technology

Features	Complete Package
Validated as per BS EN ISO 14698- Part 1, for Physical and Biological efficiency. PC connectivity to meet 21 CFR: Part 2 requirements. Inbuilt adaptors for 90 mm and 55 mm plates.	Air Sampler High Strength Carry Case Charger And Pc Cord Remote Two Petri Plates

For Price Follow Page No. 208

ABSOLUTE EM PLATES

Features		Pack Size
◆ Available in 90 mm and 55 mm ◆ Gamma Irradiated ◆ Triple Packaging	◆ Sterility assurance level SAL 10^{-5} ◆ Gamma Indicator on label ◆ With β- Lactamase Enzyme	Unit of 5 wrapped plates up to total of 20 or 50 plates.

For Price Follow Page No. 168-174

FLUID THIOGLYCOLLATE MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms	Light straw colour, clear to slightly opalescent solution with upper 10% or less medium pink on standing	100 ml X 25	TMKH 001S

For Price Follow Page No. 176

SOYA CASEIN DIGEST MEDIUM (BOTTLE)

Use	Appearance	Pack Size	Product Code
For the evaluation of sterility in manufacturing processes.	Light yellow colour, clear solution.	100 ml X 10	TMKH 003S

For Price Follow Page No. 176

RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (TUBE)

Use	Appearance	Pack Size	Product Code
For the selective enrichment of *salmonellae*.	Greenish blue colour, clear to slightly opalescent solution	10 ml X 25	TMTH 010

For Price Follow Page No. 178

β- LACTAMASE ENZYME

Use	Pack Size	Product Code
For inactivation of a wide range of antibiotics like Penicillins, Cephalosporins, and Carbapenems. (depending upon on supplement)	1 Vial	TS 261 TS 262 TS 263 TS 263G TS 264

For Price Follow Page No. 151

CLINICAL MICROBIOLOGY SOLUTIONS



MaCCONKEY AGAR

MacConkey in NEW avatar

Use	Appearance	Pack Size	Product Code
For cultivation and differentiation of enteric bacteria and gram positive microorganisms especially Enterococcus faecalis within 18 hours.\F.wt: 55.00 gm/ltr	**Powder:** Light yellow to pink homogeneous free flowing powder **Prepared Medium:** Orange red coloured clear to slightly opalescent gel	500 gm	TM 1898

For Price Follow Page No. 83

VIRAL TRANSPORT KIT

Easy, Safe, Collect & Transport

Use	Appearance	Complete Package	Pack Size	Product Code
Easy, Collect and Transport of Viral Sample.	Red colour clear solution	Viral Transport Medium Throat swab or Nasopharyngeal swab (Provided as per product code)	50 nos.	TMVT 001 TMVT 002 TMVT 003

For Price Follow Page No. 185

MUELLER HINTON AGAR

Use	Appearance	Pack Size	Product Code
For Cultivation of Neisseria & for determination of susceptibility of microorganisms to antibiotics. Performance is acc. to CLSI (NCCLS) and complies with WHO, FDA and EUCAST. F.wt: 38.00	**Powder:** Cream to yellow homogeneous free flowing powder. **Prepared Medium:** Light amber coloured clear to slight opalscent gel	100 gm 500 gm	TM 339

For Price Follow Page No. 90

SHEEP BLOOD AGAR PLATE

Use	Appearance	Pack Size	Product Code
For isolation, cultivation and detection of fastidious microorganisms like streptococci and pneumococci. Best haemolysis.	Cherry red coloured opaque gel	Unit of 5 wrapped plates up to total of 20 or 50 plates	TMP 017

For Price Follow Page No. 172

CHROMOGENIC UTI AGAR

Use	Appearance	Pack Size	Product Code
For presumptive identification of microorganisms mainly causing urinary tract infections. F.wt:32.45 gms/ltr	**Powder:** White to cream homogeneous free flowing powder **Prepared Medium:** White coloured, opaque gel with precipitate	100gm 500gm	TM 1199

For Price Follow Page No. 47

ANTIBIOTIC DISCS

Use	Packaging
Used for Antimicrobial susceptibility testing(AST)as per CLSI (NCCLS). Filter Paper disc of 6.0 mm diameter. Abbreviation along with conc. printed on centre of both side of each disc.	Vials (vl) : 1 vl = 100 discs 5vl = 5 x 50 discs Blister (B.set) : 1 B.set = 5 x 50 discs Cartridges (ct) : 5ct= 5 x50disc

For Price Follow Page No. 187-193

ANAEROBIC JAR

Most Convenient, Rapid & Cost Effective System

Use	Complete Package
Used for cultivation of anaerobic and microaerophilic microorganisms	Polycarbonate jar- 1 unit Sturdy aluminium lid clamp and sealing ring with built in safety feature- 1 unit Aluminium lid with pressure valve, safety valve & 2 way pressure gauge - 1 unit Anaerobic indicator tablet -1x5 or 1x 10 Anaerobic gas pack- 1x 5 Petriplate carrier – 1 unit

For Price Follow Page No. 200

BLOOD CULTURE BOTTLES

Diagnostic tool for the detection of bacteremia and fungemia



What is blood culture?

A blood culture is a laboratory test in which blood, taken from patient, is inoculated into bottles containing culture media to determine whether infection causing microorganisms are present in the patient's bloodstream.

Why are blood culture bottles important?

- Confirm the presence of microorganism in bloodstream.
- Identify the microbial etiology of the bloodstream infection.
- Help determine the source of infection (e.g., endocarditis).
- Provide an organism for susceptibility testing and optimization of antimicrobial therapy.

How to use blood culture bottles?

- Label the ready to use blood culture bottle. Remove the top seal of the cap.
- Disinfect the part of the rubber stopper which is now exposed.
- Draw patient's blood with the sterile or disposable needle and syringe.
- Transfer the blood sample immediately into the culture bottle by puncturing the rubber stopper with the needle and injecting the blood.
- Incubate at 35-37°C for 24-48 hours and further for 7 days to confirm negative results.

For Price Follow Page No. 182


BUFFERED PEPTONE WATER BPW BAGS

Reducing the workflow!









Suitable for wide range of samples: Food testing requires a pre-enrichment process to ensure detection of even small levels of microbes in the product. BPW bags solve the purpose and provide the best solution for bulk media handling for microbiologists.

Save Time: BPW bags take the hassle out of media preparation. Eliminates the need for washing of glassware and heat sterilization for media preparation. There is no need to wait for hot media to cool down. BPW bags can be used immediately.

Easy-to-use: Dispense with minimum training.

Cost-effective: No need for weighing of media or sterilization, reducing the burden of media preparation, which frees up resources and equipment.

Flexible: BPW bags allows to cope seamlessly with large fluctuations in workload. They enable the laboratories to be highly flexible and respond efficiently to the media demands of variable sample through-put.

Energy saving: Primary sterilization through autoclaving and terminal sterilization through gamma irradiated, eliminate the need for costly thermal processing.

Safe: Eliminate handling of glassware, weighing of culture media, and the need to add supplementary reagents. Empty bags are completely safe to use.

Quality guaranteed: Compliant with ISO 11133, ISO 6579, ISO 11290, ISO 21528, ISO 6687. Quality certificates are available for every batch, reducing the QC testing needed.

Space-saving: Conveniently packed and takes up relatively little space.

Longer Shelf Life: BPW bags can be kept for up to 12 months when stored as recommended.

Hanging Resistance: Notch on the top of the Media Bag allows the technician to hang the bag. These hanging bags are strong enough to tolerate the pressure that builds in due to the medium in it.


Closed System: The BPW Bags are a closely packed system that will help you keep your worries of media contamination at bay. Just make sure to use under aseptic conditions only.

Easy Disposal: Disposal is not an hassle, empty bag is simply disposed of with normal laboratory waste.

For Price Follow Page No. 175

PRODUCT SPECIFICATION

TM 426 | VIOLET RED BILE AGAR



Escherichia coli

Violet Red Bile Agar (VRBA) is a modification of the MacConkey's original formulation is used for the enumeration of coli-aerogenes bacterial group. It is recommended for the isolation and enumeration of coli-aerogenes from water, milk and other dairy products. The medium contains bile salts and crystal violet which serve as inhibitory agents toward some gram-positive microorganisms, especially *Staphylococci*. Neutral red employed as pH indicator. Violet Red Bile is a selective medium used to detect and enumerate lactose-fermenting coliform microorganisms. Lactose-fermenting microorganisms produce pink to red colonies that are generally surrounded by a reddish zone of precipitated bile. Non-lactose-fermenting microorganisms result in colorless colonies. It can be utilized for the presumptive identification of coliforms in milk and other food materials according to the APHA (Standard Methods for the Examination of Milk Products).




Aspergillus niger

TM 387 | SABOURAUD DEXTROSE AGAR


Sabouraud Dextrose Agar (SDA) modification of Sabouraud agar (Carlier) is a selective medium primarily used for the isolation of dermatophytes, other fungi and yeasts but also grow filamentous bacteria such as Nocardia. This medium is also employed to determine mycological evaluation of food, contamination in cosmetics and clinically to aid in the diagnosis of yeast and fungal infections. The medium's high dextrose concentration and acidic pH (about 5.0) inhibit the growth of bacteria but permits the growth of yeast and fungi. Antibacterial agents can also be added to augment the antibacterial effect. Antibiotics like chloramphenicol, gentamicin, and tetracycline can be added as selective agents to inhibit bacterial overgrowth of competing microorganisms while permitting the successful isolation of fungi and yeasts.

TM 269 | R-2A AGAR

R-2A Agar is designed by Reasoner and Geldreich for the heterotrophic plate count of treated potable water. It is also recommended in standard methods for pour plate, spread plate and membrane filtration technique. The medium's nutritional components favour the growth of injured or stressed organisms. It is also reported to show improved recovery of stress and chlorine tolerant bacteria from drinking water system.



Escherichia coli




Aspergillus brasiliensis

TM 344 | POTATO DEXTROSE AGAR

Potato Dextrose Agar (PDA) is a general-purpose medium used for isolation and enumeration of yeast and moulds. It is recommended for plate count method for foods, dairy products and testing cosmetics. It can also be used for growing clinically significant yeast and molds. The nutritionally rich base (potato infusion) encourages mold sporulation and pigment production in some dermatophytes. Whereas, it can be supplemented with acid or antibiotics to inhibit bacterial growth.

TM 339 | MUELLER HINTON AGAR

Mueller Hinton Agar is a non-differential standard culture medium, used for routine susceptibility testing of non-fastidious microorganisms to antibiotics. It is recommended by FDA, WHO and CLSI for testing the most commonly encountered aerobic and facultative anaerobic bacteria in clinical material. The good batch-to-batch reproducibility, low levels sulfonamide, trimethoprim, tetracycline inhibitors and the non-selective nature of the medium makes it an excellent choice for testing of antibiotics.




Staphylococcus aureus


PRODUCT SPECIFICATION

TMP 017 | SHEEP BLOOD AGAR PLATE

Sheep Blood Agar Plate is ready to use culture media plate containing sheep blood agar which is both differential and enriched medium used for the isolation, cultivation and detection of haemolytic activity of fastidious organisms like *Streptococci*, and *Pneumococci*.
The nutritional components of the medium containing 5% defibrinated sheep blood allows for better recovery of the pathogenic organisms from clinical samples. This medium helps in differentiating the microorganism on the basis of their haemolytic reaction as α, β or γ-haemolytic organisms.



Staphylococcus aureus




Lactobacillus leichmannii

TM 146 | LACTOBACILLUS MRS AGAR

Lactobacillus MRS AGAR (MRS AGAR) is used for the isolation and cultivation of Lactobacilli species from dairy products, food samples, oral cavity, faeces and other sources. It was developed by de Man, Rogosa and Sharpe as an alternative for non-selective cultivation of fastidious lactobacilli.
Lactobacilli MRS Agar contain peptone and dextrose. These ingredients supply nitrogen, carbon and other elements necessary for growth. Polysorbate 80, acetate, magnesium and manganese provide growth factors for culturing a variety of lactobacilli. The above ingredients may inhibit the growth of some organisms other than lactobacilli.

TM 1199 | CHROMOGENIC UTI AGAR

Chromogenic UTI Agar is a differential medium used for presumptive identification of microorganisms causing urinary tract infections. The media facilitates identification of bacterial colonies on the basis of genus specific enzymatic reactions with chromogenic substrates that results in different contrasted colony colours. The media contains two specific chromogenic substrates which are cleaved by enzymes produced by Enterococcus spp., Escherichia coli and coliforms. Enterococci spp producing β-glucosidase grow as blue colonies as they are able to cleave one of the chromogen whereas E.coli cleaves the other chromogen and grow as pink colonies.



(A) *E. coli*, (B) *K. pneumoniae*, (C) *S. aureus*
(D) *E. faecalis*, (E) *P. aeruginosa*



Escherichia coli

TM 1898 | MacCONKEY AGAR

MacConkey agar is selective and differential medium for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples. The composition of the medium allows for rapid cultivation of Enterococcus faecalis within 18 hours of incubation. The medium is selective against most species of gram-positive bacteria because of the presence of sodium taurocholate. It also allows differentiation among different enteric bacteria on the basis of lactose fermentation, where the lactose fermenters grow as red colonies while the lactose non-fermenters appear as colourless colonies.

TM 386 | SALMONELLA SHIGELLA AGAR


Salmonella Shigella Agar (SS Agar) medium is recommended as differential and selective medium for the isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuffs and for microbial limit test. The medium inhibits gram positive bacteria and coliforms by the action of the selective inhibitory components brilliant green, bile salts, thiosulphate and citrate. Whereas, differentiation of enteric organisms is achieved by the incorporation of lactose in the medium. Organisms that ferment lactose produce acid which, in the presence of neutral red indicator, results in formation of red colonies. Lactose non fermenter forms colourless colonies. The latter group contains the majority of the intestinal pathogens, including *Salmonella* and *Shigella*. The sodium thiosulfate and ferric citrate enable the detection of hydrogen sulfide production as evidenced by colonies with black centers. This formulation, highly selective, is not recommended for the primary isolation of *Shigella*. Some *Shigella* spp. may be inhibited.



Salmonella Typhimurium


PRODUCT SPECIFICATION

TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS



(A) E. coli, (B) S. Enteritidis
(C) K. pneumoniae, (D) E. aerogenes

Chromogenic Coliform Agar w/ SLS is a selective medium recommended for the detection of *Escherichia* coli and total coliforms in water and food samples. The selectivity of the medium is attributed to Sodium Lauryl Sulphate (SLS) that helps in inhibiting the gram-positive organisms. This media contains a chromogenic mixture which is also known as chromogen i.e. Salmon-Gal and XGluc. The enzyme ß-galactosidase produced by coliforms cleaves Salmon-Gal chromogen, resulting in the salmon red coloration of coliform colonies whereas *E. coli* forms dark blue to violet colored colonies due to cleavage of both the chromogens.
Not only this, this medium can be used to confirm *E.coli* by adding a drop of Kovacs reagent (TR008) on dark-blue to violet colony which will change to cherry-red color.




(A) E. coli, (B) C. freundii
(C) S. Enteritidis, (D) E. aerogenes

TM 1858 | CHROMOGENIC COLIFORM AGAR

Chromogenic coliform Agar helps in rapid enumeration and differentiation of coliforms and Escherichia coli isolated from water samples as per ISO 9308-1. This media is the improved formulations which utilizes a chromogenic substrate for making the detection more rapid & reliable. The media contain the combination of two chromogenic substrates allow the simultaneous detection of coliform bacteria and *E.coli*. The enzyme β-D-galactosidase cleaves salmon-β-D-galactoside, and gives a salmon to red colour to the coliform bacteria. *E. coli* have β-D galactosidase and β-D-glucuronidase enzymes to cleave both the chromogens, which give blue-violet colour to colonies.

TM 436 | TCBS AGAR



Vibrio cholerae

TCBS AGAR (VIBRIO SELECTIVE AGAR) is highly selective for the isolation of Vibrio cholerae and V. parahaemolyticus from clinical specimens and specified in standard methods for food testing. This highly selective medium meets the nutritional requirements of Vibrio species and allows competing with intestinal flora. This medium specifically isolates the Vibrio species on the basis of the organism's ability to grow at an alkaline pH and high salt concentration. Inhibition of gram- positive bacteria is achieved by the incorporation of Ox bile, which is a synthetic occurring substance and suppresses primarily Enterococci. Sodium citrate and Sodium thiosulphate are the selective agents, providing an alkaline pH to inhibit gram- positive organism and suppress coliforms. Luxuriant growth with yellow appearance is observed on TCBS agar. Whereas Vibrio parahemolyticus with Bluish green colonies.



Salmonella Typhimurium

TM 492 | XLD AGAR

Xylose Lysine Deoxycholate Agar (XLD) is a moderately selective and differential medium for the isolation and differentiation of gram-negative enteric pathogens from clinical specimens, food and other samples. XLD Agar was especially designed to allow the growth of *Shigella* species, and is a proven medium for the isolation of this organism. It has also been found to be an excellent medium for isolating *Salmonella* species as well. XLD Agar complies with ISO 6579: 2002. XLD agar is also included in the USP microbial limit test for screening specimens for the presence or absence of *Salmonella* and is recommended for the testing of foods, dairy products and water. The medium utilizes xylose fermentation, lysine decarboxylation and H2S production reactions to differentiate the target organisms. Whereas, the selective agent i.e. sodium deoxycholate helps to inhibits the growth of gram-positive organisms.

TM 365 | BRILLIANT GREEN BILE BROTH 2%




(A) Control, (B) E. coli, (C) E. aerogenes

Brilliant Green Bile Broth 2% is one of the most widely used medium for the detection of coliform bacteria in water, dairy products, food and waste water. Formulated as per APHA, this medium is recommended by the ISO 4831:2206 and ISO 4832:2006 for the enumeration of coliforms using the most probable number technique. This medium helps in indicating the presence of faecal coliform using a fermentation reaction, where the coliforms produce gas and this gas production is visible as a trapped bubble inside the inverted Durham's tube.

PRODUCT SPECIFICATION

TM 362 | BHI BROTH

BHI Medium is useful for cultivating a wide variety of microorganisms since it is a highly nutritive medium. This medium is recommended by Food and Drug Administration. It is also used to prepare the inocula for antimicrobial susceptibility testing. BHI Broth is a modification of the original formulation of Rosenow, where he added pieces of brain tissues to dextrose broth. BHI Broth is also the preferred medium for anaerobic bacteria, yeasts and moulds. This medium is nutritious and well buffered to support the growth of wide variety of organisms. With the addition of 10% defibrinated sheep blood, it is useful for isolation and cultivation of Histoplasma capsulatum and other fungi. For selective isolation of fungi, addition of gentamicin and/or chloramphenicol is recommended. This medium is not suitable for obtaining characteristic haemolytic reactions even after addition of blood because of its glucose content.



A) Control, (B) *S. pyogenes*
(C) *S. aureus*, (D) *S. pneumoniae*



(A) Control, (B) *S. Typhimurium*

TMH 111| RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH

Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of Salmonella species from pharmaceutical products in accordance with the microbial limit testing by harmonized methodology of USP/EP/BP/JP/IP.
The medium selectively enriches *Salmonella* by utilizing its three properties which are; the capacity to survive at high osmotic pressure, to grow at slightly low pH and to be resistant to malachite green. *Salmonella* typhi and *S. Paratyphi A* are sensitive to malachite green and may be inhibited.

TM 348 | SIMMONS CITRATE AGAR

Simmons Citrate Agar is used for the differentiation between Enterobacteriaceae and the members of aerogens group on the basis of citrate utilization as sole carbon source by streaking either on slopes in test tubes or as a plate medium in petri dishes. It is recommended for the differentiation of coliforms isolated from water and clinical samples. The medium is virtually a solidified form of Koser citrate medium which, in its original form, suffered from the disadvantage that false appearance of growth occurred when large inoculum were employed.
The microorganisms utilize the citrate increases the pH of the medium and cause a change in colour of the medium from green to blue, thus differentiating themselves from other bacteria. The bacteria which do not utilize citrate remain the colour of the medium remains unchanged.



(A) Control
(B) *E. aerogenes*

+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



Page No.

Dehydrated Culture Media (Including Veg.)

- Dehydrated Culture Media (A to Z) 21-133
- Chromogenic Dehydrated Culture Media 134-139
- Dehydrated Culture Media (as per BIS) 140-141
- Dehydrated Culture Media (as per ISO) 142-146
- Harmonized Culture Media (Pharmaceuticals Testing) (as per USP/JP/EP/BP) 147-148
- Sterile Dehydrated Culture Media (γ - irradiated) 148-149

Media Supplements 150-163

Biological Media Bases (Including Veg.) 164-166

Ready-To- Use-Media

- Ready-To-Use Media Plates (90mm & 55mm) 167-174
- Ready-To-Use Agar & Broth Media 174-177
- Ready-To-Use Liquid Medium (Tubes) 177-179
- Combo Sterility Kit 179
- Ready-To-Use Liquid Medium (Tubes) (2 - 2.5ml) 180
- Ready-To-Use Kits & Slants / Butts 180-182
- Blood Culturing System (Ready-To-Use Broth Media) 182
- Transport Swab with Medium 182-183
- Viral Transport Swab Kit 185
- Universal Transport Kit 185-186
- Molecular Transport Kit 186

Antibiotic Sensitivity Discs 187-193

Differentiation Discs & Test Strips 194

Staining and Indicator Solution & Readymade Staining Kits 195

Analytical Reagent & Standard Solutions 196

Culture Strain 197-199

INDEX

Page No.

Microbiological Lab Consumables

Anaerobic Box System, Anaerobic Jar System, Spreaders, Disposable Loops/Needle, Inoculating Metal Loop Holder & Nicrome Loops — 200-201

Culture Vessels and Accessories (Petri Plates)(γ-Irradiated & Non γ-Irradiated), Stainless Steel Petri Plate Carrier (γ-irradiated), Durham Tubes, Mccartney Bottle, Disposable Sterile Bottle) — 201-203

Environmental Monitoring Aid, Sampling Aid, HDM Filteration Funnel, Swabs, Cryo Product & Marker Pen — 203-205

Filtration Funnel, Membrane Filtration Funnel, Manifold System — 205

Autoclave Accessories (Disposable Autoclavable Bags) — 206

Microbiological Lab Equipments

Infrared Sterilizer for Inoculation Loops — 207

Microbial Air Monitoring Systems (Air Sampler) & Accessories — 207-208

Biological Indicators & Chemical Indicators — 209-211

Plant Tissue Culture Media — 212-216

Plant Tissue Culture Media Ingredients — 217-224

Pure Antibiotic Powder — 225-227

Molecular Biology Grade Chemicals — 228-230

Laboratory Chemicals (EP & AR GRADE) — 231-277

pH Indicator Paper Strips / pH Buffer Capsules — 277-278

Acids & Solvents — 278

Food Grade Chemicals — 279-280

Food Additives — 281

Agro Products — 282-283

Biotechnology & Fermentation Products — 284-286

Pharmaceuticals, Healthcare & Nutraceutical Products — 287

Veterinary & Animal Feed Ingredients — 288



DEHYDRATED CULTURE MEDIA

Dehydrated Culture Medium is a combination of complex nutrient substrates formulated for the cultivation of microorganisms. The components of dehydrated culture medium, must satisfy the nutritional requirements like nitrogen, carbon and trace elements of microorganisms, in order to live and replicate.

CONSTITUENTS	SOURCE
Amino-Nitrogen	Peptone, Protein Hydrolysate, Infusions and Extracts
Energy Sources	Blood Serum, Yeast Extract or Vitamins, Nicotinamide Adenine Dinucleotide
Buffer Salts	Phosphates, Acetates and Citrates
Mineral Salts and Metal	Phosphate, Sulfate, Magnesium, Calcium, Iron
Selective Agents	Chemicals, Antimicrobials and Dyes
Indicator Dyes	Phenol Red, Neutral Red
Gelling Agents	Agar, Gelatine, Alginate, Silica Gel, Gellan Gum

FEATURES

Longer Hydration time
Optimum pH range
Absolute clarity in the medium
Gel strength of about 300-500 dynes/cm^2
Perfect composition of ingredients

BENEFITS

Equally spread and longer life of colony size
Better colony characteristic and performance
Healthy environment for microorganisms to grow
Balanced solidification of agar for streaking and spreading
Healthier and full size colony

GENERAL INSTRUCTIONS FOR USERS

Dissolving of medium: Accurately weigh the appropriate amount of dehydrated medium. Add part of the required amount of distilled water / deionized water and swirl to dissolve. Now add remaining water from the sides of container with gentle heating to dissolve it completely. While performing it one should avoid overheating, scorching or burning.
pH adjustment: The pH value of the media shall produce the equivalent value at 25˚C as mentioned on the label. For best results, prepare the medium with distilled or deionsed water only. If old material is being used, it is recommended to check pH and correct if necessary before use. pH adjustment (if required) should be carried out with 0.1N Hydrochloric Acid or Sodium Hydroxide Solution.
Sterilization: Generally, sterilization is done at 121˚C for 15 mins at 15 psi using autoclave. Volume larger than 2 ltr may require more autoclaving time to achieve proper sterilization. Colour of the media may vary from other brands but the growth of microorganisms will be same as desired.

Pressure-Temperature Relations in autoclave

(Figure based on complete replacement of air by steam)

PRESSURE (IN PSI)	TEMPERATURE	
5	109 ˚C	228˚F
10	115 ˚C	240˚F
15	121 ˚C	250˚F
20	126 ˚C	259˚F
25	130 ˚C	267˚F
30	135 ˚C	275˚F

Note: Efficiency of the autoclave should be ascertained from time to time using various biological or chemical indicators (Refer to page 210 - 211)

Adding Enrichment and Supplement: Enrichments and Supplements are heat sensitive. Cool the medium to 45-55˚C and add enrichments or supplement to the basal medium. Mix the enrichments or supplements thoroughly.
Dispensing of the Media: Cool the agar based medium to 40-50°C and pour as desired.
For Plating : After autoclaving pour into Petri plates, place them in upright position to cool under laminar flow & immediately cover with lid.
For Broth : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Sterile broth may be cooled to room temperature or laminar flow as desired.
For Slant : After dissolving the media, dispense appropriate quantity (8ml) into the tubes and then autoclave. Remove from autoclave and keep in slanted position to solidify.
Storage of prepared medium: If the prepared media are not to be used within 24 hours then these should be stored at low temperature i.e. 2-8°C in moisture proof container. Do not refrigerate the medium. Petri plates should be kept in upright position. Also, it is recommended to use Paraffin and then to keep in plastic zip bags when stored at 2-8°C. Ensure it does not retain moisture.

TROUBLESHOOTING GUIDE

Problem	A	B	C	D	E	F	G	H	Other Causes
Abnormal Color of Medium	★	★	★						
Incorrect pH	★	★	★	★	★	★	★		Storage at high temperature hydrolysis of ingredients pH determined at wrong temperature.
Nontypical Precipitate	★	★	★	★	★	★			
Incomplete Solubility					★				Inadequate heating inadequate convection in a too small flask.
Darkening	★			★	★	★			
Toxicity		★	★						Burning and Scorching
Tract Substances		★							Airborne or environmental sources of vitamins.
Loss of Gelation Property				★	★	★		★	Hydrolysis of agar due to pH shift not boiling medium.
Loss of Nutritive Value or Selective or Differential Properties	★			★	★	★	★	★	Burning or scorching presence of strong electrolyte, suger solutions, deterdents, antiseptics, metallic poisons, protein, materials or ather substances that may inhibit the inoculums.
Contamination									Improper sterilization poor technique in adding enrichments and pouring plates. Non boiling agar containing medium.

A - Deteriorated Dehydrated Medium **B** - Improperly Washed Glassware **C** - Impure Water **D** - Incorrect Weighing
E - Incomplete Mixing **F** - Overheating **G** - Repeated Remelting **H** - Dilution by Too Large Inoculum

DISPOSAL OF MEDIA

All samples and cultures should be handled carefully and should not be discard without autoclaving. These should be discarded after autoclaving at 15 psi (121 C) for 20 minutes. Whereas, high number of pathogenic organisms can be disastrous to mankind, hence they must be disposed off safely under the approved strict guidelines of biological safety and regulations.

CHECK LIST

- Read instructions carefully given over the labels and note the best before date of each lot before use.
- Confirm the physical characteristics of Dehydrated Culture Media, it should be homogenous and free flowing.
- Since the Culture Media are highly hygroscopic, store them in cool (preferred below 25°C, unless and otherwise specified) and dry place. Protect it from direct sunlight and humid place.
- Ensure proper capping box after use.
- Efficiency of the autoclave should be ascertained from time to time using various physical measurements or Biological/Chemicals indicators.
- Avoid contaminated apparatus and glassware.
- The petri plates should be sterilized by keeping washed and dried plates in oven at 150°C for 2 hours.
- Never store the prepared media at 0°C.
- Bring the stored media to room temperature before use or as per instructions for use.

SAFETY MEASURES

- Take care while using hazardous chemicals and use methods which reduce the risk of inhalation, ingestion and contact with skin, eyes and clothing. To avoid mishappening wear protective clothing and equipment's.
- Do not eat, drink or smoke while handling and using chemicals.
- Wash hands and exposed areas thoroughly and change contaminated clothings.
- Consult doctor immediately if a ected by chemicals and use appropriate first aid.

Dehydrated Culture Media A

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 001	**A-1 MEDIUM** for determination of faecal coliforms in water and foods by MPN technique		31.50	100 gm 500 gm	1585 6700
TM 1938	**AATCC BACTERIOSTASIS AGAR** for the detection of antibacterial activity of fabrics		35.00	500 gm	4720
TM 1939	**AATCC BACTERIOSTASIS BROTH (FDA BROTH)** for routine antibacterial testing of antiseptics and disinfectants		20.00	500 gm	4450
TM 002	**AC AGAR** for cultivation of various microorganisms especially for sterility testing		35.20	500 gm	4555
TM 003	**AC BROTH** for cultivation of aerobes and sterility testing of biological products without mercurial preservatives		34.20	500 gm	4275
TM 401	**ACETAMIDE AGAR (DOUBLE PACK)** for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	10.00 22.63	500 gm -	5095 -
TM 1942	**ACETAMIDE AGAR, MODIFIED (DOUBLE PACK)** for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	03.00 21.73	500 gm -	5095 -
TM 351	**ACETAMIDE BROTH (DOUBLE PACK)** for confirmation of Pseudomonas aeruginosa in water samples	(Part I) (Part II)	10.00 07.63	100 gm 500 gm	1055 4485
TM 1943	**ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018)** for confirmation of non-fermentative Gram-negative bacteria, particularly Pseudomonas aeruginosa	(Part I) (Part II)	02.00 01.40	100 gm 500 gm	1015 4380
TM 1128	**ACETAMIDE NUTRIENT BROTH (DOUBLE PACK)** for the detection of microbial utilization of acetamide	(Part I) (Part II)	00.56 02.00	100 gm 500 gm	1020 4485
TM 1324	**ACETATE AGAR** for the isolation and cultivation of Leuconostoc and Pediococcus species		61.90	500 gm	4905
TM 006	**ACETATE DIFFERENTIAL AGAR** for the differentiation of Shigella species from E.coli and non fermantative gram-negative bacilli		29.18	500 gm	4475
TM 1944	**ACETATE DIFFERENTIAL AGAR, MODIFIED** for the differentiation of Shigella species from Escherichia coli in accordance with FDA BAM		29.28	500 gm	4930
TM 1129	**ACETOBACTER AGAR (GLUCOSE)** for maintenance of dextrose positive Acetobacter species		38.00	500 gm	4525
TM 1911	**ACETOBACTER BROTH (GLUCOSE)** For glucose positive Acetobacter species		23.00	500 gm	4435
TM 1130	**ACETOBACTER AGAR (MANNITOL)** for maintenance of mannitol positive Acetobacter species		48.00	500 gm	4525
TM 1912	**ACETOBACTER BROTH (MANNITOL)** For mannitol positive Acetobacter species.		33.00	500 gm	4435
TM 1131	**ACETOBACTER AGAR W/LIVER EXTRACT** for maintenance of dextrose positive Acetobacter species		57.00	500 gm	4310
TM 1945	**ACID AGAR** for cultivation of acid tolerant microorganisms from canned food		27.50	500 gm	4185
TM 1946	**ACTIDIONE AGAR W/ACTIDIONE®** for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds		75.26	500 gm	13610
TM 1947	**ACTIDIONE AGAR BASE W/O ACTIDIONE®** for the enumeration and detection of bacteria in specimens containing large numbers of yeasts and moulds		75.25	500 gm	4865
TM 1133	**ACTINOMYCES AGAR** for cultivation and maintenance of anaerobic Actinomyces species		77.22	500 gm	4285
TM 1134	**ACTINOMYCES BROTH** for cultivation and maintenance of anaerobic Actinomyces species		57.22	500 gm	4025

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 007	**ACTINOMYCETE ISOLATION AGAR** for isolation and propagation of Actinomycetes from soil and water	21.70	500 gm	4490
TM 1948	**ADAMS AGAR** for examination of sporulation in yeasts	22.70	500 gm	4590
TM 1136	**AEROMONAS ISOLATION MEDIUM BASE** for selective & differential isolation of Aeromonas hydrophila from clinical & environmental samples	56.30	500 gm	6250
TS 099	**AEROMONAS SELECTIVE SUPPLEMENT ***	#18 vl	5 vl	1150
TM 1949	**AEROMONAS SELECTIVE AGAR (BSIBG AGAR)** for the selective isolation of Aeromonas species from food and clinical samples	45.48	500 gm	5415
TM 1137	**AEROMONAS STARCH DNA AGAR BASE** for selective isolation and enumeration of Aeromonas species from food and clinical samples	52.00	500 gm	4765
TS 097	**AMPICILLIN SUPPLEMENT ***	#10 vl	5 vl	1360
TM 1482	**AEROMONAS PSEUDO SELECTIVE AGAR** for detecting Pseudomonas and Aeromonas species in foodstuffs and waste water	44.86	500 gm	5165
TM 1950	**AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH CHLORAMPHENICOL) (as per EP/BP)** for selective cultivation of yeasts and moulds	61.41	500 gm	4845
TM 1951	**AGAR MEDIUM C (SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS) (as per EP/BP)** for selective cultivation of yeasts and moulds	61.36	500 gm	5115
TS 138	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT ***	#6 vl	5 vl	1060
TM 1952	**AGAR MEDIUM F (CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE) (as per EP/BP)** for detection and enumeration of Enterobacteria	50.12	500 gm	4045
TM 977	**AGAR MEDIUM J (DEOXYCHOLATE CITRATE AGAR) (as per BP/EP/IP)** for selective isolation of enteric pathogens	69.01	100 gm 500 gm	715 3020
TM 1953	**AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per EP)** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	57.59	100 gm 500 gm	875 3695
TM 1954	**AGAR MEDIUM L (BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR) (as per BP)** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	58.90	100 gm 500 gm	875 3695
TM 1955	**AGAR MEDIUM M (TRIPLE SUGAR, IRON AGAR) (as per BP/EP)** for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation and hydrogen sulphide production	64.02	100 gm 500 gm	960 4090
TM 636	**AGAR MEDIUM O (BAIRD PARKER AGAR BASE) (as per USP/EP/BP)** for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1150 4630
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl *** **POTASSIUM TELLURITE 1% (1ml /vl) ***	#4 vl #3 vl	5 vl 5 vl 25 vl	2185 645 2295
TM 1956	**AGAR MEDIUM S (R-2 A AGAR) (as per EP/BP)** for heterotrophic plate count of treated potable water using longer incubation periods	18.12	500 gm	4715
TM 1326	**AK AGAR NO. 2 (SPORULATING AGAR) (ARRET AND KIRSHBAUM MEDIUM)** for production of spores of Bacillus subtilis ATCC 6633 which are used as inoculum in detection of Penicillin and other antibiotics	30.80	500 gm	4820
TM 1940	**AKI MEDIUM** for identification of Vibrio species in accordance with FDA	24.00	500 gm	4310
TM 1889	**ALEKSANDROW AGAR** for isolation and detection of potassium solubilizing bacteria from soil sample	29.60	500 gm	4405
TM 1890	**ALEKSANDROW BROTH** for enrichment of potassium solubilizing bacteria from soil samples	09.60	500 gm	4000

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1443	**ALOA LISTERIA AGAR BASE (L. MONO DIFFERENTIAL AGAR BASE)** for selective and differential isolation of Listeria monocytogenes	72.00	100 gm 500 gm	2035 8155
TS 227	**L.MONO SELECTIVE SUPPLEMENT I ***	#14 vl	5 vl	1130
TS 228	**L.MONO SELECTIVE SUPPLEMENT ***	#14 vl	5 vl	1385
TS 229	**L.MONO ENRICHMENT SUPPLEMENT II ***	#14 vl	5 vl	4020
TM 647	**ALGAE CULTURE AGAR** for isolation and cultivation of algae from soil and water	16.87	500 gm	4545
TM 648	**ALGAE CULTURE BROTH** for isolation and cultivation of algae from soil and water	01.87	100 gm 500 gm	990 4390
TM 008	**ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007)** for detection and enrichment of Vibrio species.	50.00	500 gm	3305
TM 352	**ALKALINE PEPTONE WATER (pH 8.4)** for enrichment of Vibrio species	20.00	100 gm 500 gm	820 3685
TMV 352	**ALKALINE PEPTONE WATER (pH 8.4) (VEG.)** for enrichment of Vibrio species	20.00	100 gm 500 gm	820 3375
TM 649	**ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005)** for enrichment of Vibrio species.	15.00	100 gm 500 gm	820 3345
TM 1878	**ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007)** for enrichment of Vibrio species from food and water samples	40.00	100 gm 500 gm	830 3415
TM 301	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TMV 301	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP) (VEG.)** for sterility testing of turbid or viscous biological products	28.50	100 gm 500 gm	405 1615
TM 302	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TMV 302	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per IP) (VEG.)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TM 1957	**ALTERNATIVE THIOGLYCOLLATE MEDIUM, STERILE POWDER** for evaluation of sterility in manufacturing process	29.00	500 gm	4310
TM 456	**AMIES TRANSPORT MEDIUM W/O. CHARCOAL** for transportation and preservation of bacteriological samples	10.00	100 gm 500 gm	960 3865
TM 009	**AMIES TRANSPORT MEDIUM W/ CHARCOAL** for transportation and preservation of bacteriological samples	19.75	100 gm 500 gm	960 3865
TM 556	**AMMONIUM PHOSPHATE AGAR** for detection of the ability of microorganisms to utilize ammonium phosphate as nitrogen source	26.50	500 gm	4100
TM 1958	**AMPICILLIN DEXTRIN AGAR BASE** for differential and selective isolation of Aeromonas species from water samples	37.38	500 gm	5115
TS 319	**AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT**	#14 vl	5 vl	1225
TM 1959	**AMPICILLIN DEXTRIN BROTH BASE** for differential and selective isolation of Aeromonas species from water samples	22.38	500 gm	4755
TS 319	**AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT**	#22 vl	5 vl	1225
TM 010	**ANAEROBIC AGAR** for cultivation of anaerobic bacteria especially Clostridium species	58.00	100 gm 500 gm	1115 4520
TM 011	**ANAEROBIC AGAR (BREWER)** for isolation and sensitivity testing of anaerobic and microaerophilic organisms	53.00	500 gm	4520
TM 1497	**ANAEROBIC BASAL AGAR** for cultivation of anaerobic microorganisms, like Bacteroides and other fastidious anaerobes	46.00	500 gm	5880

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1498	**ANAEROBIC BASAL BROTH** for cultivation of anaerobic microorganisms like Bacteroides and other fastidious anaerobes	35.40	500 gm	5335
TM 927	**ANAEROBIC BLOOD AGAR BASE** for isolation and cultivation of Group A and B Streptococci from clinical samples	40.00	500 gm	4520
TS 095	**NEOMYCIN SUPPLEMENT ***	#13 vl	5 vl	1225
TM 1960	**ANAEROBIC BLOOD AGAR BASE** for cultivation of anaerobic microorgansisms, including very fastidious organisms from clinical specimens	44.00	500 gm	4835
TS 266	**VITAMIN K1 SUPPLEMENT ***	#12 vl	5 vl	1065
TM 1961	**ANAEROBIC CNA AGAR BASE *** for selective isolation of anaerobic Streptococci	44.14	100 gm	8700
TM 1962	**ANAEROBIC EGG AGAR BASE** Anaerobic Egg Agar Base supplemented with egg yolk emulsion is recommended Clostridium perfringens in foods	55.00	500 gm	5690
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#15 vl	5 vl	2100
TM 651	**ANAEROBIC FERMENTATION MEDIUM BASE** for detection of fermentation reactions of anaerobic microorganisms	40.00	500 gm	4435
TM 1499	**ANAEROBIC THIOGLYCOLLATE MEDIUM BASE** for cultivation of anaerobes	40.50	500 gm	3795
TM 557	**ANAEROBIC TRYPTONE SOYA AGAR** for screening anaerobes in cosmetic products like talcum powder	50.41	500 gm	4640
TM 1859	**ANDRADE 0.5% LACTOSE PEPTONE WATER** for determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	15.01	100 gm 500 gm	790 3365
TM 1797	**ANDRADE LACTOSE PEPTONE WATER** to study fermentation reactions of members of the Enterobacteiaceae	25.01	500 gm	3365
TM 012	**ANDRADE PEPTONE WATER** a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	790 3365
TMV 012	**ANDRADE PEPTONE WATER (VEG.)** a basal medium to study fermentation reactions by adding carbohydrates	15.10	100 gm 500 gm	825 3365
TM 936	**ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005)** A basal medium to study fermentation reactions by adding carbohydrates.	15.10	100 gm 500 gm	790 3405
TM 652	**ANDRADE PEPTONE WATER W/ MEAT EXTRACT** a basal medium to study fermentation reactions of members of the Enterobacteriaceae	18.10	500 gm	3840
TM 1963	**ANDRADE PEPTONE WATER, MODIFIED** for carbohydrate fermentation studies of particularly Enterobacteriaceae members in accordance with FDA BAM, 1998.	23.02	500 gm	4520
TM 390	**ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR)** for microbiological assay of β-lactam and other antibiotics	30.50	100 gm 500 gm	985 3960
TMV 390	**ANTIBIOTIC ASSAY MEDIUM NO.1 (SEED AGAR) (VEG.)** for microbiological assay of β-lactam and other antibiotics	30.50	100 gm 500 gm	1035 4160
TM 1729	**ANTIBIOTIC ASSAY MEDIUM NO.1 (as per USP)** for microbiological assay of β-lactam & other antibiotics	30.50	100 gm 500 gm	1060 4250
TM 359	**ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR)** for microbiological assay of antibiotics	25.50	500 gm	4495
TMV 359	**ANTIBIOTIC ASSAY MEDIUM NO.2 (BASE AGAR) (VEG.)** for microbiological assay of antibiotics	25.50	500 gm	4715
TM 1731	**ANTIBIOTIC ASSAY MEDIUM NO.2 (as per USP)** for microbiological assay of antibiotics	25.50	500 gm	4840
TM 1732	**ANTIBIOTIC ASSAY MEDIUM B (as per IP)** for microbiological assay of antibiotics	25.50	500 gm	4840
TM 1964	**ANTIBIOTIC ASSAY MEDIUM B (as per BP)** for the microbiological assay of Colistimethate sodium sulphate using Bordetella bronchiseptica and Escherichia coli	44.77	500 gm	5150

Dehydrated Culture Media A

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 015	**ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH)** for microbiological assay of antibiotics	17.50	100 gm 500 gm	845 3750
TMV 015	**ANTIBIOTIC ASSAY MEDIUM NO. 3 (ASSAY BROTH) (VEG.)** for microbiological assay of antibiotics	17.50	100 gm 500 gm	890 3925
TM 1734	**ANTIBIOTIC ASSAY MEDIUM NO. 3 (as per USP)** for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	920 4070
TM 1735	**ANTIBIOTIC ASSAY MEDIUM C (as per IP)** for turbidimetric or serial dilution assay of various antibiotics	17.50	100 gm 500 gm	920 4070
TM 1965	**ANTIBIOTIC ASSAY MEDIUM C (as per BP)** for turbidimetric assay of a wide variety of antibiotics	19.90	500 gm	5130
TM 427	**ANTIBIOTIC ASSAY MEDIUM NO. 4 (YEAST MEAT AGAR)** for detection of Penicillin-G in milk using Bacillus stearothermophilus	26.50	500 gm	4790
TMV 427	**ANTIBIOTIC ASSAY MEDIUM NO.4 (VEG.)** detection of Penicillin-G in milk using Bacillus stearothermophilus	26.50	500 gm	5020
TM 1737	**ANTIBIOTIC ASSAY MEDIUM NO. 4 (as per USP)** for detection of Penicillin in milk and for microbiological assay of different antibiotics	26.50	500 gm	4860
TM 017	**ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT) (as per IP/ USP)** for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm	4700
TMV 017	**ANTIBIOTIC ASSAY MEDIUM NO. 5 (STREPTOMYCIN ASSAY AGAR) (VEG.)** for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm	4940
TM 1967	**ANTIBIOTIC ASSAY MEDIUM E** used in the microbiological assay of Neomycin sulphate and Framycetin sulphate using Bacillus subtilis and Bacillus pumilus	28.67	500 gm	4705
TM 1740	**ANTIBIOTIC ASSAY MEDIUM E (as per IP)** for microbiological assay of Framycetin and Kanamycin using Bacillus subtilis	25.50	500 gm	4835
TM 018	**ANTIBIOTIC ASSAY MEDIUM NO. 6** for induction of spore production in Bacillus subtilis strains used in antibiotic assay	30.00	500 gm	4165
TMV 018	**ANTIBIOTIC ASSAY MEDIUM NO. 6 (VEG.)** for induction of spore production in Bacillus subtilis strains used in antibiotic assay	30.00	500 gm	4375
TM 019	**ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4290
TMV 019	**ANTIBIOTIC ASSAY MEDIUM NO. 8 (BASE AGAR W/ LOW pH) (VEG.)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4510
TM 1743	**ANTIBIOTIC ASSAY MEDIUM NO. 8 (as per USP)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4620
TM 1968	**ANTIBIOTIC ASSAY MEDIUM F** for microbiological assay of Amphotericin B and Nystatin using Saccharomyces cerevisiae and Candida tropicalis	60.00	500 gm	4895
TM 1744	**ANTIBIOTIC ASSAY MEDIUM F (as per IP)** for microbiological assay of Tetracycline & Oxytetracyline	25.50	500 gm	4620
TM 020	**ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR)** for assaying the products containing Polymyxin-B	50.00	500 gm	4480
TMV 020	**ANTIBIOTIC ASSAY MEDIUM NO. 9 (POLYMYXIN BASE AGAR (VEG.)** for assaying the products containing Polymyxin-B	50.00	500 gm	4700
TM 1746	**ANTIBIOTIC ASSAY MEDIUM NO. 9 (as per USP)** for microbiological plate assay of Carbenicillin, Colistimethate sodium and Polymyxin-B	50.00	500 gm	4835

A Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 021	**ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR)** for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 Polysorbate 80	500 gm	4480
TMV 021	**ANTIBIOTIC ASSAY MEDIUM NO. 10 (POLYMYXIN SEED AGAR) (VEG.)** for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate sodium	(Part I) (Part II)	42.00 Polysorbate 80	500 gm	4700
TM 1748	**ANTIBIOTIC ASSAY MEDIUM NO. 10 (as per USP)** for antibiotic assay of Carbenicillin, Colistimethate sodium and Polymyxin-B	(Part I) (Part II)	42.00	500 gm	4835
TM 1970	**ANTIBIOTIC ASSAY MEDIUM H** for the microbiological turbidimetric assay of Apramycin using Salmonella cholerasuis		18.00	500 gm	4885
TM 1749	**ANTIBIOTIC ASSAY MEDIUM H (as per IP)** for microbiological plate assay of Carbenicillin and Polymyxin-B	(Part I) (Part II)	42.00	500 gm	4835
TM 022	**ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR)** for microbiological assay of antibiotics		30.50	100 gm 500 gm	890 4015
TMV 022	**ANTIBIOTIC ASSAY MEDIUM NO. 11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (VEG.)** for microbiological assay of antibiotics		30.50	100 gm 500 gm	1040 4250
TM 1751	**ANTIBIOTIC ASSAY MEDIUM NO. 11 (as per USP)** for microbiological assay of antibiotics		30.50	100 gm 500 gm	1040 4250
TM 1966	**ANTIBIOTIC ASSAY MEDIUM D** for the microbiological assay of Erythromycin estolate using Klebsiella pneumoniae		19.40	100 gm	4685
TM 653	**ANTIBIOTIC ASSAY MEDIUM D (as per IP)** for microbiological assay of antibiotics		30.50	100 gm 500 gm	1040 4250
TM 023	**ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR)** for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae		62.50	500 gm	4700
TMV 023	**ANTIBIOTIC ASSAY MEDIUM NO. 12 (NYSTATIN ASSAY AGAR) (VEG.)** for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae		62.50	500 gm	4940
TM 024	**ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH)** for microbiological assay of Candicidin using Saccharomyces cerevisiae		30.00	500 gm	4345
TMV 024	**ANTIBIOTIC ASSAY MEDIUM NO. 13 (NYSTATIN ASSAY BROTH) (VEG.)** for microbiological assay of Candicidin using Saccharomyces cerevisiae		30.00	500 gm	4560
TM 1753	**ANTIBIOTIC ASSAY MEDIUM NO. 13 (as per USP)** for turbidimetric microbiological assay of Candicidin using Saccharomyces cerevisiae and to study the effectiveness of antibiotics on yeasts and molds		30.00	500 gm	4560
TM 025	**ANTIBIOTIC ASSAY MEDIUM NO. 19** for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	4395
TMV 025	**ANTIBIOTIC ASSAY MEDIUM NO. 19 (VEG.)** for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	4620
TM 1755	**ANTIBIOTIC ASSAY MEDIUM NO. 19 (as per USP)** for microbiological assay of Amphotericin B, Netamycin & Nystatin using Saccharomyces cerevisiae		60.00	500 gm	4560
TM 1969	**ANTIBIOTIC ASSAY MEDIUM G** for the microbiological assay of Bleomycin sulphate using Mycobacterium smegmatis		38.00	500 gm	4885
TM 1757	**ANTIBIOTIC ASSAY MEDIUM G (as per IP)** for microbiological assay of Amphotericin B, and Netamycin using Saccharomyces cerevisiae		60.00	500 gm	4560
TM 026	**ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH)** for microbiological assay of Amphotericin B using Candida tropicalis		42.50	500 gm	4475
TMV 026	**ANTIBIOTIC ASSAY MEDIUM NO. 20 (YEAST BEEF BROTH) (VEG.)** for microbiological assay of Amphotericin B using Candida tropicalis		42.50	500 gm	4695

Dehydrated Culture Media A

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 654	**ANTIBIOTIC ASSAY MEDIUM NO. 32** for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of Bacillus subtilis ATCC 6633	30.80	500 gm	4395
TMV 654	**ANTIBIOTIC ASSAY MEDIUM NO. 32 (VEG.)** for microbiological assay of Dihydrostreptomycin and Vancomycin by preparing inoculum of Bacillus subtilis ATCC 6633	30.80	500 gm	4620
TM 1760	**ANTIBIOTIC ASSAY MEDIUM NO. 32 (as per USP)** for assay of dihydrostreptomycin and Vancomycin by plate assay method by preparing inoculum of Bacillus subtilis	30.80	500 gm	4560
TM 655	**ANTIBIOTIC ASSAY MEDIUM NO. 34** for microbiological assay of Bleomycin by using Mycobacterium smegmatis	23.00	500 gm	4165
TM 1761	**ANTIBIOTIC ASSAY MEDIUM NO. 34 (as per USP)** for microbiological assay of Bleomycin by using Mycobacterium smegmatis	23.00	500 gm	4560
TM 656	**ANTIBIOTIC ASSAY MEDIUM NO. 35** for microbiological assay of Bleomycin using Mycobacterium smegmatis	40.00	500 gm	4395
TMV 656	**ANTIBIOTIC ASSAY MEDIUM NO. 35 (VEG.)** for microbiological assay of Bleomycin using Mycobacterium smegmatis	40.00	500 gm	4620
TM 1763	**ANTIBIOTIC ASSAY MEDIUM NO, 35 (as per USP)** for microbiological assay of Bleomycin by using Mycobacterium smegmatis	40.00	500 gm	4560
TM 1971	**ANTIBIOTIC ASSAY MEDIUM I** for the microbiological turbidimetric assay of Apramycin using Salmonella cholerasuis	18.00	500 gm	5030
TM 1974	**ANTIBIOTIC ASSAY MEDIUM NO. 36** a general purpose medium for cultivation of a wide variety of fastidious microorganisms	40.00	100 gm 500 gm	895 3650
TM 345	**ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	850 3500
TMV 345	**ANTIBIOTIC ASSAY MEDIUM NO. 36 (SOYA BEAN CASEIN DIGEST AGAR) (TRYPTONE SOYA AGAR) (as per USP)(VEG.)** for isolation of various fastidious microorganisms with or without added blood	40.00	100 gm 500 gm	890 3590
TM 1767	**ANTIBIOTIC ASSAY MEDIUM J (as per IP)** for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	890 3730
TMV 1767	**ANTIBIOTIC ASSAY MEDIUM J (as per IP) (VEG.)** for cultivation of various microorganisms and for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	890 3730
TM 332	**ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH)** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	390 1760
TMV 332	**ANTIBIOTIC ASSAY MEDIUM NO. 37 (SOYA CASEIN DIGEST MEDIUM) (TRYPTONE SOYA BROTH) (VEG.)** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	440 1790
TM 1476	**ANTIBIOTIC ASSAY MEDIUM NO. 37 (as per USP)** for sterility testing of molds and cultivation of various microorganisms	30.00	100 gm 500 gm	440 1825
TM 658	**ANTIBIOTIC ASSAY MEDIUM NO. 38** for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm	4395
TMV 658	**ANTIBIOTIC ASSAY MEDIUM NO. 38 (VEG.)** for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm	4620
TM 1770	**ANTIBIOTIC ASSAY MEDIUM NO. 38 (as per USP)** for microbiological assay of Ticarcillin using Pseudomonas aeruginosa	45.40	500 gm	4560
TM 659	**ANTIBIOTIC ASSAY MEDIUM NO. 39** for microbiological assay of Neomycin and Streptomycin using Klebsiella pneumoniae	17.50	500 gm	4165
TMV 659	**ANTIBIOTIC ASSAY MEDIUM NO. 39 (VEG.)** for microbiological assay of Neomycin using Klebsiella pneumoniae	17.50	500 gm	4375
TM 1772	**ANTIBIOTIC ASSAY MEDIUM NO. 39 (as per USP)** for microbiological assay of Neomycin using Klebsiella pneumoniae	17.50	500 gm	4560

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 660	**ANTIBIOTIC ASSAY MEDIUM NO. 40** for microbiological assay of Thiostrepton using Streptococcus faecium (Enterococcus faecium)	47.10	500 gm	4395
TMV 660	**ANTIBIOTIC ASSAY MEDIUM NO. 40 (VEG.)** for microbiological assay of Thiostrepton using Streptococcus faecium	47.10	500 gm	4620
TM 1774	**ANTIBIOTIC ASSAY MEDIUM NO. 40 (as per USP)** for microbiological assay of Thiostrepton using Streptococcus faecium	47.10	500 gm	4560
TM 661	**ANTIBIOTIC ASSAY MEDIUM NO. 41** for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm	4165
TMV 661	**ANTIBIOTIC ASSAY MEDIUM NO. 41 (VEG.)** for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm	4375
TM 1776	**ANTIBIOTIC ASSAY MEDIUM NO. 41 (as per USP)** for the microbiological assay of Thiostrepton using Streptococcus faecium as the test organism	46.00	500 gm	4560
TM 1972	**ANTIBIOTIC ASSAY MEDIUM L - AOAC** for microbiological assay of Monensin using Bacillus subtilis	28.64	500 gm	4885
TM 1973	**ANTIBIOTIC ASSAY MEDIUM M - AOAC** for microbiological assay of Lasalocid using Bacillus subtilis	33.64	500 gm	4885
TM 1460	**ANTIBIOTIC SULPHONAMIDE SENSITIVITY TEST AGAR (ASS AGAR)** for testing antimicrobial activity of antibiotics and sulphonamides and also for detecting the presence of antimicrobial substances	40.04	500 gm	4535
TM 027	**ANTIFUNGAL ASSAY AGAR** for assay of antifungal activity in pharmaceutical and other products by cylinder plate/disc method	75.76	500 gm	4445
TM 1975	**ANTIMICROBIAL INHIBITOR TEST AGAR pH 6.0** for residual analysis of antimicrobial components in meat and organ samples, using Bacillus subtilis	25.00	500 gm	6150
TM 1976	**ANTIMYCOTIC SENSITIVITY TEST AGAR** for testing antimycotic sensitivity by diffusion method using antimycotic sensitivity discs	85.00	500 gm	5275
TM 1329	**APRY AGAR BASE** for detection and isolation of acid resistant yeasts, Zygosaccharomyces bacillii and Zygosaccharomyces rouxii in food products	107.50	500 gm	4335
TS 137	**POTASSIUM SORBATE 10% (10ml/vl)**	#5 vl	5 vl	1120
TM 1330	**APRY BROTH BASE** for detection and isolation of acid resistant yeasts, Zygosaccharomyces bacillii and Zygosaccharomyces rouxii in food products	82.55	500 gm	4060
TS 138	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT**	#6 vl	5 vl	1060
TM 1323	**APT AGAR** for cultivation of hetero-fermentative Lactobacilli and other organisms by extra thiamine content	61.20	500 gm	4545
TM 1462	**APT BROTH** for cultivation of hetero-fermentative Lactic acid bacteria by extra thiamine content	46.20	500 gm	4275
TM 1470	**ARABINOSE AGAR BASE** for differentiation between Enterococcus faecium & Streptococcus faecalis	54.10	500 gm	4865
TS 168	**ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT ***	#19 vl	5 vl	1945
TM 1140	**ARGININE DIHYDROLASE BROTH** for detection of Arginine dihydrolase producing microorganisms	19.30	500 gm	4695
TM 1505	**L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006)** for confirmation of Enetrococcus sakazakii from milk and milk products	09.01	500 gm	4695

Dehydrated Culture Media A

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1141	**ASCOSPORE AGAR** for detection of ascosporogenous yeasts		43.50	500 gm	4450
TM 1977	**ASEPTIC PACKING LINE MEDIUM** a Fluid medium used in validating aseptic packing lines		17.50	500 gm	4600
TM 662	**ASHBY'S GLUCOSE AGAR** for cultivation of Azotobacter species by using glucose as carbon source		40.70	500 gm	4655
TM 663	**ASHBY'S MANNITOL AGAR** for isolation of Azotobacter species from soil		40.70	500 gm	4655
TM 1978	**ASHBY'S SUCROSE AGAR** for growth and maintenance of Azotobacter species from soil samples		40.70	500 gm	4195
TM 1979	**ASHBY'S SUCROSE BROTH** for growth and maintenance of Azotobacter species		25.70	500 gm	3845
TM 1980	**ASPARAGINE BROTH FOR PSEUDOMONAS** for presumptive identification and enumeration of Pseudomonas aeruginosa by MPN method		04.24	100 gm 500 gm	1490 5980
TM 1331	**ASLA AGAR BASE** for selective isolation and cultivation of Propionibacterium species		16.19	500 gm	4535
TS 139	**PROPIONIBACTERIA GROWTH SUPPLEMENT**		#62 vl	5 vl	970
TM 664	**ASPARAGINE BROTH *** for identification and enumeration of Pseudomonas aeruginosa		28.00	100 gm 500 gm	1400 5590
TM 665	**ASPARAGINE GELATIN LACTATE MEDIUM BASE** for isolation of sulphur bacteria		152.5	100 gm	3490
TM 599	**ASPARAGINE NITRATE MEDIUM** for cultivation and isolation of denitrifying bacteria from soil		27.70	100 gm	3490
TM 666	**ASPARAGINE PROLINE BROTH** for cultivation of Pseudomonas aeruginosa from water by membrane filter technique		14.50	100 gm 500 gm	1400 5590
TMV 666	**ASPARAGINE PROLINE BROTH (VEG.)** for cultivation of Pseudomonas aeruginosa from water by membrane filter technique		14.50	100 gm 500 gm	1400 5590
TM 667	**ASPERGILLUS DIFFERENTIATION MEDIUM BASE** detection of aflatoxin producing Aspergillus species from foods		45.50	500 gm	4995
TS 053	**CHLORAMPHENICOL SELECTIVE SUPPLEMENT ***		#22 vl	5 vl 25 vl	1015 3075
TM 1941	**ATCC 2039 BROTH (DOUBLE PACK)** for maintenance of cultures of Streptococci and other microorganisms		22.05	500 gm	5680
TM 431	**AYERS AND JOHNSON AGAR (STOCK CULTURE AGAR)** for maintenance of cultures of Streptococci and other microorganisms		50.00	500 gm	4500
TM 028	**AZIDE BLOOD AGAR BASE** for selective isolation and cultivation of Staphylococci & Streptococci from mixed bacterial flora		33.20	500 gm	4330
TM 412	**AZIDE DEXTROSE BROTH** for detection of faecal Streptococci in water, sewage, food and other materials		34.70	500 gm	4120
TM 029	**AZIDE DEXTROSE BROTH W/ BCP** for cultivation of faecal Streptococci in water		34.70	500 gm	4640
TM 638	**AZOSPIRILLUM MEDIUM W/ 0.17% AGAR (DOUBLE PACK)** for cultivation of Azospirillum species	(Part I) (Part II)	08.08 04.00	100 gm 500 gm	1185 4755
TM 1981	**AZOSPIRILLUM MEDIUM W/O AGAR (DOUBLE PACK)** for cultivation of Azospirillum species	(Part I) (Part II)	06.33 04.00	500 gm -	5085 -

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

A Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1982	**AZOTOBACTER AGAR (GLUCOSE)** for isolation and cultivation of Glucose positive Azotobacter species from soil	31.40	500 gm	3925
TM 353	**AZOTOBACTER AGAR (DEXTROSE)** for isolation and cultivation of dextrose positive Azotobacter species from soil	31.40	500 gm	3925
TM 1648	**AZOTOBACTER BROTH (DEXTROSE)** for enrichment & cultivation of Azotobacter species from soil	16.40	500 gm	4445
TM 354	**AZOTOBACTER AGAR (MANNITOL)** for isolation, cultivation and identification of mannitol positive Azotobacter species from soil	41.40	500 gm	4480
TM 1983	**AZOTOBACTER BROTH (MANNITOL)** for cultivation of mannitol positive Azotobacter species from soil.	26.40	500 gm	4705
TM 1649	**AZOTOBACTER MEDIUM (MANNITOL)** for isolation, cultivation and enrichment of Azotobacter species	26.40	500 gm	4395
TM 1877	**AZOTOBACTER AGAR (SUCROSE)** for isolation, cultivation and identification of sucrose positive Azotobacter species from soil	36.37	500 gm	4705
TM 1865	**B12 ASSAY AGAR (using E.coli mutant Culture) *** for microbiological assay of Vitamin B12 by plate method using E.coli mutant as test organism	51.50	100 gm	4390
TM 1866	**B12 ASSAY AGAR (using L.leichmannii) *** for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii as test organism	84.50	100 gm	3285
TM 1985	**B12 ASSAY MEDIUM (using L.leichmannii) *** for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii	84.53	100 gm	3580
TM 1986	**B12 ASSAY MEDIUM *** for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii	79.36	100 gm	3485
TM 1879	**B12 CULTURE AGAR (E.coli Maintenance Medium) (E. coli Mutant Culture Agar)** for propagation, cultivation and maintenance of E. coli mutant used in microbiological assy of Vitamin B12	37.85	100 gm	2130
TM 1880	**B12 CULTURE AGAR (L.leichmannii Maintenance Medium)** for propagation, cultivation and maintenance of L.leichmannii ATCC 7830	42.10	100 gm	1730
TM 030	**B.A.G.G BROTH BASE (BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE)** for detection of faecal Streptococci from various clinical and non-clinical samples	36.00	500 gm	4250
TM 1984	**B.C.P. - D.C.L.S. Agar** for the selective isolation of Salmonella and Shigella species	67.52	500 gm	4965
TM 2442	**BAT AGAR (ALICYCLOBACILLUS AGAR)** for the isolation of Alicyclobacillus species in fruit juices	28.95	500 gm	5545
TM 938	**B.C. MOTILITY TEST MEDIUM (BC MOTILITY MEDIUM)** for motility testing of Bacillus cereus	23.00	500 gm	4060
TM 035	**B.C.G. DEXTROSE AGAR (SNYDER TEST AGAR)** for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm	4345
TM 1987	**B.D.G - BROTH HAJNA** for the detection of enteric bacilli from food and in treated drinking water	35.60	500 gm	4425
TM 033	**BG SULPHA AGAR (BRILLIANT GREEN SULPHA AGAR)** for isolation and detection of Salmonella species from food	59.09	100 gm 500 gm	1030 4685
TM 1988	**BHI CC AGAR (BRAIN HEART INFUSION CC AGAR) *** for selective isolation and cultivation of fastidious pathogenic fungi from specimens heavily contaminated with bacteria	52.50	100 gm	10885
TM 1989	**BHI AGAR (BRAIN HEART INFUSION AGAR) (SPECIAL INFUSION AGAR)** for the cultivation of fastidious pathogenic bacteria, yeasts and moulds from clinical and non clinical samples	52.50	100 gm 500 gm	805 3685
TM 1990	**BHI AGAR MODIFIED (BRAIN HEART INFUSION AGAR, MODIFIED)** for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm	4330
TM 1991	**BHI AGAR (BRAIN HEART INFUSION AGAR WITH 1% AGAR)** for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm	4330

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1992	**BHI W/ 0.1% AGAR (BRAIN HEART INFUSION W/ 0.1% AGAR)** for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations		38.00	500 gm	4465
TM 1993	**BHI W/ 6.5% NaCL (BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL)** for the selective cultivation of salt tolerant microorganisms		97.00	500 gm	4180
TM 1994	**BHI AGAR W/ 3.0% AGAR (BRAIN HEART INFUSION AGAR WITH 3.0% AGAR)** for cultivation of fastidious microorganisms using hard (3%) agar gel		67.00	500 gm	5115
TM 1995	**BHI W/ PABA(BRAIN HEART INFUSION W/ PABA)** for examination of blood from patients under Sulphonamide therapy		37.05	500 gm	4815
TM 1996	**BHI AGAR W/ PABA (BRAIN HEART INFUSION W/ PABA AND AGAR)** for culturing blood from patients under Sulphonamide therapy		38.05	500 gm	4905
TM 668	**B.T.B. LACTOSE AGAR** for isolation of pathogenic Staphylococci		33.17	100 gm 500 gm	1160 4640
TM 669	**B.T.B. LACTOSE AGAR, MODIFIED** for differentiating lactose positive and lactose negative colonies of Enterobacteriaceae		40.04	500 gm	4640
TM 045	**BPL AGAR (BRILLIANT GREEN PHENOL RED LACTOSE AGAR)** for isolation and identification of Salmonellae except Salmonella Typhi in faeces, urine and milk		30.00	500 gm	4310
TM 216	**B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT)** for mass cultivation of anaerobes for vaccine production		30.00	500 gm	2930
TMV 216	**B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ VEG. EXTRACT)** for mass cultivation of anaerobes for vaccine production		52.00	500 gm	3170
TM 1998	**BYE AGAR** for the cultivation of Mycoplasma or Pleuropneumonia like organisms and L-forms of bacteria		41.00	500 gm	4415
TM 1120	**BACILLUS CEREUS AGAR BASE** selective isolation and enumeration of Bacillus cereus		41.00	100 gm 500 gm	980 4405
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***		#25 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#7 vl	5 vl	2100
TM 1881	**BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004)** selective isolation and enumeration of Bacillus cereus		46.03	500 gm	6080
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***		#22 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#11 vl	5 vl	2100
TM 941	**BACILLUS DIFFERENTIATION AGAR** for differentiation of Bacillus cereus and Bacillus subtilis based on mannitol fermentation		22.00	500 gm	5165
TM 942	**BACILLUS MEDIUM (DOUBLE PACK)** for cultivation of Bacillus licheniformis	(Part I) (Part II)	07.50 20.00	100 gm 500 gm	790 3445
TM 1144	**BACTEROIDES BILE ESCULIN AGAR BASE (BBE AGAR BASE)** for selective isolation, identification and cultivation of Bacteroides fragilis group		61.51	500 gm	12025
TS 100	**BACTEROIDES SELECTIVE SUPPLEMENT ***		#17 vl	5 vl	1015

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 358	**BAIRD PARKER AGAR BASE** for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm	940 4245
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	2185
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	2100
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	695
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	1025
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	5225 17750
TMV 358	**BAIRD PARKER AGAR BASE(VEG.)** for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	100 gm 500 gm	1135 4655
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 vl	5 vl	695
TS 004	B. P. SULPHA SUPPLEMENT *	#8 vl	5 vl	1025
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	5225 17750
TM 1999	**BAIRD PARKER AGAR BASE (FPT)** for the isolation and enumeration of coagulase positive Staphylococci from food and other materials	63.00	100 gm 500 gm	1000 4540
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	5225 17750
TM 1579	**BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999)** for isolation & enumeration of coagulase positive Staphylococci from foods & pharma products	56.00	500 gm	4795
TS 001	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	2185
TS 176	RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) *	#80 vl	5 vl 25 vl	5225 17750
TM 635	**BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005.)** for isolation and enumeration of coagulase positive Staphylococci from food and other products.	65.00	100 gm 500 gm	1140 4685
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	2185
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#4 vl	5 vl	2100
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl) *	#3 VL	5 vl	695
TM 636	**BAIRD PARKER AGAR BASE (AGAR MEDIUM O) (as per USP/EP)** for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1150 4630
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	2185
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 VL 25 vl	645 2295
TMH 119	**BAIRD PARKER AGAR BASE (as per EP/IP/BP)** for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1215 5010
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl) *	#4 vl	5 vl	2185
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#3 vl	5 VL 25 vl	645 2295
TM 2000	**BAIRD PARKER AGAR W/O EGG YOLK EMULSION** recommended for direct enumeration of coagulase positive Staphylococci	47.73	100 gm 500 gm	1220 4910
TM 943	**BAIRD PARKER AGAR BASE W/ SULPHA** for isolation and enumeration of coagulase positive Staphylococci from food and other products	63.00	500 gm	5675
TS 001	EGG YOLK TELLURITE EMULSION (100 ml /vl)*	#4 vl	5 vl	2185
TS 002	EGG YOLK EMULSION (100 ml /vl)*	#4 vl	5 vl	2100
TS 003	POTASSIUM TELLURITE 3.5% (10 ml/vl)*	#3 vl	5 vl	695
TM 670	**BAIRD STAPHYLOCOCCUS ENRICHMENT BROTH BASE** for selective enrichment of pathogenic Staphylococci	43.00	500 gm	5220
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#12 vl	5 vl 25 vl	645 2295
TM 032	**BALANCED SENSITIVITY TEST MEDIUM** for antimicrobial susceptibility testing by agar diffusion	65.02	500 gm	4950

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2001	**BASAL MINERAL MEDIUM** for cultivation of Beggiatoa species	01.53	500 gm	5360
TM 359	**BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 2) (as per IP)** for microbiological assay of antibiotics	25.50	500 gm	4495
TM 019	**BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4290
TM 1743	**BASE AGAR W/ LOW pH (ANTIBIOTIC MEDIUM NO. 8) (as per USP)** for microbiological assay of Mitomycin, Plicamycin and Vancomycin	25.50	500 gm	4620
TM 2002	**BEER SPOILAGE ISOLATION BROTH** for recommended as a selective medium for the detection of contaminating/spoilage microorganisms	109.08	100 gm	2210
TM 2003	**BEER SPOILAGE ISOLATION AGAR** for selective medium recommended for the detection of contaminating/spoilage microorganisms	69.90	100 gm	2395
TM 2004	**BENNET'S AGAR** for the sporulation and cultivation of Nocardia and Streptomyces species	29.00	500 gm	5365
TM 1997	**BENNET'S BROTH** for the cultivation and maintenance of species of Nocardia, Streptomyces and Micromonospora	14.00	500 gm	5125
TM 671	**B. MEAT EXTRACT AGAR** general purpose medium	33.00	100 gm 500 gm	1030 4245
TM 672	**B. MEAT EXTRACT BROTH** general purpose medium	18.00	500 gm	4185
TM 1891	**BIFIDOBACTERIUM AGAR** for the cultivation and maintenance of Bifidobacterium species	49.30	500 gm	5320
TM 1892	**BIFIDOBACTERIUM BROTH** for the cultivation of Bifidobacterium species	78.65	500 gm	5220
TM 238	**Bi.G.G.Y AGAR (NICKERSON MEDIUM)** for detection, selective isolation, differentiation & presumptive identification of Candida tropicalis	45.00	500 gm	4805
TM 303	**BILE BROTH BASE** for cultivation of Enterobacteriaceae group	30.00	100 gm 500 gm	1115 4450
TM 036	**BILE ESCULIN AGAR (ISO 10273:1994)** for isolation & identification of Yersinia enterocolitica from food and animal feeding products	64.50	100 gm 500 gm	2070 8070
TM 673	**BILE ESCULIN AGAR W/ KANAMYCIN** for selective isolation and presumptive identification of Bacteroides fragilis from mixed flora	44.60	100 gm 500 gm	2240 8970
TM 037	**BILE ESCULIN AGAR BASE** for differential & presumptive identification of group D Streptococci from food & pharma products	63.50	500 gm	5115
TS 090	**ESCULIN SUPPLEMENT (0.5g/vl) ***	#16 vl	5 vl	2575
TM 2005	**BILE ESCULIN AGAR, MODIFIED** for isolation and presumptive identification of group D Streptococci/Enterococci from food and pharmaceutical products	44.50	500 gm	8635
TM 038	**BILE ESCULIN AZIDE AGAR** for selective isolation and presumptive identification of faecal Streptococci	56.65	500 gm	8205
TM 1883	**BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000)** for isolation and presumptive identification of faecal streptococci	56.65	500 gm	8205
TM 2006	**BILE ESCULIN AZIDE AGAR, MODIFIED** for rapid, selective detection and enumeration of Enterococci and Group D Streptococci	56.25	500 gm	9055
TM 1793	**BILE ESCULIN AZIDE BROTH** for selective isolation and presumptive identification of faecal Enterococci	43.00	500 gm	8310
TM 2007	**BILE ESCULIN AZIDE BROTH, MODIFIED** used to differentiate between Enterococci and Group D Streptococci	42.75	500 gm	8895

B Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 304	**BILE PEPTONE TRANSPORT MEDIUM** for transporting specimens in hot climates prone to Cholera outbreak		25.00	500 gm	4470
TM 410	**BILE SALT AGAR** for isolation and enumeration of bile tolerant enteric bacilli		43.00	100 gm 500 gm	1010 4535
TM 674	**BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005.)** for isolation and enumeration of bile tolerant enteric bacilli		40.00	100 gm 500 gm	1010 4535
TM 039	**BISMUTH SULPHITE AGAR** for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.33	100 gm 500 gm	875 3925
TMV 039	**BISMUTH SULPHITE AGAR (VEG.)** for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.33	100 gm 500 gm	1035 4245
TM 946	**BISMUTH SULPHITE AGAR (as per USP)** for selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.32	100 gm 500 gm	985 4050
TM 414	**BISMUTH SULPHITE AGAR (as per IP) (DOUBLE PACK)** for selective isolation and identification of Salmonellae	(Part I) (Part II)	40.41 22.54	100 gm 500 gm	1030 4135
TM 2008	**BISMUTH SULPHITE AGAR MEDIUM (as per USP)** for the selective isolation of Salmonellae from faeces, urine, sewage and other materials		52.32	100 gm 500 gm	1045 4335
TM 2009	**BISMUTH SULPHITE AGAR MODIFIED** for the selective isolation and preliminary identification of Salmonella Typhi and other Salmonellae from pathological materials, sewage, water supplies, food etc.		40.00	100 gm 500 gm	1130 4540
TM 360	**BLOOD AGAR BASE (INFUSION AGAR)** for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood		40.00	100 gm 500 gm	740 3350
TMV 360	**BLOOD AGAR BASE (INFUSION AGAR) (VEG.)** for isolation and cultivation of fastidious pathogenic microorganisms after addition of blood		40.00	100 gm 500 gm	940 3795
TM 2010	**BLOOD AGAR BASE, MODIFIED** for recommended as a base to which blood may be added for use in the isolation and cultivation of fastidious pathogenic microorganisms		33.64	500 gm	3955
TM 040	**BLOOD AGAR BASE W/ LOW pH** for isolation and cultivation of fastidious organisms after addition of blood		40.00	100 gm 500 gm	890 3575
TM 041	**BLOOD AGAR BASE No. 2** for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms		42.50	100 gm 500 gm	710 3215
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT ***		#24 vl	5 vl 25 vl	1410 3540
TS 007	**CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) ***		#24 vl	5 vl	1200
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***		#24 vl	5 vl 25 vl	1445 4070
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) ***		#24 vl	5 vl	1295
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT ***		#24 vl	5 vl	1295
TS 011	**STREPTO SUPPLEMENT ***		#24 vl	5 vl 25 vl	1085 3410
TM 1842	**BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017)** for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms		42.50	100 gm 500 gm	710 3215
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT ***		#26 vl	5 vl 25 vl	1410 3540
TS 007	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***		#26 vl	5 vl	1200
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***		#26 vl	5 vl 25vl	1445 4070
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) ***		#26 vl	5 vl	1295
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT ***		#26 vl	5 vl	1295
TS 011	**STREPTO SUPPLEMENT ***		#26 vl	5 vl 25 vl	1085 3410

Dehydrated Culture Media B

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2011	**BLOOD AGAR BASE NO. 2 WITH 1.2% AGAR** especially to permit the maximum recovery of fastidious pathogenic microorganisms without interfering with their haemolytic reactions	39.50	500 gm	3885
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT ***	#26 vl	5 vl 25 vl	1410 3540
TS 007	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***	#26 vl	5 vl	1200
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***	#26 vl	5 vl 25vl	1445 4070
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) ***	#26 vl	5 vl	1295
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT ***	#26 vl	5 vl	1295
TS 011	**STREPTO SUPPLEMENT ***	#26 vl	5 vl 25 vl	1085 3410
TM 1145	**BLOOD FREE CAMPYLOBACTER BROTH BASE** for selective isolation of Campylobacter species	33.50	500 gm	4700
TS 101	**CCDA SELECTIVE SUPPLEMENT ***	#30 vl	5 vl	1460
TM 1146	**BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017)** for selective isolation and differentiation of Campylobacter species	45.50	500 gm	5045
TS 102	**CAMPYLOBACTER SUPPLEMENT V (BFCSA) ***	#22 vl	5 vl	1575
TS 103	**CAT SELECTIVE SUPPLEMENT ***	#22 vl	5 vl	1430
TM 947	**BLUE AGAR** for study of carbohydrate fermentation by adding carbohydrates	35.08	500 gm	4790
TM 1510	**BOLTON BROTH BASE (ISO 10272-1:2017)** for selective enrichment of Campylobacter species from foods	27.60	500 gm	4745
TS 179	**BOLTON SELECTIVE SUPPLEMENT ***	#37 vl	5 vl	1485
TM 044	**BORDET GENGOU AGAR BASE** for detection and isolation of Bordetella pertussis and Bordetella parapertussis	40.00	500 gm	4840
TS 012	**BRODETELLA SELECTIVE SUPPLEMENT ***	#25 vl	5 vl	1240
TM 1147	**BORDET GENGOU AGAR BASE W/ 1.6% AGAR** for detection and isolation of Bordetella pertussis and Bordetella parapertussis	36.00	500 gm	4840
TS 012	**BORDETELLA SELECTIVE SUPPLEMENT ***	#28 vl	5 vl	1240
TM 2012	**BORDET GENGOU BROTH** for the selective enrichment of Bordetella pertussis and Bordetella parapertussis	20.00	500 gm	4800
TM 948	**BORIC ACID BROTH** for detection and presumptive identification of E.coli on the basis of the ability to grow at 43°C and gas production	34.60	500 gm	4185
TM 581	**BRAIN HEART CC AGAR *** for selective isolation and cultivation of fastidious fungi like Histoplasma capsulatum and Blastomyces dermatiditis from samples heavily contaminated with bacteria	52.50	100 gm	10175
TM 361	**BRAIN HEART INFUSION AGAR** for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm	755 3445
TMV 361	**BRAIN HEART INFUSION AGAR (VEG.)** for cultivation of fastidious pathogenic bacteria, yeasts and molds	52.00	100 gm 500 gm	920 3675
TM 1990	**BRAIN HEART INFUSION AGAR, MODIFIED (BHI AGAR MODIFIED)** for the cultivation of a wide variety of organisms like bacteria, yeasts and moulds	53.00	500 gm	4330
TM 1991	**BRAIN HEART INFUSION AGAR WITH 1% AGAR (BHI AGAR W/ 1% AGAR)** for the cultivation of fastidious pathogenic bacteria, yeasts and moulds	47.00	500 gm	4330
TM 1992	**BRAIN HEART INFUSION W/ 0.1% AGAR (BHI W/ 0.1% AGAR)** for propagation of fastidious pathogenic cocci and other organisms associated with blood culture work and allied pathological investigations	38.00	500 gm	4465

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1993	**BRAIN HEART INFUSION BROTH WITH 6.5 % NaCL (BHI W/ 6.5% NaCL)** for the selective cultivation of salt tolerant microorganisms	97.00	500 gm	4180
TM 1994	**BRAIN HEART INFUSION AGAR WITH 3.0% AGAR (BHI AGAR W/ 3.0% AGAR)** for cultivation of fastidious microorganisms using hard (3%) agar gel	67.00	500 gm	5115
TM 362	**BRAIN HEART INFUSION BROTH** for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	735 3315
TMV 362	**BRAIN HEART INFUSION BROTH (VEG.)** for cultivation of fastidious microorganisms associated with blood culture	37.00	100 gm 500 gm	900 3610
TM 1995	**BRAIN HEART INFUSION W/ PABA (BHI W/ PABA)** for examination of blood from patients under Sulphonamide therapy	37.50	500 gm	4815
TM 1913	**BRAIN HEART INFUSION BROTH (ISO 6880-1983)** for propagation of pathogenic cocci and other fastidious organisms associated with blood culture work and allied pathological investigations and for enrichment of Staphylococcus aureus	37.00	500 gm	4165
TM 305	**BREWER THIOGLYCOLLATE MEDIUM** for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	660 2885
TMV 305	**BREWER THIOGLYCOLLATE MEDIUM (VEG.)** for sterility testing of biological products and for isolation of aerobes and anaerobes	40.50	100 gm 500 gm	700 3030
TM 306	**BREWER THIOGLYCOLLATE MEDIUM** for sterility testing of biological products and for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	690 2895
TMV 306	**BREWER THIOGLYCOLLATE MEDIUM, MODIFIED (LINDEN THIOGLYCOLLATE MEDIUM) (VEG.)** for sterility testing of biological products & for isolation of aerobes and anaerobes	38.50	100 gm 500 gm	715 3045
TM 677	**BREWER THIOGLYCOLLATE MEDIUM, MODIFIED** for sterility testing of biological products and for isolation of aerobes and anaerobes	20.60	100 gm 500 gm	660 3045
TM 364 TS 013	**BRILLIANT GREEN AGAR BASE, MODIFIED** for selective isolation of Salmonellae other than Salmonella Typhi from faeces and foods etc **SULPHA SUPPLEMENT ***	58.09 #18 vl	100 gm 500 gm 5 vl	785 3265 1430
TM 951	**BRILLIANT GREEN AGAR MEDIUM (BRILLIANT GREEN AGAR, MODIFIED) (as per USP)** for isolation of Salmonellae other than Salmonella Typhi from faeces, foods and dairy products	58.09	100 gm 500 gm	810 3355
TM 1953	**BRILLIANT GREEN, PHENOL RED, LACTOSE MONOHYDRATE, SUCROSE AGAR (AGAR MEDIUM L) (as per EP)** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products	57.59	100 gm 500 gm	875 3695
TM 2106	**BRILLIANT GREEN AGAR MEDIUM 16. (as per IP)** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods, dairy products etc.	50.09	100 gm 500 gm	860 3590
TM 047 TS 013	**BRILLIANT GREEN AGAR BASE W/ 1.2% AGAR** for selective isolation of Salmonellae other than Salmonella Typhi from faeces, foods & dairy products **SULPHA SUPPLEMENT***	50.09 #20 vl	100 gm 500 gm 5 vl	810 3485 1430
TM 046 TS 013	**BRILLIANT GREEN AGAR BASE W/ PHOSPHATES** for selective isolation & cultivation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species **SULPHA SUPPLEMENT***	52.00 #20 vl	500 gm 5 vl	4215 1430
TM 1512 TS 013	**BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975)** for selective isolation of Salmonella **SULPHA SUPPLEMENT***	54.69 #20 vl	500 gm 5 vl	4245 1430

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 952	**BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005)** for selective isolation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species	52.00	100 gm 500 gm	940 4245
TS 013	**SULPHA SUPPLEMENT***	#20 vl	5 vl	1430
TM 048	**BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR)** for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	785 3585
TMV 048	**BRILLIANT GREEN BILE AGAR (BRILLIANT GREEN LACTOSE BILE AGAR) (VEG.)** for enumeration of coliform bacteria in water and foods	20.70	100 gm 500 gm	820 3775
TM 365	**BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006)** for detection and confirmation of coliform bacteria in water and foods	40.00	500 gm	3190
TMV 365	**BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (VEG.)** for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	825 3455
TM 678	**BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012** for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	790 3285
TM 033	**BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR)** for isolation and detection of Salmonella species from foods	59.09	100 gm 500 gm	1030 4685
TMV 033	**BRILLIANT GREEN SULPHA AGAR (BG SULPHA AGAR) (VEG.)** for isolation and detection of Salmonella species from foods	59.09	100 gm 500 gm	1085 4930
TM 2021	**BRILLIANT GREEN PHENOL RED LACTOSE AGAR** for selective isolation of Salmonella species from water samples	46.69	500 gm	4710
TM 1463	**BROMO CRESOL PURPLE AGAR W/O CARBOHYDRATE (LACTOSE)** for detection and confirmation of coliform bacteria in water and foods	28.03	100 gm 500 gm	990 3975
TM 2016	**BROMO CRESOL PURPLE AGAR W/LACTOSE** for the isolation of coliforms	28.03	100 gm 500 gm	1055 4255
TM 049	**BROMO CRESOL PURPLE AZIDE BROTH** for confirmation of the presence of faecal Streptococci in water	35.93	500 gm	4250
TM 568	**BROMO CRESOL PURPLE BROTH BASE (YEAST FERMENTATION BROTH BASE)** for differentiation of various microorganisms based on their fermentation of specific carbohydrates	18.04	500 gm	4430
TM 2013	**BROMO CRESOL PURPLE BROTH W/DEXTROSE** for identification of Escherichia coli and coliform bacteria from water samples	28.02	500 gm	3915
TM 2014	**BROMOTHYMOL LACTOSE BLUE AGAR** It is a selective medium used for the isolation of Gram-negative bacteria from urine & faeces	72.73	500 gm	5225
TM 514	**BRUCELLA AGAR BASE** for selective isolation and cultivation of Brucella or Campylobacter species	43.10	100 gm 500 gm	950 4135
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT ***	#26 vl	5 vl 25 vl	1410 3540
TS 007	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***	#26 vl	5 vl	1200
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***	#26 vl	5 vl 25vl	1445 4070
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) ***	#26 vl	5 vl	1295
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT ***	#26 vl	5 vl	1295
TS 011	**HORSE SERUM***	#26 vl	5 vl	4460

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 514	**BRUCELLA AGAR BASE (VEG.)** for selective isolation and cultivation of Brucella or Campylobacter species	43.10	100 gm 500 gm	1055 4640
TM 680	**BRUCELLA AGAR BASE, MODIFIED** for cultivation of Campylobacter species	44.10	500 gm	4135
TS 009	CAMPYLOBACTER SUPPLEMENT-III, (SKIRROW)*	#23 vl	5 vl	1295
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl	1295
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#24 vl	5 vl 25 vl	1410 3540
TS 014	HORSE SERUM*	600 ml	100 ml	4460
TM 1513	**BRUCELLA AGAR BASE W/ 1.0% DEXTROSE** for cultivation of Brucella species and for isolation and subculture of anaerobes by adding blood	45.00	500 gm	4185
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#36 vl	5 vl 25 vl	1410 3540
TS 014	HORSE SERUM*	900 ml	100 ml	4460
TM 681	**BRUCELLA AGAR BASE W/ HEMIN AND VITAMIN K** for cultivation of Brucella species and for isolation and subculture of anaerobes by adding blood	43.12	500 gm	4960
TM 050	**BRUCELLA BROTH BASE** for cultivation & enrichment of Brucella or Campylobacter species	28.10	100 gm 500 gm	930 4070
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#36 vl	5vl 25vl	1410 3540
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#36 vl	5 vl	1385
TS 014	HORSE SERUM*	890 ml	100 ml	4775
TM 682	**BRUCELLA SELECTIVE MEDIUM BASE** for isolation and identification of Brucella species	43.50	500 gm	4275
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl	1410 3540
TM 1514	**BRYANT AND BURKEY AGAR** for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	34.05	500 gm	4160
TM 683	**BRYANT AND BURKEY MEDIUM** for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	33.00	500 gm	4075
TM 1464	**BRYANT AND BURKEY BROTH BASE (WITH RESAZURIN)** for detection and enumeration of spores of lactate fermenting Clostridium in dairy products	31.51	500 gm	4075
TM 030	**BUFFERED AZIDE GLUCOSE GLYCEROL BROTH BASE (B.A.G.G BROTH BASE)** for detection of faecal Streptococci from various clinical and non-clinical samples	36.01	500 gm	4250
TM 684	**BUFFERED CHARCOAL YEAST EXTRACT AGAR BASE** for selective isolation and cultivation of Legionella species	40.00	500 gm	5075
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vl	5 vl 25 vl	1245 3745
TS 016	LEGIONELLA SELECTIVE SUPPLEMENT II *	#5 vl	5 vl	1510
TS 017	LEGIONELLA SELECTIVE SUPPLEMENT III *	#5 vl	5 vl	1430
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl	1675
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl	1090
TM 1894	**BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017)** For selective isolation and cultivation of Legionella species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm	4525 18100
TS 015	LEGIONELLA SELECTIVE SUPPLEMENT *	#5 vl	5 vl 25 vl	1245 3745
TS 018	LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY) *	#5 vl	5 vl	1675
TS 019	LEGIONELLA SUPPLEMENT *	#5 vl	5 vl	1090
TS 254	PCP SUPPLEMENT *	#5 vl	5 vl	1510

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 324	**BUFFERED GLUCOSE BROTH (MR-VP MEDIUM)** used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	645 2765
TMV 324	**BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (VEG.)** used in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	670 2855
TM 685	**BUFFERED GLUCOSE BROTH (MR-VP MEDIUM) (IS: 5887 (Part I, III and IV) 1976, reaffirmed 2005)** for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	645 2765
TM 2015	**BUFFERED GLYCEROL SALINE BASE** for collection and transportation of faecal specimens	08.30	100 gm 500 gm	905 4135
TM 1333 TS 092	**BUFFERED LISTERIA ENRICHMENT BROTH BASE (BLE Broth Base) (as per FDA)** for selective isolation of Listeria monocytogenes **LISTERIA SELECTIVE SUPPLEMENT II ***	48.00 #21 vl	500 gm 5 vl 25 vl	4070 1200 4205
TMH 101	**BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP)** dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	745 3175
TMHV 101	**BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.)** dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	745 3175
TM 307	**BUFFERED PEPTONE WATER** **(ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017)**	20.00	100 gm 500 gm	645 2935
TMV 307	**BUFFERED PEPTONE WATER (VEG.)** for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	20.00	100 gm 500 gm	795 3185
TM 2017 TS 248	**BUFFERED PEPTONE WATER** for increasing the recovery of injured Salmonella species from foods prior to selective enrichment and isolation **EC O157:H7 SELECTIVE SUPPLEMENT ***	20.00 #17 vl	100 gm 500 gm 5 vl 25 vl	665 3000 645 2295
TM 686	**BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005)** for pre-enrichment of injured Salmonella species prior to selective enrichment and isolation.	20.07	100 gm 500 gm	685 2935
TM 1837	**BUFFERED PEPTONE WATER (as per EP)** for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	16.10	500 gm	2935
TM 2018	**BUFFERED PEPTONE WATER (6 FOLD STRENGTH PHOSPHATE BUFFER)** a pre-enrichment medium used for increasing the recovery of injured Salmonella species from foods prior to selective enrichment and isolation	45.41	500 gm	3655
TM 2019	**BUFFERED PEPTONE WATER WITH NaCl** recommended as a diluent for carrying microbial limit test from clinical and non clinical specimens	16.09	500 gm	3395
TM 687	**BUFFERED PEPTONE WATER W/ NaCl (as per IP)** used as diluents for carrying out microbial limit test	16.09	500 gm	3175
TM 2020 TS 267	**BUFFERED PEPTONE WATER W/ PYRUVATE** for the isolation of Enterohemorrhagic E. coli (EHEC) **ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT) ***	42.10 #24 vl	100 gm 500 gm 5 vl	1070 4405 4155
TM 688	**BUFFERED TRYPTONE GLUCOSE YEAST EXTRACT BROTH** for cultivation and characterization of Clostridia isolated from food samples	85.00	500 gm	4025
TM 567	**BUFFERED YEAST AGAR** for cultivation of yeasts and molds in brewery	41.00	500 gm	4100
TM 1934	**BURKHOLDERIA CEPACIA AGAR BASE** for isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	36.52	500 gm	4805

B Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2022	**BURKHOLDERIA CEPACIA SELECTIVE AGAR BASE** for isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens	50.06	500 gm	3905
TM 558	**BURK'S MEDIUM** for isolation and cultivation of nitrogen fixing bacteria like Azotobacter species	21.30	500 gm	4050
TM 559	**BUSHNELL HAAS AGAR** for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	23.27	500 gm	4345
TM 053	**BUSHNELL HAAS BROTH** for examination of fuels for microbial contamination and hydrocarbon deterioration by bacteria	03.27	100 gm 500 gm	990 4275
TM 1151	**CAE AGAR BASE (CITRATE AZIDE ENTEROCOCCUS AGAR BASE)** for detection of Enterococci in Meat, dairy product and other food products	58.40	500 gm	4345
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#9 vl	5 vl 25 vl	1015 3165
TM 1152	**CAL AGAR (CELLOBIOSE ARGININE LYSINE AGAR)** for isolation and biochemical identification of Yersinia enterocolitica	46.00	100 gm	6825
TM 1153	**CAL BROTH (CELLOBIOSE ARGININE LYSINE BROTH)** for isolation and biochemical identification of Yersinia enterocolitica	26.00	100 gm	6340
TM 1154	**C. BOTULINUM ISOLATION AGAR BASE** for isolation of Clostridium botulinum from food and clinical samples	74.00	500 gm	4345
TS 104	**C.B.I. SUPPLEMENT ***	#14 vl	5 vl	1270
TS 002	**EGG YOLK EMULSION (100 ml /vl)***	#7vl	5 vl	2100
TM 2023	**CFC AGAR BASE (CEPHALOTHIN-SODIUM FUSIDATE-CETRIMIDE AGAR)** for selective isolation of Pseudomonas species	52.40	100 gm 500 gm	1010 4665
TS 268	**MODIFIED CFC SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	1370
TM 2024	**CFC BROTH BASE** for selective isolation of Pseudomonas species	37.40	500 gm	4965
TS 268	**MODIFIED CFC SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	1370
TM 930	**CHO MEDIUM BASE (FERMENTATION BROTH)** for studies of anaerobic fermentation by adding carbohydrates	26.00	500 gm	3925
TM 054	**C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)** for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm	860 3470
TMV 054	**C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR) (VEG.)** for isolation and differentiation of microorganisms based on lactose fermentation	36.25	100 gm 500 gm	905 3645
TM 405	**C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)** for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm	775 3485
TMV 405	**C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR) (VEG.)** for isolation and differentiation of urinary pathogens by lactose fermentation	36.15	100 gm 500 gm	935 3935
TM 2025	**C.L.E.D. AGAR BASE W/O INDICATOR** for isolation, enumeration and presumptive identification of bacterial flora in the urinary tract	36.13	100 gm 500 gm	915 3795
TS 269	**BROMO THYMOL BLUE SUPPLEMENT***	#14 vl	5 vl	475
TM 2026	**C.L.E.D. AGAR W/BROMO THYMOL BLUE** for isolation, enumeration and identification of urinary pathogens on the basis of lactose fermentation	36.15	100 gm 500 gm	1030 4475
TM 1422	**CPC AGAR BASE** for cultivation of Vibrio species from foods	65.08	100 gm	6100
TS 141	**CPC SUPPLEMENT***	#4 vl	5 vl	2020
TM 2027	**CPC AGAR BASE W/ 1% CELLOBIOSE** for the cultivation and identification of Vibrio species from foods in accordance with FDA BAM, 1998	60.08	100 gm	7320
TS 270	**MODIFIED CPC SUPPLEMENTCOLISTIN SELECTIVE SUPPLEMENT ***	#4 vl	5 vl	2195
TS 271	**COLISTIN SELECTIVE SUPPLEMENT ***	#10 vl	5 vl	1960

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1423	**C. PERFRINGENS SPORULATION BROTH** for promoting sporulation in Clostridium perfringens	33.10	500 gm	4025
TM 1424	**CRAMP AGAR BASE (CONGO RED-ACID MORPHOLINE PROPANE SULPHONIC ACID PIGMENTATION AGAR)** for cultivation of Yersinia species with plasmids	32.54	100 gm	5255
TM 954	**CSMA BROTH (DISINFECTANT TEST MEDIUM)** for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)	20.00	500 gm	4355
TM 2028	**C.T. AGAR** for cultivation of Myxobacteria species	41.71	500 gm	4855
TM 1155	**CVTR MEDIUM (VIRAL TRANSPORT MEDIUM W/ CHARCOAL)** for transportation of viral specimens at ambient temperature	20.00	500 gm	4835
TM 1156	**CAFFEIC ACID FERRIC CITRATE TEST AGAR (CAFC MEDIUM)** for selective and presumptive identification of Cryptococcus neoformans and its differentiation from other species	33.70	100 gm	2555
TM 2029	**CALCIUM CARBONATE AGAR** for the differentiation of microorganisms especially yeasts based on the production of acid from glucose	75.00	500 gm	4045
TM 560	**CALCIUM CASEINATE AGAR** for detection and enumeration of proteolytic microorganism in food	30.20	500 gm	4835
TM 1157	**CAMPYLO THIOGLYCOLLATE MEDIUM BASE (CAMPY-THIO MEDIUM)** for isolation, maintenance and transport of Campylobacter species	26.80	500 gm	4000
TS 007	**CAMPYLOBACTER SUPPLEMENT-I (BLASER-WANG) ***	#38 vl	5 vl	1200
TM 056	**CAMPYLOBACTER AGAR BASE** for selective isolation of Campylobacter species from faecal, food and environmental samples	39.50	500 gm	4765
TS 007	**CAMPYLOBACTER SUPPLEMENTS I (BLASER-WANG)***	#26 vl	5 vl	1200
TS 009	**CAMPYLOBACTER SUPPLEMENTS III (SKIRROW)***	#26 vl	5 vl	1295
TM 1158	**CAMPYLOBACTER CEFEX AGAR BASE** for isolation and cultivation of Campylobacter species	49.35	500 gm	4755
TS 074	**PARK AND SENDER'S SELECTIVE SUPPLEMENT B ***	#11 vl	5 vl	2115
TM 1335	**CAMPYLOBACTER CEFEX BROTH BASE** for selective isolation of Campylobacter species from faecal samples, foods and environment	33.35	500 gm	4635
TS 073	**PARK AND SENDER'S SELECTIVE SUPPLEMENT A PARK AND SENDER'S SELECTIVE SUPPLEMENT B ***	#15 vl	5 vl	1445
TS 074	**PARK AND SENDER'S SELECTIVE SUPPLEMENT B ***	#15 vl	5 vl	2115
TM 956	**CAMPYLOBACTER ENRICHMENT AGAR BASE (PRESTON ENRICHMENT AGAR BASE)** for cultivation of Campylobacter species	37.00	500 gm	4480
TS 067	**CAMPYLOBACTER SUPPLEMENT IV (Preston)***	#27 vl	5 vl	1170
TM 603	**CAMPYLOBACTER ENRICHMENT BROTH BASE (PRESTON ENRICHMENT BROTH BASE)** for selective enrichment and cultivation of Campylobacter species	25.00	500 gm	4255
TS 067	**CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)***	#40 vl	5 vl	1170
TM 690	**CAMPYLOBACTER NITRATE BROTH** for identification of Campylobacter species by Nitrate reduction	27.00	500 gm	3585
TM 1517	**CANDIDA AGAR** for isolation and differentiation of Candida albicans	41.10	500 gm	4490
TM 057	**CANDIDA BCG AGAR BASE** for primary isolation and identification of Candida species	66.00	500 gm	4490
TM 691	**CANDIDA MEDIUM** for selective isolation and cultivation of Candida species	35.50	500 gm	4405
TM 1159	**CARBOHYDRATE CONSUMPTION BROTH BASE** for cultivation and differentiation of Listeria species	16.10	500 gm	4010

C Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 523	**CARBON UTILIZATION AGAR (ISP MEDIUM NO. 9)** for characterization of Streptomyces based on carbon utilization	24.83	100 gm 500 gm	2145 8600
TM 2030	**CARROT AGAR** for sporangial production and study of mating techniques of Phytophthora spp.	19.00	500 gm	5565
TM 415	**CARY-BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL) (CARY & BLAIR TRANSPORT MEDIUM)** for collection and shipment of clinical specimen	12.60	100 gm 500 gm	1000 4435
TM 569	**CASEIN HYDROLYSATE AGAR W/ 1.5% AGAR** used as a general purpose culture medium	35.50	500 gm	4050
TM 692	**CASEIN HYDROLYSATE AGAR W/ 2.5% AGAR** for large scale cultivation of Vibrio cholerae for cholera vaccine production	45.50	500 gm	4100
TM 2031	**CASITOSE BROTH** for production of staphylococcal enterotoxin for use in Cat test and in serological studies	29.33	500 gm	4310
TM 2032	**CASITOSE BROTH, MODIFIED** used as a general purpose medium	20.50	500 gm	3960
TM 2033	**CASITOSE YEAST EXTRACT BROTH (CAYE)** for cultivation of Vibrio cholerae cultures while testing their enterotoxigenicity	36.50	500 gm	4265
TM 2034	**CASITOSE YEAST EXTRACT SALTS BROTH BASE (CAYES)** for isolation of Escherichia coli in food in accordance with APHA	37.21	500 gm	4425
TM 570	**CASEIN HYDROLYSATE BROTH** for production of Staphylococcus enterotoxin for use in Cat test and in serological studies	29.33	500 gm	4025
TM 693	**CASEIN HYDROLYSATE BROTH, MODIFIED** used as general purpose culture medium	20.50	500 gm	4025
TM 694	**CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYE) (CASAMINO ACID YEAST EXTRACT BROTH)** for cultivation of Bacillus cereus to enhance toxin production and use in the Enterotoxins Test	36.50	500 gm	3985
TM 695	**CASEIN HYDROLYSATE YEAST EXTRACT BROTH (CAYES) (CASAMINO ACID YEAST EXTRACT SALT BROTH)** for cultivation of Bacillus cereus to enhance toxin production and use in the Enterotoxins Test	37.20	500 gm	4200
TM 958	**CASEIN MAGNESIUM BROTH** for cultivation of recombinant strains of E.coli	16.00	500 gm	5510
TM 345	**CASEIN SOYA PEPTONE DIGEST AGAR (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (ANTIBIOTIC ASSAY MEDIUM NO. 36)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm 5 kg	850 3500 POR
TMV 345	**CASEIN SOYA PEPTONE DIGEST AGAR (VEG.) (TRYPTONE SOYA AGAR) (SOYA BEAN CASEIN DIGEST AGAR) (VEG.) (ANTIBIOTIC ASSAY MEDIUM NO. 36)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	890 3590
TM 332	**CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH)** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	390 1760
TMV 332	**CASO BROTH (SOYA CASEIN DIGEST MEDIUM) (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) (VEG.)** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	440 1790
TM 696	**CASEIN YEAST MAGNESIUM AGAR (NZYM AGAR)** for cultivation of recombinant strains of Escherichia coli	35.98	500 gm	5410
TM 697	**CASEIN YEAST MAGNESIUM BROTH (NYZM BROTH)** for cultivation of recombinant strains of Escherichia coli	21.00	500 gm	5145
TM 513	**CASMAN AGAR** for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	43.60	500 gm	4120
TM 611	**CASMAN BROTH BASE** for isolation of fastidious bacteria from clinical samples under reduced oxygen tension	29.60	500 gm	3865

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2035	**CETRIMIDE AGAR BASE (W 1.3% AGAR)** for the selective isolation of Pseudomonas aeruginosa from various materials	44.70	100 gm 500 gm	860 3830
TS 020	**NALIDIXIC SELECTIVE SUPPLEMENT ***	#12 vl	5 vl	1055
TM 060	**CETRIMIDE AGAR BASE** for selective isolation of Pseudomonas aeruginosa from clinical samples	46.70	100 gm 500 gm	755 3435
TS 020	**NALIDIXIC SELECTIVE SUPPLEMENT ***	#11 vl	5 vl	1055
TMV 060	**CETRIMIDE AGAR BASE (VEG.)** for selective isolation of Pseudomonas aeruginosa from clinical samples	46.70	100 gm 500 gm	825 3635
TS 020	**NALIDIXIC SELECTIVE SUPPLEMENT ***	#11 vl	5 vl	1055
TM 416	**CETRIMIDE AGAR BASE (AGAR MEDIUM) (as per IP)** for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm	745 3380
TMH 113	**CETRIMIDE AGAR (as per USP/EP/JP/BP)** for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm	745 3380
TMHV 113	**CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.)** for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm	850 3530
TM 422	**CETRIMIDE BROTH** for selective enrichment of Pseudomonas aeruginosa	25.30	100 gm 500 gm	810 3365
TMV 422	**CETRIMIDE BROTH (VEG.)** for selective enrichment of Pseudomonas aeruginosa	25.30	100 gm 500 gm	850 3530
TM 1522	**CETRIMIDE BROTH BASE (ISO 8360-2:1988)** for cultivation of Pseudomonas aeruginosa from water samples using membrane filter technique	31.90	500 gm	4115
TM 061	**CHAPMAN STONE AGAR** for selective isolation of Staphylococci causing food poisoning	202.50	500 gm	4070
TM 062	**CHARCOAL AGAR BASE** for cultivation of fastidious microorganisms like Bordetella pertussis for vaccine production	62.50	500 gm	4355
TS 012	**BORDETELLA SELECTIVE SUPPLEMENT ***	#16 vl	5 vl	1240
TM 1160	**CHARCOAL BLOOD AGAR BASE** for cultivation of Bordetella pertussis for vaccine production & also for maintenance of stock cultures	54.50	500 gm	4480
TM 063	**CHARCOAL AGAR BASE W/ NIACIN** for cultivation & isolation of Bordetella pertussis & Haemophilus influenzae	51.00	500 gm	4430
TS 012	**BORDETELLA SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	1240
TM 604	**CHINA BLUE LACTOSE AGAR** for differentiation and enumeration of microorgnisms in milk	38.30	500 gm	4345
TM 962	**CHLAMYDOSPORE AGAR** for differentiation of Candida albicans from other Candida on the basis of chlamydospore formation	37.10	100 gm 500 gm	1415 6430
TM 498	**CHLORAMPHENICOL YEAST GLUCOSE AGAR (IS : 5403:1999 Reaffirmed 2005)** for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	850 3800
TMV 498	**CHLORAMPHENICOL YEAST GLUCOSE AGAR (VEG.)** for selective enumeration of yeasts and molds in milk and milk products	40.00	100 gm 500 gm	890 3975
TM 2036	**CHLORELLA AGAR** for the isolation and maintenance of Chlorella species	34.60	500 gm	5520
TM 2037	**CHLORELLA BROTH** for the cultivation & enumeration of Chlorella species	17.60	500 gm	5130
TM 064	**CHOCOLATE AGAR BASE** for isolation and cultivation of fastidious microorganisms like Neisseria gonorrhoeae	91.00	500 gm	4345
TS 021	**HAEMOGLOBIN POWDER ***	45.50	100 gm	2350
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#22 vl	5 vl 25 vl	2005 7900
TS 023	**YEAST AUTOLYSATE SUPPLEMENT ***	#22 vl	5 vl 25 vl	950 3075

C Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2264	**CHOCOLATE NO. 2 AGAR BASE** for the cultural isolation of Neisseria and Haemophilus species from a variety of clinical specimens	76.00	500 gm	5130
TS 021	**HAEMOGLOBIN POWDER ***		100 gm	2350
TS 272	**VITAMINO GROWTH SUPPLEMENT, MODIFIED**	#27 vl	5 vl	1480
TM 411	**CHOLERA MEDIUM BASE** for selective isolation of Vibrio species from samples contaminated with Enterobacteriaceae	65.10	500 gm	4330
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#2 vl #2 vl	5 vl 25 vl	645 2295
TM 2038	**CHOPPED LIVER BROTH (CL BROTH)** for the cultivation and enrichment of anaerobic bacteria from food specimen	112.00	500 gm	4360
TM 065	**CHRISTENSEN CITRATE AGAR** for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm	1020 4370
TMV 065	**CHRISTENSEN CITRATE AGAR (VEG.)** for differentiation of enteric pathogens and coliforms on the basis of citrate utilization	24.81	100 gm 500 gm	1065 4570
TM 066	**CHRISTENSEN CITRATE SULPHITE AGAR** for differentiation of enteric bacilli based on citrate utilization and H2S production	24.29	500 gm	4370
TM 2039	**CHRISTENSEN CITRATE SULPHITE AGAR, W/ 1.5% AGAR** For differentiation of enteric bacilli on the basis of citrate utilization and hydrogen sulphide production in accordance with FDA BAM, 1998	25.29	500 gm	5000
TM 1841	**CHROMOGENIC A. RAMBACH AGAR - (Part I) & (Part II)** For detection and isolation of Salmonella species in clinical sample *	30.70 10 ml	500 gm -	19745 -
TM 1523	**CHROMOGENIC BACILLUS AGAR** for isolation & differentiation between various species of Bacillus using chromogenic substrates	49.20	100 gm 500 gm	1395 5585
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#21 vl	5 vl 25 vl	1130 3255
TM 2110	**CHROMOGENIC BACILLUS AGAR BASE** for isolation and differentiation between various species of Bacillus by chromogenic method	49.22	100 gm 500 gm	1510 6085
TS 281	**BACILLUS SELECTIVE SUPPLEMENT**	#11 vl	5 vl	1540
TM 1885	**CHROMOGENIC BACILLUS CEREUS AGAR** for isolation and differentiation of Bacillus cereus from food	40.98	100 gm 500 gm	1360 5560
TS 255	**BACILLUS CEREUS SELECTIVE SUPPLEMENT***	#25 vl	5 vl	1790
TM 2111	**CHROMOGENIC BIFIDOBACTERIUM AGAR** for the differentiation of Bifidobacterium and Lactobacillus species	59.48	100 gm 500 gm	2185 9565
TM 2112	**CHROMOGENIC CAMPYLOBACTER AGAR BASE** for selective isolation and presumptive identification of Campylobacter species	59.53	100 gm 500 gm	2070 8735
TS 145	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)***	#01 vl	5 vl 25 vl	1545 3230
TM 1197	**CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR)** for fast isolation and identification of Candida species from mixed flora	42.70	100 gm 500 gm	4275 19235
TM 2113	**CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE** selective and differential medium for rapid isolation and identification of Candida species from mixed cultures	31.02	100 gm 500 gm	5675 22715
TS 282	**CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT ***	#32 vl	5 vl	1055
TM 1588	**CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED** for fast isolation and identification of Candida species from clinical and non-clinical specimens	42.05	100 gm 500 gm	4955 19840
TS 213	**CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT ***	#24 vl	5 vl 25 vl	1415 3375
TM 1833	**CHROMOGENIC CLED AGAR BASE** for isolation and differentiation of UTI pathogens	43.00	500 gm	18500
TM 1858	**CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014)** for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm	3300 15950

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2114	**CHROMOGENIC CLOSTRIDIAL AGAR BASE** for selective isolation and presumptive identification of Clostridium species	47.81	100 gm 500 gm	1920 8125
TM 2115	**CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR * (ISO 9308-1:2014)** for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm	7580 34155
TM 1338	**CHROMOGENIC COLIFORM AGAR W/SLS *** for simultaneous detection of total coliforms and Escherichia coli in water and foods	27.00	100 gm 500 gm	5115 20445
TM 2116	**CHROMOGENIC COLIFORM AGAR MODIFIED *** recommended for the simultaneous detection of Escherichia coli and thermotolerent coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm	4990 22925
TM 2117	**CHROMOGENIC COLISTIN RESISTANT AGAR BASE *** recommended for isolation and differentiation of gram negative colistin resistant microoganisms	38.50	500 gm	10715
TS 283	**CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT ***	#13 vl	5 vl	1945
TM 2118	**CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR) * (ISO /TS 22964: 2017)** recommended for the isolation and identification of Cronobacter sakazakii from food product	32.40	500 gm	13060
TM 1854	**CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001)** for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	500 gm	23610
TS 248	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT ***	17 vl	5 vl 25 vl	645 2295
TM 1340	**CHROMOGENIC ECC AGAR** for presumptive identification of Escherichia coli and other coliforms in food and environmental samples	55.83	100 gm 500 gm	4320 17610
TM 1341	**CHROMOGENIC ECC SELECTIVE AGAR BASE *** for detection of Escherichia coli and coliforms in water and food samples	26.48	100 gm 500 gm	7000 28005
TS 187	**CHROMOGENIC ECC SELECTIVE SUPPLEMENT ***	#19 vl	5 vl	840
TM 2119	**CHROMOGENIC E. COLI AGAR** for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm	2460 11325
TM 1339	**CHROMOGENIC E. COLI AGAR (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (TBX AGAR)** (ISO 16649-1 & 2:2001, ISO 16649-3:2015, ISO 11133:2014) * for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm	2260 10380
TM 2120	**CHROMOGENIC EC BROTH W/ RUG *** recommended for detection of Escherichia coli in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm	6590
TM 2121	**CHROMOGENIC EC O157:H7 AGAR, MODIFIED *** recommended for isolation and differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm	6305 25740
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#5 vl	5 vl 25 vl	645 2295
TM 2441	**CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED *** for presumptive enumeration of Escherichia coli 0157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm	5710 23185
TS 313	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED ***	#8 vl	5 vl	840
TM 2122	**CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED *** for detection of Escherichia coli and coliforms in water and food samples	39.30	500 gm	34110
TM 2123	**CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7 *** for isolation and selective differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm	8290 35560
TS 248	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT I ***	#44 vl	5 vl 25 vl	645 2295
TM 1343	**CHROMOGENIC ECD W/ MUG *** for detection of Escherichia coli by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm	4480 20660
TM 1631	**CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR *** for isolation and identification of Enterobacter sakazkii from dairy and food products	51.67	100 gm 500 gm	1835 7460

C Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1853	**CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) ***	30.75	100 gm	2950
	for isolation and identification of Cronobacter sakazakii from milk and milk products		500 gm	12275
TM 1344	**CHROMOGENIC ENTEROCOCCI BROTH ***	18.59	100 gm	1765
	for identification and differentiation of Enterococci from water		500 gm	7190
TM 1632	**CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE**	29.00	100 gm	1805
	for identification and differentiation of Enterococcus faecium from faeces, sewage and water supplies		500 gm	7330
TS 215	**CHROMOGENCIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT ***	#19 vl	5 vl	1200
TM 1633	**CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE ***	40.8	100 gm	2380
	for selective isolation of Klebsiella species from water can be used by membrane filter technique		500 gm	9795
TS 204	**CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT ***	#25 vl	5 vl	1855
TM 2124	**CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE ***	67.2	500 gm	9505
	for the selective and differential isolation, enumeration and identification of Listeria monocytogenes and Listeria species based on PCPLC activity			
TS 285	**LECITHIN SOLUTION ***	#16 vl	5 vl	3455
TS 286	**MODIFIED L.MONO SELECTIVE SUPPLEMENT ***	#16 vl	5 vl	1920
TM 1845	**CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR ***	70.30	100 gm	8720
	for selective identification and differentiation of Listeria monocytogenes			
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT ***	#15 vl	5 vl	1945
TM 1634	**CHROMOGENIC LISTERIA AGAR BASE (Modified) ***	67.25	100 gm	1865
	for selective identification and differentiation of Listeria species		500 gm	7680
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TM 004	**CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) ***	70.05	100 gm	2305
	for selective identification and differentiation of Listeria species.		500 gm	8390
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT**	#15 vl	5 vl	1360
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT**	#15 vl	5 vl	1945
TM 1635	**CHROMOGENIC MeReSA AGAR BASE ***	83.30	100 gm	2820
	for isolation and identification of Methicillin resistant Staphylococcus aureus from clinical samples		500 gm	12135
TS 206	**CHROMOGENIC MeReSa SELECTIVE SUPPLEMENTCEFOXITIN SUPPLEMENT ***	#12 vl	5 vl	1485
TS 219	**CEFOXITIN SUPPLEMENT ***	#12 vl	5 vl	1485
TM 1636	**CHROMOGENIC MM AGAR ***	49.13	100 gm	1730
	for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples		500 gm	7030
TM 2127	**CHROMOGENIC M-COLICONFIRM BROTH ***	17.43	500 gm	27400
	recommended for detection of E.coli & other total coliforms in water samples by membrane filtration			
TS 287	**ECC SELECTIVE SUPPLEMENT MODIFIEDTTC SOLUTION 1% (10 ml/vl) ***	#29 vl	5 vl	1140
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#21 vl	5 vl	1015
			25 vl	3165
TM 1638	**CHROMOGENIC M-LAURYL SULPHATE AGAR ***	88.00	100 gm	5870
	for enumeration and differentiation of E. coli and other coliforms by membrane filter technique		500 gm	23415
TM 1198	**CHROMOGENIC OGYE AGAR BASE ***	37.10	100 gm	4380
	for isolation and enumeration of yeasts and moulds from milk and milk products using chromogeni substratesc		500 gm	18755
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT ***	#27 vl	5 vl	920
			25 vl	3020
TM 2125	**CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) ***	46.82	100 gm	4685
	for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species		500 gm	21520
TM 1426	**CHROMOGENIC SALMONELLA AGAR ***	27.90	100 gm	9540
	for isolation and differentiation of Salmonella species from coliforms		500 gm	42340
TM 1839	**CHROMOGENIC SALMONELLA AGAR ***	54.00	100 gm	9925
	for identification of Salmonella species from other organisms in the family Enterobacteriaceae		500 gm	44960
TS 252	**SALMONELLA SELECTIVE SUPPLEMENT ***	#10 vl	5 vl	1160

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1824	**CHROMOGENIC SALMONELLA AGAR, MODIFIED *** for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	42.34	100 gm 500 gm	4180 19020
TM 1337	**CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE *** for isolation and identification of Staphylococci	63.00	100 gm 500 gm	1195 4765
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl) ***	#4 vl	5 vl	2185
TM 1339	**CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015)** for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm	2260 10380
TM 2126	**CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM** recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm	2815 11545
TM 1199	**CHROMOGENIC UTI AGAR *** for identification and confirmation of microorganisms causing urinary tract infections.	32.45	100 gm 500 gm	2445 10415
TM 1909	**CHROMOGENIC UTI AGAR *** for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm	2565 10575
TM 1639	**CHROMOGENIC UTI AGAR,MODIFIED *** for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm	1560 7005
TS 208	**DMACA REAGENT (10 ml/vl) TDA REAGENT (10 ml/vl) ***	-	1 vl	310
TS 207	**TDA REAGENT (10 ml/vl) ***	-	1 vl	710
TM 1825	**CHROMOGENIC UTI SELECTIVE AGAR *** for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm	2480 10250
TM 1640	**CHROMOGENIC VIBRIO AGAR *** for selective isolation and differentiation of Vibrio species	67.50	100 gm 500 gm	2725 11110
TM 1907	**CHROMOGENIC VRE MEDIA BASE *** for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm	2020 9270
TS 253	**CHROMOGENIC VRE AGAR SUPPLEMENT ***	#20 vl	5 vl	1540
TM 2266	**CHRYSOIDIN AGAR WITH MUG (OXGALL CHRYSOIDIN AGAR WITH MUG)** for the isolation and differentiation of Enterobacteriaceae and several other Gram negative rods. It can also be used for the identification of E. coli from clinical and non-clinical specimens	48.23	500 gm	8180
TM 637	**CHU'S MEDIUM NO. 10** for cultivation of Blue Green Algae	0.123	100 gm	1630
TM 501	**CIN AGAR (YERSINIA SELECTIVE AGAR BASE)** for selective isolation and enumeration Yersinia enterocolitica from clinical and food samples	58.00	500 gm	4610
TS 057	**YERSINIA SELECTIVE SUPPLEMENT ***	#18 vl	5 vl 25 vl	1200 3625
TM 067	**CITRATE AGAR** for cultivation of iron bacteria from soil	27.20	100 gm 500 gm	830 3530
TMV 067	**CITRATE AGAR (VEG.)** for cultivation of iron bacteria from soil	27.20	100 gm 500 gm	870 3700
TM 2040	**CITRATE AZIDE AGAR** for selective cultivation of Enterococci in dairy products	55.41	100 gm 500 gm	1165 4900
TM 2041	**CITRATE AZIDE TWEEN CARBONATE BASE** for the identification of Enterococci in meat, meat products, dairy products and other foodstuffs	56.00	500 gm	4460
TS 273	**CATC SUPPLEMENT***	#18 vl	5 vl	1340
TM 1525	**CLAUSEN MEDIUM** used as sterility medium as per Nordic Pharmacopoeia Board	40.00	500 gm	4310
TM 644	**CLOSTRIDIAL AGAR** for selective isolation of pathogenic Clostridia from mixed flora	46.00	100 gm 500 gm	1015 4450
TM 645	**CLOSTRIDIUM BROTH BASE** for identification of spores of Clostridium tyrobutyricum	35.50	500 gm	3955

C Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2042	CLOSTRIDIUM BRAZIER AGAR BASE	47.66	500 gm	6270
	for isolation and differentiation of Clostridium difficile with added supplements			
TS 002	EGG YOLK EMULSION (100 ml /vl) *	#9vl	5 vl	2100
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#21vl	5 vl	1300
			25 vl	3410
TM 068	CLOSTRIDIUM DIFFICILE AGAR BASE	69.10	500 gm	4460
	for isolation of Clostridium difficille from food and pathological specimens			
TS 024	CLOSTRIDIUM DIFFICILE SUPPLEMENT *	#15 vl	5 vl	1300
			25 vl	3410
TM 2043	CLOSTRIDIUM DIFFICILE MANNITOL TAUROCHOLATE BROTH BASE	55.63	500 gm	5125
	for cultivation of Clostridium difficile from certain clinical specimens			
TS 274	CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT *	#9 vl	5 vl	2015
TM 1886	CLOSTRIDIUM PERFRINGENS AGAR	60.05	100 gm	1410
	for identification and enumeration of Clostridium perfringens from food		500 gm	5305
TS 002	EGG YOLK EMULSION (100 ml/vl) *	#9 vl	5 vl	2100
TM 1836	COAGULASE MANNITOL AGAR BASE	47.02	100 gm	1015
	for isolation and differentiation of pathogenic staphylococci from clinical specimens		500 gm	4460
TM 070	COAGULASE MANNITOL BROTH BASE	35.00	100 gm	890
	for detection of coagulase production and mannitol fermentation in differentiation of Staphylococci		500 gm	4470
TM 698	COLIFORM BROTH	57.14	500 gm	3685
	for isolation and cultivation of coliform organisms from milk and milk products			
TM 2132	COLIFORM BROTH, MODIFIED *	17.40	100 gm	2180
	for the detection and confirmation of Escherichia coli and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates		500 gm	8725
TM 1908	COLIFORM BROTH W/ SLS	15.10	100 gm	4090
	for detection of E.coli and other Enterobacteriaceae in water samples		500 gm	18780
TM 699	COLIFORM PA BROTH	92.40	500 gm	3845
	for determination of presence or absence of coliform bacteria in treated water			
TMH 116	COLUMBIA AGAR (as per USP/EP/JP/BP)	44.00	100 gm	960
	for detection of Clostridium sporogenes from pharmaceutical products.		500 gm	3925
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	920
TMHV 116	COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG)	44.00	100 gm	1070
	for detection of Clostridium sporogenes from pharmaceutical products		500 gm	3985
TS 217	GENTAMYCIN SUPPLEMENT		5 vl	920
TM 701	COLUMBIA AGAR (MEDIUM Q) (as per BP)	44.00	500 gm	3855
	for detection of Clostridium perfringens from pharma products			
TS 217	GENTAMYCIN SUPPLEMENT	#12 vl	5 vl	920
TM 071	COLUMBIA BLOOD AGAR BASE	44.00	100 gm	960
	for preparation of various selective & identification media & isolation of organisms from clinical specimens		500 gm	3925
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#23 vl	5 vl	1410
			25 vl	3540
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#23 vl	5 vl	1200
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#23 vl	5 vl	1445
			25 vl	4070
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#23 vl	5 vl	1295
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl	1295
TS 011	STREPTO SUPPLEMENT*	#23 vl	5 vl	1165
			25 vl	3655
TS 089	STAPH-STREPTO SUPPLEMENT*	#23 vl	5 vl	1445
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#23 vl	5 vl	1210
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#23 vl	5 vl	1510
TS 027	CAMYLOBACTER SUPPLEMENT VI (BUTZLER)*	#23 vl	5 vl	1650
			25 vl	4360
TS 256	STREPTOCOCUS SELECTIVE SUPPLEMENT	#23vl	5 vl	1390
			25 vl	3405

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 071	COLUMBIA BLOOD AGAR BASE (VEG.) for preparation of various selective & identification media & isolation of organisms from clinical specimens	44.00	100 gm 500 gm	960 3925
TS 006	BRUCELLA SELECTIVE SUPPLEMENT *	#23 vl	5 vl 25 vl	1410 3540
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG) *	#23 vl	5 vl	1200
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER) *	#23 vl	5 vl 25 vl	1445 4070
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW) *	#23 vl	5 vl	1295
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#23 vl	5 vl	1295
TS 011	STREPTO SUPPLEMENT *	#23 vl	5 vl 25 vl	1085 3410
TS 089	STAPH-STREPTO SUPPLEMENT *	#23 vl	5 vl	1350
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1130
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT *	#23 vl	5 vl	1410
TS 027	CAMYLOBACTER SUPPLEMENT VI (BUTZLER) *	#23 vl	5 vl 25 vl	1540 4070
TS 256	STREPTOCOCUS SELECTIVE SUPPLEMENT	#23 vl	5 vl 25 vl	1390 3405
TM 072	COLUMBIA BLOOD AGAR BASE W/ HEMIN an efficient and enriched base for fastidious microorganisms	44.00	500 gm	8475
TM 2044	COLUMBIA BLOOD AGAR BASE W/ 1% AGAR for isolation and cultivation of fastidious bacteria	39.00	500 gm	4520
TS 006	BRUCELLA SELECTIVE SUPPLEMENT*	#26 vl	5 vl 25 vl	1410 3540
TS 007	CAMPYLOBACTER SUPPLEMENT - I (BLASER-WANG)*	#26 vl	5 vl	1200
TS 008	CAMPYLOBACTER SUPPLEMENT - II (BUTZLER)*	#26 vl	5 vl 25 vl	1445 4070
TS 009	CAMPYLOBACTER SUPPLEMENT - III (SKIRROW)*	#26 vl	5 vl	1295
TS 010	CAMPYLOBACTER GROWTH SUPPLEMENT*	#26 vl	5 vl	1295
TS 011	STREPTO SUPPLEMENT*	#26 vl	5 vl 25 vl	1085 3410
TS 089	STAPH-STREPTO SUPPLEMENT*	#26 vl	5 vl	1350
TS 025	G. VAGINALIS SELECTIVE SUPPLEMENT*	#26 vl	5 vl	1130
TS 026	CAMPYLOBACTER SELECTIVE SUPPLEMENT*	#26 vl	5 vl	1410
TS 027	CAMYLOBACTER SUPPLEMENT VI (BUTZLER)*	#26 vl	5 vl 25 vl	1540 4070
TS 256	STREPTOCOCUS SELECTIVE SUPPLEMENT	#26 vl	5 vl 25 vl	1390 3405
TM 2045	COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017) recommemded for selective detection and enumeration of Campylobacter species from food chain	44.00	500 gm	4310
TM 073	COLUMBIA BROTH BASE for cultivation of fastidious microorganisms from clinical sources	35.00	500 gm	3650
TM 074	COLUMBIA C.N.A. AGAR BASE * for selective isolation of gram positive cocci from clinical and non clinical samples	44.00	500 gm	9665
TM 970	COLUMBIA C.N.A. AGAR BASE (1% AGAR) * for selective isolation of pathogenic gram-positive cocci from clinical and non clinical samples	39.00	500 gm	9665
TM 971	CONN'S AGAR for cultivation of fungi	38.00	500 gm	8865
TM 075	COOKE ROSE BENGAL AGAR BASE for selective isolation and cultivation of fungi	36.54	500 gm	4865
TM 702	COOKED MEAT MEDIUM (R.C. MEDIUM) (MEAT GRANULES) For cultivation of aerobes and anaerobes especially pathogenic Clostridia and also for maintenance of stock cultures	125.00	100 gm 500 gm	1850 8850

C Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 366	**COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE)** for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	4065
TM 703	**COOKED MEAT MEDIUM (R.C. MEDIUM) (as per BIS)** For cultivation of aerobes and anaerobes especially pathogenic Clostridia and also for maintenance of stock cultures. It is recommended by BIS committee under the specifications IS:5887(Part II)-1976.	115.40	100 gm 500 gm	1925 9240
TM 076	**CORN MEAL AGAR** for production of chlamydospores by Candida albicans & maintenance of fungal stock cultures	17.00	100 gm 500 gm	990 4060
TMV 076	**CORN MEAL AGAR (VEG.)** for production of chlamydospores by Candida albicans & maintenance of fungal stock cultures	17.00	100 gm 500 gm	1075 4250
TM 2046	**CORN MEAL AGAR W/ DEXTROSE** for cultivation of phytopathological and other fungi	19.00	500 gm	4345
TM 972	**CORN MEAL PEPTONE YEAST AGAR** for cultivation of fungi	64.00	500 gm	4060
TM 1164	**CRAIG'S MEDIUM** for cultivation of Vibrio cholerae to determine its enterotoxigenicity	34.50	500 gm	4070
TM 2047 TS 218	**CRONOBACTER SELECTIVE BROTH (CSB) (ISO 22964:2017)** for screening Cronobacter (formerly Enterobacter sakazakii) from food **VANCOMYCIN SUPPLEMENT ***	28.04 #18 vl	100 gm 500 gm 5 vl 25 vl	700 2930 1585 3510
TM 705	**CRYSTAL VIOLET LACTOSE AGAR** for differentiation of pure cultures of pathogenic and nonpathogenic Staphylococci	33.00	500 gm	4310
TM 706	**CRYSTAL VIOLET LACTOSE BROTH** for detection of coliforms in water filteration control works	16.00	500 gm	3985
TMV 706	**CRYSTAL VIOLET LACTOSE BROTH (VEG.)** for detection of coliforms in water filteration control works	16.00	500 gm	4165
TM 1952	**CRYSTAL VIOLET, NEUTRAL RED, BILE AGAR W/ GLUCOSE (AGAR MEDIUM F) (as per EP/BP)** for detection and enumeration of Enterobacteria	50.12	500 gm	4045
TM 516	**CULTURE MEDIUM FOR RWC (DISINFECTANT TEST BROTH) (RWC MEDIUM)** for determination of phenol coefficients of disinfectants using Salmonella Typhi as a test organism	50.00	100 gm 500 gm	985 4245
TM 2048 TS 042	**CRYSTAL VIOLET TETRAZOLIUM AGAR BASE** for detection of gram-negative psychrotrophic bacteria causing food spoilage **TTC SOLUTION 1% (10 ml/vl) ***	23.50 #11 vl	500 gm 5 vl 25 vl	4630 1015 3165
TM 973	**CYANOPHYCEAN AGAR** for isolation and cultivation of Blue Green algae	20.30	500 gm	10095
TM 2446 TS 315	**CYCLOSERINE-CEFOXITIN FRUCTOSE AGAR (CCFA)** for the isolation and presumptive identification of Clostridium difficile, a recognized cause of pseudomembraneous (antimicrobial agent-associated) colitis **CYCLOSERINE –CEFOXITIN SUPPLEMENT ***	69.20 #8 vl	500 gm 5 vl	8570 2070
TM 078	**CYSTINE HEART AGAR BASE** for isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	51.00	500 gm	4050
TM 707 TS 005	**CYSTINE TELLURITE AGAR BASE** for selective isolation and differentiation of Corynebacterium diphteriae types **POTASSIUM TELLURITE 1% (1ml /vl) ***	40.05 #25 vl	500 gm 5 vl 25 vl	4245 645 2295
TM 079	**CYSTINE TRYPTONE AGAR** for detection & maintenance and subculturing of motility and fermentation studies with the addition of various sugars	28.50	100 gm 500 gm	960 3900
TM 367	**CZAPEK DOX AGAR** semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm	830 3540

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 367	**CZAPEK DOX AGAR (VEG.)** semisynthetic medium for general cultivation of fungi	49.00	100 gm 500 gm	870 3720
TM 080	**CZAPEK DOX AGAR, MODIFIED** for cultivation and maintenance of fungi	45.36	500 gm	4415
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#22 vl	5 vl 25 vl	920 2955
TM 368	**CZAPEK DOX BROTH** semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm	710 2940
TMV 368	**CZAPEK DOX BROTH (VEG.)** semisynthetic medium for cultivation of fungi	35.00	100 gm 500 gm	745 3085
TM 1528	**CZAPEK DOX LIQUID MEDIUM** for cultivation of fungi and bacteria by utilizing sodium nitrate as a nitrogen source	33.40	500 gm	3975
TM 708	**CZAPEK MALT AGAR** For isolation, detection and cultivation of saprophytic fungi, yeasts and moulds	94.00	100 gm 500 gm	885 3690
TM 2049	**CZAPEK YEAST AUTOLYSATE AGAR (CYA AGAR)** for the isolation and cultivation of heat resistant filamentous fungi (molds) from foods	54.75	500 gm	4635
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#20 vl	5 vl 25 vl	920 2955
TM 709	**CZAPEK YEAST EXTRACT AGAR** for cultivation and maintenance of Aspergillus brasiliensis	51.40	500 gm	4480
TM 081	**DNASE TEST AGAR BASE (W/O INDICATOR) *** for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	42.00	100 gm	6495
TS 063	**TOLUIDINE BLUE (0.1gm/vl)**	#12 vl	5 vl 25 vl	625 1060
TM 974	**DNASE TEST AGAR W/ METHYL GREEN *** for detection of deoxyribonuclease activity of microorganisms & identification of pathogenic Staphylococci	42.05	100 gm	6100
TM 580	**DNASE TEST AGAR W/ TOLUIDINE BLUE *** for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	7700
TMV 580	**DNASE TEST AGAR W/ TOLUIDINE BLUE (VEG.) 10 - 25°C** for detection of deoxyribonuclease activity of microorganisms and for identification of staphylococci	42.10	100 gm	8085
TM 710	**DNASE TEST AGAR BASE (W/O. DNA AND TOLUIDINE BLUE)** with the addition of DNA it is used for detection of deoxyribonuclease activity of bacteria and fungi	40.00	100 gm 500 gm	1905 7885
TM 082	**D.C.L.S. AGAR** for selective isolation and detection of Salmonella and Shigella species from faecal samples	49.50	100 gm 500 gm	875 3495
TM 711	**D.C.L.S. AGAR, HAJNA** for isolation of gram negative enteric bacilli	73.52	100 gm 500 gm	875 3495
TM 083	**D.T.M. AGAR BASE (DERMATOPHYTE TEST AGAR BASE)** for selective isolation of dermatophytes	40.20	100 gm 500 gm	985 4135
TS 028	**DERMATO SUPPLEMENT ***	#25 vl	5 vl	1300
TM 976	**DAVIS SUPPLEMENTED MINIMUM MEDIUM W/O DEXTROSE** for enrichment and determination of titre coliforms in water samples	30.60	500 gm	4395
TM 084	**DECARBOXYLASE AGAR BASE** for differentiation of bacteria based on their ability to decarboxylate the amino acid	24.00	500 gm	3870
TM 085	**DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE)** for differentiation of bacteria on the basis of their ability to decarboxlyate the amino acid	10.52	100 gm 500 gm	2175 8945
TMV 085	**DECARBOXYLASE BROTH BASE, MOELLER (MOELLER DECARBOXYLASE BROTH BASE) (VEG.)** for differentiation of bacteria on the basis of their ability to decarboxlyate the amino acid	10.52	100 gm 500 gm	2290 9385
TM 086	**DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005)** for cultivation and differentiation of bacteria based on their decarboxylase activity	09.00	100 gm 500 gm	940 3780

D Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 087	**DEOXYCHOLATE AGAR** for direct differential count of coliforms in dairy products and also for isolation of enteric pathogens from rectal swabs, faeces and other pathological specimens	45.00	100 gm 500 gm	940 3780
TM 369	**DEOXYCHOLATE CITRATE AGAR** for isolation of enteric pathogens especially Salmonella and Shigella species	70.52	100 gm 500 gm	735 3080
TMV 369	**DEOXYCHOLATE CITRATE AGAR (VEG.)** for isolation of enteric pathogens especially Salmonella and Shigella species	70.52	100 gm 500 gm	755 3160
TM 1870	**DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005)** for isolation of Shigella species from food samples.	55.45	100 gm 500 gm	735 3080
TM 977	**DEOXYCHOLATE CITRATE AGAR (AGAR MEDIUM J) (as per BP/EP/IP)** for selective isolation of enteric pathogens	69.02	100 gm 500 gm	715 3020
TM 2051	**DESOXYCHOLATE-CITRATE AGAR MEDIUM 14 (as per IP)** for the a selective isolation and identification of Salmonellae in accordance	69.02	100 gm 500 gm	760 3225
TM 1529	**DEOXYCHOLATE CITRATE AGAR W/ 1.5% AGAR** for the isolation of entric pathogens	48.50	500 gm	3095
TM 088	**DEOXYCHOLATE CITRATE AGAR, MODIFIED (HYNES)** for selective isolation of Salmonella and Shigella species	52.00	500 gm	4490
TM 714	**DEOXYCHOLATE CITRATE AGAR W/O SUCROSE** for isolation and identification of enteric pathogens	45.00	100 gm 500 gm	895 3605
TM 089	**DEOXYCHOLATE LACTOSE AGAR** for isolation and enumeratrion of coliforms in water, milk and dairy products	42.50	100 gm 500 gm	940 3575
TM 1546	**DEV GELATIN AGAR (GELATIN DEV AGAR)** for determination of total microbial count and detection of gelatin liquefying microorganisms	50.00	500 gm	4210
TM 712	**DEV GLUCOSE BROTH** for detection of microbial decomposition of glucose	28.02	500 gm	3835
TM 713	**DEV LACTOSE PEPTONE BROTH** for enrichment and determination of titre coliforms in water samples	25.01	500 gm	3835
TM 1617	**DEV LACTOSE PEPTONE BROTH** for enrichment and determination of titre coliforms in water samples	35.62	500 gm	3835
TM 2050	**DEV NUTRIENT AGAR** for the enumeration of microorganisms in water, food and other materials	43.00	500 gm	4655
TM 1846	**DEV TRYPTOPHAN BROTH** for subcultivation of Coliform, differentiation & for indole testing in bacteriological examination of water	16.00	500 gm	2960
TM 334	**DEXTROSE AGAR** for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	810 3645
TMV 334	**DEXTROSE AGAR (VEG.)** for cultivation of wide variety of microorganisms	43.00	100 gm 500 gm	845 3825
TM 090 TS 275	**DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED)** for selective cultivation of pathogenic fungi **CC SUPPLEMENT ***	47.00 #22 vl	100 gm 500 gm 5 vl	1025 4245 1240
TMV 090	**DEXTROSE AGAR BASE, EMMONS (SABOURAUD DEXTROSE AGAR BASE, MODIFIED) (VEG.)** for selective cultivation of pathogenic fungi	47.00	100 gm 500 gm	1080 4470
TM 308	**DEXTROSE BROTH (GLUCOSE BROTH)** for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	855 3655
TMV 308	**DEXTROSE BROTH (GLUCOSE BROTH) (VEG.)** for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms	23.00	100 gm 500 gm	900 3835
TM 631	**DEXTROSE MANNITOL AGAR (GILLIES AGAR NO. 1)** for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation	46.05	500 gm	4720

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

Dehydrated Culture Media D

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 335	**DEXTROSE PEPTONE AGAR (GLUCOSE PEPTONE AGAR)** for general cultivation of microorganisms	50.00	500 gm	3670
TM 309	**DEXTROSE PEPTONE BROTH** for routine sterility testing and for cultivation of fastidious organisms	35.00	500 gm	3515
TM 1165	**DEXTROSE PROTEOSE PEPTONE AGAR BASE** for isolation of Corynebacterium diphtheriae	42.00	500 gm	4050
TS 005	**POTASSIUM TELLURITE 1% (10ml /vl) ***	#24 vl	5 vl 25 vl	645 2295
TM 517	**DEXTROSE SALT AGAR** for enumeration of yeasts & molds in butter and other dairy products	35.00	500 gm	4095
TM 310	**DEXTROSE SALT BROTH** for enumeration of yeasts & molds in butter and other dairy products	20.00	500 gm	3740
TM 2052	**DEXTROSE STARCH AGAR** for propagating pure cultures of Neisseria gonorrhoeae and other fastidious organisms	65.00	500 gm	4375
TM 092	**DEXTROSE TRYPTONE AGAR** for detection and enumeration of mesophilic and thermophilic aerobic organisms in foods	30.04	500 gm	4045
TM 2053	**DEXTROSE TRYPTONE AGAR, MODIFIED** for the isolation and cultivation of aciduric and thermophilic aerobic flat-sour sporeformers from canned food, sugar etc	32.29	500 gm	4495
TM 311	**DEXTROSE TRYPTONE BROTH** for enrichment and cultivation of mesophilic and thermophilic organisms in foods	15.00	500 gm	3925
TM 2054	**DEXTROSE TRYPTONE BROTH, MODIFIED** for the detection and enumeration of mesophilic and thermophilic aerobic microorganisms in foods	17.29	500 gm	4200
TM 715	**DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING)** for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm	5045
TMV 715	**DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING) (VEG.)** for disinfectant testing, where neutralization agent is important for determining its bactericidal activity	54.00	500 gm	5220
TM 716	**DEY-ENGLEY NEUTRALIZING BROTH** for neutralizing and testing antiseptics and disinfectants	39.00	500 gm	4725
TMV 716	**DEY-ENGLEY NEUTRALIZING BROTH (VEG.)** for neutralizing and testing antiseptics and disinfectants	39.00	500 gm	4860
TM 1530	**DEY-ENGLEY (D/E) NEUTRALIZING BROTH (W/O BROMO CRESOL PURPLE) (as per USP)** for neutralization of antiseptics and disinfectants in determining its bactericidal activity	39.00	500 gm	4680
TM 717	**DEY-ENGLEY NEUTRALIZING BROTH BASE** For disinfectant testing where the neutralization of the antiseptics and disinfectants is important for determining it bactericidal activity.	17.50	500 gm	3970
TM 1900	**DEY-ENGLEY NEUTRALIZING BROTH W/ 1.0% SLS & 1.0% TWEEN 80** For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	54.00	500 gm	5240
TM 1904	**DEY-ENGLEY NEUTRALIZING BROTH W/ 10.0% TWEEN 80 (DOUBLE PACK)** For environmental sampling where neutralization of antiseptics and disinfectants is important for determining the bactericidal activity	40.00 10 ml Tween 80	500 gm - -	5240 - -
TM 605	**DIAGNOSTIC SENSITIVITY TEST AGAR (DST AGAR)** for antibiotic sensitivity testing of fastidious pathogens like Neisseria, Streptococcus and Haemophillus species with blood enrichment	43.00	100 gm 500 gm	1195 4840
TM 477	**DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE)** a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm	985 4060
TS 030	**UREA 40% (5 ml/vl) ***	#268 vl	5 vl 25 VL	450 1815

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

D Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 477	DIAGNOSTIC STUART'S UREA BROTH BASE (UREA BROTH BASE) (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	18.70	100 gm 500 gm	1035 4205
TS 030	UREA 40% (5 ml/vl) *	#268 vl	5 vl 25 VL	450 1815
TM 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	3190
TMV 447	DIAGNOSTIC THIOGLYCOLLATE MEDIUM W/O INDICATOR (VEG.) a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	3355
TM 980	DIAMALT AGAR (as per APHA) for isolation and identification of yeasts from water sample	170.00	500 gm	4935
TM 981	DICHLORAN GLYCEROL MEDIUM BASE for selective isolation and enumeration of yeasts and moulds from food samples	31.6.00	100 gm 500 gm	895 4050
TM 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm	1320 5270
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl	5 vl 25 vl	1015 3075
TMV 982	DICHLORAN GLYCEROL MEDIUM BASE W/ROSE BENGAL (VEG.) for selective isolation and enumeration of yeasts and moulds from food samples	31.60	100 gm 500 gm	1355 5540
TS 053	CHLORAMPHENICOL SELECTIVE SUPPLEMENT *	#32 vl	5 vl 25 vl	1015 3075
TM 1852	DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014) for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm	1680 5195
TM 983	DIFFERENTIAL BUFFERRED CHARCOAL YEAST EXTRACT AGAR BASE for selective isolation and differentiation of Legionella species	37.37	100 gm	1320
TS 276	V.P. SUPPLEMENT *	#3 vl	5 vl	1440
TM 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR for enumeration and cultivation of Clostridia from water.	42.50	500 gm	4935
TMV 1802	DIFFERENTIAL REINFORCED CLOSTRIDIAL AGAR (VEG.) for enumeration and cultivation of Clostridia from water.	42.50	500 gm	5150
TM 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE for cultivation of Clostridia from water	29.00	100 gm 500 gm	900 4060
TMV 625	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (VEG.) for cultivation of Clostridia from water	29.00	100 gm 500 gm	990 4275
TM 2055	DIFFERENTIAL REINFORCED CLOSTRIDIAL BROTH BASE (ISO 6461-1:1986) for cultivation of Clostridia from water	29.00	500 gm	4575
TM 1166	DIHYDROLASE BROTH BASE for detection of dihydrolase reaction of Vibrio parahaemolyticus	43.00	500 gm	4020
TM 718	DILUTING FLUID A (as per USP) for sterility testing of pharma products	01.00	500 gm	3350
TM 1531	DILUTING FLUID D (as per USP) for sterility testing of pharma products	02.00	500 gm	3655
TM 719	DILUTING FLUID K (as per USP) for sterility testing of phrama products	18.00	500 gm	3350
TM 984	DIPHTHERIA VIRULENCE AGAR BASE for determination of toxigenicity of Corynebacterium diphtheriae	37.50	500 gm	3855
TS 134	K L VIRULENCE ENRICHMENT (20ml /vl)	#134 vl	5 vl 25 vl	1270 3315
TS 005	POTASSIUM TELLURITE 1% (1ml /vl) *	#67 vl	5 vl 25 vl	645 2295
TM 516	DISINFECTANT TEST BROTH (CULTURE MEDIUM FOR RWC) for determination of phenol coefficients of disinfectants using Salmonella Typhi as a test organism	50.00	100 gm 500 gm	985 4245
TM 313	DISINFECTANT TEST BROTH (USING S. AUREUS as TEST ORGANISM) for enrichment of Staphylococcus aureus	20.00	500 gm	4220

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 312	**DISINFECTANT TEST BROTH (as per AOAC)** for checking disinfectants		20.00	500 gm	3985
TM 954	**DISINFECTANT TEST MEDIUM (CSMA BROTH)** for testing of disinfectants as per Chemical Specialities Manufacturer's Association (CSMA)		20.00	500 gm	4355
TM 2056	**DOUBLE MODIFIED LYSINE IRON AGAR BASE** for selective and differential cultivation of Salmonella species		63.12	100 gm 500 gm	970 3915
TS 070	**NOVOBIOCIN SELECTIVE SUPPLEMENT ***		#8 vl	5 vl 25 vl	1365 3465
TM 986	**DOUBLE SUGAR AGAR, RUSSELL** for differentiation of gram-negative enteric bacilli based on their ability to ferment dextrose and lactose, with or without gas formation		44.00	500 gm	4545
TM 987	**DOYLE'S ENRICHMENT BROTH BASE** for selective enrichment of Campylobacter species		31.20	500 gm	4245
TS 135	**DOYLE'S ANTIBIOTIC SUPPLEMENT ***		#32 vl	5 vl 25 vl	1120 3590
TM 1167	**DRAKE'S MEDIUM 10** for cultivation of Pseudomonas species from water		23.20	500 gm	5075
TM 1168	**DRIGALSKI LACTOSE AGAR, MODIFIED** for detection and differentiation of enteric pathogens		40.04	500 gm	4685
TM 1169	**DRIGALSKI LITMUS LACTOSE AGAR** for detection and differentiation of enteric pathogens		41.20	500 gm	4310
TM 2057	**DRIGALSKI SELECTIVE AGAR** for the selective isolation of Enterobacteria from urine stool and other clinical samples on the basis of their ability to ferment lactose		49.09	500 gm	5665
TM 1170	**DROSOPHILA MEDIUM** for cultivation of Drosophila		340.00	500 gm	4185
TM 099	**DUBOS BROTH BASE** for cultivation of Mycobacterium tuberculosis and other Mycobacterium species		06.50	100 gm 500 gm	905 3825
TS 178	**ALBUMIN GLUCOSE SUPPLEMENT ***		#385 vl	5 vl	1310
TM 100	**DUBOS OLEIC AGAR BASE** for cultivation of Mycobacterium tuberculosis		20.00	100 gm 500 gm	930 4120
TS 062	**OLEIC ALBUMIN SUPPLEMENT ***		#125 vl	5 vl 25 vl	1255 4480
TM 720	**DUBOS OLEIC BROTH BASE** for cultivation of Mycobacterium tuberculosis		05.00	100 gm 500 gm	860 3825
TS 062	**OLEIC ALBUMIN SUPPLEMENT ***		#500 vl	5 vl 25 vl	1255 4480
TM 721	**DULCITOL SELENITE BROTH (SELENITE BROTH WITH DULCITOL) (DOUBLE PACK)** for selective enrichment of Salmonella species	(Part I) (Part II)	19.00 04.00	500 gm -	7580 -
TM 985	**E.T. MEDIUM** for production of Clostridia for enterotoxin production		39.00	500 gm	3575
TMV 417	**EC BROTH (VEG.)** for selective enumeration of faecal and non faecal coliforms in water		37.00	100 gm 500 gm	935 3865
TM 2058	**EC BLUE BROTH** for detection and confirmation of Escherichia coli and total coliforms from water samples, using a combination of chromogenic and fluorogenic substrates		17.40	500 gm	8210
TM 2059	**EC0157:H7 ENRICHMENT BROTH** recommended as an enrichment broth for the rapid growth of E. coli O157:H7 from food samples		22.50	500 gm	4095
TM 2060	**EC 0157:H7 SELECTIVE BROTH (TWIN PACK)** recommended for the isolation of Escherichia coli O157:H7 from food samples		23.44	500 gm	5010
TM 988	**ECD AGAR** for selective isolation of coliforms, especially E.coli in water & food by membrane Filter technique		53.00	500 gm	4720

E Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1368	**ECD MUG AGAR (ISO 21528-2017)** for confirmatory presence of Escherichia coli by fluorescence in UV and positive indole test while inhibiting accompanying intestinal flora	53.07	500 gm	7680
TM 1804	**EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993)** for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	500 gm	4240
TMH 107	**EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP)** for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	940 4240
TMHV 107	**EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP) (VEG.)** for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	940 4240
TM 989	**EE BROTH, MODIFIED** for selective enrichment of Enterobacteriaceae in the bacteriological examination of foods	45.00	500 gm	4240
TM 336	**EMB AGAR** differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm	710 3190
TMV 336	**EMB AGAR (VEG.)** differential for isolation of gram-negative enteric bacteria from clinical and nonclinical samples	36.00	100 gm 500 gm	710 3190
TM 723	**EMB AGAR BASE** for study of different enteric bacteria by adding different carbohydrates	27.50	100 gm 500 gm	950 3825
TM 371	**EMB AGAR, LEVINE** for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm	710 3170
TMV 371	**EMB AGAR, LEVINE (VEG.)** for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50 37.50	100 gm 500 gm	795 3265
TM 1171	**EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005)** for isolation, enumeration and differentiation of Enterobacteriaceae	37.50	100 gm 500 gm	845 3440
TM 2061	**EMB AGAR, LEVINE (LEVIN EOSIN- METHYLENE BLUE AGAR) (as per IP)** for the isolation, enumeration and differentiation of members of Enterobacteriaceae in accordance with Indian Pharmacopoeia	37.46	100 gm 500 gm	935 3915
TM 1678	**EMB AGAR, LEVINE (as per USP)** for isolation, enumeration and differentiation of Enterobacteriaceae	37.45	100 gm 500 gm	855 3550
TM 314	**EMB BROTH** for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	745 3270
TMV 314	**EMB BROTH (VEG.)** for isolation of gram-negative enteric bacteria from clinical and non-clinical specimens	22.50	100 gm 500 gm	790 3455
TM 1838	**ENTEROBACTERIA ENRICHMENT BROTH MOSSEL (as per USP/EP/BP/JP)** for enrichment of Enterobacteriaceae of food products	42.93	100 gm 500 gm	940 4285
TM 955	**EDWARD'S MEDIUM BASE, MODIFIED** for isolation of Streptococcus agalactiae and other Streptococci associated with bovine mastitis	41.33	100 gm	2360
TM 1173	**EDWARDS AND BRUNER SEMISOLID MEDIUM** for detection of motility and separation of H and O phases of enteric bacilli	102.00	500 gm	4570
TM 2062	**EGG MEAT MEDIUM** for the determination of proteolytic activity and maintaining stock cultures of anaerobic	150.00	500 gm	4675
TM 724 TS 002	**EGG YOLK AGAR BASE** for isolation and identification of Clostridia and certain other anaerobes **EGG YOLK EMULSION (100 ml/vl)***	75.10 #7 vl	500 gm 5 vl	4235 2100
TM 2063 TS 002	**EGG YOLK AGAR BASE, MODIFIED** for identification of anaerobic bacteria by means of their egg yolk reaction **EGG YOLK EMULSION (100 ml/vl) ***	50.41 #10 vl	500 gm 5 vl	5010 2100
TM 315	**EIJKMAN LACTOSE BROTH** for differentiating E. coli from other coliforms based on their ability to liberate gas from lactose	28.50	500 gm	3720
TM 316	**ELLIKER BROTH (LACTOBACILLI BROTH)** for cultivation of Lactobacilli & Streptococci which are important in dairy industry	48.50	500 gm	3935

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1174	**ELLNERS BROTH** for induction of spore formation in Clostridium perfringens	67.60	500 gm	3835
TM 1175	**EMERSON AGAR** for cultivation of Actinomycetaceae, Streptomycetaceae and molds	41.50	500 gm	4120
TM 1176	**EMERSON YSS AGAR** for isolation of Actinomycetes and other fungi	40.50	500 gm	4245
TM 372	**ENDO AGAR** for confirmation of members of coliform group from clinical and non-clinical specimens	41.50	100 gm 500 gm	805 3295
TM 373	**ENDO AGAR BASE** for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	825 3450
TS 211	**BASIC FUCHSIN (6 gm /vl) ***	#1 vl	1 vl	610
TMV 373	**ENDO AGAR BASE (VEG.)** for standard test of lactose fermenting coliforms	38.00	100 gm 500 gm	855 3620
TS 211	**BASIC FUCHSIN (6 gm /vl) ***	#1 vl	1 vl	610
TM 2064	**ENDO AGAR W/ NACL** for detection and isolation of pathogenic enteric bacilli	37.70	500 gm	4165
TM 2065	**ENDO AGAR MODIFIED** for the detection of coliform and other enteric organisms	38.60	500 gm	4965
TM 518	**ENDO BROTH** for cultivation and enumeration of coliform bacteria from water	23.00	500 gm	3450
TM 1533	**ENDO DEV AGAR** for isolation and differentiation of Escherichia coli in the bacteriological analysis of water	58.00	500 gm	3775
TM 2066	**ENRICHMENT BROTH FOR ECO157:H7** used as an enrichment broth for the growth of E. coli O157:H7	26.50	500 gm	9795
TM 627	**ENRICHMENT MEDIUM** a highly nutritive medium which can be used for enrichment purpose	64.00	500 gm	4060
TM 2067	**ENRICHED THIOGLYCOLLATE BROTH** for isolation, cultivation and identification of a wide variety of obligate anaerobic bacteria	31.06	500 gm	4135
TM 726	**ENTAMOEBA MEDIUM** for cultivation of Entamoeba histolytica	33.00	500 gm	4815
TM 2068	**ENTERIC FERMENTATION BASE** used with added carbohydrate and indicator for differentiating microorganisms based on fermentation reactions	18.00	500 gm	3255
TM 2069	**ENTEROCOCCUS AGAR BASE** for selective isolation and differentiation of Enterococcus faecalis and Enterococcus faecium	54.77	500 gm	4935
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#10 vl	5 vl 25 vl	1015 3165
TM 727	**ENTEROCOCCUS CONFIRMATORY AGAR** for confirmation of the presence of Enterococci in water	30.40	500 gm	4000
TM 728	**ENTEROCOCCUS CONFIRMATORY BROTH** for confirmation of the presence of Enterococci in water	80.40	500 gm	3925
TM 2070	**ENTEROCOCCUS DIFFERENTIAL AGAR BASE (TITG AGAR BASE)** for selective isolation and differentiation of Enterococcus faecalis and Enterococcus faecium	43.00	500 gm	4720
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#12 vl	5 vl 25 vl	1015 3165
TM 729	**ENTEROCOCCUS PRESUMPTIVE BROTH** for detection of Enterococci in water and other materials of sanitary importance	15.40	500 gm	3925
TM 022	**ERYTHROMYCIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP)** for microbiological assay of antibiotics	30.50	100 gm 500 gm	890 4015
TM 730	**ESCULIN AGAR** for cultivation and differentiation of bacteria hydrolysing esculin and producing H_2S	41.50	500 gm	5955
TM 731	**ESCULIN AZIDE BROTH** for selective cultivation and identification of Streptococci	37.80	500 gm	4580

E Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 731	**ESCULIN AZIDE BROTH (VEG.)** for selective cultivation and identification of Streptococci	37.80	500 gm	4810
TM 732	**ESCULIN FERMENTATION BROTH** for cultivation and differentiation of bacteria based on their ability to hydrolyze esculin	34.50	500 gm	5580
TM 102	**ESCULIN IRON AGAR** for cultivation and identification of Enterococci based on their ability to hydrolyze esculin	16.50	100 gm	4665
TM 2071	**ESCULIN MANNITO AGAR** recommended as a selective and differential media for the isolation of Staphylococci and Enterococci based on mannitol fermentation and esculin hydrolysis	54.04	500 gm	10065
TM 103	**ETHYL VIOLET AZIDE BROTH (E.V.A BROTH)** for selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water	35.80	500 gm	3630
TM 1179	**ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005)** For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water.	35.80	100 gm 500 gm	930 4185
TM 991	**ETHYL VIOLET AZIDE DEXTROSE AGAR** for detecting & confirming Streptococci and faecal pollution indication in water	51.10	500 gm	4765
TM 105	**EUGONIC AGAR** for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species	44.40	500 gm	4310
TM 104	**EUGONIC BROTH** for cultivation of fastidious microorganisms like Haemophilus, Neisseria, Pasteurella, Brucella and Lactobacillus species	29.40	500 gm	3955
TM 2072	**EUGONIC LT 100 MEDIUM BASE W/O TWEEN 80** for the cultivation of fastidious microorganisms like Haemophilus, Neissaria, Pasturella, Brucella and Lactobacillus species	47.40	500 gm	4235
TM 2073	**EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)** for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm	4235
TM 154	**EXTRACT AGAR (FDA AGAR)** general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	4545
TM 965	**FAGI AGAR** for detection of Escherichia coli in water	23.20	500 gm	4720
TM 966	**FAGI BROTH** for detection of Escherichia coli in water	03.20	100 gm 500 gm	1030 4390
TM 154	**FDA AGAR (EXTRACT AGAR)** general purpose medium for routine testing of disinfectants and antiseptics	35.00	500 gm	4545
TM 935	**FDA BROTH (ATCC BACTERIOSTASIS BROTH)** for routine antimicrobial testing of antiseptics and disinfectants	20.00	500 gm	4450
TM 630	**FNA MEDIUM (FLUORESCEIN DENITRIFICATION AGAR)** for differentiation of Pseudomonas from other bacilli based on their ability to reduce nitrates or nitrites to nitrogen gas denitrification and detection of fluorescein pigment	30.50	500 gm	4335
TM 2074	**FEELEY GORMAN AGAR** for the isolation and presumptive identification of Legionella species	39.65	500 gm	4935
TM 2075	**FEELEY GORMAN BROTH (F.G. BROTH)** for the cultivation of Legionella species	22.65	500 gm	4575
TM 2076	**FERMENTATION MEDIUM BASE FOR C. PERFRINGENS** for determination of fermentation reaction of Clostridium perfringens with added carbohydrate	22.25	500 gm	4575
TM 2077	**FERMENTATION MEDIUM FOR NEISSERIA** for studying fermentation reaction of fastidious microorganism such as Neisseriae	29.52	500 gm	4700
TM 2078	**FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS** for studying fermentation by Staphylococcus and Micrococcus species	23.24	500 gm	4835
TM 2079	**FERMENTATION MEDIUM FOR STAPHYLOCOCCUS AND MICROCOCCUS, W/ 0.2% AGAR** for studying fermentation by Staphylococcus species in accordance with FDA BAM, 1998.	23.04	500 gm	5415

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2080	**FLUCONAZOLE TESTING MEDIUM (TWIN PACK) *** for fluconazole susceptibility testing using Candida species	(Part I) (Part II)	02.00 29.31	100 gm 500 gm	1260 5305
TM 733	**FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK)** for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm	2120 8485
TMV 733	**FLUID CASEIN DIGEST SOYA LECITHIN MEDIUM (DOUBLE PACK) (VEG.)** for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm	2120 8485
TM 1536	**FLUID CASEIN DIGEST SOYA-LECITHIN POLYSORBATE 20 MEDIUM (DOUBLE PACK) (as per USP/IP)** for sanitary testing of surfaces	(Part I) (Part II)	25.00 40.00 ml	100 gm 500 gm	2200 9555
TM 2081	**FLUID LACTOSE MEDIUM** as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm	570 2470
TMV 2081	**FLUID LACTOSE MEDIUM (VEG.)** as a pre-enrichment medium for the detection of coliform bacteria in water, dairy products and food samples		13.00	100 gm 500 gm	600 2595
TM 1537	**FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per USP)** for detection of coliform bacteria in water, foods and dairy products		13.00	100 gm 500 gm	540 2305
TM 1538	**FLUID LACTOSE MEDIUM (LACTOSE BROTH) (as per IP)** or detection of coliform bacteria in water, foods and dairy products.		13.00	100 gm 500 gm	540 2305
TM 734	**FLUID LACTOSE MEDIUM W/ SOYA LECITHIN AND POLYSORBATE 20 (DOUBLE PACK)** for microbial evaluation of oral hygiene products	(Part I) (Part II)	18.00 40.00	100 gm 500 gm	2290 9155
TM 317	**FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID)** Sterility testing medium for molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm	500 2285
TMV 317	**FLUID SABOURAUD MEDIUM (SABOURAUD MEDIUM, FLUID) (VEG.)** sterility testing medium for molds and lower bacteria in pharmaceutical preparations		30.00	100 gm 500 gm	525 2390
TM 2082	**FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK)** an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	1195 5035
TM 294	**FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (DOUBLE PACK) (ISO 6579:1993)** an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	1110 4245
TMV 294	**FLUID SELENITE CYSTINE MEDIUM (SELENITE CYSTINE MEDIUM) (VEG.) (DOUBLE PACK)** an enrichment medium for isolation of Salmonella species from food, dairy & clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	1110 4245
TM 1539	**FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per USP) (DOUBLE PACK)** for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	1110 4425
TM 1540	**FLUID SELENITE CYSTINE MEDIUM (DOUBLE PACK) (as per IP) (DOUBLE PACK)** for isolation of Salmonellae in foods, dairy products and materials of sanitary importance and clinical samples.	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	1110 4425
TM 423	**FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG)** for isolation of salmonellae from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm	635 2615
TMV 423	**FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG (TETRATHIONATE BROTH BASE W/O IODINE & BG) (VEG.)** for isolation of salmonellae from food, urine, faeces and other material of sanitary importance		46.00	100 gm 500 gm	660 2745

F Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1684	**FLUID TETRATHIONATE MEDIUM (as per USP)** an enrichment medium for isolation of Salmonellae from samples contaminated with Salmonellae	46.00	100 gm 500 gm	625 2565
TM 2083	**FLUID TETRATHIONATE MEDIUM W/O IODINE AND BG, MODIFIED** for the selective enrichment method for isolating Salmonellae from food and other materials of sanitary importance in accordance with FDA BAM, 1998	35.11	500 gm	3075
TM 2084	**FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID)** for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm	400 1780
TMV 2084	**FLUID THIOGLYCOLLATE MEDIUM (THIOGLYCOLLATE MEDIUM FLUID) (VEG.)** for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophiles	29.75	100 gm 500 gm	440 1815
TM 318	**FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP)** for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	405 1615
TMV 318	**FLUID THIOGLYCOLLATE MEDIUM (as per USP/EP/BP/JP) (VEG.)** for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	420 1690
TM 319	**FLUID THIOGLYCOLLATE MEDIUM (as per IP)** for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	420 1650
TMV 319	**FLUID THIOGLYCOLLATE MEDIUM (as per IP) (VEG.)** for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	100 gm 500 gm	425 1690
TM 320	**FLUID THIOGLYCOLLATE MEDIUM W/ MEAT EXTRACT** for sterility testing and for cultivation of aerobic, anaerobic and microaerophilic organisms	34.75	500 gm	2875
TM 2085	**FLUID THIOGLYCOLLATE MEDIUM W/0.5% SOYALECITHIN & 4% POLYSORBATE 20 (DOUBLE PACK)** this medium is used for sterility testing of biologicals and for cultivation of anaerobes, aerobes and microaerophilies	34.75	500 gm	4835
TM 1689	**FLUOROGENIC LMX BROTH MODIFIED (as per MANAFI & OSSMER)** selective medium for detection of total coliforms and E.coli from foods and water	17.00	100 gm	9955
TM 1200	**FLUOROGENIC PSEUDOMONAS AGAR BASE (MUG PSEUDOMONAS AGAR) *** for selective isolation of Pseudomonas aeruginosa by fluorogenic method	46.75	100 gm 500 gm	1920 7625
TM 2086	**FOLIC ACID ASSAY MEDIUM *** for microbiological assay of Folic Acid using Enterococcus hirae ATCC 8043 as the test organism	74.93	100 gm	3365
TM 2087	**FOLIC ACID CASEI MEDIUM, MODIFIED *** for the microbiological assay of folic acid in blood serum using Lactobacillus casei ATCC 7469 as the test organism	93.72	100 gm	5915
TM 2088	**FOLIC ACID CULTURE AGAR** for the maintenance of Enterococcus hirae ATCC 8043	48.00	100 gm	1440
TM 2089	**FOLIC ACID INOCULUM MEDIUM** for the preparation of inoculum of Enterococcus hirae ATCC 8043	38.00	100 gm	1510
TM 2090	**FOLIC ACID MEDIUM, AOAC** for the microbiological assay of folic acid using Enterococcus hirae ATCC 8043	111.58	100 gm	5210
TM 2091	**FORGET FREDETTE AGAR** for selective isolation of anaerobic microorganisms from a mixture of aerobic and anaerobic flora	40.50	500 gm	4650
TM 2092	**FRASER BROTH BASE** recommended as a primary as well as secondary enrichment medium, for the isolation and enumeration of Listeria monocytogenes from food and animal feeds	54.92	100 gm 500 gm	1390 5560
TS 034	**FRASER SUPPLEMENT***	#18 vl	5 vl	980
TS 035	**FRASER SELECTIVE SUPPLEMENT***	#18 vl	5 vl	1550
TM 1472	**FRASER BROTH BASE (ISO 11290-1: 2017)** for isolation and enumeration of Listeria monocytogenes from food and animal feeds	57.35	100 gm 500 gm	1300 5195
TS 034	**FRASER SUPPLEMENT***	#19 vl	5 vl	980
TS 035	**FRASER SELECTIVE SUPPLEMENT***	#19 vl	5 vl	1550

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2093	**FRASER BROTH BASE, MODIFIED (HALF FRASER BROTH)** for the selective enrichment of Listeria species from foods	54.97	500 gm	6060
TS 034	**FRASER SUPPLEMENT***	#18 vl	5 vl	980
TM 2094	**FRASER BROTH W/ SUPPLEMENTS** for the selective enrichment of Listeria species from food samples	55.47	500 gm	6490
TM 113	**FRASER SECONDARY ENRICHMENT BROTH BASE** for isolation, cultivation & enrichment of Listeria monocytogenes from foods & environmental samples	57.85	100 gm 500 gm	1510 6065
TS 033	**FRASER ENRICHMENT SUPPLEMENTFRASER SELECTIVE SUPPLEMENT ***	#9 vl	5 vl	1185
TS 035	**FRASER SELECTIVE SUPPLEMENT ***	#9 vl	5 vl	1550
TM 1544	**FREY MYCOPLASMA BROTH BASE** for cultivation of avian Mycoplasma	22.30	500 gm	4200
TS 014	**HORSE SERUM ***	2.25 ltr	100 ml	4460
TM 2095	**FRIIS LIQUID MEDIUM BASE** for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	16.04	500 gm	6050
TS 277	**FRIIS SUPPLEMENT ***	#28 vl	5 vl	1770
TM 2096	**FRISS SOLID MEDIUM BASE** for the detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia	08.80	500 gm	6855
TM 967	**FUCHSIN LACTOSE BROTH** for detection of coliforms in water	13.00	500 gm	3865
TM 340	**FUNGAL AGAR (MYCOLOGICAL AGAR)** or cultivation and maintenance of fungi	35.00	500 gm	4520
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955
TM 114	**FUNGAL AGAR W/ LOW pH (MYCOLOGICAL AGAR W/ LOW pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	4520
TM 326	**FUNGAL BROTH (MYCOLOGICAL BROTH)** for cultivation of fungi	50.00	500 gm	4200
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955
TM 115	**FUNGAL BROTH W/ LOW pH (MYCOLOGICAL BROTH W/ LOW pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	4200
TM 1189	**FUNGI KIMMIG AGAR BASE** for cultivation, isolation, identification and preservation of fungal strains	50.00	500 gm	4520
TM 1542	**FUNGOBIOTIC AGAR (MYCOBIO AGAR)** for isolation of dermatophytes and other pathogenic fungi	35.55	100 gm	7020
TM 1691	**GANB MEDIUM (GENERAL ANAEROBIC BACTERIAL MEDIUM)** for cultivation of general anaerobic bacteria in saline water	55.40	500 gm	5235
TM 1347	**GARROD ACTINOMYCES MEDIUM** for cultivation of pathogenic anaerobic species, like Actinomyces israeli and Actinomyces bovis	39.00	500 gm	4165
TM 1545	**GBS MEDIUM BASE** for fast detection of group B Streptococci in pathological samples	110.20	500 gm	4185
TS 184	**GBS SUPPLEMENT ***	#10 vl	5 vl	925
TS 014	**HORSE SERUM ***	2.25 ltr	100 ml	4460

G Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 116	GC AGAR BASE for selective isolation and cultivation of Gonococci	72.00	100 gm 500 gm	810 3415
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 5 vl	1550 5 vl
TS 021	HAEMOGLOBIN POWDER *	#14 vl	100 gm	2520
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl	2150 7975
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl	2150 8465
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl	2150 8465
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl	1510 4400
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl	1020 3295
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl	1820 4400
TMV 116	GC AGAR BASE (VEG.) for selective isolation and cultivation of Gonococci	72.00	100 gm 500 gm	845 3600
TS 036	GC SUPPLEMENT W/ANTIBIOTICS *	#14 vl	5 vl 5 vl	1550 5 vl
TS 021	HAEMOGLOBIN POWDER *	#14 vl	100 gm	2520
TS 038	V.C.N. SUPPLEMENT *	#14 vl	5 vl 25 vl	2150 7975
TS 039	V.C.N.T. SUPPLEMENT *	#14 vl	5 vl 25 vl	2150 8465
TS 022	VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) *	#14 vl	5 vl 25 vl	2150 8465
TS 041	LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5 vl 25 vl	1510 4400
TS 023	YEAST AUTOLYSATE SUPPLEMENT *	#14 vl	5 vl 25 vl	1020 3295
TS 043	VANCLO T SUPPLEMENT (VANCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *	#14 vl	5vl 25 vl	1820 4400
TM 117	GN BROTH, HAJNA for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	660 2975
TMV 117	GN BROTH, HAJNA (VEG.) for selective enrichment of gram-negative organisms of the enteric group	39.00	100 gm 500 gm	795 3185
TM 1935	GN BROTH MEDIUM 11 (as per IP) for enrichment of Shigella from pharmaceutical products	34.00	100 gm 500 gm	805 3240
TM 1190	GTC AGAR BASE for cultivation of Enterococci from food within 18 hours	48.75	500 gm	4125
TS 109	GTC SUPPLEMENT *	#21 vl	5 vl	1065
TS 108	SODIUM BICARBONATE SOLUTION (20 ml/vl) *	#11 vl	5 vl	415
TM 1191	GASSNER LACTOSE AGAR for detection and isolation of pathogenic Enterobacteriaceae from foodstuffs	76.87	500 gm	4220
TM 735	GELATIN AGAR for cultivation and identification of Vibrio species	65.00	500 gm	4220
TM 1122	GELATIN IRON AGAR for detection of gelatin liquefaction and H2S production	159.00	500 gm	4135
TM 2098	GELATIN PEPTONE AGAR for the cultivation of non fastidious bacteria	20.00	500 gm	4515
TM 300	GELATIN MANNITOL SALT AGAR (STAPHYLOCOCCUS AGAR NO. 110) for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm	880 3610

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1192	**GELATIN PHOSPHATE BUFFER** for detection of toxin in food products suspected with Clostridium botulinum		06.00	100 gm 500 gm	1035 4305
TM 992	**GELATIN PHOSPHATE SALT AGAR (GPS AGAR)** for cultivation and characterization of Vibrio cholerae from foods		40.00	500 gm	4640
TM 993	**GELATIN SALT AGAR** for cultivation and differentiation of Vibrio species from foods		65.00	500 gm	4640
TM 631	**GILLIES AGAR NO. 1 (DEXTROSE MANNITOL AGAR)** for primary isolation of Salmonella and Shigella and for detection of urease production, dextrose and mannitol fermentation		42.50	500 gm	4720
TM 736	**GILLIES AGAR NO. 2 (SUCROSE SALICIN AGAR)** for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species		48.30	100 gm	6380
TM 118	**GIOLITTI-CANTONI BROTH BASE** for selective enrichment of Staphylococcus aureus from foods		54.20	500 gm	4230
TS 003	**POTASSIUM TELLURITE 3.5% (10 ml/vl) ***		#18 vl	5 vl	695
TM 118A	**GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003)** for selective enrichment of Staphylococcus aureus from foods		55.20	500 gm	4510
TS 003	**POTASSIUM TELLURITE 3.5% (10 ml/vl) ***		#18 vl	5 vl	695
TM 994	**GLUCONATE TEST MEDIUM** for detection of gluconate oxidizing microorganisms		43.50	500 gm	3730
TM 2099	**GLUCOSE AGAR** for differentiation of Enterobacteriaceae in urine, water and food samples		20.88	500 gm	5450
TM 1547	**GLUCOSE AGAR** for determining the fermentation reaction of presumptive Enterobacteriaecae		41.52	500 gm	5095
TM 1548	**GLUCOSE AGAR, MODIFIED** maintenance medium for stock cultures of a variety of microorganisms		35.00	500 gm	3820
TM 1193	**GLUCOSE AZIDE BROTH** for enumeration of faecal Streptococci from water by MPN technique		30.30	500 gm	3890
TM 308	**GLUCOSE BROTH (DEXTROSE BROTH)** for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms		23.00	100 gm 500 gm	855 3655
TMV 308	**GLUCOSE BROTH (DEXTROSE BROTH) (VEG.)** for antibiotic sensitivity testing by tube dilution method for the isolation, cultivation and enumeration of different microorganisms		23.00	100 gm 500 gm	900 3835
TM 737	**GLUCOSE BROTH (W/O pH indicator)** for study of dextrose fermentation		20.00	100 gm 500 gm	885 3610
TM 738	**GLUCOSE CITRATE BROTH BASE** for cultivation of fastidious microorganisms		23.00	500 gm	3655
TM 739	**GLUCOSE CYSTEINE AGAR BASE W/ THIAMINE** for cultivation and enumeration of Pasteurella tularensis by adding blood or Hemin		58.00	100 gm 500 gm	1010 4245
TM 2100	**GLUCOSE OF MEDIUM (ISO 21528-2:2017)** Recommended for the determination of oxidative and fermentative metabolism of carbohydrates by gram-negative bacteria.		20.38	500 gm	3975
TM 335	**GLUCOSE PEPTONE AGAR (DEXTROSE PEPTONE AGAR)** for general cultivation of microorganisms		50.00	500 gm	3670
TM 324	**GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM)** used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm	645 2765
TMV 324	**GLUCOSE PHOSPHATE BROTH (BUFFERED GLUCOSE BROTH) (MR-VP MEDIUM) (VEG.)** used in differentiation of bacteria by MR-VP test		17.00	100 gm 500 gm	670 2855
TM 1194	**GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK)** for enrichment of Vibrio parahaemolyticus and marine isolates	(Part I) (Part II)	48.00 04.00	100 gm 500 gm	890 4165
TM 119	**GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005)** for enrichment of Vibrio parahaemolyticus in drinking water. It is recommended by BIS committee under specification	(Part I) (Part II)	48.00 04.00	100 gm 500 gm	890 4165

G Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 931	**GLUCOSE STARCH AGAR (as per AOAC)** for sterility testing of canned foods		68.00	500 gm	4120
TM 1549	**GLUCOSE YEAST EXTRACT ACETATE BROTH** for cultivation of Lactobacillus species		40.60	500 gm	3865
TM 585	**GLUCOSE YEAST EXTRACT AGAR** for cultivation of Lactobacilli in pharma products		28.40	100 gm 500 gm	1030 4230
TM 2101	**GLUCOSE YEAST EXTRACT BC AGAR MEDIUM** recommended for cultivation and enumeration of Bacillus coagulans		31.30	100 gm 500 gm	1030 4855
TM 586	**GLUCOSE YEAST PEPTONE AGAR** for isolation of yeasts from soil samples		50.00	500 gm	4230
TM 130	**GLYCEROL ASPARAGINE AGAR BASE (ISP MEDIUM NO. 5)** for cultivation of Streptomyces species as per International Streptomyces Project		23.00	100 gm 500 gm	1450 5930
TM 2102	**GLYCEROL MANNITOL ACETAMIDE CETRIMIDE AGAR (DOUBLE PACK)** for the enumeration of Pseudomonas aeruginosa from contaminated materials	**(Part I)** **(Part II)**	31.16 10.01	500 gm	4915
TM 2103	**GUM LISTERIA MEDIUM** for the isolation of Listeria monocytogenes from clinical and non-clinical specimens		18.44	500 gm	4450
TM 519	**GREEN YEAST & MOLD BROTH** for cultivation of fungi from beverages		73.20	500 gm	4570
TM 1348	**H BROTH** for preparation of 'H' antigen, used in the identification and differentiation of Salmonella species		21.50	500 gm	3950
TM 1349	**HC AGAR BASE** for enumeration of molds in cosmetic products supplemented with Polysorbate 80		54.50	500 gm	4640
TM 1350	**HS MEDIUM** for cultivation of aerobic as well as anaerobic bacteria and sterility testing		29.50	500 gm	3415
TM 298	**H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH)** for large scale cultivation of bacteria for Vaccine production		25.00	500 gm	2690
TMV 298	**H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH) (VEG.)** for large scale cultivation of bacteria for Vaccine production		25.00	500 gm	2865
TM 1352 TS 144	**HAEMOPHILUS TEST AGAR BASE** for the susceptibility testing of Haemophilus influenzae **HAEMOPHILUS GROWTH SUPPLEMENT ***		43.00 #24 vl	500 gm 5 vl	5135 1300
TM 2447	**HALF FRASER BROTH - (New Product)** For collection and shipment of clinical specimens		55.47	500 gm	7490
TM 2093 TS 034	**HALF FRASER BROTH (FRASER BROTH BASE, MODIFIED)** for the selective enrichment of Listeria species from foods **FRASER SUPPLEMENT***		54.97 #19 vl	500 gm 5 vl	6060 980
TM 1937 TS 034 TS 035	**HALF FRASER BROTH BASE (ISO 11290-1:2017)** for the selective enrichment of Listeria species from foods **FRASER SUPPLEMENT *** **FRASER SELECTIVE SUPPLEMENT ***		55.00 #19 vl #10 vl	500 gm 5 vl 5 vl	5815 980 1550
TM 1871	**HALOPHILIC AGAR** for isolation and cultivation of halophilic bacteria		325.00	500 gm	6850
TM 1872	**HALOPHILIC BROTH** for isolation and cultivation of halophilic bacteria		305.00	500 gm	6720
TM 1195	**HANAHAN'S BROTH (SOB MEDIUM)** for cultivation of recombinant strains of Escherichia coli		28.00	500 gm	4160
TM 374	**HARTLEY'S DIGEST BROTH** for cultivation of various bacteria from blood especially Streptococci and Corynebacterium diphtheriae		29.00	100 gm 500 gm	885 3720
TMV 374	**HARTLEY'S DIGEST BROTH (VEG.)** for cultivation of various bacteria from blood especially Streptococci and Corynebacterium diphtheriae		29.00	100 gm 500 gm	930 3905
TM 120	**HEART INFUSION AGAR (BEEF HEART INFUSION AGAR)** for isolation and cultivation of various fastidious microorganisms		40.00	100 gm 500 gm	985 4320

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2104	**HEART INFUSION AGAR, MODIFIED** for isolation and cultivation of fastidious pathogenic microorganisms like Neisseria, Streptococci etc. and for confirmation of diarrheagenic Escherichia coli in accordance with FDA BAM, 1998.	37.50	500 gm	4255
TM 2105	**HEART INFUSION YEAST EXTRACT AGAR BASE** for the isolation and cultivation of Campylobacter in accordance with FDA BAM 1998.	42.00	500 gm	5230
TS 278	**CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA***	#24 vl	5 vl	1760
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT***	#24 vl	5 vl	1385
TM 520	**HEART INFUSION BROTH (BEEF HEART INFUSION BROTH)** for isolation and cultivation of various fastidious microorganisms	25.00	100 gm 500 gm	990 4355
TM 121	**HEKTOEN ENTERIC AGAR (ISO 21567:2004)** for differential and selective isolation of Salmonella and Shigella species from pathological specimens	76.67	100 gm 500 gm	905 3810
TMV 121	**HEKTOEN ENTERIC AGAR (VEG.)** for differential and selective isolation of Salmonella and Shigella species from pathological specimens	76.67	100 gm 500 gm	960 4000
TM 2107	**HEKTOEN ENTERIC AGAR MEDIUM (as per USP)** for differential and selective isolation of Salmonella and Shigella species from enteric pathological specimens	72.66	100 gm 500 gm	970 4075
TM 2108	**HEKTOEN ENTERIC AGAR, W/ 1.4% AGAR** for the differential isolation of Shigella and Salmonella from food specimens in accordance with FDA BAM, 1998	75.67	500 gm	4255
TM 1196	**HEMMES MEDIUM** for biochemical differentiation of Salmonella and Shigella on the basis of dextrose, lactose, surcrose fermentation, motility, H2S, indole and urease production	43.00	500 gm	7975
TS 030	**UREA 40 % (5ml/vl) ***	#268 vl	5 vl 25 vl	480 1945
TM 1355	**HEMORRHAGIC COLI (HC) AGAR** for isolation and enumeration with an enzyme labeled monoclonal antibody of Escherichia coli	61.13	500 gm	4845
TM 1356	**HERELLEA AGAR** for the selective isolation and differentiation of gram-negative, fermentative and non-fermentative organisms especially for differentiation of organisms of Mima and Herellea group	62.27	500 gm	4845
TM 2109	**HETEROTROPHIC PLATE COUNT AGAR** for heterotrophic plate count of bacteria in water	18.75	100 gm 500 gm	990 4110
TM 2133	**HIGH PLATE COUNT AGAR** for obtaining higher colony counts by spread plate or pour plate or membrane filter technique	18.75	500 gm	4835
TM 2134	**HIGH SALT NUTRIENT AGAR** for the isolation, cultivation and confirmation of salt tolerant Vibrio species	55.00	500 gm	3965
TM 123	**HIGH SENSITIVITY TEST AGAR** for determination of antibiotic susceptibility of fastidious microorganism	32.00	100 gm 500 gm	1250 5115
TM 1805	**HIGH SENSITIVITY TEST BROTH** for antimicrobial susceptibility tests	23.40	100 gm 500 gm	1160 4795
TM 969	**HIPPURATE HYDROLYSIS BROTH** for detection of hippurate hydrolysing microorganisms	35.00	100 gm	3320
TM 996	**HOFER'S ALKALINE MEDIUM** for selective isolation of Agrobacteria while inhibiting Rhizobium species from soil	26.80	100 gm	3320
TM 1552	**HORIE ARABINOSE ETHYL VIOLET BROTH** for cultivation and enrichment of Vibrio species	43.00	500 gm	4840
TM 997	**HOTTINGER BROTH** for cultivation of less fastidious microorganisms and determination of indole production	23.00	100 gm	3145
TM 522	**HOYLE MEDIUM BASE** for differentiation and isolation of Corynebacterium diphtheriae	40.00	100 gm 500 gm	1030 4430
TS 003	**POTASSIUM TELLURITE 3.5% (10ml/vl) ***	#13 vl	5 vl	745

H Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 741	**HUGH LEIFSON GLUCOSE MEDIUM** for differentiation of Staphylococci from Micrococci by anaerobic fermentation of glucose	45.52	100 gm 500 gm	1030 4200
TM 125	**HUGH LEIFSON MEDIUM** for detecting aerobic and anaerobic breakdown of glucose	19.35	100 gm 500 gm	1025 4200
TMV 125	**HUGH LEIFSON MEDIUM (VEG.)** for detecting aerobic and anaerobic breakdown of glucose	19.40	100 gm 500 gm	1085 4400
TM 742	**HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005)** for detecting aerobic and anaerobic breakdown of glucose.	19.40	100 gm	1040
TM 1351	**HYA AGAR** for differentiation of Lactobacillus bulgaricus and Streptococcus thermophilis on the basis of colony morphology from yoghurt cultures	36.00	100 gm	1525
TM 126	**ISP MEDIUM NO.1 (TRYPTONE YEAST EXTRACT BROTH)** a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm	1300 5290
TM 397	**ISP MEDIUM NO. 2 (YEAST MALT AGAR)** for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1140 4700
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#25 vl	5 vl 25 vl	920 2955
TM 128	**ISP MEDIUM NO. 3** for cultivation and characterization of Streptomyces as per International Streptomyces Project	38.00	100 gm 500 gm	1395 5745
TM 129	**ISP MEDIUM NO. 4 (INORGANIC SALT STARCH AGAR)** for cultivation and characterization of Streptomyces as per International Streptomyces Project	37.00	100 gm 500 gm	1415 5850
TM 130	**ISP MEDIUM NO. 5 (GLYCEROL ASPARAGINE AGAR BASE)** for cultivation of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm	1450 5930
TM 131	**ISP MEDIUM NO.6 (PEPTONE YEAST EXTRACT IRON AGAR)** for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm	1085 4445
TM 132	**ISP MEDIUM NO. 7 (TYROSINE AGAR)** for isolation and characterization of Streptomyces as per International Streptomyces Project	23.00	100 gm 500 gm	1120 4545
TM 523	**ISP MEDIUM NO. 9 (CARBON UTILIZATION AGAR)** for characterization of Streptomyces based on carbon utilization	26.67	100 gm 500 gm	2145 8600
TM 1358	**ISOLATION MEDIUM FOR IRON BACTERIA** for isolation of iron bacteria, especially those belonging to Sphaerotilus-Leptothris group	10.90	100 gm 500 gm	1030 4250
TM 1357	**ITC BROTH BASE (TTC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE)** for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm	5130
TS 131	**TICARCILLIN SUPPLEMENT ***	#7 vl	5 vl	1335
TS 132	**POTASSIUM CHLORATE SUPPLEMENT ***	#7 vl	5 vl	805
TM 2136	**IUT MEDIUM BASE** for cultivation of Mycobacterium tuberculosis	07.30	100 gm 500 gm	1445 6670
TM 468	**INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM)** for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	790 3250
TMV 468	**INDOLE NITRATE MEDIUM (TRYPTONE NITRATE MEDIUM) (VEG.)** for identification of indole production and nitrate reduction by microorganisms	25.00	100 gm 500 gm	825 3405
TM 1205	**INHIBITORY MOLD AGAR, ULRICH** for selective isolation of pathogenic fungi	36.17	500 gm	4480
TM 743	**INORGANIC SALT MEDIUM (MODIFIED RAGGIOS MEDIUM)** for studying soil microorganisms such as Rhizobium species	04.73	100 gm 500 gm	1030 4245
TM 129	**INORGANIC SALT STARCH AGAR (ISP MEDIUM NO. 4)** for cultivation and characterization of Streptomyces species as per International Streptomyces Project	37.00	100 gm 500 gm	1415 5850
TM 745	**INOSITOL GELATIN MEDIUM (as per APHA)** for cultivation of Plesiomonas shigelloides from food samples in accordance with APHA	140.00	500 gm	4480
TM 2137	**IRON MEDIUM BASE** for presumptive confirmation of Clostridium perfringens from food in accordance with FDA BAM, 1998	01.00	500 gm	520

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 133	**IRON OXIDIZING MEDIUM (DOUBLE PACK)** for isolation, cultivation and enrichment of Thiobacillus ferrooxidans	(Part I) (Part II)	04.11 44.22	100 gm 500 gm	1035 4160
TM 109	**IRON MILK MEDIUM** for cultivation of Clostridium perfringens from foods		101.00	500 gm	4200
TM 296	**IRON SULPHITE AGAR** for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods		26.00	100 gm 500 gm	1045 4335
TMV 296	**IRON SULPHITE AGAR (VEG.)** for detection of thermophillic anaerobic organisms causing sulphide spoilage in foods		26.00	100 gm 500 gm	1105 4545
TM 2138	**IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)** for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions		42.00	500 gm	4965
TM 2139	**ISLAMS MEDIUM BASE FOR GROUP B STREPTOCOCCI** for identification and cultivation of group B Streptococci from clinical specimens		45.23	500 gm	4980
TM 1359	**J. AGAR BASE** for cultivation of Bacillus and Sporolactobacillus species		43.00	500 gm	4615
TM 1360	**J. BROTH BASE** for cultivation of Bacillus and Sporolactobacillus species		20.00	500 gm	4380
TM 134	**JENSEN SEEDLING AGAR** for germinating seeds of leguminous plants for studying nodulating ability of Rhizobium isolates		16.70	100 gm 500 gm	1045 4260
TM 746	**JENSEN'S BROTH** for detection and cultivation of nitrogen fixing bacteria		24.10	100 gm 500 gm	930 4260
TM 135	**JENSEN'S MEDIUM** for detection and cultivation of nitrogen fixing bacteria		39.00	100 gm 500 gm	985 4100
TM 2140	**K AGAR** for isolation and cultivation of Alicyclobacillus in fruit juices in accordance with Official method of IFU		24.50	100 gm	4935
TM 1206	**K.R.A.N.E.P. AGAR BASE** for selective enumeration of total Staphylococci from foods		72.00	100 gm	4425
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#7 vl	5 vl	2100
TM 136	**KF STREPTOCOCCAL AGAR BASE** for selective isolation and enumeration of faecal Streptococci in surface water by direct plating or by membrane filter technique		76.40	100 gm 500 gm	1025 4095
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***		#7 vl	5 vL 25 vl	1015 3165
TS 045	**BROMO CRESOL PURPLE (15 mg/vl)**		#7 vl	5 vl	665
TM 747	**KF STREPTOCOCCAL BROTH BASE** for detection and enumeration of faecal Streptococci in water and examination of faeces		57.00	100 gm 500 gm	940 3780
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***		#9 vl	5 vL 25 vl	1015 3165
TM 138	**KF STREPTOCOCCUS AGAR BASE W/ BCP** for detection and enumeration of faecal Streptococci		76.40	100 gm 500 gm	1265 5090
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***		#7 vl	5 vL 25 vl	1015 3165
TM 139	**KF STREPTOCOCCUS BROTH BASE W/ BCP** for detection and enumeration of faecal Streptococci		56.40	500 gm	4765
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***		#7 vl	5 vL 25 vl	1015 3165
TM 1207	**KG AGAR BASE** for differentiation of Bacillus cereus and Bacillus thuringiensis based on fast sporulation		19.53	500 gm	4755
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#26 vl	5 vl	2100
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***		#52 vl	5 vl 25 vl	1130 3255

K Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2141	**KANAMYCIN ESCULIN AZIDE AGAR** for selective isolation and identification of group D Streptococci in foodstuffs	44.67	100 gm	3830
TM 748	**KANAMYCIN ESCULIN AZIDE AGAR BASE** for selective isolation and identification of group D Streptococci in foods	44.67	100 gm	3590
TS 068	**KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT ***	#23 vl	5 vl	1360
TM 2142	**KANAMYCIN ESCULIN AZIDE BROTH** for selective isolation and identification of group D Streptococci in foodstuffs	32.67	100 gm	3610
TM 749	**KANAMYCIN ESCULIN AZIDE BROTH BASE** for selective isolation and identification of group D Streptococci in foodstuffs	32.65	100 gm	3375
TS 068	**KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT ***	#31 vl	5 vl	1360
TM 1208	**KAPER'S MEDIUM (as per APHA)** for enumeration and identification of Aeromonas hydrophila from foodstuffs	37.92	500 gm	5050
TM 1361	**KARMALI CAMPYLOBACTER AGAR BASE** for selective isolation and cultivation of thermotolerant Campylobacter species from food and animal feeds	45.00	500 gm	4335
TS 145	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI)***	#23 vl	5 vl 25 vl	1545 3230
TS 146	**CAMPYLOBACTER SELECTIVE SUPPLEMENT W/HEMIN (KARMALI)***	#23 vl	5 vl 25 vl	1485 4165
TM 2143	**KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999)** recommended as selective enrichment medium for isolation of Shigella species from food samples	132.50	500 gm	3405
TM 1209	**KENKNIGHT & MUNAIER'S MEDIUM** for isolation of Actinomyces species from soil	16.40	500 gm	4520
TM 2144	**KETOGLUCONATE BROTH** for use in identifying bacteria that can utilize a-ketogluconate to form α-ketogluconate	27.40	500 gm	3980
TM 1211	**KIMMIG FUNGI AGAR BASE** for isolation, identification and cultivation of fungi.	50.40	500 gm	4960
TS 110	**KIMMIG SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	1755
TS 111	**GEORGE KIMMIG SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	1250
TM 562	**KING'S OF MEDIUM BASE** for studying oxidation fermentation of carbohydrates by Campylobacter species	00.50	100 gm 500 gm	905 3775
TM 1362	**KING'S MEDIUM A BASE** for non-selective isolation, cultivation and pigment production by Pseudomonas species	46.60	500 gm	3865
TM 1363	**KING'S MEDIUM B BASE** for non-selective isolation, cultivation and pigment production by Pseudomonas species	43.00	500 gm	3865
TM 2145	**KING'S MEDIUM B BASE W/ 1.5% AGAR (FDA BAM, 1998)** for non-selective isolation, cultivation and pigment production of Pseudomonas species	38.00	500 gm	4630
TM 1869	**KING'S MEDIUM B BROTH** for detection of pigment production by Pseudomonas species	23.00	500 gm	3865
TM 1366	**KIRCHNER MEDIUM BASE, MODIFIED** for cultivation of Mycobacterium tuberculosis	15.10	500 gm	4245
TS 014	**HORSE SERUM ***	3.3 ltr	100 ml	4460
TM 141	**KLIGLER IRON AGAR** for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H2S production	57.50	100 gm 500 gm	790 3255
TMV 141	**KLIGLER IRON AGAR (VEG.)** for differential identification of gram negative enteric bacilli from clinical and non-clinical samples on the basis of fermentation of dextrose and lactose as well as H2S production	57.50	100 gm 500 gm	825 3415
TM 142	**KLIGLER IRON AGAR, MODIFIED** for identification of Yersinia enterocolitica and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H2S production	57.30	500 gm	3680

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1553	**KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003)** for identification of Pseudomonas species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H2S production	58.02	500 gm	3680
TM 1554	**KOHN TWO TUBE MEDIUM NO. 1** for identification of Enterobacteriaceae on the basis of dextrose and mannitol fermentation and urease production	46.00	100 gm 500 gm	1755 7030
TS 030	**UREA 40% (5 ml/vl) ***	#55 vl	5 vl 25 vl	450 1815
TM 1364	**KOHN TWO TUBE MEDIUM NO. 2** for identification of Enterobacteriaceae on the basis of sucrose and salicin fermentation, motility, hydrogen sulphide and indole production	48.13	100 gm	6590
TM 143	**KOSER CITRATE MEDIUM** for differentiation of Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization	05.70	100 gm 500 gm	810 3510
TMV 143	**KOSER CITRATE MEDIUM (VEG.)** for differentiation of Escherichia coli and Enterobacter aerogenes on the basis of citrate utilization	05.70	100 gm 500 gm	825 3575
TM 1365	**KRACK BLOOD CULTURE MEDIUM** for isolating organisms from blood in bacterimias and maintaining cultures isolated from blood	75.00	100 gm	1685
TM 1367	**KUNDRAT AGAR** for qualitative detection of residues from antibiotics and other chemotherapeutic agents	40.41	500 gm	4480
TM 2146	**KUNDRAT AGAR, MODIFIED** for the qualitative detection of residues of antibiotics and other chemotherapeutic agents in animal derived food	40.52	500 gm	4905
TM 1212	**KUPFERBERG TRICHOMONAS BROTH BASE (TRICHOMONAS BROTH BASE, KUPFERBERG)** for selective isolation and cultivation of Trichomonas species	23.50	500 gm	4610
TS 112	**TRICHOMONAS SELECTIVE SUPPLEMENT I ***	#44 vl	5 vl	1550
TM 750	**L. D. AGAR** for identification and cultivation of fastidious anaerobic bacteria	33.22	100 gm 500 gm	1865 7505
TM 960	**L.D. ESCULIN AGAR** for identification of anaerobic bacteria like Bacteroides species on the basis of esculin hydrolysis	34.62	100 gm 500 gm	2285 9130
TM 1125	**L.D. EGG YOLK AGAR BASE** for identification of lecithinase activity by anaerobic microorganisms	40.23	100 gm 500 gm	2285 9175
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#13 vl	5 vl	2100
TM 2148	**L.MONO BLOOD AGAR BASE** for the specific isolation and cultivation of Listeria species from food and environmental samples	50.00	500 gm	4680
TS 227	**L.MONO SELECTIVE SUPPLEMENT I ***	#10 vl	5 vl	1130
TM 1806	**L.MONO CONFIRMATORY AGAR BASE** for selective and differential isolation of Listeria monocytogenes from clinical & food samples	77.00	100 gm 500 gm	2050 8240
TS 227	**L.MONO SELECTIVE SUPPLEMENT I ***	#13 vl	5 vl	1130
TS 228	**L.MONO SELECTIVE SUPPLEMENT II ***	#13 vl	5 vl	1385
TS 229	**L.MONO ENRICHMENT SUPPLEMENT II ***	#13 vl	5 vl	4020
TM 2149	**L.MONO SELECTIVE AGAR BASE** for presumptive enumeration of Listeria species using membrane filtration technique	60.42	500 gm	9465
TS 289	**LM SELECTIVE SUPPLEMENT ***	#9 vl	5 vl	1410
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#9 vl	5 vl	2005
TM 1213	**LPM AGAR BASE** for isolation and cultivation of Listeria monocytogenes from food and dairy products	50.5	100 gm	3220
TS 113	**MOXALACTAM SUPPLEMENT ***	#10 vl	5 vl	1440

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 751	**L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE)** for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4740
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#8 vl	5 vl 25 vl	1015 3165
TMV 751	**L. S. DIFFERENTIAL MEDIUM BASE (LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE) (VEG.)** for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4835
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#8 vl	5 vl 25 vl	1085 3390
TM 1474	**L B AGAR (Lennox)** for propagation and maintenance of E.coli	35.00	500 gm	3830
TM 1475	**L B BROTH (Lennox)** for propagation and maintenance of E.coli	20.00	500 gm	3830
TM 1369	**LACHICA'S MEDIUM BASE** for isolation and cultivation of Aeromonas hydrophila from foods stored under different temperature conditions	43.00	100 gm	4280
TS 161	**LACHICA'S SUPPLEMENT ***	#12 vl	1 vl	680
TM 752	**LACTIC ACID BACTERIA SELECTIVE AGAR BASE** for selective isolation of lactic acid bacteria from brewery	77.10	100 gm	2465
TS 069	**LACTIC SUPPLEMENT (10 ml/vl) ***	#14 vl	5 vl	1140
TM 753	**LACTIC ACID BACTERIA SELECTIVE BROTH BASE (RAKA-RAY NO.3 BROTH BASE)** for selective isolation of lactic acid bacteria from brewery	58.90	100 gm	3865
TS 069	**LACTIC SUPPLEMENT (10 ml/vl) ***	#4 vl	5 vl	1140
TM 754	**LACTIC AGAR** for enumeration and identification of lactic Streptococci and Lactobacilli by pour plate method	63.50	100 gm	1490
TM 642	**LACTIC BACTERIA DIFFERENTIAL AGAR** for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	35.56	500 gm	4345
TM 643	**LACTIC BACTERIA DIFFERENTIAL BROTH** for differentiation of homo-fermentative and hetero-fermentative lactic acid bacteria	20.56	500 gm	4070
TM 1001	**LACTIC PHAGE AGAR** for enumeration of bacteriophages active against starter cultures employed in cheese production	50.00	500 gm	4520
TM 1002	**LACTIC PHAGE BROTH** for enumeration of bacteriophages active against starter cultures employed in cheese production	35.00	500 gm	4200
TM 1555	**LACTIC STREAK AGAR (REDDYS DIFFERENTIAL AGAR, MODIFIED)** qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	4780
TM 144	**LACTOBACILLI AGAR (AOAC) *** for cultivation and maintenance of stock cultures used in microbiological assays of vitamin and amino acids	48.00	100 gm	1995
TMV 144	**LACTOBACILLI AGAR (AOAC) (VEG.) *** for cultivation and maintenance of stock cultures used in Microbiological assays of vitamin and amino acids	48.00	100 gm	2105
TM 145	**LACTOBACILLI BROTH (AOAC) *** for preparation of inocula of stock cultures used in microbiological assays of vitamins of group B	38.00	500 gm	4275
TM 316	**LACTOBACILLI BROTH (ELLIKER BROTH)** for cultivation of Lactobacilli & Streptococci which are important in dairy industry	48.50	500 gm	3935
TM 1370	**LACTOBACILLI BULGARICUS AGAR BASE *** for isolation and identification of Lactobacillus bulgaricus	70.00	500 gm	4745

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 755	**LACTOBACILLUS HETEROFERM SCREEN AGAR (MRS AGAR, MODIFIED) *** for isolation and cultivation of Lactobacillus species from foods	62.20	500 gm	4845
TM 187	**LACTOBACILLUS HETEROFERM SCREEN BROTH (MRS BROTH, MODIFIED) *** for isolation and cultivation of Lactobacillus species from foods	47.20	500 gm	4415
TM 146	**LACTOBACILLUS MRS AGAR (MRS AGAR)** for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm	950 3915
TMV 146	**LACTOBACILLUS MRS AGAR (MRS AGAR) VEG.) *** for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm	960 4110
TM 1556	**LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010) *** for the isolation and enumeration of lactic acid bacteria from meat and meat products	65.30	500 gm	3645
TM 147	**LACTOBACILLUS MRS BROTH (MRS BROTH)** for cultivation of Lactobacillus species	55.15	100 gm 500 gm	920 3915
TMV 147	**LACTOBACILLUS MRS BROTH (MRS BROTH) (VEG.) *** for cultivation of Lactobacillus species	55.15	100 gm 500 gm	940 4040
TM 1003	**LACTOBACILLUS SELECTION AGAR BASE** for isolation and enumeration of Lactobacillus from foods	84.70	500 gm	4815
TMV 1003	**LACTOBACILLUS SELECTION AGAR BASE (VEG.) *** for isolation and enumeration of Lactobacillus from foods	84.70	500 gm	5000
TM 1004	**LACTOBACILLUS SELECTION BROTH BASE *** for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm	4250
TMV 1004	**LACTOBACILLUS SELECTION BROTH BASE (VEG.) *** for selective isolation and enumeration of Lactobacilli from foods *	69.70	500 gm	4325
TM 1371	**LACTOBACILLI SELECTION OXGALL AGAR BASE *** for selective isolation, cultivation and enumeration of Lactobacilli	86.20	500 gm	4815
TM 751	**LACTOBACILLUS STREPTOCOCCUS DIFFERENTIAL MEDIUM BASE (L.S. DIFFERENTIAL MEDIUM BASE)** for differentiation of Lactobacilli and Streptococci on the basis of colony morphology, TTC reduction and casein reaction	65.30	500 gm	4740
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#8 vl	5 vl 25 vl	1045 3165
TM 669	**LACTOSE BLUE AGAR (BTB LACTOSE AGAR MODIFIED)** for differentiation of lactose fermenting and non-fermenting bacteria of Enterobacteriaceae	40.54	500 gm	4640
TM 1537	**LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per USP)** for detection of coliform bacteria in water, dairy and food products	13.00	100 gm 500 gm	540 2305
TM 1538	**LACTOSE BROTH (FLUID LACTOSE MEDIUM) (as per IP)** for detection of coliform bacteria in water, foods and dairy products as per Standard Methods	13.00	100 gm 500 gm	540 2305
TM 757	**LACTOSE BROTH (FLUID LACTOSE MEDIUM)** for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	555 2425
TMV 757	**LACTOSE BROTH (FLUID LACTOSE MEDIUM) (VEG.)** for detection of coliform bacteria in water and food products	13.00	100 gm 500 gm	555 2425
TM 2152	**LACTOSE MONOHYDRATE BROTH (BROTH MEDIUM D)** for the detection of coliform bacteria in water, foods, dairy products	13.00	100 gm 500 gm	605 2725
TM 148	**LACTOSE GELATIN MEDIUM** for detection of Clostridium species from food samples	135.00	500 gm	4110
TM 149	**LACTOSE GELATIN MEDIUM, MODIFIED (AOAC)** for detection and presumptive identification of Clostridium perfringens from foods in accordance with AOAC	160.00	500 gm	4110
TM 1215	**LACTOSE LECITHIN AGAR *** for isolation and differentiation of histotoxic Clostridia from clinical specimens	58.48	500 gm	4630

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 734	**LACTOSE MEDIUM W/SOYA LECITHIN & POLYSORBATE 20 (DOUBLE PACK)** (Part I) for microbial evaluation of oral hygiene products * (Part II)	18.00 40.00	100 gm 500 gm	2290 9155
TM 758	**LACTOSE PEPTONE BROTH** for detection of coliform organisms in water	35.00	500 gm	3645
TM 1372	**LACTOSE PEPTONE WATER** for detection of coliforms in fermentation studies.	25.04	500 gm	3655
TM 1216	**LACTOSE SULPHITE BROTH BASE** for detection and enumeration of Clostridium perfringens in pharmaceutical products	20.30	500 gm	3360
TM 2153	**LACTOSE MONOHYDRATE SULPHITE MEDIUM (MEDIUM R) (as per EP/BP)** for detection and enumeration of Clostridium perfringens in pharmaceutical products	19.80	500 gm	3600
TM 1251	**LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000)** for detection and enumeration of E.coli and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm	935 3905
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#3 vl	5 VL 25 vl	1085 3390
TM 2445	**LAKED BLOOD WITH KANAMYCIN AND VANCOMYCIN AGAR (LKV)** for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of Prevotella species	46.61	500 gm	8120
TS 314	**KANAMYCIN AND VANCOMYCIN SUPPLEMENT ***	#11 vl	5 vl	2010
TM 1430	**LANDER TRANSPORT & STORAGE MEDIUM** for cultivation and transportation of Campylobacter species	30.00	500 gm	4485
TS 160	**LANDER AF SUPPLEMENT B***	#32 vl	1 vl	2035
TS 154	**LANDER VPT SUPPLEMENT A***	#32 vl	2 vl	2030
TM 150	**LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006)** for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm	645 2945
TMV 150	**LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (VEG.)** for detection and enumeration of coliform bacteria in water, dairy products and other foods	35.60	100 gm 500 gm	785 3170
TM 1829	**LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006)** For the selective pre-enrichment medium for Cronobacter sakazakii from milk and milk products	64.60	500 gm	3170
TS 280	**VANCOMYCIN SUPPLEMENT ***	#8 vl	5 vl	1710
TM 151	**LAURYL TRYPTOSE MANNITOL BROTH W/TRYPTOPHAN** for detection of Escherichia coli in water	35.80	500 gm	4250
TMV 151	**LAURYL TRYPTOSE MANNITOL BROTH W/TRYPTOPHAN (VEG.)** for detection of Escherichia coli in water	35.80	500 gm	4485
TM 1217	**LEAD ACETATE AGAR** for detection of H2S producing enteric bacteria	36.28	500 gm	4335
TMV 1217	**LEAD ACETATE AGAR (VEG.)** for detection of H2S producing enteric bacteria	36.28	500 gm	4450
TM 1373	**LECITHIN AGAR *** for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	4535
TMV 1373	**LECITHIN AGAR (VEG.) *** for detection of bacterial contamination of surfaces in unprotected and protected areas	53.20	500 gm	4775
TM 1374	**LECITHIN DILUENT BROTH *** a diluent for cosmetic samples	28.00	500 gm	4725
TM 2154	**LEE'S AGAR** for differential enumeration of yoghurt starter bacteria (Lactobacillus bulgaricus, Streptococcus thermophilus)	51.52	500 gm	4635
TM 2155	**LEE'S MULTIDIFFERENTIAL AGAR** used in the brewing industry for the cultivation and identification of brewing bacteria including fastidious type	84.63	500 gm	5500

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 759	**LEGIONELLA AGAR BASE** for cultivation of Legionella species	37.00	100 gm	4890
TS 044	**LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) ***	#6 vl	5 vl	960
TS 015	**LEGIONELLA SELECTIVE SUPPLEMENT ***	#6 vl	5 vl 25 vl	1245 3745
TS 019	**LEGIONELLA SUPPLEMENT ***	#6 vl	5 vl	1090
TM 1218	**LEGIONELLA AGAR BASE** for cultivation of Legionella species	25.00	500 gm	3450
TS 114	**LEGIONELLA GROWTH SUPPLEMENT (BCYE) ***	#40 vl	5 vl	1730
TS 114A	**LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) ***	#40 vl	5 vl	1485
TS 115	**LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT ***	#40 vl	5 vl 25 vl	1245 3745
TS 116	**LEGIONELLA BMPA SELECTIVE SUPPLEMENT ***	#40 vl	5 vl 25vl	1300 3900
TS 195	**LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE ***	#40 vl	5 vl 25 vl	1550 4105
TM 2156	**LEGIONELLA AGAR BASE W/O CHARCOAL** with the addition of charcoal supplement is used for the cultivation of Legionella species	25.00	500 gm	3225
TS 114	**LEGIONELLA GROWTH SUPPLEMENT (BCYE) ***	#40 vl	5 vl	1730
TS 114A	**LEGIONELLA SELECTIVE SUPPLEMENT (GVPN) ***	#40 vl	5 vl	1485
TS 115	**LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT ***	#40 vl	5 vl 25 vl	1245 3745
TS 116	**LEGIONELLA BMPA SELECTIVE SUPPLEMENT ***	#40 vl	5 vl 25vl	1390 4175
TS 195	**LEGIONELLA GROWTH SUPPLEMENT W/O. L-CYSTEINE ***	40 vl	5 vl 25 vl	1550 4105
TS 291	**STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR ***	40 vl	5 vl 25 vl	745 1645
TM 760	**LEGIONELLA ENRICHMENT BROTH BASE** for enrichment of Legionella species	27.50	100 gm	4530
TS 044	**LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B) ***	#8 vl	5 vl	960
TM 1007	**LEIFSON AGAR** for isolation of Salmonella and Shigella species from clinical and non-clinical samples	47.42	500 gm	4545
TMV 1007	**LEIFSON AGAR (VEG.)** for isolation of Salmonella and Shigella species from clinical and non-clinical samples	47.42	500 gm	4790
TM 1008	**LEIFSON DEOXYCHOLATE AGAR, MODIFIED** for selective isolation and differentiation of Salmonella and Shigella species	48.50	500 gm	3235
TM 156	**LETHEEN AGAR *** determination of phenol coefficient of quaternary ammonium compounds using E.coli or Staphylococcus aureus	32.00	500 gm	5130
TMV 156	**LETHEEN AGAR (VEG.)** determination of phenol coefficient of quaternary ammonium compounds using E.coli or Staphylococcus aureus	32.00	500 gm	5400
TM 1557	**LETHEEN AGAR W/ TRITON X-100 *** for screening cosmetic products for microbial contamination by adding Triton X-100	41.70	500 gm	6485
TM 157	**LETHEEN AGAR, MODIFIED *** for screening cosmetic products for microbial contamination	54.00	500 gm	5235
TMV 157	**LETHEEN AGAR, MODIFIED (VEG.) *** for screening cosmetic products for microbial contamination	54.00	500 gm	5500
TM 2157	**LETHEEN AGAR I MODIFIED** recommended to determine the phenol coefficient of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	59.10	500 gm	5540

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1558	**LETHEEN BROTH (as per USP)** for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm	5255
TM 158	**LETHEEN BROTH, AOAC *** for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm	4890
TMV 158	**LETHEEN BROTH, AOAC (VEG.) *** for determination of bacterial activity of quaternary ammonium compounds using Escherichia coli or Staphylococcus aureus	25.70	500 gm	5125
TM 159	**LETHEEN BROTH, MODIFIED (as per FDA) *** for screening cosmetic products to check microbial contamination	42.80	500 gm	4800
TMV 159	**LETHEEN BROTH, MODIFIED (as per FDA) (VEG.) *** for screening cosmetic products to check microbial contamination	42.80	500 gm	5125
TM 2158	**LETHEEN BROTH I MODIFIED** recommended for screening cosmetic products for microbial contamination	42.80	500 gm	5275
TM 1219	**LETHEEN BROTH W/ TRITON X-100** for testing microbial contamination in cosmetic products	26.70	500 gm	5255
TM 2159	**LEVINE EOSIN-METHYLENE BLUE AGAR MEDIUM (as per USP)** for the isolation, enumeration and differentiation of members of Enterobacteriaceae	37.46	100 gm 500 gm	850 3490
TM 2160	**LEVINTHALS MEDIUM BASE** for cultivation of Haemophilus species	45.00	500 gm	4750
TM 1220	**LIMABEAN AGAR** for cultivation of phytopathological and other fungi	23.00	500 gm	4520
TM 2161	**LIN'S CUPRIC SULFATE MEDIUM** differential medium for the detection of wild yeasts	40.15	100 gm 500 gm	1110 5050
TM 1221	**LIPOVITELLIN SALT MANNITOL AGAR BASE** for selective isolation and identification of Staphylococci on the basis of lipase production and mannitol fermentation from clinical and non-clinical specimens	111.00	500 gm	4520
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#5 vl	5 vl	2100
TM 1222	**LIQUOID BROTH** for testing blood samples from bacteremic cases	37.50	500 gm	4345
TMV 1222	**LIQUOID BROTH (VEG.)** for testing blood samples from bacteremic cases	37.50	500 gm	4560
TM 1375	**LISTERIA CONFIRMATORY AGAR BASE** for cultivation of Listeria species	77.00	500 gm	7235
TS 147	**LISTERIA SELECTIVE SUPPLEMENT A ***	#13 vl	5 vl	1225
TS 148	**LISTERIA SELECTIVE SUPPLEMENT B ***	#13 vl	5 vl	1885
TS 149	**LISTERIA ENRICHMENT SUPPLEMENT ***	#13 vl	5 vl	1550
TM 1223	**LISTERIA ENRICHMENT BROTH (DOUBLE PACK)** **(Part I)** for selective enrichment of Listeria monocytogenes from clinical specimens **(Part II)**	26.00 37.00	500 gm -	4185 -
TM 2128	**LISTERIA ENRICHMENT BROTH BASE** recommended for the rapid and selective enrichment of Listeria species from food samples in 24 hours	44.00	500 gm	7530
TS 288	**RAPID LISTERIA SELECTIVE SUPPLEMENT ***	#12 vl	5 vl	1370
TM 1224	**LISTERIA ENRICHMENT BROTH, MODIFIED** for selective enrichment of Listeria species *	52.00	100 gm 500 gm	1505 6920
TM 1225	**LISTERIA ENRICHMENT MEDIUM BASE (UVM)** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens	54.35	100 gm 500 gm	1535 7020
TS 117	**LISTERIA UVM SUPPLEMENT I ***	#19 vl	5 vl	1025
TS 118	**LISTERIA UVM SUPPLEMENT II ***	#19 vl	5 vl	1025

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2444	**LISTERIA ENRICHMENT MEDIUM BASE (UVM I)** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens		54.36	500 gm	7785
TM 1226	**LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2:1998)** for detection and enumeration of Listeria monocytogens from food and animal feeds		69.00	100 gm 500 gm	1825 8195
TS 119	**LISTERIA SELECTIVE SUPPLEMENT (PALCAM) ***		#15 vl	5 vl 25 vl	1165 3975
TM 1227	**LISTERIA IDENTIFICATION BROTH BASE (PALCAM)** for selective enrichment of Listeria species		47.70	100 gm 500 gm	1535 7020
TS 119	**LISTERIA SELECTIVE SUPPLEMENT (PALCAM) ***		#22 vl	5 vl 25 vl	1165 3975
TM 1377	**LISTERIA MOTILITY MEDIUM** for testing motility of Listeria monocytogenes		29.60	500 gm	4185
TM 2162	**LISTERIA OXFORD AGAR BASE W/ 1.2% AGAR** for isolation of specimen Listeria species from food samples in accordance with FDA BAM, 1998		57.50	500 gm	6295
TS 292	**LISTERIA MOXALACTAM SUPPLEMENT MODIFIED ***		#18 vl	5 vl	1605
TM 2163	**LISTERIA OXFORD MEDIUM BASE, MODIFIED** for isolation and differentiation of Listeria species from clinical specimens		57.50	500 gm	5785
TS 120	**OXFORD LISTERIA SUPPLEMENT ***		#18 vl	5 vl	1360
TS 292	**LISTERIA MOXALACTAM SUPPLEMENT MODIFIED ***		#18 vl	5 vl	1605
TM 1229	**LISTERIA OXFORD MEDIUM BASE (ISO 11290-1)** for isolation of Listeria species from pathological samples		55.50	100 gm 500 gm	1455 5880
TS 120	**OXFORD LISTERIA SUPPLEMENT ***		#19 vl	5 vl	1360
TS 121	**LISTERIA MOXALACTAM SUPPLEMENT ***		#19 vl	5 vl	1550
TM 612	**LISTERIA SELECTIVE AGAR (DOUBLE PACK)** for selective isolation & cultivation of Listeria species from clinical samples	(Part I) (Part II)	39.00 37.50	500 gm -	4525 -
TM 1444	**LISTERIA SELECTIVE AGAR BASE** for selective isolation and cultivation of Listeria monocytogenes		51.00	500 gm	4725
TS 092	**LISTERIA SELECTIVE SUPPLEMENT II ***		#20 vl	5 vl 25 vl	1200 4205
TM 761	**LISTERIA SELECTIVE BROTH BASE** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens		36.00	500 gm	4655
TS 092	**LISTERIA SELECTIVE SUPPLEMENT II ***		#28 vl	5 vl 25 vl	1200 4205
TMV 761	**LISTERIA SELECTIVE BROTH BASE (VEG.)** For selective isolation and cultivation of Listeria monocytogenes from clinical specimens		36.00	500 gm	4890
TS 092	**LISTERIA SELECTIVE SUPPLEMENT II ***		#28 vl	5 vl 25 vl	1200 4205
TM 2164	**LISTERIA SELECTIVE ENRICHMENT BROTH *** for selective enrichment of Listeria species in accordance with FDA/IDF-FIL		36.10	500 gm	6860
TM 2165	**LISTERIA SELECTIVE PRIMARY BROTH BASE** for selective enrichment of Listeria species from foods		53.18	500 gm	6125
TS 293	**NAMC LISTERIA SELECTIVE SUPPLEMENT ***		#10 vl	5 vl	1205
TM 164	**LITMUS LACTOSE AGAR** for differentiation of Lactose fermenting and Lactose nonfermenting microorganisms		29.00	500 gm	4475

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 762	**LITMUS LACTOSE BILE SALT AGAR (LLBSA)** for selective isolation of enteric bacteria on the basis of lactose fermentation	70.50	500 gm	4635
TM 165	**LITMUS MILK (LITMUS SM BROTH)** for determination and maintenance of Lactobaclli	101.00	100 gm 500 gm	860 3655
TMV 165	**LITMUS MILK (VEG.)(LITMUS SM BROTH)** for determination and maintenance of Lactobaclli	101.00	100 gm 500 gm	915 3775
TM 763	**LITMUS MILK (LITMUS SM BROTH)** for determination and maintenance of Lactobacilli	105.00	100 gm 500 gm	860 3655
TM 524	**LITTMAN OXGALL AGAR BASE** for primary isolation of pathogenic fungi	55.00	500 gm	4475
TM 525	**LITTMAN OXGALL BROTH BASE** for selective enrichment and cultivation of pathogenic fungi	35.00	500 gm	4185
TM 764	**LIVER BROTH** for examination of food for Saccharolytic, putrefactive, mesophilic and thermophilic anaerobes	64.00	500 gm	3370
TM 1230	**LIVER BROTH, MODIFIED** for presumptive and enrichment test of Clostridia & other anaerobes from food & other products	62.00	500 gm	3890
TM 166	**LIVER INFUSION AGAR** for cultivation of Brucella and other pathogenic anaerobic bacteria	55.00	100 gm 500 gm	965 3910
TM 167	**LIVER INFUSION BROTH** for cultivation of Brucella and other anaerobic bacteria	35.00	100 gm 500 gm	920 3660
TM 765	**LIVER MEAT AGAR** for cultivation of fastidious anaerobes	34.00	500 gm	4230
TM 2147	**LIVER MEAT AGAR, MODIFIED** for cultivation of fastidious anaerobic microorganisms	32.50	500 gm	4535
TM 766	**LIVER MEAT GLUCOSE CYSTEINE BROTH** for cultivation of fastidious anaerobes	32.00	500 gm	4355
TM 767	**LIVER MEAT INFUSION AGAR** for enumeration of sulphite reducing Clostridia and Clostridium perfringens in water and milk	34.87	500 gm	4445
TM 2150	**LIVER VEAL AGAR** for the cultivation of fastidious anaerobic organisms	97.00	500 gm	4090
TM 2151	**LIVER VEAL AGAR BASE, MODIFIED*** for isolation of Clostridium botulinum in accordance with FDA BAM, 1998.	97.00	500 gm	4515
TS 290	**EGG YOLK EMULSION, 50%**	#5 vl	5 vl	2185
TM 768	**LOEFFLER MEDIUM BASE** for cultivation of Corynebacterium diphtheriae from clinical samples and confirmation of chromogenesis, proteolysis and the production of ascospores	08.80 08.80	100 gm 500 gm	1440 6385
TS 014	**HORSE SERUM***	42.6 ltr	100 ml	4460
TM 2166	**LOEFFLER SERUM MEDIUM BASE** for the cultivation of Corynebacterium diphtheriae	10.00 10.00	100 gm 500 gm	1125 4685
TM 375	**LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM)** for isolation and cultivation of Mycobacterium species	37.24 37.24	100 gm 500 gm	795 3320
TS 047	**GRUFT MYCOBACTERIAL SUPPLEMENT ***	#54 vl	5 vl	1185

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 375	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (VEG.) for isolation and cultivation of Mycobacterium species		37.24	100 gm 500 gm	835 3440
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *		#27 vl	5 vl	1185
TM 2167	LOWENSTEIN JENSEN MEDIUM BASE (L. J. MEDIUM) (as per IP) (DOUBLE PACK) for isolation and cultivation of Mycobacterium species	(Part I) (Part II)	11.04 0.667	100 gm 500 gm	875 3550
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *		#54 vl	5 vl	1185
TM 526	L.J. MEDIUM W/O. STARCH (as per International Standard) for propagation of Mycobacteria		07.24	100 gm 500 gm	820 3415
TS 047	GRUFT MYCOBACTERIAL SUPPLEMENT *		#27 vl	5 vl	1185
TM 2168	L.J. MEDIUM MODIFIED used for the isolation of Mycobacterium species from mixed flora		37.24	500 gm	4070
TS 294	LCN SUPPLEMENT *		#14 vl	5 vl 25 vl	1485 4650
TMS 01	L.J. MEDIUM SLANT (10 slants) for cultivation of Mycobacterium tuberculosis		-	1 Kit	1420
TM 407	LURIA AGAR for general cultivation of fastidious and non fastidious microorganisms		35.00	500 gm	3845
TMV 407	LURIA AGAR (VEG.) for general cultivation of fastidious and non fastidious microorganisms		35.00	500 gm	4370
TM 2169	LURIA AGAR BASE, MILLERS MODIFICATION for the cultivation and maintenance of recombinant strains of Escherichia coli with or without addition of glucose		30.50	500 gm	4450
TM 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) for cultivation and maintenance of recombinant strains of Escherichia coli		40.00	500 gm	3800
TMV 376	LURIA BERTANI AGAR, MILLER (MILLER LURIA BERTANI AGAR) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli		40.00	500 gm	4115
TM 2170	LURIA BERTANI AGAR, MODIFIED for the cultivation and maintenance of recombinant strains of Escherichia coli and may be used for routine cultivation of not particularly fastidious microorganisms		30.00	500 gm	4610
TM 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm	3815
TMV 406	LURIA BERTANI BROTH, MILLER (MILLER LURIA BERTANI BROTH) (VEG.) for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms		25.00	500 gm	4030
TM 377	LURIA BROTH for the cultivation and maintenance of recombinant strains of Escherichia coli		20.00	500 gm	3795
TMV 377	LURIA BROTH (VEG.) for the cultivation and maintenance of recombinant strains of Escherichia coli		20.00	500 gm	4115
TM 2171	LURIA BROTH BASE, MILLER'S MODIFICATION for the cultivation and maintenance of recombinant strains of Escherichia coli with or without addition of glucose		15.50	500 gm	4195
TM 769	LYSINE ARGININE IRON AGAR (LAI Agar) for isolation and presumptive identification of Yersinia species from milk and milk products		44.56	100 gm	3360
TM 2172	LYSINE ASSAY MEDIUM * for determining lysine concentration by microbiological assay method		105.00	100 gm	3670
TM 169	LYSINE DECARBOXYLASE BROTH for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriacae		14.00 14.00	100 gm 500 gm	845 3450

L Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1830	**LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006)** for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriacae.	09.00 09.00	100 gm 500 gm	845 3450
TM 2173	**L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017)** recommended for biochemical confirmation of Vibrio parahaemolyticus and Vibrio cholerae from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm	4050
TM 2174	**LYSINE INDOLE MOTILITY MEDIUM, MODIFIED** is used as an aid for the identification of members of Enterobacteriaceae on the basis of lysine decarboxylase, indole production and motility	30.02	500 gm	4460
TM 171	**LYSINE IRON AGAR** for differentiation of enteric organisms especially Salmonella species based on their ability to decarboxylate or deaminate lysine and production of H2S	34.56 34.56	100 gm 500 gm	775 3200
TMV 171	**LYSINE IRON AGAR (VEG.)** for differentiation of enteric organisms especially Salmonella species based on their ability to decarboxylate or deaminate lysine and production of H2S	34.56 34.56	100 gm 500 gm	810 3360
TM 770 TS 070	**LYSINE IRON BROTH BASE (LYSINE IRON CYSTINE BROTH BASE)** for rapid presumptive detection of Salmonellae in food products and feed materials **NOVOBIOCIN SELECTIVE SUPPLEMENT ***	25.70 25.70 #20 vl	100 gm 500 gm 5 vl	880 4060 1485
TM 1010	**LYSINE LACTOSE BROTH** for determination of lysine decarboxylase activity of lactose nonfermenting members of Enterobacteriaceae especially Salmonellae	24.00	500 gm	3865
TM 172 TS 232	**LYSINE MEDIUM BASE** for isolation and enumeration of wild yeasts in pitching yeasts **POTASSIUM LACTATE 50% (10ml/vl) ***	66.00 66.00 #8 vl	100 gm 500 gm 5 vl	985 4090 1335
TMV 172 TS 232	**LYSINE MEDIUM BASE (VEG.)** for isolation and enumeration of wild yeasts in pitching yeasts **POTASSIUM LACTATE 50% (10ml/vl) ***	66.00 66.00 #8 vl	100 gm 500 gm 5 vl	1040 4325 1335
TM 2175	**M9 MINIMAL MEDIUM SALTS (5X)** for growing Escherichia coli for molecular biology purpose	56.40	500 gm	7035
TM 2177 TS 042	**M-AZIDE BROTH BASE** for cultivation and enumeration of Enterococci from water samples using membrane filter technique **TTC SOLUTION 1% (10 ml/vl) ***	156.40 #4 vl #4 vl	500 gm 5 vl 25 vl	4340 1015 3165
TM 1380	**M-BCG YEAST AND MOLD AGAR** for the detection of fungi in routine analysis of beverages using membrane filter techinque	88.20	500 gm	4520
TM 1231	**M-BCG YEAST AND MOLD BROTH** for the detection of fungi in routine analysis of beverages using membrane filter techinque	73.20	500 gm	4185
TM 2178	**M-BCG YEAST AND MOULD BROTH, MODIFIED** for the detection of fungi in the routine analysis of beverages	74.13	500 gm	4475
TM 2176	**M-BROTH** for detecting Salmonellae in foods and feeds by the accelerated enrichment serology procedures	36.23	100 gm	3550
TM 2179	**M-BISMUTH SULPHITE BROTH** for the detection of Salmonellae by the membrane filter technique	64.65	500 gm	4475
TM 2180	**M-BRILLIANT GREEN BROTH** for the detection of Salmonellae by the membrane filter technique	76.19	500 gm	4475

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2130	**M-CP AGAR BASE** for isolation and enumeration of Clostridium perfringens from water samples using membrane filtration technique	71.02	100 gm 500 gm	1195 4865
TS 318	**M-CP SELECTIVE SUPPLEMENT I ***	#14 vl	5 vl	1410
TS 320	**M-CP SELECTIVE SUPPLEMENT II ***	#14 vl	5 vl	1270
TS 317	**M-CP SELECTIVE SUPPLEMENT, MODIFIED ***	#14 vl	5 vl	745
TM 2181	**M-DEXTROSE TRYPTONE BROTH** for detection and cultivation of thermophilic flat sour microorganisms from food preparations using membrane filter technique	30.04	500 gm	4475
TM 2131	**M-E.COLI BROTH *** for the detection, differentiation and enumeration of Escherichia coli and coliforms in water samples using membrane filter technique	21.67	100 gm 500 gm	2235 10210
TM 2182	**M-EC TEST AGAR** for testing Escherichia coli in water samples using membrane filter technique	45.26	500 gm	4415
TM 2183	**M-EMB BROTH** for the detection of members of the coliform group by the membrane filter technique	84.33	500 gm	4475
TM 174	**M-ENDO AGAR, LES** for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	1085 4420
TMV 174	**M-ENDO AGAR, LES(VEG.)** for enumeration of coliforms in water using a two step membrane filter technique	51.00	100 gm 500 gm	1135 4640
TM 175	**M-ENDO BROTH** for estimation of coliforms in water samples using membrane filter technique	61.50	100 gm 500 gm	990 4110
TM 773	**M-ENDO BROTH MF (MF ENDO MEDIUM) (M-COLIFORM BROTH)** for enumeration of coliform bacteria in water samples using one step membrane filter technique	48.00	500 gm	4110
TM 2184	**M- ENRICHMENT BROTH** for enumeration of bacteria by membrane filter technique and for preliminary enrichment of organisms on membrane filter prior to using selective media	54.00	500 gm	4405
TM 176	**M-ENTEROCOCCUS AGAR BASE** for isolation and enumeration of Enterococci in sewage, water and foods by membrane filter technique.	41.50	500 gm	4405
TM 2185	**M-ENTEROCOCCUS AGAR BASE, MODIFIED** for cultivation and enumeration of Enterococci from water samples using membrane filter technique	71.45	100 gm	3590
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#3 vl	5 vl 25 vl	1015 3165
TM 178	**M-FC AGAR BASE** for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	4600
TS 048	**ROSOLIC ACID (0.1 gm/vl) ***	#10 vl	5 vl	1490
TMV 178	**M-FC AGAR BASE (VEG.)** for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	52.10	500 gm	4815
TS 048	**ROSOLIC ACID (0.1 gm/vl) ***	#10 vl	5 vl	1390
TM 179	**M-FC AGAR BASE MODIFIED** for detection & enumeration of Klebsiella in water by membrane filter technique	49.60	500 gm	4685
TS 048	**ROSOLIC ACID (0.1 gm/vl) ***	#11 vl	5 vl	1390
TM 180	**M-FC BROTH BASE** for detection and enumeration of faecal coliforms by membrane filter technique at higher temp. (44.5°C)	37.10	500 gm	4185
TS 048	**ROSOLIC ACID (0.1 gm/vl) ***	#14 vl	5 vl	1390
TM 2186	**M-FC BASAL MEDIUM** for enumeration of faecal coliform by membrane filtration technique with the addition of fluorogenic and chromogenic supplement	39.50	500 gm	4495
TS 295	**CHROMOGENIC SUPPLEMENT ***	#14 vl	5 vl 25 vl	1490 2330
TS 296	**MUG SUPPLEMENT (50 MG PER VIAL) ***	#13 vl	5 vl	2120
TM 2187	**M-FILTER RINSE BROTH** used as a rinsing fluid in the membrane filtration procedure	09.00	500 gm	3600

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2188	**M-(HPC) HETEROTROPHIC PLATE COUNT AGAR BASE** for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	60.00	500 gm	4790
TM 2189	**M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE** for enumeration of heterotrophic microorganisms from water samples using membrane filter technique	45.00	500 gm	4475
TM 2190	**M-HD ENDO BROTH** for detection of coliforms in water samples by membrane filter technique	57.14	500 gm	4475
TM 2191	**M-HD ENDO BROTH W/ BG** for the detection of coliform in highly polluted waters using membrane filter technique	56.44	500 gm	4475
TM 2192	**M-KLEB AGAR BASE** recommended for selective isolation and differentiation of Klebsiella from water and other sources	36.22	100 gm 500 gm	1260 5420
TS 257	**KLEBSIELLA SELECTIVE SUPPLEMENT ***	#28 vl	5 vl	1300
TM 1914	**M - 7 HR FC AGAR** for examination of water and waste water	46.45	100 gm 500 gm	1085 4470
TM 1233	**M-(HPC) HETEROTROPHIC PLATE COUNT BROTH BASE** for enumeration of heterotrophic microorganisms from water by membrane filter technique	45.00	500 gm	4185
TM 2193	**M-LAURYL SULPHATE AGAR** for enumeration of Escherichia coli and coliforms in water, using membrane filter technique	91.20	500 gm	5665
TM 2194	**M-LAURYL SULPHATE BROTH** for enumeration of Escherichia coli in water using membrane filltration technique.	76.20	500 gm	4475
TM 775	**M-LAURYL SULPHATE BROTH (ISO 9308-1:2000)** for enumeration of Escherichia coli in water by membrane filter technique	77.20	500 gm	4905
TM 2195	**M-MACCONKEY BROTH** for detection of lactose fermenting and nonfermenting enteric bacteria using membrane filter technique	49.12	500 gm	4205
TM 2196	**M-NUTRIENT BROTH** for enumeration of bacteria using membrane filter technique	46.00	500 gm	4205
TM 2197	**M-PA AGAR BASE** for the detection and isolation of Pseudomonas aeruginosa by membrane filter technique	39.68	500 gm	4675
TS 297	**M-PA SELECTIVE SUPPLEMENT ***	#13 vl	5 vl	1590
TM 2198	**M-PA AGAR** for selective detection and isolation of Pseudomonas aeruginosa by membrane filter technique	35.18	500 gm	4835
TM 2199	**M-PC BROTH** for enumerating microorganisms by membrane filltration	17.00	500 gm	3840
TM 2200	**M-STANDARD METHODS BROTH** for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique	17.00	500 gm	4475
TM 2201	**M-STAPHYLOCOCCUS BROTH** for detection and isolation of Staphylococci by membrane filter technique	104.55	500 gm	3975
TM 2202	**M-TEC AGAR** for isolation, differentiation and rapid enumeration of thermotolerant Escherichia coli from water by membrane filltration	45.26	500 gm	4310
TM 2203	**M-TERGITOL 7 AGAR BASE** for selective isolation and identification of injured coliforms from chlorinated water using membrane filter technique	48.03	500 gm	6390
TM 2204	**M-TERGITOL-7 AGAR W/ MEAT EXTRACT** as a selective and differential medium for the recovery of injured coliform organisms from chlorinated water by membrane filter technique	53.85	500 gm	7510
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#3 vl	5 vl 25 vl	1015 3165
TM 2205	**M-TETRATHIONATE BROTH BASE** for selective enrichment of Salmonellae using membrane filter technique	36.00	500 gm	4450

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

Dehydrated Culture Media M

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2206	**M-TRYPTONE GLUCOSE EXTRACT BROTH** for enumeration of bacteria in milk and other samples of sanitary importance in dairy industries by membrane filter technique		18.00	500 gm	4450
TM 2207	**M-YEAST AND MOULD BROTH** for counting yeasts and moulds in samples by membrane filter technique		73.20	500 gm	3975
TM 2208	**M 7 HR FC AGAR** for examination of water and waste water		46.45	100 gm 500 gm	1155 4780
TM 2209	**6 MFA MEDIUM** for cultivation of Aspergillus ochraceous		70.00	500 gm	4685
TM 2210	**M16 AGAR (MODIFIED ROGOSA AGAR) *** for cultivation and enumeration of lactic streptococci used in manufacture of cheddar cheese		36.00	500 gm	4630
TM 182	**M17 AGAR BASE** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages		33.25	500 gm	4475
TMV 182	**M17 AGAR BASE (VEG.)** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages		33.25	500 gm	4695
TM 183	**M17 AGAR W/O LACTOSE** for isolation and cultivation of lactic Streptococci from dairy products like yoghurt, cheese, etc.		48.25	500 gm	4475
TM 184	**M17 AGAR W/ SODIUM GLYCEROPHOSPHATE (DOUBLE PACK)** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages	(Part I) (Part II)	33.25 19.00	100 gm -	4445 -
TM 185	**M17 BROTH** for cultivation and isolation of lactic Streptococci and their bacteriophages		42.25	100 gm 500 gm	1055 4380
TM 2211	**M17 AGAR WITH GLYCEROPHOSPHATE** for cultivation of lactic Streptococci and plaque assay of lactic bacteriophages		52.25	100 gm	4760
TM 2212	**MP-5 MEDIUM** for detection of pectinolytic microorganisms especially those producing polygalacturonase		33.20	500 gm	4700
TM 2213	**MP-7 MEDIUM** for cultivation of pectinolytic microorganisms especially those producing pectate lyase		33.20	500 gm	4700
TM 1561	**MeReSA AGAR BASE** for selective isolation and identification of methicillin resistant Staphylococcus aureus from clinical specimens MeReSa SELECTIVE SUPPLEMENT *		80.12	500 gm	5500
TS 231	**CEFOXITIN SUPPLEMENT***		#13 vl	5 vl	1485
TM 186	**MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM)** for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity		31.00	500 gm	4160
TMV 186	**MIO MEDIUM (MOTILITY INDOLE ORNITHINE MEDIUM) (VEG.)** for identification of Enterobacteriaceae on the basis of motility, indole production and ornithine decarboxylase activity		31.00	500 gm	4370
TM 781	**MIU MEDIUM BASE** for detection of motility, urease and indole production		18.00	500 gm	4610
TS 030	**UREA 40% (5 ml/vl)***		#28 vl	5 vl 25 vl	450 1815
TMV 781	**MIU MEDIUM BASE (VEG.)** for detection of motility, urease and indole production		18.00	500 gm	4825
TS 030	**UREA 40% (5 ml/vl)***		#28 vl	5 vl 25 vl	450 1815
TM 782	**MOF MEDIUM (MARINE OXIDATION FERMENTATION MEDIUM)** for differentiation of marine bacteria by fermentative and oxidative metabolism of carbohydrates		22.14	500 gm	4610
TM 1024	**MOX AGAR** for cultivation of Yersinia enterocolitica from foods		46.75	500 gm	4650

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 324	**MR-VP MEDIUM (BUFFERED GLUCOSE BROTH)** useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	645 2765
TMV 324	**MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (VEG.)** useful in differentiation of bacteria by MR-VP test	17.00	100 gm 500 gm	670 2855
TM 685	**MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005)** for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	645 2765
TM 146	**MRS AGAR (LACTOBACILLUS MRS AGAR)** for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm	935 3915
TMV 146	**MRS AGAR (LACTOBACILLUS MRS AGAR) (VEG.) *** for isolation and cultivation of Lactobacillus species	67.15	100 gm 500 gm	875 3730
TM 2214	**MRS AGAR W/ PH 5.5 *** for enrichment, isolation and cultivation of all Lactobacillus species	68.24	100 gm 500 gm	1065 4290
TM 755	**MRS AGAR, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN AGAR) *** for isolation and cultivation of Lactobacillus species from foods	62.20	500 gm	4845
TM 2215	**MRS AGAR, MODIFIED * (ISO 15214:1998) *** for isolation and enumeration of mesophilic lactic acid bacteria from food	69.21	500 gm	5565
TM 2443	**MRS AGAR, W/LOW pH *** for cultivation of all Lactobacillus species from all types of material	64.15	500 gm	5335
TM 147	**MRS BROTH (LACTOBACILLUS MRS BROTH)** for isolation and cultivation of Lactobacillus species	55.15	100 gm 500 gm	920 3915
TMV 147	**MRS BROTH (LACTOBACILLUS MRS BROTH) (VEG.) *** for isolation and cultivation of Lactobacillus species	55.15	100 gm 500 gm	940 4040
TM 2216	**MRS BROTH W/LOW pH *** for cultivation of all Lactobacillus species from all types of material	52.15	500 gm	5365
TM 187	**MRS BROTH, MODIFIED (LACTOBACILLUS HETEROFERM SCREEN BROTH) *** for isolation and cultivation of Lactobacillus species from foods	47.20	500 gm	4415
TM 2217 TS 298	**MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006)** recommended for the selective cultivation of Lactic acid bacteria from food **CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT***	65.15 #8 vl	100 gm 500 gm 5 vl	1350 6150 2725
TM 2218 TS 299 TS 300	**MSM BROTH BASE** recommended as an enrichment medium for Salmonella species. **GROWTH SUPPLEMENT I FOR MSM *** **GROWTH SUPPLEMENT II FOR MSM ***	12.63 #40 vl #40 vl	500 gm 5 vl 5 vl	5125 1120 925
TM 2219	**M-T 7 Agar** recommended for growth and recovery of injured E.coli and total coliforms from water samples by membrane filtration	48.60	500 gm	7160
TM 2220 TS 042 TS 157	**MUD SF BROTH BASE** for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method **TTC SOLUTION 1% (10 ml/vl) *** **ENTEROCOCCUS SELECTIVE SUPPLEMENT ***	53.65 #10 vl #94 vl	500 gm 5 vl 25 vl 5 vl	7945 1085 3390 1415
TM 1388 TS 042 TS 157	**MUG SF BROTH BASE** for detection and enumeration of intestinal Enterococci on surface and waste water by MPN method **TTC SOLUTION 1% (10 ml/vl) *** **ENTEROCOCCUS SELECTIVE SUPPLEMENT ***	53.65 #10 vl #94 vl	500 gm 5 vl 25 vl 5 vl	7425 1085 3390 1415
TM 1026	**MUG BRILLIANT GREEN BILE BROTH *** for detection of Escherichia coli in water and food by a fluorogenic method	40.10	500 gm	7160
TM 1389	**MUG BROMOCRESOL PURPLE BROTH W/ LACTOSE *** for identification of Escherichia coli and coliform bacteria from water by fluorogenic assay method	36.03	500 gm	7160
TM 1027	**MUG EC BROTH *** for detection of Escherichia coli in water and food by fluorogenic method	37.00	500 gm	7160

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1571	**MUG EC BROTH, MODIFIED *** recommended for detection and enumeration of Escherichia coli on surface and waste water by miniaturized method (MPN)	42.10	500 gm	7430
TM 1028	**MUG LAURYL SULPHATE BROTH *** for detection of Escherichia coli in water and food by a fluorogenic method	35.65	500 gm	7160
TM 1572	**MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997) *** for selective enrichment of presumptive Escherichia coli and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm	7160
TM 1029	**MUG MacCONKEY AGAR *** for selective isolation and detection of lactose fermenting coliform organisms by fluorogenic method	51.63	500 gm	7720
TM 1391	**MUG MFC AGAR *** for cultivation and enumeration of faecal coliforms by the membrane filter technique	39.60	500 gm	8010
TM 1030	**MUG NUTRIENT AGAR *** for detection of Escherichia coli in water and food samples by a fluorogenic method	28.10	500 gm	7720
TM 1031	**MUG PLATE COUNT AGAR *** for determination of plate count of microorganisms in milk and other dairy products by fluorogenic method	23.60	500 gm	8010
TM 1200	**MUG PSEUDOMONAS AGAR BASE (FLUOROGENIC PSEUDOMONAS AGAR BASE) *** for selective isolation of Pseudomonas aeruginosa by fluorogenic method	46.75	100 gm 500 gm	1920 7625
TM 1392	**MUG SORBITOL AGAR *** for isolation and identification of enteropathogenic Escherichia coli associated with infant diarrhoea by fluorogenic method	50.10	500 gm	8010
TM 1235	**MUG TRYPTONE SOYA AGAR (MUG CASO AGAR) *** for cultivation of fastidious and nonfastidious microorganisms using fluorogenic method	40.10	500 gm	8010
TM 1236	**MUG TRYPTONE WATER *** for detection of indole production by microorganisms using fluorogenic method	15.05	500 gm	7425
TM 1032	**MUG VIOLET RED BILE AGAR *** for detection and enumeration of coliform organisms by a fluorogenic method	41.63	500 gm	7220
TM 1033	**MY 40 AGAR (OSMOPHILIC AGAR)** for isolation and detection of osmophilic microorganisms from food samples	445.00	500 gm	4610
TM 1034	**MY 40G AGAR (OSMOPHILIC GLUCOSE AGAR)** for isolation and cultivation of osmotolerant microorganisms from foods	427.00	500 gm	4765
TMV 197	**MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (VEG.)** for isolation and identification of pathogenic Staphylococci and Bacillus species	46.00	100 gm 500 gm	1180 4790
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1210 3485
TS 002	**EGG YOLK EMULSION (100 ml/vl ***	#11 vl	5 vl	2250
TM 2221	**MYP AGAR BASE** for isolation and identification of Bacillus cereus in accordance with FDA BAM, 1998	46.03	500 gm	5360
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1210 3485
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#6 vl	5 vl	2250
TM 1898	**MacCONKEY AGAR** for cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially Enterococcus faecalis within 18 hours	55.00	100 gm 500 gm	745 3260
TMH 118	**MacCONKEY AGAR (as per USP/EP/BP/JP)** for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm	730 3295
TM 337	**MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE)** for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	705 3190
TMV 337	**MacCONKEY AGAR (W/ CV, NaCl, 0.15% BILE SALTS & 1% LACTOSE) (VEG.)** for isolation of coliform and lactose fermenting enteric bacteria	51.55	100 gm 500 gm	715 3265
TM 379	**MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl)** for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50	100 gm 500 gm	705 3190

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 379	**MacCONKEY AGAR (W/ 0.15% BILE SALTS, CV & NaCl)(VEG.)** for selective isolation and differentiation of coliform organisms and other enteric bacteria from clinical and non-clinical samples	51.50 51.50	100 gm 500 gm	715 3265
TM 378	**MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.)** for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	715 3270
TMV 378	**MacCONKEY AGAR (W/ SODIUM TAUROCHOLATE W/O CV & NaCl.) (VEG.)** for cultivation and differentiation of enteric bacteria and gram positive organisms	55.00	100 gm 500 gm	715 3270
TMH 378	**MacCONKEY AGAR W/O CV, NaCl, W/ 0.5% SODIUM TAUROCHOLATE** for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.04	100 gm 500 gm	715 3270
TM 232	**MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl)** for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	3310
TMV 232	**MacCONKEY AGAR (W/ 0.075 NR, 0.5% BILE SALTS & 1.2% AGAR W/O CV & NaCl) (VEG.)** for isolation and differentiation of lactose fermenting and nonlactose fermenting enteric bacteria	47.00	500 gm	3360
TM 349	**MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl)** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	645 2880
TMV 349	**MacCONKEY AGAR (W/O CV, W/ 0.15% BILE SALTS & NaCl) (VEG.)** for isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	51.53	100 gm 500 gm	715 3265
TM 528	**MacCONKEY AGAR (W/O CV, W/ 1.2% AGAR)** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	48.53	500 gm	3200
TM 527	**MacCONKEY AGAR (W/O CV, W/ 0.075 NR & BILE SALTS, NaCl) (MacCONKEY AGAR NO.1)** for selective isolation and differentiation of lactose fermenting and lactose nonfermenting enteric bacteria	52.00	500 gm	3200
TM 2222	**MacCONKEY AGAR W/ CV W/O NaCl** recommended for the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli	46.53	100 gm 500 gm	850 3425
TM 2223	**MacCONKEY AGAR W/O CV, W/0.5% SODIUM TAUROCHOLATE** for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	55.07	500 gm	3700
TM 2224	**MacCONKEY AGAR MEDIUM** for isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria and also for isolation of faecal streptococci	55.37	500 gm	3425
TM 1697	**MacCONKEY AGAR MEDIUM (as per USP 31)** for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.00	500 gm	3190
TM 1698	**MacCONKEY AGAR MEDIUM (as per IP)** for selective isolation and differentiation of lactose fermenting and non lactose fermenting enteric bacteria	50.03	500 gm	3190
TM 1036	**MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005)** for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.	55.07	100 gm 500 gm	685 3070
TM 198	**MacCONKEY AGAR W/ BROMO THYMOL BLUE** for detection of lactose fermenting enteric bacteria	51.53	100 gm 500 gm	895 3600
TM 2225	**MacCONKEY AGAR II W/O CV** for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	50.03	500 gm	3470
TM 2226	**MacCONKEY AGAR W/ MAGNESIUM SULPHATE** for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	47.27	100 gm 500 gm	805 3425
TM 199	**MacCONKEY AGAR BASE W/O CARBOHYDRATE** for detection of carbohydrate fermentation by adding single or multiple carbohydrates	40.00	500 gm	3255
TM 582 TS 257	**MacCONKEY AGAR, MODIFIED** for isolation of Klebsiella species from water samples **KLEBSIELLA SELECTIVE SUPPLEMENT ***	50.00 #4 vl	100 gm 5 vl	2890 1390
TM 2227	**MacCONKEY AGAR, RS** for isolating and differentiating Gram negative enteric bacilli from specimens containing swarming strains of Proteus species	53.53	100 gm 500 gm	1010 4165

Dehydrated Culture Media M

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMH 110	**MacCONKEY AGAR (as per USP/EP/BP/JP)** for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	700 3190
TMHV 110	**MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.)** for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	830 3440
TM 1875	**MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2-1990)** for presumptive identification of coliforms from water	40.01	100 gm 500 gm	645 2835
TM 529	**MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990)** for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm	575 2600
TMV 529	**MacCONKEY BROTH W/ BCP & NaCl (VEG.)** for presumptive identification of coliforms from water, milk and foods etc.	40.00	100 gm 500 gm	605 2765
TM 381	**MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH)** for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm	810 3345
TMV 381	**MacCONKEY BROTH W/ BCP (DOUBLE STRENGTH) (VEG.)** for presumptive identification of coliforms from large samples	80.00	100 gm 500 gm	825 3405
TM 323	**MacCONKEY BROTH W/ BCP W/O NaCl** for presumptive identification of coliforms from water, milk and foods	35.00	100 gm 500 gm	615 2725
TM 1240	**MacCONKEY BROTH W/ BCP** for presumptive identification of coliforms from water, milk and foods	40.02	100 gm 500 gm	615 2725
TM 322	**MacCONKEY BROTH W/ NEUTRAL RED** for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm	660 2735
TMV 322	**MacCONKEY BROTH W/ NEUTRAL RED (VEG.)** for selective enrichment and enumeration of coliforms from water	40.00	100 gm 500 gm	670 2790
TM 1238	**MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005)** for selective enrichment and enumeration of coliforms.	40.07	500 gm	2600
TM 380	**MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH)** for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	805 3345
TMV 380	**MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (VEG.)** for primary isolation of coliforms from large samples such as water or waste water	80.00	100 gm 500 gm	805 3345
TMH 109	**MacCONKEY BROTH (as per USP/EP/JP/BP)** for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	615 2810
TMHV 109	**MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.)** for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	760 3415
TM 2229	**MacCONKEY BROTH MEDIUM 7.** for the selective identification of E.coli from pharmaceutical products in accordance with Indian Pharmacopoeia 2014	35.01	100 gm 500 gm	650 2920
TM 2230	**MacCONKEY BROTH PURPLE (IS: 5401-1:2012)** for presumptive identification of coliforms from variety of specimens such as water, milk and food etc	50.03	500 gm	3035
TM 1393 TS 087	**MacCONKEY SORBITOL AGAR BASE (DOUBLE PACK)** a selective medium for isolation and detection of Escherichia coli O157:H7 from food and animal feedstuff **TELLURITE - CEFIXIME SUPPLEMENT ***	50.03 #20 vl	100 gm 500 gm 5 vl	1135 4330 1250
TM 1915 TS 087	**MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001)** a selective medium for isolation and detection of Escherichia coli O157:H7 **TELLURITE - CEFIXIME SUPPLEMENT ***	50.03 #20 vl	500 gm 5 vl	4330 1250
TM 2231 TS 301	**MacCONKEY SORBITOL AGAR BASE W/ RHAMNOSE** for improved differentiation of Escherichia coli O157:H7 from background flora **CEFIXIME SUPPLEMENT ***	56.53 #18 vl	500 gm 5 vl	5600 690

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1241	**MAINTENANCE (SCY) MEDIUM** for maintenance of iron bacteria	12.26	500 gm	4480
TM 1242	**MAINTENANCE MEDIUM FOR B.SUBTILIS ATCC 6633** for maintenance of Bacillus subtilis ATCC 6633 as the test organism for assay of antibiotics	30.50	100 gm	1585
TM 633	**MALACHITE GREEN BROTH** for selective enrichment of Pseudomonas aeruginosa	25.13	500 gm	3345
TM 202	**MALONATE BROTH** for differentiation of Enterobacter and Escherichia species on the basis of malonate utilization	08.00	100 gm	4390
TM 203	**MALONATE BROTH EWING MODIFIED** for differentiation of members of Enterobacteriaceae on the basis of malonate utilization	09.30	100 gm	4745
TM 382	**MALT AGAR** for cultivation and isolation of yeasts and molds	45.00	100 gm 500 gm	1325 5325
TM 2232	**MALT AGAR, W/ 2% AGAR** for the detection and isolation of yeasts and moulds from dairy products, foods and other materials. Also used for carrying stock cultures of yeasts and moulds in accordance with FDA BAM, 1998	50.00	500 gm	6430
TS 302	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED ***	#10 vl	5 vl	1080
TM 2234	**MALT AGAR, MODIFIED** for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM,1998	40.00	500 gm	6430
TM 2233	**2% MALT EXTRACT AGAR** for the detection, isolation and enumeration of yeasts and moulds	35.00	500 gm	5940
TM 2235	**MALT EXTRACT AGAR BASE** for detection and cultivation of Yeasts	61.00	500 gm	6420
TM 204	**MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE** for detection, isolation and enumeration of yeasts and molds	50.00	500 gm	5240
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#20 vl	5 vl 25 vl	985 3170
TMV 204	**MALT EXTRACT AGAR BASE W/ MYCOLOGICAL PEPTONE (VEG.)** for detection, isolation and enumeration of yeasts and molds	50.00	500 gm	5505
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#20 vl	5 vl 25 vl	985 3170
TM 2236	**MALT EXTRACT AGAR BASE, MODIFIED AS PER THOM AND CHURCH** for isolation, detection and enumeration of yeasts and moulds	31.28	500 gm	5845
TM 205	**MALT EXTRACT BROTH BASE** for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm	5005
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#50 vl	5 vl 25 vl	985 3170
TMV 205	**MALT EXTRACT BROTH BASE (VEG.)** for detection and enumeration of yeasts, molds and aciduric microorganisms	20.00	500 gm	5005
TS 049	**10% LACTIC ACID SOLUTION (10 ml/vl) ***	#50 vl	5 vl 25 vl	985 3170
TM 1244	**MALT EXTRACT BROTH, MODIFIED (as per Thom and Church)** for isolation, detection and enumeration of yeasts and moulds	15.00	500 gm	5135
TMV 1244	**MALT EXTRACT BROTH, MODIFIED (as per Thom and Church) (VEG.)** for cultivation and enumeration of yeasts and molds	15.00	500 gm	5135
TM 2237	**MALT EXTRACT GLUCOSE PEPTONE AGAR** for isolation and enumeration of yeasts and moulds from food products in accordance with FDA BAM,1998	61.00	500 gm	5795
TM 2238	**MALT YEAST AGAR** for the cultivation and maintenance of yeast and moulds	41.00	500 gm	6420
TM 2239	**MANNITOL AGAR W/ PRILION** selective agar medium for isolation and differentiation of Salmonella from Proteus species	54.50	100 gm 500 gm	4905 19925
TM 1843	**MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006)** for the enumeration of B.cereus in foodstuffs and other samples	46.03	500 gm	4370
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1210 3485
TS 002	**EGG YOLK EMULSION (100 ml/vl ***	#11 vl	5 vl	2250

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 784	**MANNITOL LYSINE AGAR** for selective isolation of Salmonellae other than Salmonella Typhi and Salmonella paratyphi A		49.00	500 gm	4545
TM 531	**MANNITOL MOTILITY NITRATE MEDIUM** for studying mannitol fermentation, nitrate reduction and motility of bacteria		22.04	500 gm	3780
TM 530	**MANNITOL MOTILITY TEST MEDIUM** for studying mannitol fermentation and motility of bacteria		26.00	100 gm 500 gm	1170 4605
TMV 530	**MANNITOL MOTILITY TEST MEDIUM (VEG.)** for studying mannitol fermentation and motility of bacteria		26.00	100 gm 500 gm	1225 4605
TM 206	**MANNITOL SALT AGAR BASE** for selective isolation of pathogenic Staphylococci from clinical and non-clinical samples		111.00	100 gm 500 gm	765 3095
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#3 vl	5 vl	2100
TMV 206	**MANNITOL SALT AGAR BASE (VEG.)** for selective isolation of pathogenic Staphylococci		111.00	100 gm 500 gm	795 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***		#3 vl	5 vl	2100
TMH 114	**MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP)** for selective isolation and enumeration of Staphylococci species		111.02	100 gm 500 gm	765 3095
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		-	5 vl	2100
TMHV 114	**MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.)** for selective isolation and enumeration of Staphylococci species		111.02	100 gm	795
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		-	5 vl	2250
TM 403	**MANNITOL SALT BROTH** for selective isolation of presumptive pathogenic Staphylococci		96.00	100 gm 500 gm	1025 4110
TMV 403	**MANNITOL SALT BROTH (VEG.)** for selective isolation of presumptive pathogenic Staphylococci		96.00	100 gm 500 gm	1045 4320
TM 1454	**MANNITOL SELENITE BROTH (DOUBLE PACK)** for selective enrichment of Salmonellae from clinical samples	(Part I) (Part II)	19.00 04.00	500 gm -	5125 -
TM 2240	**MANNITOL SELENITE BROTH W/ BRILLIANT GREEN (DOUBLE PACK)** for enrichment of Salmonellae from faeces, food- stuffs and other materials.	(Part I) (Part II)	23.75 04.00	500 gm -	5385 -
TM 207	**MARINE AGAR 2216 (ZOBELL MARINE AGAR)** for cultivation, isolation and enumeration of heterotrophic marine bacteria		55.25	100 gm 500 gm	840 3790
TM 208	**MARINE BROTH 2216 (ZOBELL MARINE BROTH)** for cultivation, isolation and enumeration of heterotrophic marine bacteria		40.25	100 gm 500 gm	840 3790
TM 782	**MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM)** for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates		22.14	500 gm	4610
TMV 782	**MARINE OXIDATION FERMENTATION MEDIUM (MOF MEDIUM) (VEG.)** for differentiation of marine bacteria on the basis of fermentation and oxidation of carbohydrates		22.14	500 gm	4835
TM 209	**MAXIMUM RECOVERY DILUENT** a protective and isotonic diluent used for maximal recovery of microorganisms		09.50	500 gm	3480
TM 905	**MCBRIDE LISTERIA AGAR BASE** for selective isolation and cultivation of Listeria species from clinical samples and food stuff		46.00	500 gm	4545
TS 096	**MCBRIDE LISTERIA SUPPLEMENT ***		#11 vl	5 vl	1335
TM 210	**MCCLUNG TOABE AGAR BASE** for detection and isolation of Clostridium perfringens in foods		75.00	500 gm	4675
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		#7 vl	5 vl	2100
TM 2241	**MEAT EXTRACT BROTH** for routine cultivation of non fastidious bacteria		18.00	500 gm	4475
TM 1040	**MEAT EXTRACT W/ PEPTONE (PEPTED MEAT BROTH)** for cultivation and maintenance of Alcaligenes species		28.00	500 gm	3890
TM 864	**MEAT INFUSION AGAR (STANDARD INFUSION AGAR)** for mass cultivation of microorganisms for vaccine or toxin production		50.00	500 gm	4240
TM 2242	**MEDIUM 8. RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH** Rappaport Vassiliadis Salmonella Enrichment Broth is recommended for selective enrichment of Salmonella species frompharmaceutical products in accordance with the microbial limit testing by harmonized methodology of IP.		27.11	500 gm	4870
TM 1041	**MEHLMAN'S MAINTENANCE MEDIUM** for maintenance of Campylobacter species		38.00	500 gm	4555
TM 1864	**MGYP AGAR** for isolation and cultivation of wild yeasts in the brewing industry		41.00	500 gm	4230

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1863	**MGYP AGAR WITH COPPER** for isolation and cultivation of wild yeasts in the brewing industry	41.40	500 gm	4445
TM 614	**MICROBIAL CONTENT TEST AGAR (TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN)** for detection & enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	940 4300
TMV 614	**MICROBIAL CONTENT TEST AGAR (VEG.)(TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN) (VEG.)** for presumptive identification of coliforms from water, milk and foods etc	45.70	100 gm 500 gm	1060 4485
TM 2243	**MICRO VITAMIN TEST CULTURE AGAR** for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	52.10	100 gm	1305
TM 2244	**MICRO VITAMIN TEST INOCULUM BROTH** for cultivation and maintenance of stock cultures of used in microbiological assays of vitamins	37.10	100 gm	1260
TM 590 TS 060	**MIDDLEBROOK 7H9 AGAR BASE** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis **MIDDLEBROOK OADC GROWTH SUPPLEMENT ***	19.60 #51 vl	500 gm 5 vl	4330 2505
TM 213 TS 050	**MIDDLEBROOK 7H9 BROTH BASE** for cultivation and sensitivity testing of Mycobacterium tuberculosis	04.70 #213 vl	500 gm 5 vl	4245 2435
TM 214 TS 060	**MIDDLEBROOK 7H10 AGAR BASE** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis **MIDDLEBROOK OADC GROWTH SUPPLEMENT ***	19.47 #52 vl	500 gm 5 vl	4330 2505
TM 618 TS 060	**MIDDLEBROOK 7H10 AGAR BASE, 'TBL'** for isolation, cultivation and sensitivity testing of Mycobacterium tuberculosis **MIDDLEBROOK OADC GROWTH SUPPLEMENT ***	19.49 #52 vl	500 gm 5 vl	4330 2505
TM 786 TS 060	**MIDDLEBROOK 7H11 AGAR BASE** for isolation, cultivation and sensitivity testing of Mycobacteria **MIDDLEBROOK OADC GROWTH SUPPLEMENT ***	20.50 #49 vl	500 gm 5 vl	4330 2680
TM 215 TS 060	**MIDDLEBROOK 7H11 AGAR BASE W/O MALACHITE GREEN** for isolation, cultivation and determination of antimicrobial susceptibility of Mycobacteria **MIDDLEBROOK OADC GROWTH SUPPLEMENT ***	20.50 #49 vl	500 gm 5 vl	4330 2505
TM 445	**MILK AGAR** for enumeration of bacteria in milk and milk products, rinse waters and ice creams etc.	24.00	100 gm 500 gm	1130 4340
TM 217	**MILK AGAR (BROWN AND SCOTT, MODIFIED) - (Part I) & (Part II)** for enumeration of Pseudomonas aeruginosa in swimming pool waters	100.00 28.00	500 gm -	4950 -
TM 218	**MILK AGAR W/CETRIMIDE (DOUBLE PACK) - (Part I) & (Part II)** for cultivation and enumeration of Pseudomonas aeruginosa in water	133.00 26.40	500 gm -	4885 -
TM 787	**MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005) - (Part I) & (Part II)** for detection and enumeration of Pseudomonas aeruginosa in water.	100.00 19.80	120 gm 500 gm	1200 4885
TM 788	**MILK MEDIUM WITH A REDUCING AGENT** for determination of litmus reaction of Clostridium species	115.50	500 gm	4220
TM 1042	**MILK SALT AGAR BASE** for selective isolation and cultivation of Staphylococcus species	88.00	500 gm	4460
TM 376	**MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER)** for cultivation and maintenance of recombinant strains of Escherichia coli	40.00	500 gm	3800
TMV 376	**MILLER LURIA BERTANI AGAR (LURIA BERTANI AGAR, MILLER) (VEG.)** for cultivation and maintenance of recombinant strains of Escherichia coli	40.00	500 gm	4115
TM 406	**MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER)** for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	3815
TMV 406	**MILLER LURIA BERTANI BROTH (LURIA BERTANI BROTH, MILLER) (VEG.)** for cultivation and maintenance of recombinant strains of Escherichia coli for genetic and molecular studies and may be used for routine cultivation of not particularly fastidious microorganisms	25.00	500 gm	4030
TM 1857	**MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005)** for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm	4305
TM 1245	**MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH) (DOUBLE PACK)** (Part I) (Part II) for the enumeration of coliform bacteria in water and wastewater	22.70 12.70	500 gm	4305

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1043	**MINERAL MODIFIED GLUTAMATE MEDIUM BASE (DOUBLE STRENGTH)** for enumeration of coliform bacteria in water	22.70	500 gm	4640
TM 2245	**MINERAL MODIFIED GLUTAMATE AGAR BASE (DOUBLE PACK) (ISO 6391:1997)** (Part I) (Part II) for enumeration of Escherichia coli from meat and meat products	26.29 06.35	500 gm -	4965 -
TM 591	**MINIMAL AGAR** for isolation and characterization of nutritional mutants of Escherichia coli	26.60	500 gm	4640
TM 219	**MINIMAL BROTH, DAVIS** for isolation and characterization of nutritional mutants of Escherichia coli	11.60	500 gm	4305
TM 220	**MINIMAL BROTH, DAVIS W/O DEXTROSE** for isolation and characterization of nutritional mutants of Escherichia coli	10.60	500 gm	4305
TM 1044	**5X MINIMUM SALTS** for cultivation of recombinant strains of Escherichia coli	56.40	500 gm	4335
TM 1045	**MINIMUM SALTS W/ CASEIN ACID HYDROLYSATE** for cultivation of Escherichia coli strains used for genetic and molecular studies	19.54	500 gm	4220
TM 221	**MITIS SALIVARIUS AGAR BASE** for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Streptococcus faecalis from grocely contaminated specimens	90.00	500 gm	4450
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#1 vl	5 vl 25 vl	645 2295
TMV 221	**MITIS SALIVARIUS AGAR BASE (VEG.)** for isolation of Streptococci from mixed cultures, especially Streptococcus mitis, Streptococcus salivarius and Streptococcus faecalis from grocely contaminated specimens	90.00	500 gm	4675
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#1 vl	5 vl 25 vl	645 2295
TM 1623	**MN AGAR** for detection of Leptothrix by its ability to oxidize manganese ions	15.40	500 gm	4330
TM 085	**MOELLER DECARBOXYLASE BROTH BASE (DECARBOXYLASE BROTH BASE, MOELLER)** for differentiation of bacteria on the basis of their ability to decarboxlyate the amino acid	10.52	100 gm 500 gm	2175 8945
TM 789	**MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl** for differentiation of bacteria on the basis of their ability to decarboxlyate L-Arginine hydrochloride	20.52	100 gm	3070
TMV 789	**MOELLER DECARBOXYLASE BROTH W/ ARGININE HCl (VEG.)** for differentiation of bacteria on the basis of their ability to decarboxlyate L-Arginine hydrochloride	20.52	100 gm	3220
TM 790	**MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl** for differentiation of bacteria on the basis of their ability to decarboxlyate L-Lysine hydrochloride	20.52	100 gm	3070
TMV 790	**MOELLER DECARBOXYLASE BROTH W/ LYSINE HCl(VEG.)** for differentiation erentiation of bacteria on the basis of their ability to decarboxlyate L-Lysine hydrochloride	20.52	100 gm	3220
TM 791	**MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl** for differentiation of bacteria on the basis of their ability to decarboxlyate L-Ornithine hydrochloride	20.52	100 gm	3190
TMV 791	**MOELLER DECARBOXYLASE BROTH W/ ORNITHINE HCl (VEG.)** for differentiation of bacteria on the basis of their ability to decarboxlyate L-Ornithine hydrochloride	20.52	100 gm	3350
TM 1398	**MOLD INHIBITORY AGAR, ULRICH** for isolation of pathogenic fungi	36.17	500 gm	4480
TM 1048	**MONSUR MEDIUM BASE** for selective isolation and differentiation of Vibrio cholerae and other Vibrio from pathological samples	71.00	100 gm 500 gm	1030 4395
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#4 vl	5 vl 25 vl	645 2295
TM 225	**MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM)** for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	950 4070
TMV 225	**MOTILITY-INDOLE-LYSINE MEDIUM (MIL MEDIUM) (VEG.)** for identification of members of Enterobacteriaceae on the basis of motility, lysine decarboxylase, lysine deaminase and indole production	36.52	100 gm 500 gm	990 4275
TM 226	**MOTILITY MEDIUM S BASE** for detection of bacterial motility on the basis of TTC reduction	60.00	500 gm	3775
TS 042	**for isolation and di differentiation of Candida species ***	#9 vl	5 vl 25 vl	1015 3165

M Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 792	**MOTILITY NITRATE MEDIUM, BUFFERED** for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	23.50	500 gm	4520
TM 2246	**MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004)** for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	19.50	500 gm	4835
TM 793	**MOTILITY SULPHIDE MEDIUM** for detection of motility and hydrogen sulphide production by pure cultures	104.44	500 gm	4120
TM 227	**MOTILITY TEST MEDIUM** for detection of bacterial motility	20.00	500 gm	3925
TM 2247	**MOTILITY TEST MEDIUM (EDWARDS AND EWING)** for testing motility of enteric bacteria	22.00	500 gm	4545
TM 228	**MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS: 5887 (Part I and V) 1976, reaffirmed 2005)** for testing motility of enteric bacteria.	22.00	500 gm	4250
TM 2248	**MUCATE BROTH** for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products	20.02	500 gm	7485
TM 2249	**MUCATE CONTROL BROTH** for identification of enteropathogenic Escherichia coli and Salmonella species from milk and milk products	10.02	500 gm	3690
TM 339	**MUELLER HINTON AGAR** for cultivation of Neisseria spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	850 3415
TMV 339	**MUELLER HINTON AGAR (VEG.)** for cultivation of Neisseria spp. & for determination of susceptibility of microorganisms to antimicrobial agents isolated from clinical samples	38.00	100 gm 500 gm	935 3885
TM 2250	**MUELLER HINTON AGAR 2% GLUCOSE W/ METHYLENE BLUE** Mueller Hinton Agar, Modified (as per CLSI for antifungal) is recommended for testing performing Antifungal Disk Diffusion Susceptibility of yeasts	58.00	500 gm	4310
TM 236	**MUELLER HINTON AGAR NO.2** for testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby Bauer technique	38.00	100 gm 500 gm	1010 4025
TM 325	**MUELLER HINTON BROTH** for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	935 4045
TMV 325	**MUELLER HINTON BROTH (VEG.)** for testing the susceptibility of microorganisms to sulphonamides by tube dilution method	21.00	100 gm 500 gm	980 4240
TM 1577	**MUELLER HINTON BROTH NO.2** for quantitative susceptibility testing of rapidly growing aerobic and facultative anaerobic bacteria isolated from clinical specimen	22.00	100 gm 500 gm	1105 4685
TM 1400	**MUELLER KAUFFMAN TETRATHIONATE BROTH BASE** for enrichment and isolation of Salmonellae by surpassing Proteus species	82.00	100 gm 500 gm	720 2890
TM 1399	**MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017)** for enrichment and isolation of Salmonellae by suppressing Proteus species	89.42	500 gm	4115
TS 152	**MKTT NOVOBIOCIN SUPPLEMENT ***	#6 vl	5 vl	1860
TM 1050	**MUELLER TELLURITE AGAR BASE** for isolation, cultivation and differentiation of Corynebacterium diphtheriae	45.45	500 gm	4420
TS 123	**MUELLER TELLURITE SERUM (25 ml/vl) ***	#11 vl	5 vl	805
TM 2251	**MUTANS-SANGUIS AGAR** for differentiation of Streptococcus mutans & Streptococcus sanguis associated with oral microflora	98.10	500 gm	4590
TM 340	**MYCOLOGICAL AGAR (FUNGAL AGAR)** for cultivation and maintenance of fungi	35.00	500 gm	4520
TS 049	**10%LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955
TM 114	**MYCOLOGICAL AGAR W/ LOW pH (FUNGAL AGAR W/ LOW pH)** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	35.00	500 gm	4520
TS 049	**10%LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 326	**MYCOLOGICAL BROTH (FUNGAL BROTH)** for cultivation of fungi	50.00	500 gm	4200
TS 049	**10%LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955
TM 115	**MYCOLOGICAL BROTH W/ LOW pH (FUNGAL BROTH W/ LOW pH))** for selective enumeration and cultivation of saprophytic fungi and aciduric bacteria	50.00	500 gm	4200
TS 049	**10%LACTIC ACID SOLUTION (10 ml/vl) ***	#15 vl	5 vl 25 vl	920 2955
TM 1933	**MYCOBIOTIC AGAR *** for the selective isolation and cultivation of pathogenic fungi	35.45	100 gm	7020
TM 233	**MYCOPLASMA AGAR BASE (PPLO AGAR BASE)** for isolation and cultivation of Mycoplasma species (PPLO)	36.00	100 gm 500 gm	1115 4610
TS 014	**HORSE SERUM ***	4.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	139 vl	5 vl 25 vl	3460 13065
TM 235	**MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV)** or enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	4275
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#24 vl	5 vl 25 vl	690 2460
TS 014	**HORSE SERUM ***	7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	239 vl	5 vl 25 vl	3460 13065
TM 235	**MYCOPLASMA BROTH BASE W/ CV (PPLO BROTH BASE W/ CV)** for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	4275
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#24 vl	5 vl 25 vl	690 2460
TS 014	**HORSE SERUM ***	7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	239 vl	5 vl 25 vl	3460 13065
TM 794	**MYCOPLASMA BROTH BASE W/O CV (PPLO BROTH BASE W/O CV)** for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	4275
TS 014	**HORSE SERUM***	#7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT***	#239 vl	5 vl 25 vl	3460 13065
TM 1265	**MYCOPLASMA CULTIVATION BROTH BASE** for isolation and cultivation of Mycoplasma (PPLO)	25.50	500 gm	4275
TS 052	**MYCOPLASMA CULTIVATION SUPPLEMENT ***	#196 vl	5 vl 25 vl	3460 13065
TS 014	**HORSE SERUM ***	-	100 ml	4460
TM 1266	**MYCOPLASMA SYNOVIAE MEDIUM BASE** for cultivation of avian strains of Mycoplasma	42.30	500 gm	4530
TS 014	**HORSE SERUM ***	1.2 ltr	100 ml	4460
TM 1267	**MYCOPLASMA UROGENITAL MEDIUM BASE** for selective isolation of Mycoplasma hominis and Ureaplasma urealyticum	28.65	500 gm	4230
TS 014	**HORSE SERUM ***	1.8 ltr	100 ml	4460
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#35 vl	5 vl 25 vl	2005 7900
TS 126	**UREA SOLUTION 5% (5 ml/vl) ***	#35 vl	5 vl 25 vl	390 1600
TS 249	**MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT ***	#35 vl	5 vl 25 vl	1485 3460
TM 197	**MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part VI) 1976, reaffirmed 2005)** for detection and isolation of osmophillic microorganisms from food samples	46.00	100 gm 500 gm	1075 4475
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl ***	#11 vl	5 vl	2100
TM 1481	**NBB AGAR BASE MODIFIED *** for detection of contaminating spoilage micro organsims in brewery industry	66.27	500 gm	6060
TM 022	**NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP)** for microbiological assay of antibiotics	30.50	100 gm 500 gm	890 4015

N Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 022	**NEOMYCIN, ERYTHROMYCIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 11) (as per USP) (VEG.)** for microbiological assay of antibiotics	30.50	100 gm 500 gm	1040 4250
TM 2253	**NEO ENRICHMENT BROTH BASE** is a selective enrichment broth for Listeria species from food samples	44.00	500 gm	8720
TS 303	**NEO ENRICHMENT SELECTIVE SUPPLEMENT ***	#23 vl	5 vl	1510
TM 1051	**NEUTRAL RED CHALK LACTOSE AGAR** for detection of lactic Streptococci in milk and milk products	49.00	500 gm	4285
TM 1052	**NEUTRALISING BUFFER** for detection of microorganisms on dairy and food equipments disinfected with chlorine or quarternary ammonium compounds	05.20	100 gm	4610
TM 1269	**NEUTRALISING FLUID (as per BP/EP)** for neutralising the activity of antimicrobial agents	20.10	500 gm	4610
TM 2254	**NIACIN ASSAY MEDIUM *** for the microbiological assay of Niacin (Nicotinic Acid) or Niacinamide using Lactobacillus plantarum ATCC 8014 as the test organism	75.12	100 gm	3230
TM 238	**NICKERSON MEDIUM (Bi.G.G.Y. AGAR)** for selective isolation, differentiation & presumptive identification of Candida albicans & Candida tropicalis	45.00	500 gm	4805
TM 795	**NIH AGAR** for cultivation & maintenance of isolates from sterility testing of biological products	43.00	100 gm 500 gm	960 3855
TM 301	**NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TM 302	**NIH THIOGLYCOLLATE MEDIUM (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per IP)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TM 796	**NITRATE AGAR** for detection of nitrate reducing bacteria	21.00	500 gm	4665
TMV 796	**NITRATE AGAR (VEG.)** for detection of nitrate reducing bacteria	21.00	500 gm	4790
TM 239	**NITRATE BROTH** for detection of nitrate reduction and enumeration of Bacillus cereus	09.00	100 gm 500 gm	990 4245
TMV 239	**NITRATE BROTH (VEG.)** for detection of nitrate reduction and enumeration of Bacillus cereus	09.00	100 gm 500 gm	1040 4470
TM 797	**NITRATE BROTH (IS : 5887(Part IV)-1999)** for detection of nitrate reduction and enumeration of Bacillus cereus.	39.00	100 gm 500 gm	990 4245
TM 1053	**NITROFURANTOIN BROTH BASE** for isolation and enrichment of Pseudomonas species	20.00	500 gm	4245
TM 2252	**NNN MODIFIED MEDIUM (DOUBLE PACK) - (Part I) & (Part II)** for cultivation of Leishmaniae and Trypanosomes	31.00 11.20	100 gm -	3610 -
TM 2255	**NORRIS GLUCOSE NITROGEN FREE MEDIUM** for the cultivation of chemoheterotrophic bacteria that can fix atmospheric nitrogen	12.50	100 gm	2415
TM 341	**NUTRIENT AGAR** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	685 3065
TMV 341	**NUTRIENT AGAR (VEG.)** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	700 3085
TM 1054	**NUTRIENT AGAR** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	820 3440
TMV 1054	**NUTRIENT AGAR (VEG.)** for cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	28.00	100 gm 500 gm	820 3440
TM 342	**NUTRIENT AGAR W/O NaCl (as per USP)** general purpose medium	23.00	100 gm 500 gm	825 3470
TM 343	**NUTRIENT AGAR (as per IP)** for general purpose medium which may be used as enriched medium by incorporating blood or other biological fluids	37.00	100 gm 500 gm	735 3305

Dehydrated Culture Media N

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1055	**NUTRIENT AGAR 1.5%** for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	825 3620
TMV 1055	**NUTRIENT AGAR 1.5% (VEG.)** for cultivation of bacteria requiring less nutrition, can be enriched with blood	31.00	100 gm 500 gm	875 3620
TM 2256	**NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)** recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm	4045
TM 1038	**NUTRIENT AGAR (pH 6.8)** a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	830 3470
TM 1038A	**NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015)** a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm 500 gm	830 3470
TM 383	**NUTRIENT AGAR NO.2** general purpose medium	40.00	100 gm 500 gm	830 3515
TM 798	**NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reafirmed 2005)** general purpose culture medium	40.00	100 gm 500 gm	830 3515
TM 2257	**NUTRIENT AGAR NO. 2, MODIFIED** used as a general purpose culture media	45.00	500 gm	3985
TM 1057	**NUTRIENT AGAR, (pH 7.0)** for cultivation of Salmonella species	23.00	100 gm 500 gm	900 3730
TM 740	**NUTRIENT AGAR (WITH 3% SALT)** for cultivation of salt tolerance Vibrio species	55.00	500 gm	3785
TM 1058	**NUTRIENT AGAR (W/ MANGANESE)** for promoting sporulation in Bacillus species	23.00	500 gm	3730
TM 1056	**NUTRIENT AGAR (W/ 1% PEPTONE)** general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	830 3470
TMV 1056	**NUTRIENT AGAR (W/ 1% PEPTONE) (VEG.)** general culture medium, can be used as enriched medium with blood or other biological fluids	35.00	100 gm 500 gm	830 3470
TM 578	**NUTRIENT AGAR pH 6.0 (W/ 0.8% NaCl.)** for cultivation of bacteria requiring slightly acidic pH	31.00	100 gm 500 gm	850 3575
TM 2258	**NUTRIENT MEDIUM** a general purpose medium as per EP	26.05 26.05	100 gm 500 gm	975 4910
TM 932	**NUTRIENT AGAR (OXIDASE)** for confirmation of oxidase production by microorganisms	22.00	500 gm	3815
TMV 932	**NUTRIENT AGAR (OXIDASE) (VEG.)** for confirmation of oxidase production by microorganisms	22.00	500 gm	4010
TM 2259	**NUTRIENT AGAR W/TRYPAN BLUE** recommended for detection and enumeration of aerobic endospore formers from water samples by membrane filtration	23.02	100 gm 500 gm	855 3635
TM 2260	**NUTRIENT AGAR W/ TYROSINE** for cultivation and enumeration of Bacillus cereus in water and food in accordance with FDA BAM, 1998	28.00	500 gm	5010
TM 350	**NUTRIENT BROTH** for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	540 2440
TMV 350	**NUTRIENT BROTH (VEG.)** for general cultivation of less fastidious microorganisms, can be enriched with blood	13.00	100 gm 500 gm	615 2770
TM 329	**NUTRIENT BROTH (W/ 1% PEPTONE) (IP 6579)** sterility testing medium for aerobes and for microbial limit test	25.00	100 gm 500 gm	645 2925
TM 1270	**NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999)** general purpose culture medium.	25.00 25.00	100 gm 500 gm	645 2925

N Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 327	**NUTRIENT BROTH (W/O NaCl) pH 6.9** general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm	660 2940
TMV 327	**NUTRIENT BROTH (W/O NaCl) pH 6.9 (VEG.)** general purpose medium for cultivation of microorganisms	08.00	100 gm 500 gm	660 2940
TM 1823	**NUTRIENT BROTH (AOAC)** for testing disinfectants in accordance with AOAC, 2000 (under Disinfectants Subchapter 1, Phenol coefficient methods)	20.00	500 gm	3165
TM 1916	**NUTRIENT BROTH, NO. 2** for cultivation and enrichment of less fastidious bacteria and as a base in the preparation of special media.	15.00	500 gm	2960
TM 1917	**NUTRIENT BROTH, NO. 3** for the culture and growth of microorganisms.	13.00	500 gm	2710
TM 2261	**NUTRIENT BROTH WITH 1% PEPTONE** a sterility testing medium for aerobes	25.00	100 gm 500 gm	690 3125
TMV 2261	**NUTRIENT BROTH WITH 1% PEPTONE (VEG.)** a sterility testing medium for aerobes	25.00	100 gm 500 gm	730 3280
TM 241	**NUTRIENT GELATIN** for detection of gelatine liquefaction by proteolytic microorganisms	128.00	500 gm	3410
TM 1059	**NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005)** for detection of gelatin liquefaction by proteolytic microorganisms.	158.00	500 gm	3220
TM 534	**NUTRITIVE CASEINATE AGAR** for enumeration of salt tolerant cocci in brined vegetables	23.04	500 gm	4600
TM 023	**NYSTATIN ASSAY AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 12)** for microbiological assay of Amphotericin B & Nystatin using Saccharomyces cerevisiae	62.50	500 gm	4700
TM 024	**NYSTATIN ASSAY BROTH (ANTIBIOTIC ASSAY MEDIUM NO. 13)** for microbiological assay of Candicidin using Saccharomyces cerevisiae	30.00	500 gm	4345
TM 242	**OF BASAL MEDIUM** for differentiation of gram negative bacteria on the basis of fermentative and oxidative metabolism of carbohydrates	09.40	100 gm 500 gm	880 3655
TM 2262	**OFPBL AGAR BASE (OXIDATION FERMENTATION POLYMYXIN BACITRACIN LACTOSE AGAR BASE)** with Polymyxin and Bacitracin is recommended for the selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples	32.33	500 gm	4425
TS 304	**OFPBL SELECTIVE SUPPLEMENT ***	#16 vl	5 vl	1785
TM 243	**OAT MEAL AGAR** for cultivation of fungi particularly for macrospore formation	72.50	500 gm	4600
TM 2263	**OAK WILT FUNGUS AGAR** for cultivation of Oak Wilt fungus	50.00	100 gm	1645
TM 1918	**ONPG BROTH** for the differentiation of microorganisms on the basis of beta-galactosidase activity	13.01 13.01	100 gm 500 gm	1805 7190
TM 1060	ORCHID AGAR (Plant Tissue Culture Media) for germination of orchid seeds	37.00	500 gm	4610
TM 1919	**ORANGE SERUM AGAR** for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	45.50	500 gm	4425
TM 1920	**ORANGE SERUM AGAR BROTH** for cultivation and enumeration of microorganisms associated with the spoilage of citrus products, cultivation of Lactobacilli, other aciduric organisms and pathogenic fungi	28.50	500 gm	4275
TM 245	**ORNITHINE DECARBOXYLASE BROTH** for detection of the ability of microorganisms to decarboxylate ornithine	09.00	100 gm	3100
TM 2265	**L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017)** for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm	3260
TM 1033	**OSMOPHILLIC AGAR (MY 40 AGAR)** for detection and isolation of osmophillic microorganisms from food samples	445.00	500 gm	4610
TM 1034	**OSMOPHILLIC GLUCOSE AGAR (MY 40 G AGAR)** for detection and isolation of osmophillic microorganisms from food samples	427.00	500 gm	4765

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1402	**OXACILLIN RESISTANCE SCREENING AGAR BASE** for screening oxacillin resistant microorganisms	103.50	500 gm	5550
TS 153	**OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT ***	#10 vl	5 vl	1135
TM 2266	**OXGALL CHRYSOIDIN AGAR WITH MUG (CHRYSOIDIN AGAR WITH MUG)** for the isolation and differentiation of Enterobacteriaceae and several other Gram negative rods. It can also be used for the identification of E. coli from clinical and non-clinical specimens	48.23	500 gm	8180
TM 799	**OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE)** for selective isolation and enumeration of yeast and molds in food products	37.00	100 gm 500 gm	960 3820
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT***	# 27vl	5 vl 25 vl	920 3020
TM 1061	**OXYTETRA GLUCOSE YEAST AGAR BASE (OGYE AGAR BASE) ISO 6611:2004** for isolation and enumeration of yeasts and molds from milk and milk products	37.00	500 gm	3925
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT***	#27vl	5 vl 25 vl	920 3020
TS 128	**GENTA-OXY SELECTIVE SUPPLEMENT***	#27vl	5 vl 25 vl	1300 3115
TM 800	**OXYTETRA GLUCOSE YEAST AGAR BASE W/ BIOTIN** for selective isolation and enumeration of yeasts and molds in food products	37.00	500 gm	4640
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT***	#27vl	5 vl 25 vl	920 3020
TM 571	**PA BROTH** for detection of presence and absence of coliform bacteria in water	30.50	500 gm	4275
TM 2267	**PKU TEST AGAR BASE** for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	4540
TM 2268	**PKU TEST AGAR W/ THIENYLALANINE** for estimation of phenylalanine in blood for detection of Phenylketonuria (PKU)	50.06	500 gm	5310
TM 1434	**PL AGAR** for isolation and cultivation of Plesiomonas shigelloides from food	43.58	500 gm	6220
TM 1271	**PLET AGAR BASE** for selective isolation and cultivation of Bacillus anthracis	40.34	500 gm	3670
TS 129	**ANTHRACIS SELECTIVE SUPPLEMENT ***	#13vl	5 vl	1060
TM 2269	**PLET AGAR BASE, MODIFIED** for the selective isolation and cultivation of Bacillus anthracis	40.40	500 gm	3925
TS 129	**ANTHRACIS SELECTIVE SUPPLEMENT ***	#13vl	5 vl	1060
TM 248	**PM INDICATOR AGAR (PENICILLIN IN MILK INDICATOR AGAR) (as per AOAC)** for rapid detection of trace amounts of Penicillin in milk *	32.00	500 gm	4285
TM 1272	**PNY MEDIUM** for cultivation and isolation of Lactobacillus species	31.28	100 gm 500 gm	2360 9435
TM 233	**PPLO AGAR BASE (MYCOPLASMA AGAR BASE)** for isolation and cultivation of Mycoplasma species (PPLO)	36.00	100 gm 500 gm	1115 4610
TS 014	**HORSE SERUM ***	#7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	#139 vl	5 vl 25 vl	3460 13065
TM 235	**PPLO BROTH BASE W/ CV (MYCOPLASMA BROTH BASE W/ CV)** for enrichment of Mycoplasma species (PPLO) from clinical samples and mixed cultures	21.00	500 gm	4275
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl *)**	#24vl	5 vl 25 vl	645 2295
TS014	**HORSE SERUM ***	#7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	#239 vl	5 vl 25 vl	3460 13065
TM 794	**PPLO BROTH BASE W/O CV (MYCOPLASMA BROTH BASE W/O CV))** for enrichment of Mycoplasma species (PPLO) from clinical specimens and mixed cultures	21.00	500 gm	4275
TS 014	**HORSE SERUM ***	#7.2 ltr	100 ml	4460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT ***	#239 vl	5 vl 25 vl	3460 13065

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1064	**PSB BROTH BASE** for primary enrichment and enumeration of Yersinia enterocolitica from food	51.00	500 gm	4115
TM 2270	**PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)** for primary enrichment and enumeration of Yersinia enterocolitica from food	30.77	500 gm	4795
TM 1273	**PSTA ENRICHMENT BROTH BASE (PSB BROTH MODIFIED)** for secondary enrichment of Yersinia enterocolitica from foods	05.20	100 gm 500 gm	960 4115
TM 1274	**PAGANO LEVIN BASE** for isolation and differentiation of Candida species	66.00	500 gm	3460
TS 042	**TTC SOLUTION 1% (10 ml/vl)**	#8 vl	5 vl 25 vl	1015 3165
TS 095	**NEOMYCIN SUPPLEMENT ***	#16 vl	5 vl	1225
TM 2273	**PAGE'S SALINE** used as a rinsing solution of membranes in water filtration for Legionella detection	0.403	100 gm	2295
TM 1403	**PARK & SANDER ENRICHMENT BROTH BASE** for selective enumeration of thermo-tolerant Campylobacter species from food	28.35	500 gm	4305
TS 073	**PARK & SANDER SELECTIVE SUPPLEMENT A ***	#15 vl	5 vl	1445
TS 074	**PARK & SANDER SELECTIVE SUPPLEMENT B ***	#15 vl	5 vl	2115
TM 2274	**PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)** for selective enumeration of thermo-tolerant Campylobacter species from food	29.35	500 gm	4610
TS 073	**PARK & SANDER SELECTIVE SUPPLEMENT A ***	#15 vl	5 vl	1445
TS 074	**PARK & SANDER SELECTIVE SUPPLEMENT B ***	#15 vl	5 vl	2115
TM 2275	**PEIZER TB MEDIUM BASE** for cultivation of Mycobacterium tuberculosis	49.72	500 gm	4835
TM 1584	**PENTACHLORO ROSE BENGAL YEAST EXTRACT AGAR BASE (PRYES AGAR) (as per APHA)** for the cultivation and differentiation of nephorotoxin producing strains of Penicillium viridicatum and related species isolated from foods in accordance with APHA	190.17 #6 vl	500 gm 5 vl	5615 1135
TS 138	**CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT***	#6 vl	5 vl 25 vl	1060 3075
TM 1040	**PEPTED MEAT BROTH (MEAT EXTRACT W/ PEPTONE)** for cultivation and maintenance of Alcaligenes species	28.00	500 gm	3890
TM 803	**PEPTONE IRON AGAR** for detection of hydrogen sulphide production by microorganisms	36.58	100 gm	2330
TM 2276	**PEPTONE SORBITOL BILE BROTH** for identification of Yersinia enterocolitica from dairy products	30.93	500 gm	4705
TM 1844	**PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) - (Part I) & (Part II)** For selective enrichment of Yersinia enterocolitica from dairy products	21.00	500 gm	4395
TM 330	**PEPTONE WATER** general purpose growth medium and used as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	640 2830
TMV 330	**PEPTONE WATER (VEG.)** general purpose growth medium and as the base of carbohydrate fermentation media	15.00	100 gm 500 gm	710 3020
TM 805	**PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005)** General purpose growth medium & as the base of carbohydrate fermentation media	25.00	100 gm 500 gm	820 2780
TM 806	**PEPTONE WATER W/ PHENOL RED** for studying fermentation ability of Yersinia enterocolitica	15.00	500 gm	3345
TM 1276	**PEPTONE YEAST DEXTROSE AGAR (CANTINO)** for cultivation of aquatic fungi like Blastocladiella species	25.50	100 gm	1840
TM 1277	**PEPTONE YEAST DEXTROSE BROTH (CANTINO)** for cultivation of aquatic fungi like Blastocladiella species	05.50	100 gm	1840
TM 131	**PEPTONE YEAST EXTRACT IRON AGAR (ISP MEDIUM NO.6)** for cultivation and maintenance of Streptomyces as per International Streptomyces project	37.50	100 gm 500 gm	1085 4445
TM 807	**PEPTONIZED MILK AGAR** for cultivation of lactic acid bacteria and testing of dairy products	27.00	500 gm	4640
TM 808	**PERFRINGENS AGAR BASE (O.P.S.P)** for selective isolation and enumeration of Clostridium perfringens from foods	50.50 #20 vl	500 gm 5 vl	4640 860
TS 158	**PERFRINGENS SUPPLEMENT A ***	#20 vl	25 vl 5 vl	2415 1180
TS 159	**PERFRINGENS SUPPLEMENT B ***		25 vl	3090

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 615	**PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE)** for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm	4960
TS 054	**PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) ***	#22 vl	5 vl 25 vl	970 2540
TS 076	**PERFRINGENS T. S.C SUPPLEMENT ***	#22 vl	5 vl 25 vl	1280 3185
TS 002	**EGG YOLK EMULSION (100ml/vl)***	#6 vl	5 vl	2100
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#22 vl	5 vl	3330
TMV 615	**PERFRINGENS AGAR BASE (T.S.C./S.F.P. AGAR BASE) (VEG.)** for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm	5220
TS 054	**PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) ***	#22 vl	5 vl 25 vl	970 2540
TS 076	**PERFRINGENS T. S.C SUPPLEMENT ***	#22 vl	5 vl 25 vl	1280 3185
TS 002	**EGG YOLK EMULSION (100ml/vl)***	#6 vl	5 vl	2100
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#22 vl	5 vl	3330
TM 1826	**PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013)** for enumeration of Clostridium perfringens from food	42.00	500 gm	4680
TS 076	**PERFRINGENS T. S.C SUPPLEMENT ***	#24 vl	5 vl 25 vl	1280 3185
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#24 vl	5 vl	3330
TM 810	**PFIZER SELECTIVE ENTEROCOCCUS AGAR** for selective isolation and cultivation of Enterococci	58.00	500 gm	4610
TM 252	**PHENOL RED AGAR BASE** a basal medium by adding carbohydrates for use in fermentation studies of microorganisms	31.00	100 gm 500 gm	960 3930
TM 256	**PHENOL RED DEXTROSE AGAR** for determining of the ability of microorganisms to ferment dextrose	41.00	100 gm 500 gm	985 4050
TM 2277	**PHENOL RED INULIN BROTH** recommended for inulin fermentation studies of microorganisms	21.02	100 gm	8530
TM 253	**PHENOL RED LACTOSE AGAR** for determining of the ability of microorganisms to ferment lactose	41.00	100 gm 500 gm	985 4050
TM 811	**PHENOL RED MALTOSE AGAR** for determining of the ability of microorganisms to ferment maltose	41.00	100 gm 500 gm	1125 4610
TM 254	**PHENOL RED MANNITOL AGAR** for determining of the ability of microorganisms to ferment mannitol	41.00	100 gm 500 gm	1125 4610
TM 812	**PHENOL RED SUCROSE AGAR** for determining of the ability of microorganisms to ferment sucrose	41.00	100 gm 500 gm	985 4120
TM 813	**PHENOL RED TARTRATE AGAR** for identification and differentiation of Salmonellae on the basis of tartrate utilization	40.02	100 gm	3145
TM 255	**PHENOL RED BROTH BASE** for determination of fermentation reactions of pure cultures of microorganisms	16.00	100 gm 500 gm	890 3645
TM 814	**PHENOL RED BROTH BASE W/ MEAT EXTRACT** for determination of carbohydrates fermentation	16.00	100 gm 500 gm	920 3750
TM 815	**PHENOL RED ADONITOL BROTH** for determining of the ability of microorganisms to ferment adonitol	21.00	100 gm	7920
TM 816	**PHENOL RED ARABINOSE BROTH** for determining the ability of microorganisms to ferment arabinose	21.00	100 gm	6030

P Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 537	**PHENOL RED DEXTROSE BROTH** for determining the ability of microorganisms to ferment dextrose	21.00	100 gm 500 gm	920 3750
TM 817	**PHENOL RED DULCITOL BROTH** for determining the ability of microorganisms to ferment dulcitol	21.00	100 gm	7160
TM 818	**PHENOL RED GALACTOSE BROTH** for determining microorganisms to ferment galactose	21.00	100 gm	4170
TM 538	**PHENOL RED INOSITOL BROTH** for determining microorganisms to ferment inositol	21.00	100 gm	2980
TM 257	**PHENOL RED LACTOSE BROTH** for determining the ability of microorganisms to ferment lactose	21.00	100 gm 500 gm	920 3750
TM 1921	**PHENOL LACTOSE BROTH (ISO 9308-1-2014)** for lactose fermentation studies of coliforms	25.02	100 gm 500 gm	920 3750
TM 539	**PHENOL RED MALTOSE BROTH** for determining the ability of microorganisms to ferment maltose	21.00	100 gm 500 gm	1035 4250
TM 258	**PHENOL RED MANNITOL BROTH** for determining the ability of microorganisms to ferment mannitol	21.00	100 gm 500 gm	1035 4250
TM 819	**PHENOL RED RAFFINOSE BROTH** for determining the ability of microorganisms to ferment raffinose	21.00	100 gm	4185
TM 820	**PHENOL RED RHAMNOSE BROTH** for determining the ability of microorganisms to ferment rhamnose	21.00	100 gm	7920
TM 821	**PHENOL RED SALICIN BROTH** for determining the ability of microorganisms to ferment salicin	21.00	100 gm	6385
TM 540	**PHENOL RED SORBITOL BROTH** for determining the ability of microorganisms to ferment sorbitol	21.00	100 gm	2290
TM 822	**PHENOL RED STARCH BROTH** for determining the ability of microorganisms to ferment starch	21.00	100 gm	1980
TM 259	**PHENOL RED SUCROSE BROTH** for determining the ability of microorganisms to ferment sucrose	21.00	100 gm 500 gm	920 3440
TM 823	**PHENOL RED TREHALOSE BROTH** for determining the ability of microorganisms to ferment trehalose	21.00	100 gm	7920
TM 541	**PHENOL RED XYLOSE BROTH** for determining the ability of microorganisms to ferment D-xylose	21.00	100 gm	2970
TM 197	**PHENOL RED EGG YOLK POLYMYXIN AGAR BASE (MYP AGAR BASE) (BIS)** for isolation and identification of pathogenic Staphylococci and Bacillus species	46.00	100 gm 500 gm	1075 4475
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#11 vl	5 vl	2100
TM 824	**PHENOLPHTHALEIN PHOSPHATE AGAR** for identification of phosphatase positive Staphylococcus aureus	28.00	100 gm 500 gm	1115 4545
TMV 824	**PHENOLPHTHALEIN PHOSPHATE AGAR (VEG.)** for identification of phosphatase positive Staphylococcus aureus	28.00	100 gm 500 gm	1165 4790
TM 260	**PHENYLALANINE AGAR** for differentiation of Proteus & Providencia from other members of Enterobacteriaceae on the basis of their ability to form phenyl pyruvic acid from phenylalanine	26.00	100 gm 500 gm	1030 4335
TM 1067	**PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM)** for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm	5165
TM 2278	**PHENYLETHYL ALCOHOL AGAR** for the isolation of gram- positive organisms like Staphylococci and Streptococci	42.50	100 gm	3425

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2279	**PHENYLETHANOL AGAR BASE *** for the isolation of gram- positive organisms like Staphylococci and Streptococci	35.50	100 gm	3695
TM 2280	**PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) *** for cultivation of fastidious anaerobic bacteria	52.92	100 gm	3425
TM 826	**PHOSPHATE BUFFER, APHA, pH 7.2** for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm	1020 4250
TM 2281	**PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)** recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm	4290
TM 1067	**PHENYLALANINE MALONATE BROTH (SHAW & CLARKE MEDIUM)** for differentiation of members of Enterobacteriaceae on the basis of their ability to utilize malonate and produce pyruvic acid from phenylalanine	11.00	100 gm	5165
TM 2278	**PHENYLETHYL ALCOHOL AGAR** for the isolation of gram- positive organisms like Staphylococci and Streptococci	42.50	100 gm	3425
TM 2279	**PHENYLETHANOL AGAR BASE *** for the isolation of gram- positive organisms like Staphylococci and Streptococci	35.50	100 gm	3695
TM 2280	**PHENYLETHYL BLOOD AGAR BASE (ANAEROBIC) *** for cultivation of fastidious anaerobic bacteria	52.92	100 gm	3425
TM 826	**PHOSPHATE BUFFER, APHA, pH 7.2** for preparation of dilution and blanks for testing of water, foods and dairy products	34.00	100 gm 500 gm	1020 4250
TM 2281	**PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)** recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm	4290
TM 1068	**PHOSPHATE BUFFERED SALINE, pH 7.2** for preparation of dilution and controls	10.79	100 gm 500 gm	880 4520
TM 2282	**PHOSPHATE BUFFERED SALINE (PBS) pH 7.4** for preparation of dilution, blanks for the examination of samples from food, water and other specimens	08.58	100 gm 500 gm	1215 5045
TM 2283	**PHOSPHATE BUFFER, pH 8.0** for preparation of dilutions and blanks in accordance with USP	17.25	500 gm	4065
TM 542	**PIKE STREPTOCOCCAL BROTH BASE** for selective enrichment & cultivation of Streptococci from throat swabs and other clinical samples	30.26	100 gm 500 gm	965 4305
TM 543	**PIKOVSKAYA'S AGAR** for detection of phosphate solubilizing soil microorganisms	31.30	100 gm 500 gm	1115 4640
TM 545	**PIKOVSKAYA'S BROTH (MEDIUM)** for cultivation phosphate solubilizing microorganisms	16.30	500 gm	4640
TM 544	**PLATE COUNT AGAR (STANDARD PLATE AGAR) (ISO 4833-1 & 2:2013)** for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	790 3680
TMV 544	**PLATE COUNT AGAR (STANDARD PLATE AGAR) (VEG.)** for determination of plate counts of microorganisms in foods, water, waste water and from clinical samples	23.50	100 gm 500 gm	895 3775
TM 363	**PLATE COUNT AGAR (STANDARD METHODS AGAR)** for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	900 4075
TMV 363	**PLATE COUNT AGAR (STANDARD METHODS AGAR) (VEG.)** for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	970 4245
TM 2284	**PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN)** for sanitary examination of surfaces that is for counts before and after application of disinfectants	29.20	100 gm 500 gm	2555 10420
TM 828	**PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN)** for sanitary examination of surfaces that is for counts before and after application of disinfectants.	30.00	100 gm 500 gm	875 3925
TM 408	**PLATE COUNT AGAR (SPECIAL)** for estimation of microbial counts in raw milk and other dairy products	40.52	500 gm	6820

P Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 829	**PLATE COUNT AGAR W/ BCP** for enumeration of Lactobacilli in milk products		24.64	500 gm	4285
TM 2285	**PLATE COUNT AGAR W/O DEXTROSE** recommended for the determination of plate counts of microorganisms in water samples		22.50	500 gm	4430
TM 744	**PLESIOMONAS DIFFERENTIAL AGAR (INOSITOL BRILLIANT GREEN BILE AGAR)** for selective isolation of Plesiomonas shigelloides and Aeromonas species from foods		52.05	500 gm	4720
TM 020	**POLYMYXIN BASE AGAR (ANTIBIOTIC ASSAY MEDIUM NO.9) (ANTIBIOTIC ASSAY MEDIUM-H) (as per USP/IP)** for assay the products containing Polymyxin-B		50.00	500 gm	4480
TM 021	**POLYMYXIN SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.10) (DOUBLE PACK)** for assay of Polymyxin-B, Carbenicillin, Colistin and Colistimethate Sodium	(Part I) (Part II)	42.00 Polysorbate 80.00	500 gm	4480
TM 1587	**POLYMYXIN PYRUVATE EGG YOLK MANNITOL BROMOTHYMOL BLUE AGAR BASE (PEMBA)** for cultivation of Bacillus cereus		44.00	500 gm	3470
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		#6 vl	5 vl	2100
TS 203	**PEMBA SUPPLEMENT ***		#114 vl	5 vl 25 vl	1135 3485
TM 830	**POLYSORBATE 80 AGAR (DOUBLE PACK) * -** for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -	3680 -
TMV 830	**POLYSORBATE 80 AGAR (DOUBLE PACK) (VEG.) * -** for cultivation of variety of microorganisms	(Part I) (Part II)	25.00 10.00	500 gm -	3870 -
TM 1867	**POTASSIUM CYANIDE BROTH BASE W/O KCN** for differentiation of the members of Enterobacteriaceae on the basis of potassium cyanide toleran		13.86	500 gm	4230
TM 2286	**POTATO CARROT AGAR** for the reproduction of Pyronema domesticum		24.00	500 gm	5055
TM 344	**POTATO DEXTROSE AGAR** for isolation and enumeration of yeasts and molds from dairy and other food products		39.00	100 gm 500 gm	715 3235
TMV 344	**POTATO DEXTROSE AGAR (VEG.)** for isolation and enumeration of yeasts and molds from dairy and other food products		39.00	100 gm 500 gm	715 3235
TMH 105	**POTATO DEXTROSE AGAR (as per USP/EP/JP/BP)** for the cultivation of yeasts and moulds		39.00	100 gm 500 gm	715 3235
TM 1922	**POTATO DEXTROSE W / 2% AGAR** for isolation and enumeration of yeasts and moulds from dairy and other food products in accordance with FDA BAM, 1998		44.00	100 gm 500 gm	785 3470
TS 259	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED**		#12 vl	5 vl	975
TM 1923	**POTATO DEXTROSE W/ 3% AGAR** for cultivation of yeasts and moulds from dairy and other food products		54.00	500 gm	4520
TM 1924	**POTATO DEXTROSE AGAR W/ CHLORAMPHENICOL** for the selective isolation and enumeration of yeasts and moulds from dairy and other food products		39.05	500 gm	3935
TM 384	**POTATO DEXTROSE AGAR W/ ROSE BENGAL** for propagation of ascospores		39.00	500 gm	3935
TM 331	**POTATO DEXTROSE BROTH** for cultivation and enumeration of yeasts and molds		24.00	500 gm	3205
TM 2287	**POTATO DEXTROSE SUCROSE AGAR** for the isolation and cultivation of Zygosaccharomyces rouxii from chocolate syrup		659.00	500 gm	4965
TM 2288	**POTATO INFUSION AGAR** for the isolation of Brucella species		49.00	500 gm	3800
TM 2289	**POTATO INFUSION BROTH** for the isolation of Brucella species		34.00	500 gm	4260
TM 2290	**POTATO MALT AGAR** for cultivation and maintenance of smut fungi and other phytopathogenic fungi		105.00	500 gm	4100
TM 834	**PRE ENRICHMENT BROTH BASE** for isolation and enrichment of Yersinia enterocolitica from foods		39.10	500 gm	4280

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2291	**PRESERVATIVE RESISTANT YEAST AGAR BASE (PRY)** for cultivation of Yeasts	35.00	100 gm 500 gm	1125 4615
TM 2292	**PRESPORULATION GROWTH MEDIUM** for the growth and sporulation of Saccharomyces cerevisiae	31.00	500 gm	4750
TM 1590	**PRESTON AGAR BASE** for selective isolation of thermotolerant Campylobacter species	37.00	500 gm	4245
TS 067	**CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)***	#27 vl	5vl	1170
TMV 1590	**PRESTON AGAR BASE (VEG.)** for selective isolation of thermotolerant Campylobacter species	37.00	500 gm	4245
TS 067	**CAMPYLOBACTER SELECTIVE SUPPLEMENT IV (PRESTON)***	#27 vl	5vl	1170
TM 835	**PRINGSHEIM'S MEDIUM** for cultivation of blue green bacteria	00.24	100 gm	2260
TM 2293	**PROSKAUER BECK MEDIUM** for the growth and sporulation of Saccharomyces cerevisiae	12.79 12.79	100 gm 500 gm	880 3765
TM 2294	**PROTEOSE AGAR** for the cultivation of Vibrio species from foods in accordance with APHA	50.00	500 gm	5160
TM 266	**PSEUDOMONAS AGAR F (FOR FLUORESCEIN)** for detection of fluorescein production by Pseudomonas species	38.00	100 gm 500 gm	900 3670
TMV 266	**PSEUDOMONAS AGAR F (FOR FLUORESCEIN) (VEG.)** for detection of fluorescein production by Pseudomonas species	38.00	100 gm 500 gm	950 3855
TM 1279	**PSEUDOMONAS AGAR F (FOR FLUORESCEIN) (as per USP)** for detection of fluorescein production by Pseudomonas species	38.00	100 gm 500 gm	990 4160
TM 1811	**PSEUDOMONAS AGAR FOR DETECTION OF FLUORESCEIN (as per IP)** for detection of fluorescein production by Pseudomonas species	37.23	100 gm 500 gm	990 4160
TM 2295	**PSEUDOMONAS AGAR, MODIFIED (FOR FLUORESCEIN)** for detection of fluorescein production by Pseudomonas species in accordance with FDA BAM, 1998	47.23	500 gm	4330
TM 267	**PSEUDOMONAS AGAR P (FOR PYOCYANIN)** for detection of Pyocyanin production by Pseudomonas species	46.40	100 gm 500 gm	860 3470
TMV 267	**PSEUDOMONAS AGAR P (FOR PYOCYANIN) (VEG.)** for detection of Pyocyanin production by Pseudomonas species	46.40	100 gm 500 gm	905 3645
TM 1280	**PSEUDOMONAS AGAR P (FOR PYOCYANIN) (as per USP)** for detection of pyocyanin production by Pseudomonas species	46.40	100 gm 500 gm	960 4050
TM 1812	**PSEUDOMONAS AGAR FOR DETECTION OF PYOCYANIN (as per IP)** for detection of pyocyanin production by Pseudomonas species	46.40	100 gm 500 gm	960 4050
TM 626	**PSEUDOMONAS AGAR BASE** for selective isolation of Pseudomonas species from environmental samples, food and water	48.40	100 gm 500 gm	820 3795
TS 075	**CETRINIX SUPPLEMENT ***	#21 vl	5 vl 25 vl	1435 3655
TS 077	**CFC SUPPLEMENT ***	#21 vl	5 vl 25 vl	1305 4050
TM 641	**PSEUDOMONAS ASPARAGINE BROTH (as per APHA)** for presumptive determination of Pseudomonas aeruginosa from water	04.50	100 gm 500 gm	3045 12190
TM 1712	**PSEUDOMONAS BROTH F (FOR FLUORESCEIN)** for detection of fluorescein production by Pseudomonas species	23.00	500 gm	4160
TM 1714	**PSEUDOMONAS BROTH P (FOR PYOCYANIN)** for detection of pyocyanin production by Pseudomonas species	31.40	500 gm	4160
TM 268	**PSEUDOMONAS ISOLATION AGAR** for selective isolation and identification of Pseudomonas aeruginosa from clinical and non clinical samples	45.03	100 gm 500 gm	875 4050
TMV 268	**PSEUDOMONAS ISOLATION AGAR (VEG.)** for selective isolation and identification of Pseudomonas aeruginosa from clinical and non clinical samples	45.03	100 gm 500 gm	920 4245
TM 2296	**PSEUDOMONAS SOLANACEARUM MEDIUM** for the cultivation of Pseudomonas solanacearum	33.00	500 gm	4795

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 836	**PURPLE AGAR BASE** for identification of pure cultures of enteric and other microorganisms	31.00	500 gm	5180
TM 837	**PURPLE BROTH BASE** for identificationof pure cultures of enteric and other microorganisms	15.00	500 gm	4445
TM 2297	**PURPLE BROTH BASE** recommended for the fermentation studies of Listeria monocytogenes	16.02	500 gm	4760
TM 2298	**PYRAZINAMIDASE AGAR** for identificationof Yersinia species in accordance with FDA BAM, 1998	34.00	500 gm	4240
TM 269	**R-2A AGAR** for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	960 4320
TMV 269	**R-2A AGAR (VEG.)** for heterotrophic plate count of treated potable water using longer incubation time	18.12	100 gm 500 gm	1115 4520
TM 1956	**R-2 A AGAR (AGAR MEDIUM S) (as per EP/BP)** for heterotrophic plate count of treated potable water using longer incubation periods	18.00	500 gm	4620
TM 2299	**R2A AGAR, MODIFIED** for the enumeration and cultivation of bacteria from potable water	18.12	500 gm	4820
TM 1592	**R-2A BROTH** for cultivation and maintenance of heterotrophic bacteria from potable waters	03.12	500 gm	4240
TM 838	**R-3A AGAR** for subculturing of microorganisms recovered on less nutritive R-2A Agar from potable water	21.25	500 gm	4860
TM 1593	**R-3A BROTH** for cultivation and maintenance of heterotrophic bacteria from potable water	06.25	500 gm	4805
TM 366	**COOKED MEAT MEDIUM (R.C. MEDIUM) (COMPLETE SOLUBLE)** for cultivation and maintenance of aerobes, anaerobes of stock cultures	125.00	500 gm	4065
TM 2300	**RPF AGAR BASE (ISO 6888-2:1999)** recommended for the enumeration of coagulase positive Staphylococci from food and animal feeding stuff	58.00	500 gm	5695
TS 176	**RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) ***	#9 vl	5 vl 25 vl	5225 17750
TM 2301	**RS MEDIUM BASE** for selective isolation, cultivation and presumptive identification of Aeromonas hydrophila	45.43	500 gm	4980
TS 051	**NOVOBIOCIN SUPPLEMENT ***	#11 vl	5 vl 25 vl	1365 3410
TM 753	**RAKA RAY NO. 3 BROTH BASE (LACTIC ACID BACTERIA SELECTIVE BROTH BASE)** for selective isolation of lactic acid bacteria from brewery	58.90	100 gm	3865
TS 069	**LACTIC SUPPLEMENT (10 ml/vl) ***	#4 vl	5 vl	1140
TM 1876	**RPMI AGAR W/MOPS 2% DEXTROSE (DOUBLE PACK)** for determining susceptibility of microorganisms to antifungal agents	42.91+ 35.00	100 gm 500 gm	1495 6285
TM 516	**RWC MEDIUM (CULTURE MEDIUM FOR RWC)** for determination of phenol coeficients of disinfectants using Salmonella Typhi as a test organism	50.00	100 gm 500 gm	985 4245
TM 1201	**RAPID COLIFORM AGAR *** for detection and confirmation of E.coli and other coliforms on the basis enzyme substrate reaction chromogenic and fluorogenic substrates	31.03	100 gm 500 gm	1620 6245
TM 1202	**RAPID COLIFORM BROTH *** for detection and confirmation of E.coli and other coliforms on the basis enzyme substrate reaction from water by using chromogenic and fluorogenic substrates	16.03	100 gm 500 gm	1500 6140
TM 839	**RAPID ENTEROCOCCI AGAR *** for rapid and easy identification and deferentiation of Enterococci from water	33.61	100 gm 500 gm	1835 7460
TM 124	**RAPID-SENSITIVITY TEST AGAR** for antimicrobial susceptibility test	31.40	100 gm 500 gm	1210 4915
TM 1466	**RAPID-SENSITIVITY TEST BROTH** for antimicrobial susceptibility test	23.40	100 gm 500 gm	1125 4485
TM 270	**RAPPAPORT VASSILIADIS MEDIUM** for enrichment of Salmonellae based on its ability to multiply selectively at high osmotic pressure, low pH and at 430C, with modest nutritional requirements	49.20	100 gm 500 gm	965 4355

Dehydrated Culture Media R

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1281	**RAPPAPORT VASSILIADIS MEDIUM** for selective enrichment of Salmonellae from food and environmental samples	41.78	100 gm 500 gm	965 4070
TM 1831	**RAPPAPORT VASSILIADIS SOYA BROTH** for selective enrichment of Salmonella spp.	33.37	100 gm 500 gm	1140 5030
TM 2302	**RAPPAPORT VASSILIADIS R10 MEDIUM** for selectively enriching Salmonella species from meat and dairy products, faeces and sewage polluted water	26.62	500 gm	4495
TM 1282	**RAPPAPORT VASSILIADIS SOYA BROTH (RVS BROTH)** for selective enrichment of Salmonellae species from the food and animal feeding stuff	26.75 26.75	100 gm 500 gm	970 4070
TMH 111	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP/IP)** for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm	1025 4620
TMHV 111	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.)** for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm	1140 4770
TM 1596	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH** for selective enrichment of Salmonella species under high osmotic conditions and low pH	27.11	100 gm 500 gm	1025 4620
TM 1070	**RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (RVSM)** for enrichment and isolation of Salmonellae	26.75	100 gm 500 gm	970 4070
TM 2303	**RAPPAPORT VASSILIADIS SOYABEAN MEAL BROTH (ISO 6579-1:2017)** recommended as selective enrichment medium for the isolation of Salmonella species	26.58	100 gm 500 gm	1030 4355
TM 1283	**RAZI'S MEDIUM (SEMISOLID REINFORCED CLOSTRIDIAL MEDIUM W/ ASPARTATE)** for maintenance of Campylobacter species	40.00	500 gm	4520
TM 1555	**REDDYS DIFFERENTIAL AGAR, MODIFIED (LACTIC STREAK AGAR)** qualitative and quantitative differentiation of lactic streptococci	58.00	500 gm	4780
TM 577	**REINFORCED CLOSTRIDIAL AGAR** for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm	965 4025
TMV 577	**REINFORCED CLOSTRIDIAL AGAR (VEG.)** for cultivation and enumeration of Clostridia and other anaerobes	51.00	100 gm 500 gm	1020 4230
TM 271	**REINFORCED CLOSTRIDIAL BROTH** for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm	960 4070
TMV 271	**REINFORCED CLOSTRIDIAL BROTH (VEG.)** for cultivation and enumeration of Clostridia and other anaerobes	38.00	100 gm 500 gm	1010 4145
TM 840	**REINFORCED CLOSTRIDIAL BROTH W/O AGAR** for cultivation and enumeration of Clostridia	37.50	100 gm 500 gm	965 4025
TMH 115	**REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)** for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	900 4060
TMHV 115	**REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.)** for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	1020 4290
TM 1071	**RHAMNOSE BROTH** for demonstration of rhamnose fermentation by Listeria monocytogenes	16.02	500 gm	8070
TM 385	**RHIZOBIUM MEDIUM** for cultivation and isolation of Rhizobium species	31.80	500 gm	3030
TM 1599	**RICE EXTRACT AGAR** for identification of Candida albicans by means of its chlamydospore production	40.00	500 gm	8055
TM 1600	**RICE EXTRACT AGAR** for differentiation of yeasts by means of their typical chlamydospores and on the basis of morphological criteria	15.00	500 gm	8055
TM 1072	**RICHARD'S SYNTHETIC AGAR** for cultivation and isolation of fungi from soil samples	82.50	500 gm	4450
TM 273	**RINGER SALT SOLUTION POWDER** an isotonic diluent for food, milk and dairy products during microbiological testing	08.91	100 gm	1895

R Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2304	**RINSING FLUID** used as a rinsing fluid in the membrane filtration procedure	09.00	100 gm 500 gm	850 3550
TM 1480	**RIPPEY CABELLI AGAR BASE** for isolation of Aeromonas hydrophila from water samples using membrane filter technique	32.24	100 gm	3890
TS 171	**RIPPEY CABELLI SUPPLEMENT***	#7 vl	5 vl	1185
TM 842	**ROBINSON MEDIUM FOR ENTAMOEBA (DOUBLE PACK) - Part I -** (Part I) used as a substrate for growth of Amoeba by cultivating E.coli. (Part II)	85.00 40.00	100 gm 500 gm	4480 4480
TM 274	**ROGOSA SL AGAR *** For selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm	4475
TMV 274	**ROGOSA SL AGAR (VEG.)** for selective cultivation of oral, vaginal and faecal Lactobacilli	75.00	500 gm	4695
TM 1073	**ROGOSA SL AGAR W/ 0.15% OXGALL** for selective isolation of bile tolerant Lactobacilli	86.20	500 gm	4960
TM 275	**ROGOSA SL BROTH *** for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm	4090
TMV 275	**ROGOSA SL BROTH (VEG.) *** for selective cultivation of all Lactobacilli including oral, vaginal and faecal Lactobacilli	60.00	500 gm	4300
TM 2305	**ROGOSA AGAR, MODIFIED** for the selective cultivation of Lactobacilli from food	74.40	500 gm	5245
TM 276	**ROSE BENGAL AGAR BASE** for selective isolation and enumeration of yeasts and molds from environmental materials and foods	31.55	500 gm	3140
TS 053	**CHLORAMPHENICOL SELECTIVE SUPPLEMENT***	#32 vl	5 vl 25 vl	1015 3075
TM 2306	**ROSE BENGAL AGAR W/ CHLORTETRACYCLINE** for the selective isolation and enumeration of yeasts and moulds	31.55	500 gm	4765
TS 138	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT ***	#16 vl	5 vl 25 vl	1060 3075
TM 277	**ROSE BENGAL CHLORAMPHENICOL AGAR *** for selective isolation and enumeration of yeasts and molds from environmental materials and foods	32.15	100 gm 500 gm	925 4185
TM 2307	**RYE AGAR A** for the isolation of Phytophthora infestans	95.00	500 gm	5610
TM 2308	**RYE AGAR B** for sporulation of Phytophthora infestans	95.05	500 gm	6505
TM 1074	**SA AGAR BASE (as per APHA)** for isolation, cultivation and differentiation of Aeromonas hydrophila from foods by starch hydrolysis	31.00	500 gm	6085
TS 097	**AMPICILLIN SUPPLEMENT ***	#17 vl	5 vl	1360
TM 563	**SABHI AGAR BASE** for cultivation and isolation of dermatophytes and other pathogenic fungi	59.00	500 gm	4330
TS 053	**CHLORAMPHENICOL SELECTIVE SUPPLEMENT***	#17 vl	5 vl 25 vl	1015 3075
TM 280	**SBG ENRICHMENT BROTH** for selective enrichment of Salmonellae from clinical samples	23.70	100 gm	1520
TM 2309	**SBG ENRICHMENT BROTH, MODIFIED (DOUBLE PACK) - (Part I) & (Part II)** for Selective Enrichment of Salmonella species	18.67 04.00	100 gm -	1775 -
TM 2310	**SCHWARZ DIFFERENTIAL MEDIUM** used in the brewing industry for the differentiation of brewing yeasts from wild yeast	44.50	500 gm	4945
TM 843	**SD AGAR** for growth of yeasts for molecular biology purposes	46.70	500 gm	5010
TM 281	**SDS AGAR (SODIUM DODECYL SULPHATE POLYMYXIN SUCROSE AGAR) (as per APHA)** for enrichment, isolation and enumeration of Vibrio vulrificus from sea food samples	66.08	500 gm	4545
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#16 vl	5 vl 25 vl	1130 3255
TM 844	**SF BROTH** for selective detection, differentiation and cultivation of Enterococci from other cocci in diagnostic work	36.00	500 gm	3740

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 845	**SF BROTH, MODIFIED** for detection of Enterococci in diagnostic work	46.00	500 gm	3970
TM 846	**S.F.P. AGAR BASE** for presumptive identification and enumeration of Clostridium perfringens in foods	47.00	500 gm	4945
TS 054	**S. F. P. SUPPLEMENT (PERFRINGENS S.F.P. SUPPLEMENT) ***	#22 vl	5 vl	970
			25 vl	2540
TS 002	**EGG YOLK EMULSION (100ml/vl) ***	#6 vl	5 vl	2100
TM 2311	**S.F.P. AGAR BASE** for the presumptive identification and enumeration of Clostridium perfringens in foods in accordance with **BAM, 1998** FDA	47.00	500 gm	5815
TS 076	**T.S.C. SUPPLEMENT (PERFRINGENS T.S.C. SUPPLEMENT) ***	#22 vl	5 vl	1280
			25 vl	3185
TS 290	**EGG YOLK EMULSION, 50% (100 ml/vl) ***	#11 vl	5 vl	2185
TM 847	**SIM MEDIUM** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	3370
TMV 847	**SIM MEDIUM (VEG.)** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli	36.23	500 gm	3540
TM 2312	**SIM MOTILITY MEDIUM, MODIFIED** for determination of hydrogen sulphide production, indole formation and motility of enteric bacilli in accordance with FDA BAM	30.00	500 gm	4080
TM 1076	**SM SELECTIVE AGAR BASE** for isolation and cultivation of Pseudomonas solanacearum	18.66	500 gm	5010
TS 167	**SM SELECTIVE SUPPLEMENTTTC SOLUTION 1% (10 ml/vl) ***	#27 vl	5 vl	1280
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#27 vl	5 vl	1015
			25 vl	3165
TM 1284	**SOC BROTH** a medium for molecular biology	28.00	500 gm	4200
TM 1077	**SPS AGAR*** for detection of Clostridium perfringens in foods	40.00	500 gm	4025
TMV 1077	**SPS AGAR (VEG.) *** for detection of Clostridium perfringens in foods	40.00	500 gm	4230
TM 1078	**SPS AGAR, MODIFIED *** for selective isolation and enumeration of Clostridium perfringens from foodstuffs	41.28	500 gm	4025
TMV 1078	**SPS AGAR, MODIFIED (VEG.) *** for selective isolation and enumeration of Clostridium perfringens from foodstuffs	41.28	500 gm	4230
TM 386	**SS AGAR (SALMONELLA SHIGELLA AGAR)** for differential and selective isolation of Salmonella and Shigella species from pathological samples	63.00	100 gm	755
			500 gm	3435
TMV 386	**SS AGAR (SALMONELLA SHIGELLA AGAR) (VEG.)** for differential and selective isolation of Salmonella and Shigella species from pathological samples	63.00	100 gm	875
			500 gm	3650
TM 588	**SS AGAR, MODIFIED** for selective isolation & differentiation of Salmonella and Shigella species from clinical materials and food stuff	57.00	500 gm	4060
TM 2313	**SS AGAR W/ SUCROSE** used for the selective isolation and differentiation of Salmonella and Shigella species	59.03	500 gm	4705
TM 2314	**SS SELECTIVE AGAR, IMPROVED, ((DOUBLE PACK) - (Part I) & (Part II)** for the selective detection and isolation of Salmonella & Shigella species	81.00 04.60	500 gm -	6725 -
TM 1828	**S.S AGAR WITH SODIUM DEOXYCHOLATE & CaCl2(SSDC AGAR)** for detection of presumptive pathogenic Yersinia enterocolitica	76.00	100 gm	4000
TM 2315	**S.T.A. AGAR BASE** for the isolation of Brochothrix thermosphacta from meat products	36.48	500 gm	4335
TS 305	**S.T.A. SELECTIVE SUPPLEMENT ***	#28 vl	5 vl	1355
			25 vl	3720
TM 2316	**SABOURAUD AGAR GLUCOSE 4%** for cultivation of yeasts, moulds and aciduric microorganisms	65.00	500 gm	3635

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 587	**SABOURAUD AGAR W/ ANTIBIOTICS (SABOURAUD CYCLOHEXIMIDE CHLORAMPHENICOL AGAR)** for selective isolation and cultivation of pathogenic fungi	45.54	100 gm	14895
TM 622	**SABOURAUD CHLORAMPHENICOL AGAR** for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm	985 4425
TMV 622	**SABOURAUD CHLORAMPHENICOL AGAR (VEG.)** for selective isolation and cultivation of yeasts and molds	65.00	100 gm 500 gm	1000 4630
TM 387	**SABOURAUD DEXTROSE AGAR** for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm	715 3230
TMV 387	**SABOURAUD DEXTROSE AGAR (VEG.)** for cultivation of yeasts, molds and aciduric microorganisms	65.00	100 gm 500 gm	825 3505
TM 1602	**SABOURAUD DEXTROSE AGAR W/ SOYA LECTHIN & POLYSORBATE 80** used for cultivation of yeasts, molds and aciduric bacteria	70.70	500 gm	3185
TM 2317	**SABOURAUD DEXTROSE AGAR W/ 3.0% AGAR** for cultivation of yeasts, moulds and aciduric microorganisms. (withstands longer autoclaving upto 30 minutes.)	80.00	500 gm	4385
TMH 104	**SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP)** for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	715 3230
TMHV 104	**SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.)** for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	825 3505
TM 1813	**SABOURAUD DEXTROSE AGAR MEDIUM W/ CHLORAMPHENICOL (as per IP)** for selective cultivation of yeasts and molds	61.41	100 gm 500 gm	730 3280
TM 090 TS 275	**SABOURAUD DEXTROSE AGAR BASE, MODIFIED (DEXTROSE AGAR BASE, EMMONS)** for selective cultivation of pathogenic fungi **CC SUPPLEMENT ***	47.00 #22 vl	100 gm 500 gm 5 vl	1025 4245 1240
TM 1895	**SABOURAUD DEXTROSE AGAR (as per IP 2010)** for the cultivation of yeasts, moulds and aciduric bacteria in accordance with Indian Pharmacopoeia, 2010	65.00	500 gm	3705
TM 388	**SABOURAUD DEXTROSE BROTH** for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	500 2260
TMV 388	**SABOURAUD DEXTROSE BROTH (VEG.)** for cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	540 2375
TMH 106	**SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP)** for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	520 2325
TMHV 106	**SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.)** for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	540 2375
TM 2318	**SABOURAUD DEXTROSE BROTH, MODIFIED** for isolation of yeasts and molds from cosmetics in accordance with FDA BAM, 1998	50.00	500 gm	2750
TM 849	**SABOURAUD DEXTROSE MALTOSE AGAR** for cultivation of yeasts and molds and for testing antimycotic substances	45.00	500 gm	4765
TM 1080 TS 058	**SABOURAUD DEXTROSE MALTOSE BROTH** for cultivation of molds, yeasts & aciduric organisms as well as testing antimycotic substances **POLYMYXIN B SELECTIVE SUPPLEMENT ***	30.00 #34 vl	500 gm 5 vl	4475 1130
TM 1951 TS 138	**SABOURAUD-GLUCOSE AGAR WITH ANTIBIOTICS (AGAR MEDIUM C) (as per EP/BP)** for selective cultivation of yeasts and moulds **CHLORTETRACYCLINE SELECTIVE SUPPLEMENT ***	61.36 #6 vl	500 gm 5 vl	5245 1060
TM 2320 TS 138	**SABOURAUD DEXTROSE AGAR MEDIUM W/ ANTIBIOTICS (as per IP)** for selective cultivation of yeasts and moulds **CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT***	61.36 #6 vl	500 gm 5 vl	5115 1135

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2321	**SABOURAUD DEXTROSE BROTH MEDIUM 3. (as per IP)** for cultivation of yeats , moulds and aciduric microorganisms	28.18	100 gm 500 gm	575 2610
TM 287	**SABOURAUD MALTOSE AGAR** for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	65.00	500 gm	4330
TM 288	**SABOURAUD MALTOSE BROTH** for propagation of yeasts and molds, particularly fungi concerned with skin and scalp lesions	50.00	500 gm	4330
TM 2319	**SABOURAUD GLUCOSE AGAR W/ANTIBIOTICS** for selective cultivation of yeasts and moulds	65.00	500 gm	5310
TS 138	**CHLOROTETRACYCLINE SELECTIVE SUPPLEMENT***	#16 vl	5 vl	1135
TM 317	**SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM)** sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	500 2285
TMV 317	**SABOURAUD MEDIUM, FLUID (FLUID SABOURAUD MEDIUM) (VEG.)** sterility test medium for lower bacteria in pharmaceutical preparations and clinical samples	30.00	100 gm 500 gm	525 2390
TM 850	**SACCHAROSE BROTH** for identification of saccharose fermenting microorganisms	32.53	500 gm	3480
TM 1605	**SAKAZAKII DHL AGAR** used for detection and isolation of pathogenic Enterobacteriacae from all types of samples	63.53	500 gm	4275
TM 1606	**SALENRICH BROTH** for enrichment of sublethally injured Salmonellae from food products	35.00	500 gm	2955
TS 212	**SALENRICH SELECTIVE SUPPLEMENT ***	#58 vl	5 vl 25 vl	2070 8175
TM 1081	**SALINE AGAR** for alpha-toxin detection in Clostridium perfringens	23.50	500 gm	4260
TM 2322	**SALINE LYSINE DECARBOXYLASE MEDIUM** recommended as an identification media to detect lysine decarboxylase activity of Vibrio parahaemolyticus	39.01	100 gm 500 gm	860 3985
TM 1847	**SALINE MEAT YEAST AGAR (ISO 8914:1990)** for identification of Vibrio parahaemolyticus form food products and animal feeding products	58.30	500 gm	3885
TM 2323	**SALINE NUTRIENT AGAR** recommended for isolation and cultivation of Vibrio parahaemolyticus from food products or animal feeding products	53.00	500 gm	3875
TM 2324	**SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017)** recommended for enrichment of Vibrio parahaemolyticus and Vibrio cholerae species	43.00	500 gm	3750
TM 2325	**SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017)** recommended as a biochemical test to distinguish between Vibrio species based on salt tolerance	70.00	500 gm	2975
TM 2326	**SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017)** recommended for detection of Vibrio parahaemolyticus and Vibrio cholerae from food	110.00	500 gm	3125
TM 2327	**SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990)** recommended for detection of indole production by Vibrio parahaemolyticus	41.00	500 gm	3810
TM 1816	**SALMONELLA AGAR, ONOZ** for selective isolation and identification of Salmonellae from clinical samples	80.31	500 gm	4640
TM 1286	**SALMONELLA DIFFERENTIAL AGAR (DOUBLE PACK) - (Part I) & (Part II)** for selective isolation and identification of Salmonellae from clinical samples	25.00 10.00	100 gm 500 gm	1620 6530
TM 1203	**SALMONELLA DIFFERENTIAL AGAR, MODIFIED (DOUBLE PACK) - (Part I) & (Part II)** for differentiation of Salmonella species from members of Enterobacteriaceae especially	31.00 10.00	100 gm 500 gm	1595 6390
TM 2328	**SALMONELLA SELECTIVE ENRICHMENT BROTH BASE** for selective isolation and differentiation of Salmonella species	25.00	100 gm 500 gm	1155 4750
TS 306	**SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT ***	#20 vl	5 vl	1680
TM 2329	**SALMONELLA SELECTIVE PRIMARY BROTH** a pre-enrichment medium used for recovery Salmonella species from foods prior to selective enrichment and isolation	20.00	500 gm	5130
TM 2330	**SALMONELLA SELECTIVE SECONDARY BROTH** for selective enrichment and isolation of Salmonellae from food	73.91	500 gm	4900

S Dehydrated Culture Media

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1082	**SALT BROTH, MODIFIED** for cultivation and differentiation of the enterococcal group D Streptococci from nonenterococcal group D Streptococci based on salt tolerance		86.02	500 gm	4790
TM 564	**SALT MEAT BROTH** for isolation of Staphylococci from grossly contaminated samples		150.00	500 gm	3920
TM 851	**SALT POLYMYXIN BROTH BASE** for detection and enumeration of Vibrio species		33.00	500 gm	4075
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***		#34 vl	5 vl	1130
TM 1848	**SALT POLYMYXIN BROTH BASE (ISO 8914:1990)** for detection and enumeration of Vibrio species		29.70	500 gm	1075
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***		#34 vl	5 vl 25 vl	1130 3255
TM 2331	**SAUTONS FLUID MEDIUM BASE** for selective enrichment and isolation of Salmonellae from food		03.19	100 gm 500 gm	1310 6030
TM 291	**SCHAEDLER AGAR** for enumeration of various aerobic and anaerobic bacterial species in gastrointestinal tract		43.41	500 gm	4050
TM 292	**SCHAEDLER BROTH** for cultivation of wide variety of microorganisms particularly from anaerobic blood cultures		28.41	500 gm	3975
TM 1607	**SCHUBERTS ARGININE BROTH** for isolation of chlorine damaged Pseudomonas aeruginosa in swimming pool		35.50	500 gm	5820
TM 1075	**SCHWARZ DIFFERENTIAL MEDIUM** for differentiation of brewing yeasts from wild yeasts		44.50	500 gm	4805
TM 2332	**SELECTIVE BROTH FOR MRSA** for improved detection of Methicillin Resistant Staphylococcus aureus (MRSA)		46.40	500 gm	4860
TS 307	**SELECTIVE SUPPLEMENT FOR MRSA ***		#11 vl	5 vl 25 vl	2040 6145
TM 1083	**SEA WATER AGAR (DOUBLE PACK)** for cultivation of marine microorganism	(Part I) (Part II)	28.00 37.00	500 gm -	8790 -
TM 390	**SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP)** for microbiological assay of β lactam and other antibiotics		30.50	100 gm 500 gm	985 3960
TM 1084	**SELECTIVE LYSINE AGAR (as per AOAC)** for selective isolation and identification of Salmonellae		38.33	500 gm	4960
TM 2333	**SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK)** as enrichment media for the isolation of Salmonellae from faeces,urine or other pathological materials.	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	1020 4615
TM 1840	**SELECTIVE STREPTOCOCCUS AGAR** for selective isolation of group A Streptococci with blood		43.00	100 gm 500 gm	1120 4370
TM 389	**SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, reaffirmed 2005) (Part I) - (Part I) & (Part II)** for isolation and enrichment of Salmonella from faeces, urine or other pathological material.		19.00 04.00	100 gm 500 gm	1015 4335
TMV 389	**SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (VEG.) - (Part II)** for isolation and enrichment of Salmonella from faeces, urine or other pathological material		19.00 04.00	100 gm 500 gm	1060 4605
TM 418	**SELENITE F BROTH (SELENITE F BROTH) (DOUBLE PACK) (as per IP)** for isolation and enrichment of Salmonella from faeces, urine or other pathological materials	(Part I) (Part II)	19.00 04.00	100 gm 500 gm	1120 4655
TM 853	**SELENITE BROTH BASE W/O BISELENITE** enrichment of Salmonella from food, dairy products and pathological materials		19.00	500 gm	3970
428	**SODIUM BISELENITE**		#4vl	100 gm	4865
TM 2334	**SELENITE CYSTINE BROTH BASE W/O BISELENITE** for selective enrichment of Salmonella spp. and possibly Shigella sonnei from faeces, urine, water and foodstuffs		19.01	500 gm	3970
428	**SODIUM BISELENITE**		#4vl	100 gm	4865

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 721	**SELENITE BROTH W/DULCITOL (DULCITOL SELENITE BROTH) (DOUBLE PACK)** for selective enrichment of Salmonella species	(Part I) (Part II)	04.00	500 gm	7580
TM 294	**SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK) (ISO 6579:1993)** an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	1110 4245
TMV 294	**SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (VEG.) (DOUBLE PACK)** an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples	(Part I) (Part II)	19.01 04.00	100 gm 500 gm	1110 4245
TM 854	**SELENITE CYSTINE BROTH BASE (W/O BISELENITE)** for selective enrichment of Salmonella & possibly Shigella sonnei from faeces, urine, water & foodstuffs		19.00	500 gm	3970
428	**SODIUM BISELENITE**		#4vl	100 gm	4865
TM 1454	**SELENITE MANNITOL BROTH (MANNITOL SELENITE BROTH) (DOUBLE PACK)** for selective enrichment of Salmonellae from clinical samples	(Part I) (Part II)	19.00 04.00	500 gm -	5125 -
TM 1085	**SELLERS DIFFERENTIAL AGAR** for identification and differentiation of gram-negative non-fermentative bacilli particularly Pseudomonas aeruginosa and Acinetobacter calcoaceticus		45.00	500 gm	4805
TM 1127	**SEMISOLID RAPPAPORT VASSILIADIS MEDIUM, MODIFIED** for detection of motile Salmonella species from food, faeces and environmental specimens		31.66	500 gm	4530
TS 051	**NOVOBIOCIN SUPPLEMENT ***		#32 vl	5 vl 25 vl	1365 3410
TM 2135	**SENSITIVITY TEST AGAR** for determination of antibiotic susceptibility of fastidious microorganisms		31.32	500 gm	5500
TM 856	**SENSITIVITY TEST MEDIUM** for sensitivity tests with sulphonamides and other antibiotics		51.00	500 gm	4700
TM 1289	**SERRATIA DIFFERENTIAL MEDIUM (SD MEDIUM) (DOUBLE PACK)** for cultivation and differentiation of Serratia species on the basis of arabinose fermentation and Ornithine decarboxylation	(Part I) (Part II)	29.04 10.00	100 gm -	2950 -
TM 1083	**SEA WATER AGAR (DOUBLE PACK)** for cultivation of marine microorganism	(Part I) (Part II)	28.00 37.00	500 gm -	8790 -
TM 390	**SEED AGAR (ANTIBIOTIC ASSAY MEDIUM NO.1) (as per IP/USP)** for microbiological assay of β lactam and other antibiotics		30.50	100 gm 500 gm	985 3960
TM 1290	**SHAPTON MEDIUM** for enumeration of Bacillus stearothermophilus spores from canned foods with pH>4.5		27.30	500 gm	4115
TM 1067	**SHAW AND CLARKE MEDIUM (PHENYLALANINE MALONATE BROTH)** for differentiation of Enterobacteriaceae based on their ability to utilize malonate and produce pyruvic acid from phenylalanine		11.00	100 gm	5165
TM 1087	**SHEEP BLOOD AGAR BASE (W/O BLOOD)** for improved haemolytic reactions of organisms		40.50	100 gm 500 gm	1010 4045
TM 2335	**SHEEP BLOOD AGAR BASE, MODIFIED (ISO 21871:2006)** for cultivation and studying haemolytic reactions of Bacillus cereus		37.50	500 gm	4965
TM 857	**SHIGELLA BROTH BASE** for isolation and cultivation of Shigella species from foods		31.50	500 gm	4000
TS 082	**SHIGELLA SELECTIVE SUPPLEMENT ***		#16 vl	5 vl	1180
TM 1088	**SIMMONS AGAR BASE** for differentiation between faecal coliform and members of the aerogenes group on the basis of citrate utilization		21.30	100 gm	1600

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 348	**SIMMONS CITRATE AGAR** for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm	780 3505
TMV 348	**SIMMONS CITRATE AGAR (VEG.)** for differentiation of Enterobacteriaceae on the basis of citrate utilization	24.28	100 gm 500 gm	875 3670
TM 1291	**SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005)** for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm	850 3690
TM 006	**SIMMON'S CITRATE AGAR, MODIFIED (ACETATE DIFFERENTIAL AGAR)** for differentiationof Shigella species from Escherichia coli and non- fermentative gram negative microorganisms	29.18	500 gm	4475
TM 574	**SKIM MILK** for cultivation of dairy organisms and differentiationof Clostridium species	100.00	500 gm	2005
TM 295	**SKIM MILK AGAR** for cultivation and enumeration of bacteria encountered in dairy industry	51.50	500 gm	4610
TM 1608	**SKIM MILK AGAR (PLATE COUNT AGAR) (PCA)** for determining the microbial count in milk and dairy products	20.00	500 gm	5385
TM 1405	**SLANETZ AND BARTLEY MEDIUM** for detection and enumeration of faecal Streptococci by membrane filtration technique	46.50	500 gm	4480
TM 2336	**SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)** for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm	4795
TM 1609 TS 042	**SLANETZ AND BARTLEY MEDIUM W/O TTC** for detection and enumeration of faecal Streptococci by membrane filtration technique **TTC SOLUTION 1% (10 ML PER VIAL)**	46.40 #8 v	500 gm 5 vl 25 vl	4530 1015 3160
TM 035	**SNYDER TEST AGAR (BCG DEXTROSE AGAR)** for estimation of Lactobacilli, an indication of caries activity	65.00	500 gm	4345
TM 1195	**SOB MEDIUM (HANAHAN'S BROTH)** for cultivation of recombinant strains of Escherichia coli	28.00	500 gm	4160
TM 2337	**SODIUM AZIDE CRYSTAL VIOLET BLOOD AGAR** for selective cultivation of Erysipelothrix rhusiopathiae	50.50	100 gm	2315
TM 858	**SOIL EXTRACT AGAR** for isolation of soil microorganisms	34.25	500 gm	4310
TM 201	**SORBITOL AGAR (MacCONKEY SORBITOL AGAR) (DOUBLE PACK)** (Part I) for isolation and identification of enteropathogenic E.coli strains associated with infant diarrhoea (Part II)	40.00 10.00	100 gm 500 gm	1225 5000
TM 859	**SORBITOL IRON AGAR** for identification and differentiationof enteropathogenic E.coli without fermenting sorbitol	46.00	500 gm	4820
TM 1440	**SOYA PEPTONE DIGEST AGAR** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	855 3500
TMV 1440	**SOYA PEPTONE DIGEST AGAR (VEG.)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	895 3675
TM 1089	**SOYA PEPTONE YEAST EXTRACT AGAR** for selective isolation of dermatophytes especially Trichophyton verrucosum and other pathogenic	72.00	500 gm	4330

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 546	**SOYABEAN BILE BROTH BASE** for enrichment and isolation of Escherichia coli 0157:H7 from foods	32.60	500 gm	4095
TS 0070	**NOVOBIOCIN SELECTIVE SUPPLEMENT***	#16 vl	5 vl	1485
TM 345	**SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	850 3500
TMV 345	**SOYA BEAN CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (VEG.) (as per USP)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	890 3590
TMH 103	**SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP)** for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm	855 3500
TMHV 103	**SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP) (VEG.)** for cultivation of wide variety of microorganism recommended for sterility testing in pharmaceutical procedures	40.00	100 gm 500 gm	895 3675
TM 614	**SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR)** for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	940 4300
TMV 614	**SOYA CASEIN DIGEST AGAR W/ TWEEN 80 AND LECTHIN (MICROBIAL CONTENT TEST AGAR) (VEG.)** for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	1060 4485
TM 1861	**SOYA CASEIN DIGEST AGAR W/LTHTh** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	46.70	100 gm 500 gm	2200 9610
TM 1928	**SOYA CASEIN DIGEST AGAR W/LTHTh, Modified** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	82.00	100 gm 500 gm	2020 8675
TM 860	**SOYABEAN CASEIN DIGEST AGAR W/ YEAST EXTRACT AND HEMIN (TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN)** for cultivation of fastidious microorganisms like Bordetella pertussis and Neisseria meningitidis	45.52	100 gm	4125
TM 1506	**SOYA CASEIN DIGEST AGAR WITH INHIBITOR** a general purpose medium with inhibitor that inhibit the growth of Staphylococci	40.50	500 gm	4370
TM 332S	**SOYA CASEIN DIGEST BROTH (TRYPTONE SOYA BROTH W/ SPS)** for cultivation of fastidious and non-fastidious microorganism especially H. influenzae, N. meningitidis,S. pneumoniae	30.50	500 gm	1700
TM 1931	**SOYBEAN CASEIN DIGEST MEDIUM BASE W/O POLYMYXIN** for selective isolation and MPN method of B.cereus in accordance with FDA BAM	30.01	500 gm	1700
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT *** **SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	#34.vl 30.00	5 vl 25 vl 100 gm 500 gm	1210 3485 390 1760
TMV 332	**SOYA CASEIN DIGEST MEDIUM (ANTIBIOTIC ASSAY MEDIUM NO.37) (TRYPTONE SOYA BROTH) CASO BROTH (VEG.)** for sterility testing and cultivation of fastidious and non-fastidious microorganisms	30.00	100 gm 500 gm	440 1790
TMH 102	**SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP)** for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	440 1785
TMHV 102	**SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.)** for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	460 1850
TM 1929	**SOYBEAN CASEIN DIGEST MEDIUM W/ BCP (TRYPTONE SOYA BROTH W/BCP)** for cultivation of wide variety of microorganisms. With the addition of carbohydrates it can also we use for fermentation studies	30.01	500 gm	1885
TM 1930	**SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE (TRYPTONE SOYA BROTH W/O DEXTROSE)** for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	3340

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1862	**SOYA CASEIN DIGEST MEDIUM W/LTHTh** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm	2275 9095
TM 1932	**SOYBEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN** for sanitary examination of surfaces	35.00	500 gm	5975
TM 2388	**SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR)** for cultivation of anaerobes from root canals, blood and other specimens	31	500 gm	3445
TM 1896	**SOYABEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER** This medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	33.77	500 gm	4780
TM 1897	**SOYABEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN** Soyabean Casein Digest Medium with tween 80 and Lecithin is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	35.7	500 gm	7250
TM 2339	**SOYABEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh** is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm	9120
TM 1611	**SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) *** for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm	4310
TM 419	**SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP)** for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	400 1760
TM 1862	**SOYA CASEIN DIGEST MEDIUM W/LTHTh** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobials or preservatives	31.70	100 gm 500 gm	2275 9095
TM 1932	**SOYBEAN CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN** for sanitary examination of surfaces	35.00	500 gm	5975
TM 2388	**SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR (TRYPTONE SOYA BROTH W/ 0.1% AGAR)** for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	3445
TM 1896	**SOYABEAN CASEIN DIGEST MEDIUM WITH NEUTRALIZER** This medium is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics, etc. It can also be used to enumerate the organisms from water insoluble products and fatty products containing preservatives or antimicrobials	33.77	500 gm	4780
TM 1897	**SOYABEAN CASEIN DIGEST MEDIUM WITH TWEEN 80 AND LECITHIN** Soyabean Casein Digest Medium with tween 80 and Lecithin is used for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc	35.70	500 gm	7250
TM 2339	**SOYABEAN CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND LTHTh** is recommended in disinfectant testing where neutralization of the chemical is important for determining its bactericidal activity	60.23	500 gm	9120
TM 1611	**SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) *** for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm	4310
TM 419	**SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (as per IP)** for cultivation of various microorganisms and sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	400 1760

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2341	**STAIBS MEDIUM (BIRD SEED AGAR)** for selective isolation and differentiation of Cryptococcus neoformans from other Cryptococcus species and yeasts	100.83	100 gm	2440
TM 864	**STANDARD INFUSION AGAR (MEAT INFUSION AGAR)** for mass cultivation of microorganisms in vaccine or toxin production	50.00	500 gm	4240
TM 363	**STANDARD METHODS AGAR (PLATE COUNT AGAR)** for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.50	100 gm 500 gm	900 4075
TMV 363	**STANDARD METHODS AGAR (PLATE COUNT AGAR) (VEG.)** for determination of plate counts of microorganisms in milk & dairy products by pour plate method	17.52	100 gm 500 gm	970 4245
TM 544	**STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013)** For determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm	790 3680
TM 2342	**STANDARD METHODS AGAR W/ STARCH** for the detection of aerobic bacterial spores	24.50	500 gm	4515
TM 2284	**PLATE COUNT AGAR W/ TWEEN 80 AND LECITHIN (STANDARD METHODS AGAR W/ TWEEN 80 AND LECITHIN)**for sanitary examination of surfaces that is for counts before and after application of disinfectants.	29.20	100 gm 500 gm	2555 10420
TM 1411	**STANDARD METHODS CASEINATE AGAR** for detection of proteolytic microorganisms	40.13	100 gm	1830
TM 596	**STANDARD NUTRIENT AGAR** a general purpose medium for cultivation and enumeration of fastidious and non fastidious microorganisms	45.00	500 gm	4050
TM 2343	**STANDARD NUTRIENT AGAR, MODIFIED** recommended for the cultivation and enrichment of less fastidious bacteria	25.00	500 gm	4230
TM 865	**STANDARD NUTRIENT AGAR NO.1** for cultivation of fastidious microorganisms	37.00	500 gm	4200
TM 1614	**STANDARD NUTRIENT AGAR NO.2** for cultivation and enrichment of less fastidious bacteria in meat	25.00	500 gm	5240
TM 866	**STANDARD NUTRIENT BROTH NO.1** for cultivation of fastidious microorganisms	25.00	500 gm	4045
TM 1615	**STANDARD NUTRIENT BROTH NO.2** for enrichment of less fastidious microorganisms	15.00	500 gm	4045
TM 2344	**STANDARD RIDEAL WALKER BROTH** recommended for determination of phenol coefficient of disinfectants using Salmonella Typhi as a test organism	30.00	100 gm 500 gm	1135 4910
TM 298	**STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM)** for large scale cultivation of bacteria for vaccine production	25.00	500 gm	2690
TMV 298	**STANDARD NUTRIENT BROTH (H.S VACCINE MEDIUM) (VEG.)** for large scale cultivation of bacteria for vaccine production	25.00	500 gm	2865
TM 299	**STANDARD STAPHYLOCOCCUS BROTH** for cultivation of Staphylococci	20.00	500 gm	3775
TM 300	**STAPHYLOCOCCUS AGAR NO.110 (GELATIN MANNITOL SALT AGAR)** for selective isolation and differentiation of Staphylococci	149.50	100 gm 500 gm	900 3610
TM 1090	**STAPHYLOCOCCUS AGAR NO. 110 W/ AZIDE** for selective isolation of Staphylococci for clinical samples	149.60	500 gm	4545

S Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 313	**STAPHYLOCOCCUS AUREUS ENRICHMENT BROTH (DISINFECTANT TEST BROTH)** for enrichment of Staphylococcus aureus	20.00	500 gm	4220
TM 430	**STARCH AGAR** for detection of starch hydrolysing microorganisms	30.00	500 gm	4200
TM 867	**STARCH AGAR** used as diluents for carrying out microbial limit test.	25.00	100 gm 500 gm	1060 4245
TM 1091	**STARCH CASEIN AGAR** for detection of saccharolytic marine bacteria	63.00	500 gm	4285
TM 868	**STARCH MILK AGAR** for detection of spores in heated milk and milk products	25.00	500 gm	4285
TM 869	**STERILITY TESTING MEDIUM - A** for checking presence of aerobic microorganisms in pharmacopoeial articles	25.00	500 gm	2290
TM 870	**STERILITY TESTING MEDIUM - B** for checking presence of aerobic microorganisms in pharmacopoeial articles	26.00	500 gm	2290
TM 431	**STOCK CULTURE AGAR (AYERS AND JOHNSON AGAR)** for maintenance of cultures of Streptococci and other microorganisms	50.00	500 gm	4500
TM 2345	**STREPTOCOCCUS AGALACTIAE SELECTIVE AGAR BASE** for selective isolation of Streptococcus agalactiae from dairy products.	34.34	500 gm	6470
TM 584	**STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH)** for enrichment of Streptococci	42.80	500 gm	4190
TMV 584	**STREPTOCOCCUS ENRICHMENT BROTH (SE BROTH) (VEG.)** for enrichment of Streptococci	42.80	500 gm	4395
TM 2346	**STREPTOCOCCUS LACTIS DIFFERENTIAL AGAR BASE** for differentiation of citrate-utilizing lactic streptococci-Lactococcus lactis (Streptococcus lactis) subspecies diacetylactis from citrate nonutilizing Lactococcus lactis (Streptococcus lactis) and Lactococcus lactis (Streptococcus lactis) subspecies cremoris	32.50	500 gm	4790
TM 432	**STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR)** for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm	4100
TMV 432	**STREPTOCOCCUS SELECTION AGAR (STREPTOSEL AGAR) (VEG.)** for selective isolation and enumeration of Streptococci including group A beta haemolytic strains	45.60	500 gm	4310
TM 532	**STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH)** for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm	3410
TMV 532	**STREPTOCOCCUS SELECTION BROTH (STREPTOSEL BROTH) (VEG.)** for selective isolation and cultivation of Streptococci including group A beta haemolytic strains	30.60	500 gm	3590
TM 2347	**b-STREPTOCOCCUS SELECTIVE AGAR BASE** for the isolation of beta-haemolytic Streptococci from clinical specimens heavily contaminated with other bacteria.	25.12	500 gm	4615
TM 871	**STREPTOCOCCUS THERMOPHILUS ISOLATION AGAR** for determination of the ratio of Streptococcus thermophilus and Lactobacillus bulgaricus in yoghurt	42.00	500 gm	4610
TM 1092	**STREPTOMYCES AGAR** for cultivation and maintenance of Streptomyces	32.00	500 gm	4545
TM 1295	**STREPTOMYCES MEDIUM** for cultivation and maintenance of Streptomyces kanamyceticus	36.70	500 gm	4545

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2348	**STUART TRANSPORT MEDIUM W/O METHYLENE BLUE WITH CHARCOAL** for the preservation and transportation of Neisseria species and other fastidious organisms from the clinic to laboratory	24.00	100 gm 500 gm	2095 8390
TM 017	**STREPTOMYCIN ASSAY AGAR W/ YEAST EXTRACT (ANTIBIOTIC ASSAY MEDIUM NO. 5) (as per IP/USP)** for microbiological assay of Streptomycin using Bacillus subtilis	25.50	500 gm	4700
TM 420	**STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)** for preservation and transport of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm	1625 6520
TMV 420	**STUART TRANSPORT MEDIUM (TRANSPORT MEDIUM, STUART)(VEG.)** for preservation and transport of Neisseria species and other fastidious organisms	14.10	100 gm 500 gm	1740 6865
TM 2349	**STUART TRANSPORT MEDIUM W/O METHYLENE BLUE** for the preservation and transportation of Gonococcal species and other fastidious organisms	14.00	100 gm 500 gm	1735 6970
TM 2350	**STUART TRANSPORT MEDIUM W/O SODIUM GLYCEROPHOSPHATE** with addition of sodium glycerophosphate, is used for routine transport of Gonococcus species and other fastidious organisms	4.102	100 gm 500 gm	970 4480
TM 1296	**SUCROSE AGAR FOR BREWERY ISOLATES** for isolation of dextran producing Leuconostoc species	90.00	500 gm	4445
TM 2351	**SUCROSE DILUENT 40%** used as diluent in osmophillic yeast and mould test method	400.00	500 gm	5175
TM 736	**SUCROSE SALICIN AGAR (GILLIES AGAR NO. 2)** for detection of motility, hydrogen sulphide, indole production, fermentation of sucrose and salicin during identification of Salmonella and Shigella species	48.30	100 gm	6380
TM 548	**SUGAR FREE AGAR** for butter testing as per International Dairy Federations	34.00	500 gm	4330
TM 2352	**SULPHA SENSITIVITY TEST AGAR** used to test the susceptibility of common pathogens to sulphonamides	36.00	500 gm	4935
TM 1925	**SULPHATE API AGAR W/O SODIUM LACTATE *** for detection and estimation of sulphate reducing bacteria	25.41	500 gm	4560
TM 594	**SULPHATE API BROTH W/O SODIUM LACTATE *** for detection of sulphate reducing bacteria	11.41	500 gm	4895
TM 1317	**SULPHATE API BROTH W/O SODIUM LACTATE (DOUBLE STRENGTH)** for detection of sulphate reducing bacteria	23.00	100 gm 500 gm	1040 4560
TM 595	**SULPHATE API BROTH W/O NaCl** for detection, differentiation and estimation of sulphate reducing bacteria	01.40	100 gm 500 gm	1040 4560
TM 1094	**SULPHATE REDUCING MEDIUM (DOUBLE PACK) - (Part I) & (Part II)** for detection, differentiation and estimation of sulphate reducing bacteria Thiobacillus thioparus	02.32 10.00	100 gm 500 gm	1040 4560
TM 1095	**SULPHATE REDUCING MEDIUM (TRIPLE PACK) - (Part I), (Part II) & (Part III)** enumeration of sulphate reducing bacteria in water	07.10 0.49 03.50	100 gm 500 gm -	1040 4560 -
TM 433	**SULPHITE AGAR** for detection of thermophilic sulphide producing anaerobes	31.00	500 gm	4480
TM 1297	**SULPHUR MEDIUM (DOUBLE PACK) - (Part I) & (Part II)** for cultivation of Thiobacillus thiooxidans	04.07 10.00	100 gm 500 gm	1020 4445
TM 2353	**SUPER BROTH** for the mass cultivation of Escherichia coli	60.00	500 gm	4200
TM 2354	**SUPER BROTH NO. II** for the cultivation of recombinant strains of Escherichia coli	49.10	500 gm	4205
TM 2355	**SYNCASE BROTH** for the detection of coliforms in food samples	37.21	500 gm	4765
TM 2356	**SYNTHETIC BROTH, AOAC (WRIGHT AND MUNDY BROTH)** for growing inoculum, making subcultures and preparing various dilutions while testing disinfectants	16.90	500 gm	4795

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1097	**SYNTHETIC SEA SALT (ISO 9308-3:1998)** for preparation of special diluents	19.19	500 gm	4470
TM 435	**T.A.T. BROTH BASE** for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm	4245
TMV 435	**T.A.T. BROTH BASE (VEG.)** for sterility testing of highly viscous substances such as ointments, salves and other cosmetic products	25.00	500 gm	4470
TM 1616	**T.A.T. BROTH WITH TWEEN 20 (as per USP)** for sterillity testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm	4185
TMV 1616	**T.A.T. BROTH WITH TWEEN 20 (as per USP) (VEG.)** for sterillity testing of highly viscous or gelatinous substances in Cosmetic and Pharma	25.00	500 gm	4470
TM 1339	**TBX AGAR (CHROMOGENIC E. COLI AGAR) (CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR) (ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015)** for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm	2260 10380
TM 2357	**TB BROTH BASE** for cultivation of Mycobacterium tuberculosis.	12.10	500 gm	4540
TM 2358	**TB BROTH BASE W/O TWEEN 80** for cultivation of Mycobacteria when the presence of oleic acid is undesirable	11.60	500 gm	4540
TM 1357	**TTC BROTH BASE (ITC BROTH BASE) (IRGASAN TICARCILLIN AND POTASSIUM CHLORATE BROTH BASE)** for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm	5130
TS 131	**TICARCILLIN SUPPLEMENT***	#7 vl	5 vl	1335
TS 132	**OTASSIUM CHLORATE SUPPLEMENT***			805
TM 436	**TCBS AGAR (VIBRIO SELECTIVE AGAR)** for selective isolation of Vibrio cholerae & other enteropathogenic Vibrios causing food poisoning	89.00	100 gm 500 gm	940 4260
TMV 436	**TCBS AGAR (VIBRIO SELECTIVE AGAR) (VEG.)** for selective isolation of Vibrio cholerae & other enteropathogenic Vibrios causing food poisoning	89.00	100 gm 500 gm	1055 4540
TM 875	**TCBS AGAR (SELECTIVE)** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios	89.00	100 gm 500 gm	970 4375
TM 876	**TCBS AGAR (MODIFIED)** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrios	88.00	100 gm 500 gm	1225 5020
TM 1299	**TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005)** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrio's	89.00	100 gm 500 gm	1225 5020
TM 437	**TGB AGAR (TRYPTONE GLUCOSE BEEF EXTRACT AGAR)** for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	925 4355
TMV 437	**TGB AGAR (VEG.)** for enumeration of bacteria in water and dairy products	24.00	100 gm 500 gm	990 4655
TM 1100	**TMAO MEDIUM (TRIMETHYLAMINE-N-OXIDE MEDIUM) (as per APHA)** for cultivation and differentiation of Campylobacter species from foods, except Campylobacter jejuni and Campylobacter coli	29.00	500 gm	4245
TM 1101	**TN AGAR** for isolation and cultivation of Vibrios from food samples	35.00	500 gm	4245
TM 1102	**TOC AGAR** for presumptive identification and differentiatioin of Candida albicans and Cryptococcus neoformans	40.30	100 gm	2155
TM 438	**TPEY AGAR BASE** for selective isolation and enumeration of Staphylococci from foods and other materials	60.00	500 gm	4495
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	# 3 vl	5 vl	2100
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl ***	#9 vl	5 vl 25 vl	645 2295
TM 2359	**TS SALINE AGAR (TRIPLE SUGAR SALINE IRON AGAR)** for identification of Vibrio species especially Vibrio parahaemolyticus on the basis of dextrose, lactose and sucrose fermentation and hydrogen sulphide production	92.62	500 gm	4140

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1357	**TTC BROTH BASE (TRICLOSAN TICARCILLIN CHLORATE BROTH)** for selective enrichment and enumeration of Yersinia enterocolitica	76.00	500 gm	5130
TS 131	**TICARCILLIN SUPPLEMENT ***	#7 vl	5 vl	1335
TS 132	**POTASSIUM CHLORATE SUPPLEMENT ***		5 vl	805
TM 1477	**TARTOFF - HOBBS BROTH (TERRIFIC BROTH)** a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm	5270
TSM 1477	**TARTOFF - HOBBS BROTH (TERRIFIC BROTH)** a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm	6575
TM 2360	**TAUROCHOLATE BROTH** for selective isolation of coliforms from water, milk and other food products.	40.03	500 gm	4540
TM 2361	**TEEPOL BROTH (DOUBLE PACK) - (Part I) & (Part II)** for selective isolation and identification of enteric, lactose fermenting bacteria	35.02 01.00	500 gm -	4540 -
TM 879	**TELLURITE BLOOD AGAR BASE** for selective isolation and cultivation of Corynebacterium species	31.00	500 gm	4545
TS 021	**TELLURITE BLOOD AGAR BASE ***	300 gm	100 gm	2350
TS 005	**HAEMOGLOBIN POWDER ***	#33 vl	5 vl	645
			25 vl	2295
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#17 vl	5 vl	2005
			25 vl	7900
TM 439	**TELLURITE GLYCINE AGAR BASE** for quantitative detection of coagulase positive Staphylococci from foods and other sources	56.00	500 gm	4610
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#18 vl	5 vl	645
			25 vl	2295
TM 440	**TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005)** for selective isolation and identification of coliform bacteria from water	33.13	100 gm	985
			500 gm	4450
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	5 vl	5 vl	1015
			25 vl	3165
TMV 440	**TERGITOL - 7 AGAR BASE (VEG.)** for selective isolation and identification of coliform bacteria from water	33.13	100 gm	1115
			500 gm	4675
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	#5 vl	5 vl	1015
			25 vl	3165
TM 2362	**TERGITOL-7 AGAR H** for selective isolation and differentiationof enteric bacteria from urine specimens	34.13	500 gm	5010
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	#5 vl	5 vl	1015
			25 vl	3165
TM 2363	**TERGITOL-7 AGAR BASE, MODIFIED** for selective isolation and identification of coliform bacteria from water	57.15	100 gm	1250
			500 gm	5010
TM 441	**TERGITOL - H - 7 BROTH** a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm	4485
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	#9 vl	5 vl	1015
			25 vl	3165
TMV 441	**TERGITOL - H - 7 BROTH (VEG.)** a selective and differential medium for detection and enumeration of coliforms	18.13	500 gm	4485
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	#9 vl	5 vl	1015
			25 vl	3165
TM 2364	**TETRATHIONATE BRILLIANT GREEN BILE BROTH** for isolation and identification of Salmonellae	63.07	500 gm	2610
TM 1477	**TERRIFIC BROTH (TARTOFF-HOBBS BROTH)** a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm	5270
TMV 1477	**TERRIFIC BROTH (VEG.) (TARTOFF-HOBBS BROTH)** a buffered enriched medium for propagation of recombinant E. coli	47.60	500 gm	5540
TM 442	**TETRATHIONATE BRILLIANT GREEN BILE BROTH (as per IP/EP/BP)** For isolation and identification of Salmonellae	63.00	500 gm	2670
TM 423	**TETRATHIONATE BROTH BASE W/O IODINE & BG (FLUID TETRATHIONATE MEDIUM W/O IODINE & BG)** for selective isolation of Salmonellae from foods and other pathological materials	46.00	100 gm	635
			500 gm	2615

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 413	**TETRATHIONATE BROTH BASE (as per IP)** for isolation of Salmonellae from faecal samples, sewage and other samples	77.40	100 gm 500 gm	615 2670
TM 443	**TETRATHIONATE BROTH BASE, HAJNA (TT BROTH BASE)** for enrichment and isolation of Salmonellae	91.50	100 gm 500 gm	720 2895
TM 2365	**TETRATHIONATE CV ENRICHMENT BROTH** for the selective enrichment of Salmonellae from meat and foodstuff	35.00	500 gm	3330
TM 933	**THAYER MARTIN MEDIUM BASE** for selective isolation of Gonococci from clinical samples	42.00	100 gm 500 gm	890 3845
TS 021	**HAEMOGLOBIN POWDER ***	50 gm	100 gm	2350
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#24 vl	5 vl 25 vl	2005 7900
TS 036	**G. C. SUPPLEMENT W/ANTIBIOTICS ***	#24 vl	5 vl 25 vl	1445 3660
TS 038	**V.C.N. SUPPLEMENT ***	#24 vl	5 vl 25 vl	2005 7440
TS 039	**V.C.N.T. SUPPLEMENT ***	#24 vl	5 vl 25 vl	2005 9700
TM 1301	**THERMOACIDURANS AGAR** for isolation of Bacillus thermoacidurans from foods	39.00	500 gm	4610
TM 2366	**THERMOACIDURANS BROTH** recommended for detection of thermophilic/mesophilic aerobic and anaerobic aciduric spore formers and sterility testing for acid food	19.00	100 gm 500 gm	1040 4850
TM 1818	**THERMOPHILIC ACID RESISTANT MEDIUM** for growth and detection of thermophilic acid resistant microorganisms	39.00	500 gm	4200
TM 1302	**THIOBACILLUS AGAR** for cultivation and isolation of Thiobacillus species	22.70	500 gm	4275
TM 1303	**THIOBACILLUS BROTH** for cultivation of Thiobacillus species	10.16	500 gm	4635
TM 2367	**THIOBACILLUS BROTH (ATCC MEDIA 152)** for cultural isolation of Thiobacillus intermedia	09.97	500 gm	5470
TM 639	**THIOGLYCOLLATE AGAR** for cultivation of anaerobic microorganisms	49.00	500 gm	4275
TM 216	**THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM)** for mass cultivation of anaerobes for vaccine production	30.00	500 gm	2930
TMV 216	**THIOGLYCOLLATE BROTH W/ LIVER EXTRACT (B.Q.VACCINE MEDIUM) (VEG.)** for mass cultivation of anaerobes for vaccine production	30.00	500 gm	3170
TM 301	**THIOGLYCOLLATE BROTH, ALTERNATIVE (ALTERNATIVE THIOGLYCOLLATE MEDIUM) (as per USP)** for sterility testing of turbid or viscous biological products	29.00	100 gm 500 gm	405 1615
TM 318	**THIOGLYCOLLATE MEDIUM, FLUID (FLUID THIOGLYCOLLATE MEDIUM) (as per USP)** for sterility testing of biologicals and for cultivation of aerobes, anaerobes and microaerophiles	29.75	100 gm 500 gm	405 1615
TM 881	**THIOGLYCOLLATE MEDIUM W/ CALCIUM CARBONATE** for maintenance of anaerobic cultures, particularly highly fermentative types	30.15	500 gm	2725
TM 2368	**THIOGLYCOLLATE MEDIUM W/ HEMIN AND VITAMIN K *** for routine cultivation of fastidious anaerobic microorganisms. Also used for blood culturing and studying fermentation reactions	29.65	500 gm	4795
TM 2369	**THIOGLYCOLLATE MEDIUM W/ K AGAR** for cultivation of anaerobic, microaerophilic and aerobic microorganisms and for sterility testing procedures.	29.75	500 gm	3220
TM 2370	**THIOGLYCOLLATE MEDIUM W/O DEXTROSE** for cultivation of aerobes, microaerophiles, anaerobes and for fermentation studies with various carbohydrates	25.70	500 gm	3165
TM 447	**THIOGLYCOLLATE MEDIUM W/O INDICATOR (DIAGNOSTIC THIOGLYCOLLATE MEDIUM)** a general-purpose medium for the cultivation of microorganisms, especially obligate anaerobes	30.00	500 gm	3190

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2371	**THIOGLYCOLLATE MEDIUM W/O DEXTROSE AND INDICATOR** used as a base for fermentation studies of anaerobic and microaerophilic organisms and for detecting microorganisms in normally sterile materials	24.00	500 gm	3510
TM 306	**THIOGLYCOLLATE MEDIUM, LINDEN (BREWER THIOGLYCOLLATE MEDIUM, MODIFIED)** for sterility testing of biological products and isolation of aerobic and anaerobic organisms	38.50	100 gm 500 gm	690 2895
TM 535	**THIOGEL MEDIUM** for differentiationof microorganisms based on their ability to liquify gelatin	80.00	100 gm 500 gm	645 2875
TM 448	**THIOL BROTH** for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	29.00	500 gm	3975
TM 449	**THIOL MEDIUM** for cultivation of bacteria from body fluids containing Penicillin, Streptomycin and Sulphonamides	30.00	500 gm	4230
TM 1305	**THIOMERSAL ASSAY MEDIUM (as per IP)** for microbiological assay of Thiomersal	33.50	500 gm	3460
TM 2372	**THIOSTARCH BROTH** for sterility testing of pharmaceutical or biological products	30.25	500 gm	4000
TM 882	**THIOSULPHATE AGAR** for cultivation of sulphur metabolizing bacteria present in soil samples	25.40	500 gm	4545
TM 883	**THIOSULPHATE RINGER SOLUTION POWDER** for verification of sterility of dairy plant after hypochlorite has been used for disinfection purposes	03.21	100 gm 500 gm	1785 7290
TM 450	**TINSDALE AGAR BASE** for selective isolation and differentiation of Corynebacterium diphtheriae	40.70	500 gm	4545
TS 059	**DIPHTHERIA VIRULENCE SUPPLEMENT (Part A & B) DOUBLE PACK ***	#13 vl	1 vl	4270
TM 451	**TODD HEWITT BROTH** for cultivation of group A haemolytic Streptococci used for serological studies	37.00	100 gm 500 gm	890 3845
TM 2373	**TOLUIDINE BLUE DNA AGAR** for detection of thermostable deoxyribonuclease activity	26.48	100 gm	8485
TM 2374	**TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E)** for detection of thermostable deoxyribonuclease activity to establish speciation of S.aureus in contaminated foods	26.56	100 gm	8485
TM 2375	**TOLUIDINE BLUE DNA AGAR, MODIFIED** for detection of thermostable deoxyribonuclease activity and establish speciation of S. aureus in contaminated foods in accordance with FDA BAM, 1998	26.48	100 gm	9340
TM 2376	**TOMATO JUICE AGAR** for cultivation and enumeration of Lactobacilli	51.00	500 gm	5095
TM 2377	**TOMATO JUICE AGAR, SPECIAL** for the cultivation and enumeration of Lactobacilli from saliva and other acidophilic bacteria	60.00	500 gm	5095
TM 2378	**TOMATO JUICE BROTH** for cultivation of yeasts and other aciduric microorganisms	41.23	500 gm	4780
TM 2379	**TOMATO JUICE MEDIUM BASE** for isolation and identification of Lactobacilli encountered in wine	40.00	500 gm	5005
TS 308	**LACTOBACILLI SUPPLEMENT ***	#5 vl	5 vl 25 vl	1440 4580

T Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1105	**TRANSGROW MEDIUM BASE** for cultivation and transport of fastidious microorganisms especially Neisseria species.	92.00	500 gm	4680
TS 021	**HAEMOGLOBIN POWDER ***	45.50	100 gm	2350
TS 038	**V.C.N. SUPPLEMENT ***	#11 vl	5 vl	2005
			25 vl	7440
TS 039	**V.C.N.T. SUPPLEMENT ***	#11 vl	5 vl	2005
			25 vl	7900
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#11 vl	5 vl	2050
			25 vl	7900
TM 884	**TRANSPORT CHARCOAL MEDIUM** for transportation of clinical samples	24.00	500 gm	4685
TM 2380	**TRANSPORT LIQUID MEDIUM** for recovery of microorganisms by neutralizing the disinfectants and antiseptics used while taking swab specimens from wounds, burns and other clinical specimens	18.50	500 gm	4765
TM 420	**TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM)** for preservation and transportation of Neisseria species and other fastidious organisms	14.10	100 gm	1625
			500 gm	6520
TMV 420	**TRANSPORT MEDIUM, STUART (STUART TRANSPORT MEDIUM) (VEG.)** for preservation and transportation of Neisseria species and other fastidious organisms	14.10	100 gm	1740
			500 gm	6865
TM 1155	**TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM)** for transportation of viral specimens at ambient temperature	20.00	500 gm	4835
TM 415	**TRANSPORT MEDIUM W/O CHARCOAL (CARY-BLAIR MEDIUM BASE)** for collection and shipment of clinical specimen	12.60	100 gm	1000
			500 gm	4435
TM 456	**TRANSPORT MEDIUM, AMIES W/O CHARCOAL** for transportation and preservation of clinical samples	10.00	100 gm	960
			500 gm	3865
TM 009	**TRANSPORT MEDIUM, AMIES W/CHARCOAL** for transportation and preservation of microbiological samples	20.00	100 gm	960
			500 gm	3865
TM 885	**TRIBUTYRIN AGAR BASE W/O TRIBUTYRIN** for detection of lipolytic microorganisms	23.00	100 gm	1160
			500 gm	4640
TS 080	**TRIBUTYRIN (10 ml/vl) ***	#22 vl	5 vl	1635
TM 1873	**TRICHODERMA HARZIANUM SELECTIVE AGAR BASE** for selective isolation of Trichoderma harzianum	25.54	500 gm	4280
TS 251	**TRICHODERMA HARZIANUM SELECTIVE SUPPLEMENT ***	#20 vl	5 vl	4160
TM 1307	**TRICHOMONAS AGAR BASE** for detection and isolation of Trichomonas vaginalis and Candida albicans from clinical samples	37.50	500 gm	5005
TS 014	**HORSE SERUM ***	1.1 ltr	100 ml	4460
TS 133	**TRICHOMONAS SELECTIVE SUPPLEMENT II ***	#27 vl	5 vl	1195
TM 1308	**TRICHOMONAS BROTH BASE NO.2** for isolation of Trichomonas vaginalis	68.13	500 gm	4835
TS 014	**HORSE SERUM ***	#1.9 ltr	100 ml	4460
TM 1212	**TRICHOMONAS BROTH BASE, KUPFERBERG (KUPFERBERG TRICHOMONAS BROTH BASE)** for cultivation and selective isolation of Trichomonas species	23.50	500 gm	4610
TS 112	**TRICHOMONAS SELECTIVE SUPPLEMENT I ***	#43 vl	5 vl	1550
TM 1250	**TRICHOMONAS MODIFIED CPLM MEDIUM BASE (MODIFIED CPLM MEDIUM BASE)** for cultivation of Trichomonas species	56.00	500 gm	4610
TM 424	**TRIPLE SUGAR IRON AGAR** for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H2S production	64.52	100 gm	745
			500 gm	3555
TM 1625	**TRIPLE SUGAR IRON AGAR** for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H2S production.	64.02	100 gm	835
			500 gm	3620
TMV 1625	**TRIPLE SUGAR IRON AGAR (VEG.)** for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H2S production.	64.02	100 gm	885
			500 gm	3730

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 886	**TRIPLE SUGAR IRON AGAR (as per EP)** for confirmation of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrorse fermentation and H2S production	64.42	100 gm 500 gm	880 3730
TM 887	**TRIPLE SUGAR IRON AGAR (as per USP)** for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose fermentation and H2S production	59.42	100 gm 500 gm	840 3620
TM 391	**TRIPLE SUGAR IRON AGAR (as per IP)** for identification of gram-negative enteric bacilli on the basis of dextrose, lactose and sucrose	64.524	100 gm 500 gm	840 3620
TM 1955	**TRIPLE SUGAR, IRON AGAR (AGAR MEDIUM M) (as per BP/EP)** for identification of gram-negative enteric bacilli on the basis of glucose, lactose and sucrose fermentation sulphide production fermentation and H2S production	64.02	100 gm 500 gm	960 4090
TM 1819	**TRIPLE SUGAR IRON AGAR (ISO 6785:2001/ISO 6579:2017)** for identification of gram negative enteric bacteria on the basis of sugar fermentation & H2S production	65.00	100 gm 500 gm	860 3730
TM 1874	**TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005)** for conformation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H2S production.	64.32	100 gm 500 gm	860 3730
TM 2381	**TRYPTIC SOYA AGAR** for a cultivation and maintenance of Salmonella Typhi	45.00	500 gm	4235
TM 888	**TRYPTIC DIGEST BROTH (FIELD'S TRYPTIC DIGEST BROTH)** for cultivation of fastidious microorganisms	16.00	500 gm	4275
TM 889	**TRYPTONE AGAR** general purpose medium for growth of non-fastidious microorganisms	33.00	100 gm 500 gm	980 3925
TM 890	**TRYPTONE AGAR BASE** for determination of motility and carbohydrate fermentation reactions of aerobes and anaerobes	23.52	500 gm	4520
TM 392	**TRYPTONE BROTH (TRYPTONE WATER)** for detection of indole producing microorganisms	15.00	100 gm 500 gm	790 2945
TMV 392	**TRYPTONE BROTH (TRYPTONE WATER) (VEG.)** for detection of indole producing microorganisms	15.00	100 gm 500 gm	830 3170
TM 892	**TRYPTONE BILE AGAR** for fast detection and enumeration of Escherichia coli in foods using direct plating method	36.50	100 gm 500 gm	900 4330
TM 893	**TRYPTONE DEXTROSE AGAR** for studying motility and fermentation of dextrose by aerobes and anaerobes	28.51	500 gm	4520
TM 437	**TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR)** for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	925 4355
TMV 437	**TRYPTONE GLUCOSE BEEF EXTRACT AGAR (TGB AGAR) (VEG.)** for cultivation and enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	990 4655
TM 466	**TRYPTONE GLUCOSE YEAST EXTRACT AGAR** for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	845 3590
TMV 466	**TRYPTONE GLUCOSE YEAST EXTRACT AGAR (VEG.)** for enumeration of bacteria in water, air, milk and dairy products	24.00	100 gm 500 gm	845 3590
TM 467	**TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH)** for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	3585
TMV 467	**TRYPTONE GLUCOSE YEAST EXTRACT BROTH (STANDARD METHOD BROTH) (VEG.)** for enumeration of microorganisms from foods by MPN technique	17.25	500 gm	3765

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2383	**TRYPTONE LACTOSE IRON AGAR** for identification of anaerobes on the basis of motility, hydrogen sulphide production and lactose fermentation	34.20	500 gm	4630
TM 1108	**TRYPTONE LACTOSE IRON AGAR** for identification of anaerobes on the basis of motility, H2S production and lactose fermentation	34.00	500 gm	4330
TM 468	**TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM)** for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	790 3250
TMV 468	**TRYPTONE NITRATE MEDIUM (INDOLE NITRATE MEDIUM) (VEG.)** for identification of microorganisms by Indole production and Nitrate reduction	25.00	100 gm 500 gm	825 3405
TM 1467	**TRYPTONE PEPTONE GLUCOSE YEAST EXTRACT BROTH BASE W/O TRYPSIN** for testing toxicity by Clostridium botulinum	80.00	500 gm	4020
TM 512	**TRYPTONE PHOSPHATE BROTH** for cultivation of enteropathogenic Escherichia coli from foods	30.50	500 gm	3815
TMV 512	**TRYPTONE PHOSPHATE BROTH (VEG.)** for cultivation of enteropathogenic Escherichia coli from foods	30.50	500 gm	4010
TM 2384	**TRYPTONE SALT AGAR, W/1% NaCl** for differentiationof El Tor and Classical biotypes of Vibrio in accordance with FDA BAM, 1998	40.00	500 gm	4630
TM 2385	**TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017)** for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm	715 3240
TM 1310	**TRYPTONE SALT BROTH** for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm	680 3030
TM 345	**TRYPTONE SOYA AGAR (SOYABEAN CASEIN DIGEST AGAR) (as per USP)** for enrichment and isolation of fastidious microorganisms with or without blood	40.00	100 gm 500 gm	850 3500
TM 1440	**TRYPTONE SOYA AGAR** for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm	855 3500
TMV 1440	**TRYPTONE SOYA AGAR (VEG.)** for enrichment and isolation of various fastidious microorganisms with or without blood	40.00	100 gm 500 gm	895 3675
TM 860	**TRYPTONE SOYA AGAR W/ YEAST EXTRACT AND HEMIN** for cultivation of fastidious microorganisms like Bordetella pertussis and Neisseria meningitidis	45.52	100 gm	4125
TM 614	**TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80)** for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	940 4300
TMV 614	**TRYPTONE SOYA AGAR W/ TWEEN 80 AND LECITHIN (MICROBIAL CONTENT TEST AGAR) (VEG.) (CASEIN DIGEST AGAR WITH LECTHIN AND TWEEN 80)** for detection and enumeration of microorganisms present on the surfaces of sanitary importance	45.70	100 gm 500 gm	1060 4485
TM 2386	**TRYPTONE SOYA AGAR W/ADDED NaCl** a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	4630
TMV 2386	**TRYPTONE SOYA AGAR W/ADDED NaCl (VEG.)** a highly nutritious general purpose medium recommended for use when 1% Sodium Chloride is needed in medium	45.00	500 gm	4860
TM 895	**TRYPTONE SOYA AGAR W/ MgSO4 (as per AOAC) (TSAM)** for cultivation of coliforms	41.50	500 gm	4330
TM 2387	**TRYPTONE SOYA AGAR W/ NACL** for cultivation of Salmonella Typhimurium	55.00	500 gm	4835
TM 332S	**TRYPTONE SOYA BROTH W/ SPS** for cultivation of fastidious and non-fastidious microorganism especially H. influenzae, N. meningitidis, S. pneumoniae	30.50	500 gm	1700
TM 861	**TRYPTONE SOYA BROTH W/ YEAST EXTRACT AND HEMIN** **(SOYA CASEIN DIGEST MEDIUM W/ YEAST EXTRACT AND HEMIN)** for excellent growth of fastidious microorganisms	32.52	100 gm	4015

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 419	**TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP)** for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm	400 1760
TMV 419	**TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM) (as per IP) (VEG.)** for cultivation of various microorganisms and sterility testing of molds and bacteria	30.00	100 gm 500 gm	435 1790
TM 471	**TRYPTONE SOYA YEAST EXTRACT AGAR** for isolation and cultivation of Listeria from Henry's light	51.00	500 gm	3460
TM 549	**TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998)** for isolation and cultivation of Listeria from Henry's light	36.00	500 gm	3395
TM 2388	**TRYPTONE SOYA BROTH W/ 0.1% AGAR (SOYABEAN CASEIN DIGEST MEDIUM WITH 0.1% AGAR)** for cultivation of anaerobes from root canals, blood and other specimens	31.00	500 gm	3445
TM 2389	**TRYPTONE SOYA BROTH W/4% POLYSORBATE 20 & 0.5% LECITHIN - (Part I) & (Part II)** recommended for sanitary examination of surfaces.	35.00 40.00	500 gm -	10735 -
TM 1930	**TRYPTONE SOYA BROTH W/O DEXTROSE (SOYBEAN CASEIN DIGEST MEDIUM W/O DEXTROSE)** for cultivation of anaerobic microorganisms when the presence of carbohydrates is not desired	27.50	500 gm	3340
TM 2390	**TRYPTONE SOYA BROTH, W/ FERROUS SULPHATE** for isolation of Salmonella species from food samples in accordance with FDA BAM, 1998	30.03	500 gm	2195
TM 2391	**TRYPTONE SOYA BROTH W/ 10% NACL AND 1% SODIUM PYRUVATE** for enumeration of Staphylococcus aureus in dairy products by MPN technique	135.00	500 gm	6130
TM 2392	**TRYPTONE SOYA BROTH W/PHENOL RED** a general purpose medium used for cultivation of a wide variety of microorganisms and recommended for sterility testing of moulds and lower bacteria	30.02	500 gm	1990
TM 2393	**TSB CAP4 W/TWEEN 80 - (Part I) & (Part II)** for determining efficiency of sanitizaion of containers, equipment surfaces, water miscible cosmetics etc	37.50 42.50	500 gm	6590
TM 2394	**TRYPTONE SOYA SALT AGAR W/ MAGNESIUM SULPHATE** for enumeration of Vibrio parahaemolyticus from seafood by membrane filter technique	101.50	500 gm	5600
TM 2395	**TRYPTONE SOYA-TRYPTOSE BROTH** for identification of Salmonella species from food samples in accordance with FDA BAM, 1998.	31.50	500 gm	4195
TM 2396	**TRYPTONE SOYA YEAST EXTRACT AGAR, MODIFIED** recommended for confirmation of Listeria and Yersinia in accordance with FDA BAM, 1998.	46.00	500 gm	7320
TM 1311 TS 042	**TRYPTONE SUCROSE TETRAZOLIUM AGAR BASE (TSTA)** for isolation of Vibrio species with addition of TTC **TTC SOLUTION 1% (10ml/vl) ***	85.50 #2 vl	500 gm 5 vl 25 vl	4200 1015 3165
TM 1109 TS 005	**TRYPTONE TELLURITE AGAR BASE** for selective isolation of pathogens from clinical samples, especially from nose, throat and vagina **POTASSIUM TELLURITE 1% (1ml /vl) ***	47.00 #11 vl	500 gm 5 vl 25 vl	4610 645 2295
TM 392	**TRYPTONE WATER (TRYPTONE BROTH)** for detection of indole producing microorganisms	15.00	100 gm 500 gm	790 2945
TMV 392	**TRYPTONE WATER (TRYPTONE BROTH) (VEG.)** for detection of indole producing microorganisms	15.00	100 gm 500 gm	830 3170
TM 1110	**TRYPTONE WATER** for detection of indole production by microorganisms	25.00	500 gm	3765
TMV 1110	**TRYPTONE WATER (VEG.)** for detection of indole production by microorganisms	25.00	500 gm	3935
TM 1849	**TRYPTONE WATER (ISO 7251:1993)** for detection of indole production by coliforms	25.00	100 gm 500 gm	875 3765
TM 891	**TRYPTONE WATER W/O NaCl (BIS) (IS : 5887 (Part V) 1976, reaffirmed 2005)** for detection of Vibrio cholerae and Vibrio parahaemolyticus.	10.00	100 gm 500 gm	795 3285

Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2397	**TRYPTONE WATER BROTH W/ BCP** for the cultivation of Salmonella species from food	17.29	500 gm	3310
TM 897	**TRYPTONE YEAST EXTRACT AGAR** for estimation of microbial counts in water	21.00	500 gm	4765
TM 898	**TRYPTONE YEAST EXTRACT AGAR (W/ BCP)** for isolation and enumeration of Enterobacteriaceae and Bacillus cereus	41.52	500 gm	4765
TM 2398 TS 309	**TRYPTONE YEAST EXTRACT CYSTINE W/ SUCROSE & W/O BACITRACIN AGAR BASE** (TYCSB AGAR BASE)recommended for selective isolation of Streptococcus mutans **TYCSB SUPPLEMENT ***	249.99 #2 vl	500 gm 5 vl	6055 805
TM 2400	**TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)** recommended for the enumeration of Clostridium perfringens from water	42.00	500 gm	5310
TS 076	**PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT ***	#1 vl	5 vl 25 vl	1375 3415
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#22 vl	5 vl	3570
TM 126	**TRYPTONE YEAST EXTRACT BROTH (ISP MEDIUM NO.1)** a general purpose enrichment medium for fastidious and non fastidious microorganisms	08.00	100 gm 500 gm	1300 5290
TM 899	**TRYPTOPHAN MEDIUM** for detection of indole production	16.00	100 gm 500 gm	750 2960
TM 472	**TRYPTOSE AGAR** for isolation, cultivation and differentiation of Brucella and also for Streptococci, Meningococci and other pathogenic bacteria	41.00	500 gm	4610
TM 2401	**TRYPTOSE AGAR, W/ THIAMINE HCL** for the isolation, cultivation and differentiation of fastidious microorganisms in an infusion free medium	41.00	500 gm	4935
TM 473	**TRYPTOSE BLOOD AGAR BASE** For enrichment and isolation of various fastidious microorganisms and determining the haemolytic reactions	33.00	100 gm 500 gm	1265 5115
TM 474	**TRYPTOSE BLOOD AGAR BASE W/ YEAST EXTRACT** for cultivation and maintenance of various fastidious microorganisms & determining the haemolytic reactions	34.00	500 gm	4610
TM 476	**TRYPTOSE BROTH** for cultivation of Brucella species microorganisms and determining the haemolytic reactions	26.00	500 gm	3575
TM 2402	**TRYPTOSE BROTH, W/ THIAMINE HCl** for the cultivation and differentiation of fastidious microorganisms in an infusion free medium	26.00	500 gm	4750
TM 809	**TRYPTOSE CYCLOSERINE AZIDE AGAR BASE** for enumeration of sulphite reducing anaerobes essentially Clostridia	47.05	500 gm	5115
TS 076	**PERFRINGENS T.S.C. SUPPLEMENT ***	#22 vl	5 vl 25 vl	1280 3185
TM 902	**TRYPTOSE CYCLOSERINE DEXTROSE AGAR BASE** for isolation of mesophilic spore forming anaerobes in food spoilage	46.00	500 gm	4610
TS 076	**PERFRINGENS T.S.C. SUPPLEMENT ***	#22 vl	5 vl 25 vl	1280 3415
TM 511	**TRYPTOSE PHOSPHATE BROTH** for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	840 3435
TMV 511	**TRYPTOSE PHOSPHATE BROTH (VEG.)** for cultivation of fastidious bacteria and as an adjuvant to tissue culture media	29.50	100 gm 500 gm	905 3605
TM 2403	**TRYPTOSE PHOSPHATE BROTH, MODIFIED** for the cultivation of fastidious bacteria	29.50	500 gm	3810
TM 2404	**TRYPTOSE SERUM AGAR BASE** recommended for routine cultivation and isolation of Mycoplasma mycoides cluster	42.50	500 gm	5010
TS 310	**MYCOPLASMA SELECTIVE SUPPLEMENT ***	# 12 vl	5 vl	3175
TS 311	**PIG SERUM ***	108 ml	100 ml	4005

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2405	**TRYPTOSE SERUM BROTH BASE (MODIFIED NEWINGS TRYPTOSE BROTH BASE** for routine identification of Mycoplasma species	27.50	500 gm	4025
TS 310	**MYCOPLASMA SELECTIVE SUPPLEMENT ***	# 18 vl	5 vl	3175
TS 311	**PIG SERUM ***	108 ml	100 ml	4005
TS 054	**PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) ***	# 11 vl	5 vl 25 vl	970 2540
TS 076	**PERFRINGENS T. S. C. SUPPLEMENT ***	# 11 vl	5 vl 25 vl	1280 3185
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	# 3 vl	5 vl	2100
TM 615	**TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE** for presumptive identification and enumeration of Clostridium perfringens from food	47.00	500 gm	4960
TS 054	**PERFRINGENS S. F. P. SUPPLEMENT (S.F. P. SUPPLEMENT) ***	#22 vl	5 vl 25 vl	970 2540
TS 076	**PERFRINGENS T. S.C SUPPLEMENT ***	#22 vl	5 vl 25 vl	1280 3185
TS 002	**EGG YOLK EMULSION (100ml/vl)***	#6 vl	5 vl	2100
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#22 vl	5 vl	3330
TM 609	**TRYPTOSE SULPHITE NEOMYCIN AGAR** for selective isolation and enumeration of Clostridium perfringens in foods or other samples	40.00	100 gm	2530
TM 1112	**TRYPTOSE YEAST EXTRACT BROTH (as per AOAC)** for detection of Clostridium perfringens with the addition of salicin, raffinose and phenol red	30.00	500 gm	4245
TM 2406	**TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017)** recommended for confirmation of Yersinia enterocolitica	30.01	100 gm 500 gm	1045 4325
TM 1826	**PERFRINGENS AGAR BASE (TRYPTOSE SULPHITE CYCLOSERINE AGAR BASE) (ISO 7937: 2004, ISO 14189:2013)** for enumeration of Clostridium perfringens from food	42.00	500 gm	4680
TS 076	**PERFRINGENS T. S.C SUPPLEMENT ***	#24 vl	5 vl 25 vl	1280 3185
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT ***	#24 vl	5 vl	3330
TM 132	**TYROSINE AGAR (ISP MEDIUM NO.7) (as per ISP)** for isolation and characterization of Streptomyces species as per International Streptomyces Project	23.00	100 gm 500 gm	1120 4545
TM 1628	**UNIVERSAL BEER AGAR (UB AGAR)** for culturing microorganisms having significance in brewing industry	62.16	100 gm	2200
TMV 1628	**UNIVERSAL BEER AGAR (UB AGAR) (VEG.)** for culturing microorganisms having significance in brewing industry	62.16	100 gm	2200
TM 2407	**UNIVERSAL BEER AGAR, MODIFIED** for culturing microorganisms of significance in the brewery industry	55.04	100 gm	2350
TM 2408	**UNIVERSAL FASTIDIOUS CULTURE AGAR** for the cultivation of fastidious microorganisms when enriched with blood	35.00	500 gm	3605
TM 2409	**UNIVERSAL FASTIDIOUS CULTURE BROTH** for the cultivation of fastidious microorganisms when enriched with blood	25.00	500 gm	3115
TM 1629	**UNIVERSAL LIQUID MEDIUM *** for cultivation of bacteria in brewery	50.00	500 gm	2540
TM 1630	**UNIVERSAL PRE-ENRICHMENT BROTH** for enrichment of sublethally injured Salmonella and Listeria species	38.05	500 gm	4305
TM 394	**UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE)** for detection of urease producing bacteria	24.00	100 gm 500 gm	860 3480
TS 030	**UREA 40% (5 ml/vl) ***	#208 vl	5 vl 25 vl	450 1815

U Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMV 394	**UREA AGAR BASE (CHRISTENSEN) (AUTOCLAVABLE) (VEG.)** for detection of urease producing bacteria	24.00	100 gm 500 gm	905 3650
TS 030	**UREA 40% (5 ml/vl) ***	#208 vl	5 vl 25 vl	450 1815
TM 629	**UREA AGAR BASE W/O AGAR (FILTER STERILIZABLE)** for detection of urea splitting microorganisms	29.00	500 gm	3655
TM 1113	**UREA AGAR BASE (CHRISTENSEN)** for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.00	100 gm 500 gm	960 3855
TS 030	**UREA 40% (5 ml/vl) ***	#208 vl	5 vl 25 vl	480 1815
TM 2410	**UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976)** for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.51 #204 vl	500 gm 5 vl	4120 480
TS 030	**UREA 40% (5 ml/vl) *** **UREA 40% (5 ml/vl) ***		25 vl	1815
TM 906	**UREA BROTH (FILTER STERILIZABLE)** for identification of bacteria on the basis of urea utilization, especially for the differentiation of Proteus species from Salmonella and Shigella species	38.71	500 gm	3670
TM 425	**UREA BROTH (UREA BROTH MEDIUM) (as per IP 2007)** for identification of bacteria on the basis of urea utilization, especially for the differentiation of Proteus, Salmonella and Shigella species	38.70	500 gm	4090
TM 2411	**UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)** for confirmation of Yersinia enterocolitica by urease and Indole test	30.03	100 gm 500 gm	1155 5085
TM 1851	**UREA BROTH BASE (CHRISTENSEN)** For the detection of urease production, particularly by members of the genus Proteus	09.00	100 gm 500 gm	975 4020
TS 030	**UREA SOLUTION 40% (5 ml/vl) ***	#208 vl	5 vl 25 vl	480 1815
TM 477	**UREA BROTH BASE (DIAGNOSTIC STUART'S UREA BROTH BASE)** for identification of bacteria on the basis of urea utilization, especially for differentiation of Proteus, Salmonella and Shigella species	18.70	100 gm 500 gm	985 4060
TS 030	**UREA SOLUTION 40% (5 ml/vl)***	#268 vl	5 vl 25 vl	480 1815
TM 1850	**UREA INDOLE MEDIUM** for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production	30.01	100 gm 500 gm	1260 4640
TM 1267	**UROGENITAL MYCOPLASMA MEDIUM BASE** for selective isolation of Mycoplasma hominis and Ureaplasma urealyticum	28.65	500 gm	4230
TS 014	**HORSE SERUM ***	1.8 ltr	100 ml	4460
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) ***	#35 vl	5 vl 25 vl	2015 7900
TS 126	**UREA SOLUTION 5% (5 ml/vl) ***	#35 vl	5 vl	390
TS 249	**MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT ***	#35 vl	5 vl 25 vl	1485 3460
TM 1420	**V-8 MEDIUM FOR LACTOBACILLI** for cultivation and enumeration of Lactobacilli	43.10	500 gm	4520
TM 2413	**V-8 JUICE AGAR** for the cultivation of yeasts and moulds	44.30	500 gm	6580
TM 2414	**VEG 8 JUICE BROTH** for cultivation of Fungi-yeasts and moulds	24.30	500 gm	6080
TM 908	**VP MEDIUM** for isolation of Vibrio parahaemolyticus	100.28	500 gm	5130
TM 2412	**VP MEDIUM FOR LISTERIA (ISO 11290-2-2017)** recommended for the distinction of Listeria species from other species based on Voges-Proskauer test from food samples	17.00	500 gm	3425

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1642	**VRE AGAR BASE (VANCOMYCIN RESISTANT ENTEROCOCCI AGAR)** for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	42.65	100 gm 500 gm	2155 8635
TS 216	**MEROPENEM SUPPLEMENT ***	#12 vl	5 vl	1650
TS 218	**VANCOMYCIN SUPPLEMENT ***	#24 vl	5 vl 25 vl	1585 3510
TM 1312	**VAGINALIS AGAR BASE** for isolation and differentiation of Gardenerella vaginalis from clinical samples	52.50	500 gm	4635
TM 1643	**VRE BROTH BASE (VANCOMYCIN RESISTANT ENTEROCOCCI BROTH)** for the isolation of Vancomycin Resistant Enterococci (VRE) and High Level Aminoglycoside Resistant Enterococci (HLARE) from clinical samples	37.00	100 gm 500 gm	825 3285
TS 216	**MEROPENEM SUPPLEMENT ***	#27 vl	5 vl	1650
TM 909	**VEAL INFUSION AGAR** for cultivation of fastidious pathogenic bacteria	40.00	500 gm	4610
TM 910	**VEAL INFUSION BROTH** for cultivation of fastidious pathogenic bacteria	25.00	500 gm	4245
TM 1431	**VEILLON AGAR** for cultivation and observation of motility of Clostridium perfringens	30.05	500 gm	4330
TM 2415	**VEILLONELLA AGAR BASE** for selective isolation of Veillonella species	23.75	500 gm	4630
TM 911	**VIBRIO AGAR** for selective cultivation of Vibrio species	80.10	500 gm	4330
TMV 911	**VIBRIO AGAR (VEG.)** for selective cultivation of Vibrio species	80.10	500 gm	4540
TM 1313	**VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA)** for isolation and enumeration of Vibrio parahaemolyticus from seafood	73.52	500 gm	5235
TMV 1313	**VIBRIO PARAHAEMOLYTICUS SUCROSE AGAR (as per APHA) (VPSA) (VEG).** for isolation and enumeration of Vibrio parahaemolyticus from seafood	73.52	500 gm	5500
TM 2416	**VIBRIO VULNIFICUS AGAR (VVA)** for identification of Vibrio in accordance with FDA BAM, 1998	85.06	100 gm	7520
TM 426	**VIOLET RED BILE AGAR** for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	750 3395
TMV 426	**VIOLET RED BILE AGAR (VEG.)** for isolation and enumeration of coli-aerogenes in water, milk and other dairy food products	41.53	100 gm 500 gm	820 3485
TM 1314	**VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002** for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm	750 3395
TM 2417	**VIOLET RED BILE AGAR (1.2 %)** for selective isolation and enumeration of coliaerogenes bacteria in water, milk and other dairy food products	38.53	500 gm	3750
TM 2418	**VIOLET RED BILE AGAR W/ GLUCOSE AND LACTOSE** for selective isolation and enumeration of coli-aerogenes bacteria in water, milk, other dairy food products and clinical samples	48.53	500 gm	3845
TM 1627	**VIOLET RED BILE AGAR W/ GLUCOSE & LACTOSE (as per USP)** for selective isolation, detection and enumeration of coli-aerogenes gram negative bacteria in water, milk and other dairy products	50.63	500 gm	3600
TM 482	**VIOLET RED BILE BROTH** for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	3440
TMV 482	**VIOLET RED BILE BROTH (VEG.)** for detection and enumeration of coliform bacteria in water and food	26.53	500 gm	3620
TM 483	**VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017)** for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm	3700
TMH 108	**VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP)** for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	745 3395
TMHV 108	**VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.)** for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	820 3485

V Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1927	**VIOLET RED BILE GLUCOSE AGAR** for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	41.53	100 gm 500 gm	745 3395
TMH 117	**VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)** for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm	820 3485
TM 550	**VIOLET RED BILE GLUCOSE AGAR W/ LACTOSE (as per EP)** for detection and enumeration of Enterobacteriaceae in raw foods	51.53	500 gm	3700
TM 1860	**VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006)** for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm	875 3505
TM 1155	**VIRAL TRANSPORT MEDIUM W/ CHARCOAL (CVTR MEDIUM)** for transportation of viral specimens at ambient temperature	20.00	500 gm	4835
TM 1868	**VITAMIN B12 AGAR** for microbiological assay of Vitamin B12 by using Lactobacillus leichmannii as test organism (*Store between 2-80C)	88.62	100 gm	4245
TM 2419	**VITAMIN FREE YEAST BASE *** for studying vitamin requirements of yeasts	16.75	100 gm	3235
TM 395 TS 005	**VOGEL-JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE)** for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples **POTASSIUM TELLURITE 1% (1ml /vl) ***	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl	830 3405 645 2295
TMV 395 TS 005	**VOGEL JOHNSON AGAR BASE W/O TELLURITE (V. J. AGAR BASE) (VEG.)** for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples **POTASSIUM TELLURITE 1% (1ml /vl) ***	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl	855 3585 645 2295
TM 2420 TS 005	**VOGEL JOHNSON AGAR BASE W/ 1.5% AGAR** for selective isolation of coagulase positive, mannitol fermenting Staphylococcus aureus from heavily contaminated foods in accordance with FDA BAM, 1998. **POTASSIUM TELLURITE 1% (10ml/vl) ***	62.03 #17 vl	500 gm 5 vl 25 vl	4135 645 2295
TM 1722 TS 005	**VOGEL JOHNSON AGAR MEDIUM (as per USP)** for selective isolation of coagulase positive, mannitol fermenting S.aureus from foods & clinical samples **POTASSIUM TELLURITE 1% (10ml/vl) ***	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl	830 3405 645 2295
TM 1820 TS 005	**VOGEL JOHNSON AGAR MEDIUM (as per IP)** for selective isolation of coagulase positive mannitol fermenting S.aureus from foods & clinical samples **POTASSIUM TELLURITE 1% (10ml/vl) ***	61.00 #17 vl	100 gm 500 gm 5 vl 25 vl	830 3405 645 2295
TM 2421	**VOGES PROSKAUER MEDIUM, MODIFIED** for performance of the Voges- Proskauer test in differentiation of Bacillus cereus in accordance with FDA BAM 1998	17.00	500 gm	3220
TM 565	**WL - DIFFERENTIAL AGAR** for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	960 3865
TMV 565	**WL - DIFFERENTIAL AGAR (VEG.)** for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	80.26	100 gm 500 gm	1070 4050
TM 485	**WL - DIFFERENTIAL BROTH** for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	950 3790
TMV 485	**WL - DIFFERENTIAL BROTH (VEG.)** for selective isolation and enumeration of bacteria encountered in breweries and industrial fermentations	60.26	100 gm 500 gm	1010 4020
TM 486	**WL - NUTRIENT BROTH** for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm	3790
TMV 486	**WL - NUTRIENT BROTH (VEG.)** for cultivation of yeasts, molds and bacteria encountered in breweries and industrial fermentations	60.25	500 gm	3980

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 487	**WL - NUTRIENT MEDIUM (WL - NUTRIENT AGAR)** for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	4025
TMV 487	**WL - NUTRIENT MEDIUM (VEG.) (WL - NUTRIENT AGAR) (VEG.)** for cultivation and isolation of microorganisms encountered in breweries and industrial fermentations	80.25	500 gm	4230
TM 632	**WAGATSUMA AGAR BASE** for performance of Kanagawa test to identify virulent Vibrio parahaemolyticus strains	113.00	500 gm	4610
TM 914	**WATER AGAR** for enumeration, cultivation and observation of sporulation of some fungi	20.00	500 gm	3780
TM 928 TS 081	**WESLEY BROTH BASE (as per APHA)** for isolation and enrichment of Campylobacter jejuni from poultry products **CAMPYLOBACTER SELECTIVE SUPPLEMENT (WESELY) ***	39.25 #13 vl	500 gm 5 vl	8790 1655
TM 2422	**WILD YEAST MEDIUM** for detection of wild yeast	44.50	500 gm	5440
TM 915 TS 055 TS 056	**WILKINS CHALGREN ANAEROBIC AGAR BASE** for isolation, cultivation and susceptibility testing of anaerobes by agar dilution method **NON SPORE ANAEROBIC SUPPLEMENT *** **G.N. SPORE ANAEROBIC SUPPLEMENT ***	43.00 #24 vl	500 gm 5 vl 5 vl 25 vl	4215 1250 1380 3750
TM 916 TS 055 TS 056	**WILKINS CHALGREN ANAEROBIC BROTH BASE** for cultivation and susceptibility testing of anaerobic bacteria **NON SPORE ANAEROBIC SUPPLEMENT *** **G. N. SPORE ANAEROBIC SUPPLEMENT ***	33.00 #31 vl	500 gm 5 vl 5 vl 25 vl	3910 1250 1380 3750
TM 1319 TS 002 TS 098	**WILLIS AND HOBB'S MEDIUM BASE (IS : 5887 (Part 4) : 1999)** for isolation and identification of Clostridium from foods. **EGG YOLK EMULSION (100 ml /vl)*** **WILLIS AND HOBB'S SUPPLEMENT***	47.03 #4vl #22 vl	500 gm 5 vl 5 vl	4480 2100 1360
TM 2423	**WILSON AND BLAIR'S BBS AGAR MEDIUM 10. (as per IP) (TRIPLE PACK) - (Part I), (Part II) & (Part III)** recommended for the selective subculture of Salmonella species	04.50 05.60 0.045	100 gm 500 gm	1215 4935
TM 489	**WILSON BLAIR AGAR BASE** for isolation and cultivation of Salmonella Typhi with addition of selective reagent	60.00	100 gm 500 gm	1140 4610
TM 917	**WILSON BLAIR AGAR W/ BG (BRILLIANT GREEN)** for isolation and preliminary identification of Salmonella Typhi from clinical samples	52.32	100 gm 500 gm	1135 4610
TM 490	**WORT AGAR** for cultivation and enumeration of yeasts	48.30	100 gm 500 gm	1130 4545
TM 551	**WORT BROTH** for cultivation and enrichment of yeasts	33.28	500 gm	4230
TM 1315	**WURTZ MEDIUM** for isolation and differentiation of lactose fermenting bacter	38.00	500 gm	4500
TM 2424	**2 XYT GROWTH MEDIUM** optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	31.50	500 gm	4795
TM 2425	**2 XYT GROWTH AGAR** optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	46.00	500 gm	5525
TM 2426	**2 XYT GROWTH TOP AGAR** optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages	38.00	500 gm	5525
TM 2427	**4 XYT GROWTH MEDIUM** optimized formulation for the growth and maintenance of M13 phage or other filamentous ss DNA bacteriophages.	57.00	500 gm	9580
TM 1478	**XYLOSE LYSINE AGAR BASE** for isolation, cultivation and identification of pathogenic enteric bacilli	46.83	500 gm	3870

X Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 491	**XYLOSE LYSINE AGAR BASE** for isolation, cultivation and identification of pathogenic enteric bacilli	45.08	500 gm	3870
TM 1448	**XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR MEDIUM) (as per IP)** for isolation of S.typhi and other Salmonella species	55.18	100 gm 500 gm	820 3675
TM 492	**XLD AGAR** for selective isolation and enumeration of Salmonella Typhi and other Salmonella species	56.68	100 gm 500 gm	820 3675
TMV 492	**XLD AGAR (VEG.)** for selective isolation and enumeration of Salmonella Typhi and other Salmonella species	56.68	100 gm 500 gm	820 3675
TMV 1621	**XLD AGAR MODIFIED (ISO 6579-2002)** for isolation and enumeration of Salmonella Typhi and other Salmonella species	55.43	100 gm 500 gm	825 3695
TMH 112	**XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP)** for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm	820 3675
TMHV 112	**XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.)** for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm	850 3785
TM 493 TS 072	**XLT4 AGAR BASE** for selective isolation of Salmonella species other than Salmonella Typhi **XLT4 SUPPLEMENT ***	59.00 #9 vl	500 gm 5 vl	5280 1565
TM 2428	**YE GROWTH MEDIUM** for the growth of Schizosaccharomyces pombe.	35.00	500 gm	4790
TM 2429	**YE GROWTH AGAR** for the growth of Schizosaccharomyces pombe.	50.00	500 gm	5470
TM 1116	**YEP AGAR** for isolation of dimorphic pathogenic fungi from clinical samples	21.50	500 gm	4310
TM 2430	**YEP AGAR, MODIFIED** recommended for plate count of microorganism in water	40.00	500 gm	4940
TM 2431	**YEM AGAR** for the cultivation of Agrobacterium species and other soil microorganisms	26.80	500 gm	5470
TM 1884	**YEM BROTH** for cultivation of Agrobacterium species and other soil microorganisms	11.80	500 gm	4530
TM 2432	**YEP BROTH** for cultivation of Agrobacterium species and other soil microorganisms recommended for cultivation of aerobic microorganisms and also Agrobacterium species and other soil microorganisms for phytology	25.00	500 gm	4865
TM 1449	**YPD AGAR (YEPD AGAR)** for growth of Saccharomyces cerevisiae in molecular biology	65.00	500 gm	4465
TM 1121	**YPD BROTH (YEPD BROTH)** for growth of Saccharomyces cerevisiae in molecular biology	50.00	500 gm	5255
TM 2433	**YPD (YEPD) GROWTH MEDIUM** for the growth of Saccharomyces cerevisiae	50.00	500 gm	6080
TM 918	**YPG AGAR** for growth of Saccharomyces cerevisiae in molecular biology	50.00	500 gm	4000
TM 2434	**YSG AGAR** for the detection of Alicyclobacillus in fruit juices in accordance with Officialmethod of IFU	20.00	500 gm	4865
TM 2435	**YSG BROTH** for cultivation of Alicyclobacillus in fruit juices in accordance with Official method of IFU	05.00	500 gm	4625
TM 592	**YT AGAR** for growth of Escherichia coli K12 strains used in the preparation of phage and plasmid DNA according to Miller	28.00	500 gm	4635
TM 621	**YT BROTH (2X YT BROTH)** for cultivation of recombinant strains of Escherichia coli	31.00	500 gm	4520
TM 937	**YXT AGAR BASE** for detecting yeasts and molds in foods with or without added tetracycline	33.00	500 gm	4445

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 553	**YEAST & MOLD AGAR** for cultivation and maintenance of yeasts and moulds	40.00	500 gm	4370
TM 1117	**YEAST & MOLD BROTH** for isolation and cultivation of yeasts and molds	20.00	500 gm	4115
TM 2436	**YEAST BEEF AGAR (ANTIBIOTIC ASSAY MEDIUM NO. 4)** for detection of Penicillin-G in milk samples	26.05	500 gm	5125
TM 920	**YEAST BEEF ASSAY BROTH** for assay of Amphotericin B using Candida tropicalis ATCC 13803 as the test organism	27.50	500 gm	4245
TM 495	**YEAST CARBON BASE *** for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm	2250
TMV 495	**YEAST CARBON BASE (VEG.) *** for classification of yeasts based on their ability to assimilate nitrogen compounds	11.70	100 gm	2370
TM 504	**YEAST DEXTROSE AGAR** for cultivation of various heterotrophic microorganisms	35.00	500 gm	4610
TM 496	**YEAST EXTRACT AGAR** for plate count of microorganisms in water	23.00 23.00	100 gm 500 gm	660 2770
TM 1827	**YEAST EXTRACT AGAR (ISO 6222:1999)** for enumeration of microorganisms from water	24.00	100 gm 500 gm	670 2855
TM 2437	**YEAST EXTRACT CALCIUM CARBONATE GLUCOSE AGAR** for the isolation and cultivation of Erwinia species	65.00	500 gm	5040
TM 921	**YEAST EXTRACT ROSE BENGAL BROTH BASE** for cold enrichment and recovery of Yersinia enterocolitica and Yersinia pseudotuberculosis from foods	26.30	500 gm	3735
TMV 921	**YEAST EXTRACT ROSE BENGAL BROTH BASE (VEG.)** for cold enrichment and recovery of Yersinia enterocolitica and Yersinia pseudotuberculosis from foods	26.30	500 gm	3920
TM 497	**YEAST GLUCOSE BEEF AGAR** for cultivation of lactic Streptococci for determining growth characteristics	48.00	500 gm	4450
TM 575	**YEAST GLUCOSE BEEF BROTH** for cultivation of lactic Streptococci for determining growth characteristics	33.00	500 gm	4115
TM 498	**YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005)** for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	850 3800
TMV 498	**YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.)** for selective isolation and enumeration of yeast and molds in milk and milk products	40.00	100 gm 500 gm	890 3975
TM 1832	**YEAST GLUCOSE CHLORAMPHENICOL AGAR** for isolation, detection and enumeration of yeast and molds.	40.00	100 gm 500 gm	840 3730
TM 1832	**YEAST GLUCOSE CHLORAMPHENICOL AGAR (VEG.)** for isolation, detection and enumeration of yeast and molds.	40.00	100 gm 500 gm	925 4020
TM 610	**YEAST LACTOSE AGAR** for cultivation of soil microorganisms like Rhizobium species.	26.80	100 gm	2445

Y Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 397	**ISP MEDIUM NO. 2 (YEAST MALT AGAR)** for cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1140 4700
TMV 397	**YEAST MALT AGAR (YM AGAR) (ISP MEDIUM NO.2) (VEG.)** for isolation and cultivation of yeasts, molds and aciduric microorganisms	41.00	100 gm 500 gm	1205 4940
TM 397 TS 049	**YEAST MALT AGAR (ISP MEDIUM NO. 2)** for cultivation of yeasts, molds and aciduric microorganisms **10% LACTIC ACID SOLUTION (10 ml/vl) ***	41.00 #25 vl	100 gm 500 gm 5 vl 25 vl	1140 4700 920 2955
TM 398 TS 049	**YEAST MALT BROTH (YM BROTH)** for cultivation of yeasts, molds and aciduric microorganisms **10% LACTIC ACID SOLUTION (10 ml/vl) ***	21.00 #48 vl	100 gm 500 gm 5 vl 25 vl	895 3760 920 2955
TMV 398 TS 049	**YEAST MALT BROTH (YM BROTH) (VEG.)** for cultivation of yeasts, molds and aciduric microorganisms **10% LACTIC ACID SOLUTION (10 ml/vl) ***	21.00 #48 vl	100 gm 500 gm 5 vl 25 vl	940 3925 920 2955
TM 399	**YEAST MANNITOL AGAR W/ 1.5% AGAR** for cultivation, enumeration and isolation of soil microorganisams like Rhizobium species	27.80	100 gm 500 gm	1055 4310
TM 922	**YEAST MANNITOL AGAR W/ CONGO RED** for cultivation of soil microorganisms like Rhizobium species	31.80	500 gm	4200
TM 566	**YEAST MANNITOL BROTH** for cultivation of Rhizobium species	12.80	500 gm	3975
TM 2438 TS 138	**YEAST MOULD CHLORAMPHENICOL AGAR, MODIFIED** for enumeration of yeasts and moulds from food using membrane filter technique. Also recommended when ISO-Grid and Neo-Grid protocols of filtration are followed **CHLORTETRACYCLINE SELECTIVE SUPPLEMENT ***	67.53 #8 vl	500 gm 5 vl	5095 1060
TM 1821	**YEAST MOLD BROTH 'TBL'** for enrichment and cultivation of yeasts and molds	41.00	500 gm	5560
TM 923	**YEAST MORPHOLOGY AGAR *** for classification of yeasts on the basis of their colonial characteristics and cell morphology	35.00	100 gm	1920
TM 1119	**YEAST NITROGEN BASE *** for classification of yeasts on the basis of their ability to assimilate carbon compounds	06.70	100 gm	2595
TM 400	**YEAST NITROGEN AGAR BASE (DOUBLE PACK) - (Part I) & (Part II)** for carbohydrate assimilation test in the characterization and identification of yeasts	40.00 06.75	100 gm -	2640 -
TM 499	**YEAST NITROGEN BASE (W/O AMINO ACIDS)** for classification of yeasts on the basis of their ability to assimilate nitrogen and carbon compounds	06.70	100 gm	2595
TM 500	**YEAST NITROGEN BASE (W/O AMINO ACIDS AND AMMONIUM SULPHATE)** for isolation of dimorphic pathogenic fungi	01.70	100 gm	3110
TM 554	**YEAST PHOSPHATE AGAR** for enrichment of Yersinia species, particularly Yersinia enterocolitica	21.50	100 gm	6670
TM 924	**YERSINIA ENRICHMENT BROTH BASE *** for enrichment of Yersinia species, particularly Yersinia enterocolitica	13.01	500 gm	4235
TM 925 TS 030	**YERSINIA IDENTIFICATION BROTH BASE** for identification of Yersinia species **UREA 40% (5 ml/vl) ***	10.00 #500 vl	100 gm 500 gm 5 vl 25 vl	1150 4480 450 1815

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 617	**YERSINIA ISOLATION AGAR *** for selective isolation of Yersinia species from foods	79.00	500 gm	4610
TM 501	**YERSINIA SELECTIVE AGAR BASE (CIN AGAR)** for selective isolation enumeration of Yersinia enterocolitica from clinical & food samples	58.00	500 gm	4610
TS 057	**YERSINIA SELECTIVE SUPPLEMENT ***	#18 vl	5 VL 25 vl	1200 3625
TM 2439	**YERSINIA SELECTIVE AGAR BASE, W/ 1.2% AGAR** for the selective, isolation and enumeration of Yersinia enterocolitica from food samples in accordance with FDA BAM, 1998	57.54	500 gm	5415
TS 057	**YERSINIA SELECTIVE SUPPLEMENT ***	#18 vl	5 VL 25 vl	1200 3625
TS 312	**YERSINIA SELECTIVE SUPPLEMENT - 2 ***	#18 vl	5 vl 25 vl	1240 3760
TM 2440	**YERSINIA SELECTIVE BROTH BASE** for the selective enrichment of Yersinia enterocolitica	40.2	100 gm 500 gm	5150 21415
TS 057	**YERSINIA SELECTIVE SUPPLEMENT ***	#18 vl	5 vl 25 vl	1200 3625
TM 1622	**YOSHIKA MEDIUM** for isolation of bifido bacteria in milk and milk powder	62.6	500 gm	5490
TM 1926	**ZINC SOLUBILIZING AGAR** for isolation and detection of zinc solubilizing soil microorganisms	27.4	500 gm	3965
TM 1893	**ZINC SOLUBILIZING MEDIUM** for growth and maintenance of zinc solubilizing soil microorganism	12.5	500 gm	3685
TM 207	**ZOBELL MARINE AGAR 2216. (MARINE AGAR 2216)** for cultivation, isolation and enumeration of heterotrophic marine bacteria	55.25	100 gm 500 gm	840 3790
TM 208	**ZOBELL MARINE BROTH 2216. (MARINE BROTH 2216)** for cultivation, isolation and enumeration of heterotrophic marine bacteria	40.25	100 gm 500 gm	840 3790

+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



CHROMOGENIC CULTURE MEDIA



Purpose Of Using Chromogenic Media

Dehydrated media serves as a nutrient system for the cultivation of microorganisms. However, the aforementioned role is just one. By adding chromogenic substrate, differentiation and selection of microorganisms becomes more convenient.

How Does It Work

Chromogenic media contains nutrients such as peptones, amino acids, yeast extract, minerals and vitamins, selective agent, solidifier (e.g. agar) as well as Chromogenic mixtures (chromogens) depending upon each medium. The chromogenic mixture contains chromogenic substrates as Salmon -GAL, X-Gal, X-glucuronides, etc. Certain enzymes, produced by some bacteria, cleave these substrates, resulting in the different colouration of certain bacterial colonies.

Benefits


- ✓ Majorly the chromogenic is known for its rapidness, accuracy and simplicity involved during diagnosis.
- ✓ The chromogenic saves time and labour work. When compared with traditional methods, the chromogenic deliver results in shorter time for both negatives screens & presumptive positives. Some chromogenic culture media gives confirmed results within 24 hours
- ✓ Mostly, the result interpreted from chromogenic media does not require further testing and eliminates the need of subculture and further biochemical test for identification pathogenic agent.
- ✓ On a single medium, one can identify more than one organism. This is the reason for the chromogenic being so cost effective.

Chromogenic Index For Most Acceptable Products


TM 1199|CHROMOGENIC UTI AGAR

For identification and confirmation of microorganisms causing urinary tract infections.

Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Pink- Purple
B	*Enterococcus faecalis*	29212	Blue
C	*Staphylococcus aureus*	25923	Cream yellow
D	*Pseudomonas aeruginosa*	27853	Colourless (greenish pigment may be observed)
E	*Klebsiella pneumoniae*	13883	Bluish Purple




Chromogenic Culture Media



TM 1338 | CHROMOGENIC COLIFORM AGAR W/SLS

"For simultaneous detection of total coliforms and Escherichia coli in water and foods"


Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Dark blue to violet (Red color appears around the colony)
B	*Salmonella Enteritidis*	13076	Colorless
C	*Klebsiella pneumoniae*	13883	Light pink
D	*Enterobacter aerogenes*	13048	Light pink



TM 1197 | CHROMOGENIC CANDIDA AGAR

"For fast isolation and identification of Candida species from mixed flora"


Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Candida albicans*	10231	Light green
B	*Candida glabrata*	2001	Light white to purple
C	*Candida tropicalis*	1369	Blue-Metallic Blue
D	*Candida Krusei*	34135	Purple-Pink



TM 133 9| CHROMOGENIC E. COLI AGAR

"For easy enumeration of E.coli without membrane filtration, or pre-incubation on Mineral Modified Glutamate Medium Base"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Bluish green
B	*E. aerogenes*	13048	Colourless



TM 1858 | CHROMOGENIC COLIFORM AGAR (CCA)


"For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Dark blue to violet colonies
B	*Citrobacter freundii*	8090	Pink to red colonies
C	*Salmonella Enteritidis*	13076	Colourless colonies
D	*Enterobacter aerogenes*	13048	Pink to red colonies


Chromogenic Culture Media

TM 1639 | CHROMOGENIC UTI AGAR, MODIFIED

"For enumeration and differentiation of enteric pathogens in urinary tract infections"



Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Purple to magenta
B	*Staphylococcus aureus*	25923	Golden yellow
C	*Entercoccus faecalis*	29212	Blue - green (small)
D	*Klebsiella pneumoniae*	13883	Blue to purple mucoid
E	*Pseudomonas aeruginosa*	27853	Colorless (greenish pigment may be observed)




TM 1640 | CHROMOGENIC VIBRIO AGAR

"For selective isolation and differentiation of Vibrio species"


Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Vibrio cholerae*	15748	Bluish green

TM 13 40 | CHROMOGENIC ECC AGAR

"For presumptive identification of Escherichia coli and other coliforms"



Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Escherichia coli*	25922	Blue
B	*Klebsiella pneumoniae*	13883	Mauve
C	*S. typhimurium*	14028	Colourless



TM 1634 | CHROMOGENIC LISTERIA AGAR BASE (MODIFIED)

"For selective identification and differentiation of Listeria monocytogenes"

Symbol	Culture Name	ATCC	Appearance Of Colony
A	*Listeria monocytogenes*	19118	Bluish green

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1841	**CHROMOGENIC A. RAMBACH AGAR * -(Part I) & (Part II)** For detection and isolation of Salmonella species in clinical sample	30.70 10 ml	500 gm -	19745 -
TM 1523	**CHROMOGENIC BACILLUS AGAR *** for isolation & differentiation between various species of Bacillus using chromogenic substrates.	49.20	100 gm 500 gm	1395 5585
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#20 vl	5 vl 25 vl	1130 3255
TM 1885	**CHROMOGENIC BACILLUS CEREUS AGAR *** for isolation and differentiation of Bacillus cereus from food	40.98	100 gm 500 gm	1360 5560
TS 255	**BACILLUS CEREUS SELECTIVE SUPPLEMENT ***	#25 vl	5 vl	1790
TM 2111	**CHROMOGENIC BIFIDOBACTERIUM AGAR *** for the differentiation of *Bifidobacterium* and *Lactobacillus* species	59.48	100 gm 500 gm	2185 9565
TM 2112	**CHROMOGENIC CAMPYLOBACTER AGAR BASE *** for selective isolation and presumptive identification of Campylobacter species	59.53	100 gm 500 gm	2070 8735
TS 145	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (KARMALI) ***	#01 vl	5 vl 25 vl	1545 3230
TM 1197	**CHROMOGENIC CANDIDA AGAR (CHROMOGENIC CANDIDA DIFFERENTIAL AGAR) *** for fast isolation and identification of Candida species from mixed flora	42.70	100 gm 500 gm	4275 19235
TM 1588	**CHROMOGENIC CANDIDA DIFFERENTIAL AGAR MODIFIED *** For fast isolation and identification of Candida species from clinical and non-clinical specimens	42.05	100 gm 500 gm	4955 19840
TS 213	**CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT ***	#24 vl	5 vl	1415 3375
TM 1833	**CHROMOGENIC CLED AGAR BASE *** for isolation and differentiation of UTI pathogens	43.00	500 gm	18500
TM 1858	**CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014) *** for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm	3300 15950
TM 1338	**CHROMOGENIC COLIFORM AGAR W/SLS *** for simultaneous detection of total coliforms and Escherichia coli in water and foods	27.00	100 gm 500 gm	5115 20445
TM 2113	**CHROMOGENIC CANDIDA DIFFERENTIAL AGAR BASE *** selective and differential medium for rapid isolation and identification of Candida species from mixed cultures	31.02	100 gm 500 gm	5675 22715
TS 282	**CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT ***	#32 vl	5 vl	1055
TM 2114	**CHROMOGENIC CLOSTRIDIAL AGAR BASE *** for selective isolation and presumptive identification of Clostridium species	47.81	100 gm 500 gm	1920 8125
TM 2115	**CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR(ISO 9308-1:2014) *** for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm	7580 34155
TM 2116	**CHROMOGENIC COLIFORM AGAR MODIFIED *** recommended for the simultaneous detection of Escherichia coli and thermotolerent coliforms in water, milk, dairy products and other food samples	24.00	100 gm 500 gm	4990 22925
TM 2117	**CHROMOGENIC COLISTIN RESISTANT AGAR BASE *** recommended for isolation and differentiation of gram negative colistin resistant microoganisms	38.10	500 gm	10715
TS 283	**CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT ***	#13 vl	5 vl	1945
TM 2118	**CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR)(ISO /TS 22964: 2017) *** recommended for the isolation and identification of Cronobacter sakazakii from food product	32.40	500 gm	13060
TM 1854	**CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001) *** for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	100 gm 500 gm	5440 23610
TS 248	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT ***	#17 vl	5 vl 25 vl	645 2295
TM 2119	**CHROMOGENIC E. COLI AGAR *** for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	36.57	100 gm 500 gm	2460 11325
TM 2120	**CHROMOGENIC EC BROTH W/ RUG *** recommended for detection of Escherichia coli in water and food samples by a chromogenic and fluorogenic method	10.56	100 gm	6590

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2121	**CHROMOGENIC EC O157:H7 AGAR, MODIFIED *** recommended for isolation and differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples	28.85	100 gm 500 gm	6305 25740
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#5 vl	5 vl 25 vl	645 2295
TM 2441	**CHROMOGENIC ECO157:H7 SELECTIVE AGAR BASE, MODIFIED *** for presumptive enumeration of Escherichia coli 0157:H7 by membrane filtration technique from food samples.	66.82	100 gm 500 gm	5710 23185
TS 313	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED ***	#8 vl	5 vl	840
TM 1340	**CHROMOGENIC ECC AGAR *** for presumptive identification of Escherichia coli and other coliforms in food and environmental samples	55.83	100 gm 500 gm	4320 17610
TM 1341	**CHROMOGENIC ECC SELECTIVE AGAR BASE *** for detection of Escherichia coli and coliforms in water and food samples	26.48	100 gm 500 gm	7000 28005
TS 187	**CHROMOGENIC ECC SELECTIVE SUPPLEMENT ***	#38 vl	5 vl	840
TM 2122	**CHROMOGENIC ECC SELECTIVE AGAR BASE, MODIFIED *** for detection of Escherichia coli and coliforms in water and food samples	39.30	500 gm	34110
TM 1343	**CHROMOGENIC ECD W/ MUG *** for detection of Escherichia coli by chromogenic and fluorogenic substrates	53.17	100 gm 500 gm	4480 20660
TM 2123	**CHROMOGENIC ENRICHMENT BROTH BASE FOR EC O157:H7*** for isolation and selective differentiation of Escherichia coli O157:H7 from food, environmental and clinical samples by chromogenic method	22.80	100 gm 500 gm	8290 35560
TS 840	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT***	#44 vl	5 vl	645
TM 1631	**CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR *** for isolation and identification of Enterobacter sakazkii from dairy and food products	51.67	100 gm 500 gm	1835 7460
TM 1853	**CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006) *** for isolation and identification of Cronobacter sakazakii from milk and milk products	30.75	100 gm 500 gm	2950 12275
TM 1344	**CHROMOGENIC ENTEROCOCCI BROTH *** for identification and di erentiation of Enterococci from water	18.59	100 gm 500 gm	1765 7190
TM 1632	**CHROMOGENIC ENTEROCOCCUS FAECIUM AGAR BASE** for identification and di erentiation of Enterococcus faecium from faeces, sewage and water supplies	29.00	100 gm 500 gm	1805 7330
TM 1633	**CHROMOGENIC KLEBSIELLA SELECTIVE AGAR BASE *** for selective isolation of Klebsiella species from water can be used by membrane filter technique	40.80	100 gm 500 gm	2380 9795
TM 1339	**CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1:2001 / 16649-2:2001 / 16649-3:2015) *** for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm	2260 10380
TM 2124	**CHROMOGENIC L. MONO DIFFERENTIAL AGAR BASE *** for the selective and differential isolation, enumeration and identification of Listeria monocytogenes and Listeria species based on PCPLC activity	67.20	500 gm	9505
TS 285	**LECITHIN SOLUTION***	#16 vl	5 vl	3455
TS 286	**MODIFIED L.MONO SELECTIVE SUPPLEMENT***		5 vl	1920
TM 1845	**CHROMOGENIC L-MONO LISTERIA DIFFERENTIAL AGAR *** for selective identification and differentiation of Listeria monocytogenes	70.30	100 gm	8720
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT ***		5 vl	1945
TM 1634	**CHROMOGENIC LISTERIA AGAR BASE (Modified) *** for selective identification and differentiation of Listeria species	67.25	100 gm 500 gm	1865 7680
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TM 004	**CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) *** for selective identification and differentiation of Listeria species	70.05	100 gm 500 gm	2305 8390
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT ***		5 vl	1945

Chromogenic Dehydrated Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1635	**CHROMOGENIC MeReSA AGAR BASE *** for isolation and identification of Methicillin resistant Staphylococcus aureus from clinical samples	83.30	100 gm 500 gm	2820 12135
TS 206	**CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT ***	#12 vl	5 vl	1485
TS 219	**CEFOXITIN SUPPLEMENT***	#12 vl	5 vl	1485
TM 2127	**CHROMOGENIC M-COLICONFIRM BROTH *** recommended for detection of E.coli & other total coliforms in water samples by membrane filtration	17.43	500 gm	27400
TS 287	**ECC SELECTIVE SUPPLEMENT MODIFIED ***	#29 vl	5 vl	1140
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#21 vl	5 vl 25 vl	1015 3165
TM 1636	**CHROMOGENIC MM AGAR *** for identification and differentiation of Salmonella and non-Salmonella from water and clinical samples	49.13	100 gm 500 gm	1730 7030
TM 1638	**CHROMOGENIC M-LAURYL SULPHATE AGAR *** for enumeration and differentiation of E. coli and other coliforms by membrane Filter technique	88.00	100 gm 500 gm	5870 23415
TM 1198	**CHROMOGENIC OGYE AGAR BASE *** for isolation and enumeration of yeasts and moulds from milk and milk products using chromogenic substrates	37.10	100 gm 500 gm	4380 18755
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT ***	#27 vl	5 vl 25 vl	920 3020
TM 2125	**CHROMOGENIC RAJHANS MEDIUM (SALMONELLA AGAR) *** for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	46.82	100 gm 500 gm	4685 21520
TM 1426	**CHROMOGENIC SALMONELLA AGAR *** for isolation and differentiation of Salmonella species from among the members of	27.90	100 gm 500 gm	9540 42340
TM 1839	**CHROMOGENIC SALMONELLA AGAR *** For identification of Salmonella species from other organisms in the family Enterobacteriaceae	55.20	100 gm 500 gm	9925 44960
TS 252	**SALMONELLA SELECTIVE SUPPLEMENT**	#10 vl	5 vl	1160
TM 1824	**CHROMOGENIC SALMONELLA AGAR, MODIFIED *** for identification and differentiation of Salmonella species from among the members of Enterobacteriaceae, especially Proteus species	42.34	100 gm 500 gm	4180 19020
TM 1337	**CHROMOGENIC STAPHYLOCOCCUS AUREUS AGAR BASE *** for isolation and identification of Staphylococci	63.00	100 gm 500 gm	1195 4765
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl) ***	#4 vl	5 vl	2185
TM 1199	**CHROMOGENIC UTI AGAR *** for identification and confirmation of microorganisms causing urinary tract infections	32.45	100 gm 500 gm	2445 10415
TM 1909	**CHROMOGENIC UTI AGAR *** for presumptive identification of microorganisms mainly causing urinary tract infections	56.80	100 gm 500 gm	2565 10575
TM 2126	**CHROMOGENIC UNIVERSAL DIFFERENTIAL MEDIUM *** differential Medium is a differential medium recommended for presumptive identification of microorganisms from clinical and non-clinical specimens	35.00	100 gm 500 gm	2815 11545
TM 1639	**CHROMOGENIC UTI AGAR,MODIFIED *** for enumeration and differentiation of enteric pathogens in urinary tract infections	55.44	100 gm 500 gm	1560 7005
TM 1825	**CHROMOGENIC UTI SELECTIVE AGAR *** for identification, differentiation and confirmation of enteric bacteria from specimens such as urine	56.94	100 gm 500 gm	2480 10250
TS 207	**DMACA REAGENT (10 ml/vl)**	-	1 vl	710
TS 208	**TDA REAGENT (10 ml/vl)**	-	1 vl	310
TM 1640	**CHROMOGENIC VIBRIO AGAR *** for selective isolation and differentiation of Vibrio species	67.50	100 gm 500 gm	2725 11110
TM 1907	**CHROMOGENIC VRE AGAR BASE *** for identification of Vancomycin Resistant Enterococci from clinical specimens	50.95	100 gm 500 gm	2020 9270
TS 253	**CHROMOGENIC VRE AGAR SUPPLEMENT ***	#20 vl	5 vl	1540

Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME		F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 649	**ALKALINE PEPTONE WATER (IS:5887 (Part V) 1976, reaffirmed 2005)** for enrichment of Vibrio species		15.00	100 gm 500 gm	820 3345
TM 936	**ANDRADE PEPTONE WATER (IS : 5887 (Part I and IV) 1976, reaffirmed 2005)** A basal medium to study fermentation reactions by adding carbohydrates		15.10	100 gm 500 gm	790 3405
TM 635	**BAIRD PARKER AGAR BASE (IS : 5887 (Part II) 1976, reaffirmed 2005)** for isolation and enumeration of coagulase positive Staphylococci from food and other products.		65.00	100 gm 500 gm	1140 4685
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl) ***		#4 vl	5 vl	2185
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***			5 vl	2100
TS 003	**POTASSIUM TELLURITE 3.5% (10 ml/vl ***		#3 vl	5 vl	695
TM 674	**BILE SALT AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005)** for isolation and enumeration of bile tolerant enteric bacilli.		40.00	100 gm 500 gm	1010 4535
TM 952	**BRILLIANT GREEN AGAR BASE W/ PHOSPHATES (IS : 5887 (Part III) 1999, reaffirmed 2005)** for selective isolation of Salmonellae by inhibiting E.coli, Proteus and Pseudomonas species.		52.00	100 gm 500 gm	940 4245
TS 013	**SULPHA SUPPLEMENT ***		#20 vl	5 vl	1430
TM 678	**BRILLIANT GREEN BILE BROTH 2% (BIS) 5401-2-2012** for detection and confirmation of coliform bacteria in water and foods		40. 00	100 gm 500 gm	790 3285
TM 686	**BUFFERED PEPTONE WATER (IS : 5887 (Part III) 1999, reaffirmed 2005)** for pre-enrichment of injured Salmonella species prior to selective enrichment and isolation.		20.07	100 gm 500 gm	685 2935
TM 086	**DECARBOXYLASE TEST MEDIUM BASE (FALKOW) (IS : 5887 (Part V) 1976, reaffirmed 2005)** for cultivation and differentiation of bacteria based on their decarboxylase activity		09.00	100 gm 500 gm	940 3780
TM 1870	**DEOXYCHOLATE CITRATE AGAR MEDIUM (IS : 5887 (Part VII) 1999, reaffirmed 2005)** for isolation of Shigella species from food samples		55.45	100 gm 500 gm	735 3080
TM 1171	**EMB AGAR, LEVINE (IS : 5887 (Part I) 1976, reaffirmed 2005)** for isolation, enumeration and differentiation of Enterobacteriaceae.		37.50	100 gm 500 gm	845 3440
TM 1179	**ETHYL VIOLET AZIDE BROTH (E.V.A. BROTH) (IS : 5887 (Part II) 1976, reaffirmed 2005)** For selective and confirmatory detection of Enterococci as an indicator of faecal pollution in water		35.80	100 gm 500 gm	930 4185
TM 119	**GLUCOSE SALT TEEPOL BROTH (DOUBLE PACK) (IS : 5887 (Part V) 1976, reaffirmed 2005) -** for enrichment of Vibrio parahaemolyticus in drinking water.	Part I Part II	48.00 04.00	100 gm 500 gm	890 4165
TM 742	**HUGH LEIFSON MEDIUM (IS : 5887 (Part V) 1976, reaffirmed 2005)** for detecting aerobic and anaerobic breakdown of glucose.		20.33	100 gm 500 gm	1040 4435
TM 2143	**KAUFFMAN MUELLER'S TETRATHIONATE BROTH BASE (IS:5887(Part I)-1999)** recommended as selective enrichment medium for isolation of Shigella species from food samples		132.50	500 gm	3405
TM 1036	**MacCONKEY AGAR (IS : 5887 (Part I and II) 1976, reaffirmed 2005)** for isolation and differentiation of lactose fermenting and non-fermenting lactose enteric bacteria.		55.07 55.07	100 gm 500 gm	685 3070
TM 1238	**MacCONKEY BROTH W/ NEUTRAL RED (IS : 5887 (Part I and II) 1976, reaffirmed 2005)** for selective enrichment and enumeration of coliforms.		40.07 80.14	100 gm 500 gm	580 2600
TM 1239	**MacCONKEY BROTH W/ NEUTRAL RED (DOUBLE STRENGTH) (IS : 5887 (Part I) 1976, reaffirmed 2005)** for primary isolation of coliforms from large samples like water.		80.14	100 gm 500 gm	805 3345
TM 2230	**MACCONKEY BROTH PURPLE (IS: 5401-1:2012)** for presumptive identification of coliforms from variety of specimens such as water, milk and food etc		40.02	100 gm 500 gm	690 3035
TM 787	**MILK AGAR W/CETRIMIDE (DOUBLE PACK) (IS: 13428:1998, reaffirmed 2005)** for detection and enumeration of Pseudomonas aeruginosa in water.	Part I Part II	100.00 19.80	120 gm 500 gm	1200 4885

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

Dehydrated Culture Media (as per BIS)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 228	**MOTILITY TEST MEDIUM (EDWARDS AND EWING) (IS : 5887 (Part I and V) 1976, reaffirmed 2005)** for testing motility of enteric bacteria.	22.00	500 gm	4250
TM 685	**MR-VP MEDIUM (BUFFERED GLUCOSE BROTH) (IS : 5887 (Part I, III and IV) 1976, reaffirmed 2005)** for differentiation of coli-aerogenes group by MR-VP test.	15.00	100 gm 500 gm	645 2765
TM 197	**MYP AGAR BASE (PHENOL RED EGG YOLK POLYMYXIN AGAR BASE) (IS : 5887 (Part Vi) 1976, reaffirmed 2005)** for isolation and identification of pathogenic Staphylococci and Bacillus species.	46.00	100 gm 500 gm	1075 4475
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT***	#22 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl)***	#11 vl	5 vl	2100
TM 797	**NITRATE BROTH (IS : 5887(Part IV)-1999)** for detection of nitrate reduction and enumeration of Bacillus cereus	39.00	100 gm 500 gm	990 4245
TM 798	**NUTRIENT AGAR NO. 2 (IS : 5887 (Part I, II and V) 1976, reaffirmed 2005)** general purpose culture medium	40.00	100 gm 500 gm	830 3515
TM 1270	**NUTRIENT BROTH (W/ 1% PEPTONE) (IS : 5887 (Part I and II) 1976, reaffirmed 2005, IS : 5887 (Part IV) 1999)** general purpose culture medium.	25.00	100 gm 500 gm	645 2925
TM 1059	**NUTRIENT GELATIN (IS : 5887 (Part VII) 1999, reaffirmed 2005)** for detection of gelatin liquefaction by proteolytic microorganisms	158.00	500 gm	3220
TM 805	**PEPTONE WATER (IS : 5887 (Part I) 1976, reaffirmed 2005)** General purpose growth medium & as the base of carbohydrate fermentation media.	25.00	100 gm 500 gm	820 2780
TM 828	**PLATE COUNT AGAR (IS : 5402 - 1969 First Reprint 1983)** for determination of microbial counts in milk and other dairy products by pour plate method.	30.00	100 gm 500 gm	875 3925
TM 389	**SELENITE BROTH (SELENITE F BROTH) (DOUBLE PACK) (IS:5887 (Part I, III and IV) 1976, (reaffirmed 2005)** Part I Part II for isolation and enrichment of Salmonella from faeces, urine or other pathological material.	19.00 04.00	100 gm 500 gm	1015 4335
TM 1291	**SIMMONS CITRATE AGAR (IS : 5887 (Part I) 1976, reaffirmed 2005)** for differentiation between faecal coliforms and members of the aerogenes group on the basis of citrate utilization.	24.28	100 gm 500 gm	850 3690
TM 1299	**TCBS AGAR (IS : 5887 (Part V) 1976, reaffirmed 2005)** for selective isolation of Vibrio cholerae and other enteropathogenic Vibrio's.	89.00	100 gm 500 gm	1225 5020
TM 440	**TERGITOL - 7 AGAR BASE (IS : 5887 (Part I) 1976, reaffirmed 2005)** for selective isolation and identification of coliform bacteria from water	33.13	100 gm 500 gm	985 4450
TS 042	**T.T.C. SOLUTION 1% (10 ml/vl) ***	5 vl	5 vl 25 vl	1015 3165
TM 1874	**TRIPLE SUGAR IRON AGAR (IS : 5887 (Part I, III and V) 1976, reaffirmed 2005)** for confirmation of gram negative enteric bacilli on basis of dextrose, lactose and sucrose fermentation and H2S production.	64.32	100 gm 500 gm	860 3730
TM 891	**TRYPTONE WATER W/O NaCl (IS : 5887 (Part V) 1976, reaffirmed 2005)** for detection of Vibrio cholerae and Vibrio parahaemolyticus	10.00 24.51	100 gm 500 gm	795 4120
TM 2410	**UREA AGAR BASE (CHRISTENSEN) (IS:5887 (Part-I)-1976)** for detection of urease production, particularly by Proteus vulgaris, Micrococci & paracolon organisms	24.51	100 gm 500 gm	1020 4120
TS 030	**UREA 40% (5 ml/vl) ***	#268 vl	5 VL 25 vl	450 1815
TM 1314	**VIOLET-RED BILE AGAR (IS : 5401 (Part 1) : 2002)** for selective isolation, detection and enumeration of coli-aerogenes in water, milk products.	41.53	100 gm 500 gm	750 3395
TM 1319	**WILLIS AND HOBB'S MEDIUM BASE (IS : 5887 (Part 4) : 1999)** for isolation and identification of Clostridium from foods.	47.03	500 gm	4480
TS 002	**EGG YOLK EMULSION (100 ml /vl)***	#4vl	5 vl	2100
TS 098	**WILLIS AND HOBB'S SUPPLEMENT***	#22 vl	5 vl	1360
TM 498	**YEAST GLUCOSE CHLORAMPHENICOL AGAR (IS : 5403:1999 Reaffirmed 2005)** for selective enumeration of yeasts and molds in milk and milk products.	40.00	100 gm 500 gm	850 3800

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1943	**ACETAMIDE BROTH (DOUBLE PACK) (ISO 16266-2:2018) - (Part I & Part II)** for confirmation of non-fermentative Gram-negative bacteria, particularly Pseudomonas aeruginosa	21.40 01.40	100 gm 500 gm	1015 4380
TM 008	**ALKALINE PEPTONE WATER (pH 8.6) (ISO 21872-1 & 2:2007)** for detection and enrichment of Vibrio species	50.00	500 gm	3305
TM 1878	**ALKALINE SALINE PEPTONE WATER (ASPW) (ISO 8261, ISO 7218, ISO 6887, ISO 21872-1&2:2007)** for enrichment of Vibrio species from food and water samples	40.00	100 gm 500 gm	830 3415
TM 1505	**L-ARGININE DIHYDROLASE MEDIUM, MODIFIED (ISO 22964:2006)** for confirmation of Enterococcus sakazakii from milk and milk products	09.01	500 gm	4695
TM 1881	**BACILLUS CEREUS SELECTIVE AGAR BASE (MYP) (ISO 7932:2004)** selective isolation and enumeration of Bacillus cereus	46.03	500 gm	6080
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#22 vl	5 vl 25 vl	1130 3255
TS 002	**EGG YOLK EMULSION (100 ml/vl) ***	#11 vl	5 vl	2100
TM 1579	**BAIRD PARKER AGAR BASE (RPF) (ISO 6888-1 & 2:1999)** for isolation & enumeration of coagulase positive Staphylococci from foods & pharma products	56.00	500 gm	4795
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl) ***	#10 vl	5 vl	2185
TS 176	**RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) ***	#80 vl	5 vl 25 vl	5225 17750
TM 036	**BILE ESCULIN AGAR (ISO 10273:1994)** for isolation & identification of Yersinia enterocolitica from food and animal feeding products	64.50	100 gm 500 gm	2070 8070
TM 1883	**BILE ESCULIN AZIDE AGAR (ISO 7899-2:2000)** for isolation and presumptive identification of faecal streptococci. (ISO 7899-2 : 2000)	56.65	500 gm	8205
TM 1842	**BLOOD AGAR BASE NO. 2 (ISO 11290-1:2017)** for isolation, cultivation and detection of haemolytic activity of Streptococci, Pneumococci and other fastidious microorganisms	42.50	100 gm 500 gm	710 3215
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT ***	#26 vl	5 vl 25 vl	1410 3540
TS 007	**CAMPYLOBACTER SUPPLEMENT-I (BUTZLER) ***	#26 vl	5 vl	1240
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (BUTZLER) ***	#26 vl	5 vl 25vl	1510 4220
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (SKIRROW) ***	#26 vl	5 vl	1340
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT ***	#26 vl	5 vl	1340
TS 011	**STREPTO SUPPLEMENT ***	#26 vl	5 vl 25 vl	1125 3540
TM 1146	**BLOOD FREE CAMPYLOBACTER SELECTIVITY AGAR BASE (ISO 10272-1&2:2017)** for selective isolation and differentiation of Campylobacter species	45.50	500 gm	5045
TS 102	**CAMPYLOBACTER SUPPLEMENT V (BFCSA) ***	#22 vl	5 vl	1575
TS 103	**CAT SELECTIVE SUPPLEMENT ***	#22 vl	5 vl	1430
TM 1510	**BOLTON BROTH BASE (ISO 10272-1:2017)** for selective enrichment of Campylobacter species from foods	27.60	500 gm	4745
TS 179	**BOLTON SELECTIVE SUPPLEMENT***	#37 vl	5 vl	1485
TM 1512	**BRILLIANT GREEN AGAR W/ PHOSPHATES (ISO 6785:2001, ISO 6579:1981, ISO 3565:1975)** for selective isolation of Salmonella	54.69	500 gm	4245
TS 013	**SULPHA SUPPLEMENT ***	#20 vl	5 vl	1430
TM 365	**BRILLIANT GREEN BILE BROTH 2% (BRILLIANT GREEN LACTOSE BILE BROTH 2%) (ISO 4831:2006, ISO 4832:2006)** for detection and confirmation of coliform bacteria in water and foods	40.00	100 gm 500 gm	710 3190

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1894	**BUFFERED CHARCOAL YEAST EXTRACT AGAR MEDIUM (ISO 11731-2:2017)** For selective isolation and cultivation of Legionella species from cooling towers, water samples, clinical and other materials	35.00	100 gm 500 gm	4525 18100
TS 018	**LEGIONELLA SELECTIVE SUPPLEMENT IV (MWY)***	#5 vl	5 vl	1675
TS 019	**LEGIONELLA SUPPLEMENT ***	#5 vl	5 vl	1090
TS 115	**LEGIONELLA (GVPC)SELECTIVE SUPPLEMENT***	#5 vl	5 vl 25 vl	1245 3745
TS 254	**PCP SUPPLEMENT***	#5 vl	5 vl	1510
TM 307	**BUFFERED PEPTONE WATER (ISO 6579-1:2017, 11133:2014, 11290-2:2017, 21528:2017, 6887-1/2/3/4:2017)** for pre enrichment of injured Salmonella species prior to selective enrichment and isolation	20.00	100 gm 500 gm	645 2935
TM 1522	**CETRIMIDE BROTH BASE (ISO 8360-2:1988)** for cultivation of Pseudomonas aeruginosa from water samples using membrane filter technique	31.90	500 gm	4115
TM 1858	**CHROMOGENIC COLIFORM AGAR (CCA) (ISO 9308-1:2014, ISO 11133:2014)** for determination of coliforms and Escherichia coli in water samples	26.45	100 gm 500 gm	3300 15950
TM 2115	**CHROMOGENIC COLIFORM AGAR (CCA) W/1% AGAR(ISO 9308-1:2014)** for recommended for detection of total coliforms and Escherichia coli in water samples	25.92	100 gm 500 gm	7580 34155
TM 2118	**CHROMOGENIC CRONOBACTER ISOLATION AGAR (CCI AGAR)(ISO /TS 22964: 2017)** recommended for the isolation and identification of Cronobacter sakazakii from food products	32.40	500 gm	13060
TM 1854	**CHROMOGENIC EC O157:H7 AGAR (ISO 16654:2001)** for isolation and differentiation of Escherichia coli O157:H7 from food and environmental samples	28.85	100 gm	5440
TS 248	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT ***	#17 vl	5 vl 25 vl	645 2295
TM 1853	**CHROMOGENIC ENTEROBACTER SAKAZAKII AGAR, MODIFIED (ISO 22964:2017, ISO 22964:2006)** for isolation and identification of Cronobacter sakazakii from milk and milk products	30.75	100 gm 500 gm	2950 12275
TM 2045	**COLUMBIA BLOOD AGAR BASE (ISO 10272-2:2017)** recommemded for selective detection and enumeration of Campylobacter species from food chain	44.00	500 gm	4310
TM 004	**CHROMOGENIC LISTERIA AGAR BASE (ISO 11290-1 & 2:2004, ISO 11133:2014) *** for selective identification and differentiation of Listeria species	70.05	100 gm 500 gm	2305 8390
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT ***	#15 vl	5 vl	1360
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT ***	#15 vl	5 vl	1855
TM 1339	**CHROMOGENIC TRYPTONE BILE GLUCURONIDE AGAR (CHROMOGENIC E.COLI AGAR) (TBX AGAR)(ISO 16649-1 & 2 :2001, ISO 16649-3:2015, ISO 11133:2014) *** for enumeration of Escherichia coli from food samples, animal feed and water samples	36.57	100 gm 500 gm	2260 10380
TM 1852	**DICHLORAN ROSE BENGAL CHLORAMPHENICOL AGAR (DRBC AGAR) (ISO 21527-1:2008, 11133:2014)** for selective isolation of yeasts and molds of significance in food spoilage	31.60	100 gm 500 gm	1380 5195
TM 417	**EC BROTH (ISO 7251:2005, 11866-1:1997)** for selective enumeration of faecal and non faecal coliforms in water	37.00	100 gm 500 gm	890 3775
TM 1804	**EE BROTH, MOSSEL (ISO 21528-1:2004, ISO 7402:1993)** for selective enrichment of Enterobacteriaceae in bacteriological examination of foods	43.47	100 gm 500 gm	940 4240
TM 371	**EMB AGAR, LEVINE (ISO 21150:2015)** for isolation, enumeration and differentiation of members of Enterobacteriaceae from pharma, dairy & food products	37.50	100 gm 500 gm	710 3170
TM 2073	**EUGONIC LT 100 BROTH BASE W/O TWEEN 80 (ISO 21149:2017)** for the enrichment and detection of mesophilic aerobic bacteria present in cosmetic products	32.40	500 gm	4235
TM 1472	**FRASER BROTH BASE (ISO 11290-1:2017)** for isolation and enumeration of Listeria monocytogenes from food and animal feeds	57.35	100 gm 500 gm	1300 5195
TS 034	**FRASER SUPPLEMENT ***	#19 vl	5 vl	980
TS 035	**FRASER SELECTIVE SUPPLEMENT ***	#19 vl	5 vl	1550
TM 118A	**GIOLITTI-CANTONI BROTH BASE (ISO 6888-3:2003)** for selective enrichment of Staphylococcus aureus from foods	55.20	500 gm	4510
TS 003	**POTASSIUM TELLURITE 3.5% (10 ml/vl) ***	#18 vl	5 vl	695

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1937	**HALF FRASER BROTH BASE (ISO 11290-1:2017)** for the selective enrichment of Listeria species from foods	55.00	500 gm	5815
TS 034	**FRASER SUPPLEMENT ***	#19 vl	5 vl	980
TS 035	**FRASER SELECTIVE SUPPLEMENT ***	#10 vl	5 vl	1550
TM 121	**HEKTOEN ENTERIC AGAR (ISO 21567:2004)** for differential & selective isolation of Salmonella and Shigella from enteric pathological specimens	76.67	100 gm 500 gm	905 3810
TM 2138	**IRON SULPHITE AGAR MODIFIED (ISO 15213:2003)** for the enumeration of sulfite – reducing bacteria growing under anaerobic conditions	42.00	500 gm	4965
TM 1553	**KLIGLER IRON AGAR (ISO 13720-1995, ISO 10273:2003)** for identification of Pseudomonas species and for differential identification of gram-negative enteric bacilli based on dextrose and lactose fermentation and H2S production	58.02	500 gm	3680
TM 2173	**L-LYSINE DECARBOXYLASE SALINE BROTH (ISO 21872-1-2017)** recommended for biochemical confirmation of Vibrio parahaemolyticus and Vibrio cholerae from food and animal feeding stuffs on the basis of lysine decarboxylation	19.01	500 gm	4050
TM 2265	**L-ORNITHINE DECARBOXYLASE BROTH (ISO / TS 22964: 2017)** for detection of the ability of microorganisms to decarboxylate ornithine	14.01	100 gm	3260
TM 1251	**LACTOSE TTC AGAR (WITH SODIUM HEPTADECYL SULPHATE) (ISO 9308-1:2000)** for detection and enumeration of E.coli and other coliforms in water by membrane filtration technique	57.15	100 gm 500 gm	935 3905
TS 042	**TTC SOLUTION 1% (10 ml/vl) ***	#3 vl	5 vl 25 vl	1015 3165
TM 1556	**LACTOBACILLUS MRS AGAR * (ISO 1995, DRAFT ISO/DIS 13720:2010)** for the isolation and enumeration of lactic acid bacteria from meat and meat products	65.30	500 gm	3645
TM 150	**LAURYL SULPHATE BROTH (LAURYL TRYPTOSE BROTH) (ISO 11866-2, ISO 4831:2006)** for detection and enumeration of coliform bacteria in water, waste water, dairy products and other food sample	35.60	100 gm 500 gm	645 2945
TM 1829	**LAURYL SULPHATE TRYPTOSE BROTH, MODIFIED (ISO 22964:2006)** For the selective pre-enrichment medium for Cronobacter sakazakii from milk and milk products	64.60	500 gm	3170
TM 1226	**LISTERIA IDENTIFICATION AGAR BASE (PALCAM) (ISO 11290-2)** for detection and enumeration of Listeria monocytogens from food and animal feeds	69.00	100 gm 500 gm	1825 8195
TS 119	**LISTERIA SELECTIVE SUPPLEMENT (PALCAM) ***	#15 vl	5 vl 25 vl	1165 3975
TM 1229	**LISTERIA OXFORD MEDIUM BASE (ISO 11290-1)** for isolation of Listeria species from pathological samples	55.50	100 gm 500 gm	1455 5880
TS 120	**OXFORD LISTERIA SUPPLEMENT ***	#19 vl	5 vl	1360
TS 121	**LISTERIA MOXALACTAM SUPPLEMENT ***		5 vl	1550
TM 1830	**LYSINE DECARBOXYLASE BROTH W/O PEPTONE (ISO 6579:2002, ISO 22964:2006)** for differentiating Salmonella serotype arizonae from the Bethesda Ballerup group of Enterobacteriacae	09.00	100 gm 500 gm	845 3450
TM 775	**M-LAURYL SULPHATE BROTH (ISO 9308-1:2000)** for enumeration of Escherichia coli in water by membrane filter technique	76.20	500 gm	4905
TM 1572	**MUG LAURYL SULPHATE BROTH, MODIFIED (ISO 11866-2-1997)** for selective enrichment of presumptive Escherichia coli and other coliforms from milk & milk products. Also, recommended for enumeration purpose using of Most Probable Number (MPN) method	36.70	500 gm	7160
TM 1875	**MacCONKEY BROTH PURPLE W/ BCP (ISO 9308-2-1990)** for presumptive identification of coliforms from water	40.01	100 gm 500 gm	645 2835
TM 529	**MacCONKEY BROTH W/ BCP & NaCl (ISO 9308-2:1990)** for presumptive identification of coliforms from water, milk and foods etc	40.00	100 gm 500 gm	575 2600
TM 1915	**MacCONKEY SORBITOL AGAR BASE (ISO 16654-2001)** a selective medium for isolation and detection of Escherichia coli 0157:H7	50.03	500 gm	4330

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 1843	**MANNITOL EGG YOLK POLYMYXIN AGAR (ISO 7932:2004, ISO 21871:2006)** for the enumeration of B. cereus in foodstuffs and other samples	46.03	500 gm	4370
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT***	#22 vl	5 vl	1130
			25 vl	3255
TS 002	**EGG YOLK EMULSION (100 ml/vl***	#11 vl	5 vl	2100
TM 1857	**MINERAL MODIFIED GLUTAMATE BROTH BASE (ISO 16649-3:2005)** for enumeration of coliform bacteria in water and wastewater samples	17.70	500 gm	4305
TM 2215	**MRS AGAR, MODIFIED * (ISO 15214:1998)** recommended for the selective cultivation of Lactic acid bacteria from food	69.21	500 gm	5565
TM 2217	**MRS SELECTIVE AGAR BASE W/CLINDAMYCIN -CIPROFLOXACIN (ISO 20128:2006)** recommended for the selective cultivation of Lactic acid bacteria from food	65.15	100 gm	1350
			500 gm	6150
TS 298	**CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT***	#8 vl	5 vl	2540
TM 2246	**MOTILITY NITRATE MEDIUM, BUFFERED (ISO 7937:2004)** for isolation and detection of Clostridium perfringens on the basis of motility and nitrate test	19.50	500 gm	4835
TM 1399	**MUELLER KAUFFMAN TETRATHIONATE NOVOBIOCIN BROTH BASE (ISO 6579-1:2017)** for enrichment and isolation of Salmonellae by suppressing Proteus species	89.42	500 gm	4115
TS 152	**MKTT NOVOBIOCIN SUPPLEMENT ***	#6 vl	5 vl	1860
TM 1038A	**NUTRIENT AGAR (pH 6.8) (ISO 10273:2003, ISO 21528: 2004, ISO 19250:2010, ISO 6579:2015)** a general purpose nutrient medium for testing of water, sewage, faeces & other materials	23.00	100 gm	830
			500 gm	3470
TM 2256	**NUTRIENT AGAR 1.5% (ISO 1995, ISO/DIS 13720:2010)** recommended general purpose nutrient medium which can be used for cultivation of fastidious microorganisms after appropriate enrichment	28.00	500 gm	4045
TM 2274	**PARK & SANDER ENRICHMENT BROTH BASE (ISO/DIS 10272:1995)** for selective enumeration of thermo-tolerant Campylobacter species from food	29.35	500 gm	4610
TS 073	**PARK & SANDER SELECTIVE SUPPLEMENT A ***	#15 vl	5 vl	1445
TS 074	**PARK & SANDER SELECTIVE SUPPLEMENT B ***	#15 vl	5 vl	2115
TM 1844	**PEPTONE SORBITOL BROTH (W/Bile Salt) (ISO 10273:2017) -** **Part I** For selective enrichment of Yersinia enterocolitica from dairy products **Part II**	21.00 10.00	500 gm -	4395 -
TM 2281	**PHOSPHATE BUFFERED SALINE (FOR LISTERIA) (ISO 11290-2-2017)** recommended for the preparation of dilutions for Listeria species for further testing form food sample	18.37	500 gm	4290
TM 2270	**PSB BROTH MODIFIED (ISO 1994, ISO/DIS 10273)** for primary enrichment and enumeration of Yersinia enterocolitica from food	30.77	500 gm	4795
TM 2300	**RPF AGAR BASE (ISO 6888-2:1999)** recommended for the enumeration of coagulase positive Staphylococci from food and animal feeding stuff	58.00	500 gm	5695
TS 176	**RPF SUPPLEMENT (FIBRINOGEN PLASMA TRYPSIN INHIBITOR SUPPLEMENT) ***	#9 vl	5 vl	5225
			25 vl	17750
TM 2324	**SALINE NUTRIENT AGAR FOR VIBRIO (ISO 21872-1-2017)** recommended for enrichment of Vibrio parahaemolyticus and Vibrio cholerae species	43.00	500 gm	3750
TM 1847	**SALINE MEAT YEAST AGAR (ISO 8914:1990)** for identification of Vibrio parahaemolyticus form food products and animal feeding products	58.30	500 gm	3885
TM 2325	**SALINE PEPTONE WATER W/ 6% NaCl (ISO 21872-1-2017)** recommended as a biochemical test to distinguish between Vibrio species based on salt tolerance	43.00	500 gm	2975
TM 2326	**SALINE PEPTONE WATER W/ 10% NaCl (ISO 21872-1-2017)** recommended for detection of Vibrio parahaemolyticus and Vibrio cholerae from food	110.00	500 gm	3125
TM 2327	**SALINE TRYPTONE / TRYPTOPHAN MEDIUM (ISO 8914:1990)** recommended for detection of indole production by Vibrio parahaemolyticus	41.00	500 gm	3810
TM 1848	**SALT POLYMYXIN BROTH BASE (ISO 8914:1990)** for detection and enumeration of Vibrio species	29.70	500 gm	4075
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT ***	#34 vl	5 vl	1130
			25 vl	3255
TM 294	**SELENITE CYSTINE BROTH (FLUID SELENITE CYSTINE BROTH) (DOUBLE PACK)** **Part I** **(ISO 6579:1993) -** **Part II** an enrichment medium for isolation of Salmonella species from food, dairy and clinical samples(Part II)	19.01 04.00	100 gm 500 gm	1110 4245

Dehydrated Culture Media (as per ISO)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TM 2336	**SLANETZ AND BARTLEY MEDIUM (ISO/DIS 7899-2: 2000)** for detection and enumeration of faecal Streptococci from water samples by membrane filtration technique	46.50	500 gm	4795
TM 1611	**SOYABEAN BILE BROTH W/ NOVOBIOCIN (ISO 16654:2001) *** for the detection and enrichment of Escherichia coli 0157:H7 from foods	33.02	500 gm	4310
TM 544	**STANDARD METHODS AGAR (PLATE COUNT AGAR) (ISO 4833-1 & 2:2013)** For determination of plate counts of microorganisms in foods, water, waste water and also from clinical samples	23.50	100 gm 500 gm	790 3680
TM 1097	**SYNTHETIC SEA SALT (ISO 9308-3:1998)** for preparation of special diluents	19.19	100 gm	4470
TM 2374	**TOLUIDINE BLUE DNA AGAR (ISO 8870:2006(E) 83:2006(E)** for detection of thermostable deoxyribonuclease activity to establish speciation of S.aureus in contaminated foods	26.56	100 gm	8485
TM 1819	**TRIPLE SUGAR IRON AGAR (ISO 6785:2001 / ISO 6579:2017)** for identification of gram negative enteric bacteria on the basis of sugar fermentation & H2S production	65.00	100 gm 500 gm	860 3730
TM 2385	**TRYPTONE SALT BROTH (ISO:1999 ISO/DIS 6887-1:2017)** for preparation of specimens, stock suspensions and decimal dilutions for microbiological tests	09.50	100 gm 500 gm	715 3240
TM 549	**TRYPTONE SOYA YEAST EXTRACT BROTH (ISO 11290-2:1998)** for isolation and cultivation of Listeria from Henry's light	36.00	500 gm	3395
TM 1849	**TRYPTONE WATER (ISO 7251:1993)** for detection of indole production by coliforms	25.00	100 gm 500 gm	875 3765
TM 2400	**TRYPTONE YEAST SODIUM SULPHITE AGAR BASE (ISO 14189:2013)** recommended for the enumeration of Clostridium perfringens from water	42.00	500 gm	5310
TS 076	**PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT *** 	#1 vl	5 vl 25 vl	1280 3185
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT *** 	#22 vl	5 vl	3330
TM 1826	**TSC AGAR BASE (PERFRINGENS AGAR BASE) (ISO 7937: 2004, ISO 14189:2013)** for enumeration of Clostridium perfringens from food	42.00	500 gm	4680
TS 076	**PERFRINGENS T. S. C. SUPPLEMENT *** 	#24 vl	5 vl 25 vl	1280 3185
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT *** 	#24 vl	5 vl	3330
TM 2406	**TWEEN ESTERASE TEST AGAR BASE (ISO 10273:2017)** recommended for confirmation of Yersinia enterocolitica	30.01	100 gm 500 gm	1045 4325
TM 2411	**UREA INDOLE BROTH, MODIFIED (ISO 10273:2003)** for confirmation of Yersinia enterocolitica by urease and Indole test	30.03	100 gm 500 gm	1155 5085
TM 483	**VIOLET RED BILE GLUCOSE AGAR W/O LACTOSE (ISO 21528-1 & 2:2017)** for detection and enumeration of Enterobacteriaceae in raw foods	38.53	500 gm	3700
TM 1860	**VIOLET RED BILE LACTOSE AGAR (ISO 4832:2006)** for detection and enumeration of coliform bacteria in food, water and dairy products	38.53	100 gm 500 gm	875 3505
TM 2412	**VP MEDIUM FOR LISTERIA (ISO 11290-2-2017)** recommended for the distinction of Listeria species from other species based on Voges-Proskauer test from food samples	17.00	500 gm	3425
TM 1621	**XLD AGAR MODIFIED (ISO 6579-2002)** for isolation and enumeration of Salmonella Typhi and other Salmonella species	55.43	100 gm 500 gm	825 3695
TM 1827	**YEAST EXTRACT AGAR (ISO 6222:1999)** for enumeration of microorganisms from water	24.00	100 gm 500 gm	670 2855

Approximate number of vials required for 500 gm of dehydrated medium. | Store between 2 - 8°C *

Harmonized Culture Media

Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMH 119	**BAIRD PARKER AGAR BASE (as per EP/IP/BP)** for the isolation and enumeration of coagulase positive Staphylococci from food, pharmaceutical and other materials	63.00	100 gm 500 gm	1215 5010
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl) ***	#4 vl	5 vl	2185
TS 005	**POTASSIUM TELLURITE 1% (1ml /vl) ***	#3 vl	5 vl 25 vl	645 2295
TMH 101	**BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP)** Dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	745 3175
TMHV 101	**BUFFERED NaCl-PEPTONE SOLUTION (as per USP/EP/JP/BP) (VEG.)** NEW Dilution fluid for samples in case of microbiological contamination	16.10	100 gm 500 gm	745 3380
TMH 113	**CETRIMIDE AGAR (as per USP/EP/JP/BP)** for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm	745 3380
TMHV 113	**CETRIMIDE AGAR (as per USP/EP/JP/BP) (VEG.)** for selective isolation of Pseudomonas aeruginosa	45.30	100 gm 500 gm	850 3530
TMH 116	**COLUMBIA AGAR (as per USP/EP/JP/BP)** for detection of Clostridium sporogenes from pharmaceutical products.	44.00	100 gm 500 gm	960 3925
TS 217	**GENTAMYCIN SUPPLEMENT ***	#12 vl	5 vl	920
TMHV 116	**COLUMBIA AGAR (as per USP/EP/JP/BP) (VEG)** for detection of Clostridium sporogenes from pharmaceutical products	44.00	100 gm 500 gm	1070 3985
TS 217	**GENTAMYCIN SUPPLEMENT ***		5 vl	920
TMH 107	**EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (as per USP/BP/JP/EP)** for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	940 4240
TMHV 107	**EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL)** NEW **(as per USP/BP/JP/EP) (VEG.)** for selective enrichment of Enterobacteriaceae	45.01	100 gm 500 gm	940 4240
TMH 110	**MacCONKEY AGAR (as per USP/EP/BP/JP)** for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	700 3190
TMHV 110	**MacCONKEY AGAR(as per USP/EP/BP/JP) (VEG.)** for isolation, enumeration and enrichment of Enterobacteriaceae	51.03	100 gm 500 gm	830 3440
TMH 118	**MacCONKEY AGAR (as per USP/EP/BP/JP)** for selective isolation and differentiation of E.coli and other enteric bacteria from pharmaceutical products in accordance with the microbial limit testing by harmonized method	49.53	100 gm 500 gm	730 3295
TMH 378	**MacCONKEY AGAR W/O CV, NaCl, w/ 0.5% SODIUM TAUROCHOLATE** For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples	55.00	100 gm 500 gm	715 3270
TMH 109	**MacCONKEY BROTH (as per USP/EP/JP/BP)** for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	615 2810
TMHV 109	**MacCONKEY BROTH (as per USP/EP/JP/BP) (VEG.)** for detection enumeration of coliform bacteria	35.01	100 gm 500 gm	760 3415
TMH 114	**MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP)** for selective isolation and enumeration of Staphylococcus species	111.02	100 gm 500 gm	765 3095
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		5 vl	2100
TMHV 114	**MANNITOL SALT AGAR BASE (as per USP/BP/EP/JP) (VEG.)** for selective isolation and enumeration of Staphylococcus species	111.02	100 gm 500 gm	795 3260
TS 002	**EGG YOLK EMULSION (100ml/vl) ***		5 vl	2100
TMH 105	**POTATO DEXTROSE AGAR (as per USP/EP/JP/BP)** for the cultivation of yeasts and moulds	39.00	100 gm 500 gm	715 3235
TMH 111	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (as per USP/EP/JP/BP)** for selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm	1025 4620
TMHV 111	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENTBROTH (as per USP/EP/JP/BP/IP) (VEG.)** for For selective enrichment & isolation of Salmonella species from pharmaceutical products	42.50	100 gm 500 gm	1140 4770
TMH 115	**REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)** for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	900 4060

Harmonized Culture Media

Pharma Microbiological Testing Media (USP/JP/EP/BP)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TMHV 115	**REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP) (VEG.)** for isolation, cultivation and enumeration of Clostridia species, highly nutritive for Clostridium sporogenes and other anaerobes	38.00	100 gm 500 gm	1010 4290
TMH 104	**SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP)** for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	715 3230
TMHV 104	**SABOURAUD DEXTROSE AGAR (as per USP/EP/JP/BP) (VEG.)** for selection, isolation and cultivation of yeasts and fungi.	65.00	100 gm 500 gm	825 3505
TMH 106	**SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP)** for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	520 2325
TMHV 106	**SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP) (VEG.)** for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	100 gm 500 gm	540 2375
TMH 103	**SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/IP)** for the cultivation of various microorganisms from pharmaceuticals products in accordance with harmonized method	40.00	100 gm 500 gm	855 3500
TMHV 103	**SOYA CASEIN DIGEST AGAR (TRYPTONE SOYA AGAR) (CASO AGAR) (as per USP/EP/JP/BP/) (VEG.)** for cultivation of microorganisms sterility testing of molds and bacteria	40.00	100 gm 500 gm	895 3675
TMH 102	**SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP)** for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	440 1785
TMHV 102	**SOYBEAN CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (as per USP/EP/JP/BP) (VEG.)** for cultivation of wide variety of microorganisms recommended for sterility testing of moulds and lower bacteria	30.00	100 gm 500 gm	460 1850
TMH 108	**VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP)** for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	745 3395
TMHV 108	**VIOLET RED BILE DEXTROSE AGAR (as per USP/BP/EP/JP) (VEG.)** for detection and enumeration of coliform bacteria	41.53	100 gm 500 gm	820 3485
TMH 117	**VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)** for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	41.53	100 gm 500 gm	820 3485
TMH 112	**XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP)** for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm	820 3675
TMHV 112	**XLD AGAR (XYLOSE LYSINE DEOXYCHOLATE AGAR) (as per USP/BP/JP/EP) (VEG.)** for selective differentiation and enrichment medium of Salmonella and Shigella species	55.18	100 gm 500 gm	850 3785

Sterile Dehydrated Culture Media

(γ-Irradiated)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TSM 301	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (NIH THIOGLYCOLLATE MEDIUM) (as per USP)** for sterility testing of biological products	29.00	500 gm	2130
TSM 022	**ANTIBIOTIC ASSAY MEDIUM NO.11 (NEOMYCIN, ERYTHROMYCIN ASSAY AGAR) (as per USP)** for microbiological assay of antibiotics	30.50	500 gm	4570
TSM 039	**BISMUTH SULPHITE AGAR** for selective isolation and identification of Salmonellae from faeces, urine, sewage and other materials	52.33	500 gm	4395
TSM 216	**B.Q. VACCINE MEDIUM (THIOGLYCOLLATE BROTH W/ LIVER EXTRACT)** for mass cultivation of anaerobes for vaccine production	30.00	500 gm	4720
TSM 308	**DEXTROSE BROTH (Glucose Broth)** for the isolation, cultivation and enumeration of wide variety of microorganisms	23.00	500 gm	3090
TSM 371	**EMB AGAR (LEVINE)** for isolation, enumeration and differentiation of members of Enterobacteriaceae	37.50	500 gm	3510
TSM 985	**E.T. MEDIUM** for production of Clostridia for enterotoxin production	39.00	500 gm	3920

Sterile Dehydrated Culture Media
(ϒ-Irradiated)

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TSM 2129	**FILL TEST MEDIUM** recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm	2880
TSMV 2129	**FILL TEST MEDIUM (VEG.)** recommended for the evaluation of sterility in manufacturing process for easy detection of contamination by Media Fill Test	39.01	500 gm	3025
TSM 318	**FLUID THIOGLYCOLLATE MEDIUM (as per USP)** for sterility testing of biologicals and for cultivation of aerobic, anaerobic and microaerophilic organisms	29.75	500 gm	2100
TSM 298	**H.S. VACCINE MEDIUM (STANDARD NUTRIENT BROTH)** for large scale cultivation of bacteria for Vaccine production	25.00	500 gm	2905
TSM 377	**LURIA BROTH** for cultivation and maintenance of recombinant strains of Escherichia coli	20.00	500 gm	4240
TSM 406	**LURIA BERTANI BROTH** for cultivation and maintenance of recombinant strains of Escherichia coli	25.00	500 gm	4250
TSM 349	**MacCONKEY AGAR W/O CV, W/0.15% BILE SALTS** for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric bacteria	51.33	500 gm	3510
TSMH 2228	**MacCONKEY BROTH (as per USP/EP/JP/BP)** for detection enumeration of coliform bacteria	34.51	500 gm	3415
TSM 529	**MacCONKEY BROTH W/ B.C.P. & NaCl** for presumptive identifcation of coliforms from water, milk and foods etc	40.00	500 gm	3175
TSM 350	**NUTRIENT BROTH** for general cultivation of less fastidious microorganisms, can be enriched with blood or other biological fluids	13.00	500 gm	3095
TSM 344	**POTATO DEXTROSE AGAR** for isolation and enumeration of yeasts and molds from dairy and other food products	39.00	500 gm	3705
TSM 331	**POTATO DEXTROSE BROTH** for cultivation and enumeration of yeasts and molds	24.00	500 gm	3595
TSM 387	**SABOURAUD DEXTROSE AGAR** for cultivation of yeasts, molds and aciduric microorganisms	65.00	500 gm	3725
TSMH 106	**SABOURAUD DEXTROSE BROTH (as per USP/EP/JP/BP)** for selection, isolation & cultivation of yeasts, molds and aciduric microorganisms	30.00	500 gm	2845
TSM 332	**SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH)** for the evaluation of sterility in manufacturing processes	30.00	500 gm	2095
TSMV 332	**SOYA CASEIN DIGEST MEDIUM (TRYPTONE SOYA BROTH) (CASO BROTH) (VEG.)** for the evaluation of sterility in manufacturing processes	30.00	500 gm	2095
TSM 332K	**SOYA CASEIN DIGEST MEDIUM WITH BCP** Routine use media for multiplication of large number of microorganisms with indicator with addition of sugar can be used	30.01	500 gm	2280
TSMH 332	**SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP)** for the evaluation of sterility in manufacturing processes	30.00	500 gm	2220
TSMVH 332	**SOYBEAN CASEIN DIGEST MEDIUM (as per USP/EP/JP/BP) (VEG.)** for the evaluation of sterility in manufacturing processes	30.00	500 gm	2565
TSMH 345	**SOYA CASEIN DIGEST AGAR (as per USP/IP)** general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm	3765
TSMVH 345	**SOYA CASEIN DIGEST AGAR (as per USP/IP) (VEG.)** general purpose medium used with or without blood for enrichment and isolation of various fastidious microorganisms	40.00	500 gm	4170
TSM 1938	**SOYABEAN CASEIN DIGEST MEDIUM W/ MANNITOL, STERILE POWDER** is ϒ irradiated sterile powder recommended for the evaluation of sterility in manufacturing process. It can also be used for cultivation of a wide variety of microorganisms	30.02	100 gm	2065
TSM 420	**STUART TRANSPORT MEDIUM** for preservation and transport of Neisseria species and other fastidious organisms	14.10	500 gm	6715
TSM 426	**VIOLET RED BILE AGAR** for isolation and enumeration of coli aerogenes in water, milk and other dairy food products	41.53	500 gm	3695

β - LACTAMASE



β - Lactamase with Extended Spectrum

Inactivates Penicillins, Cephalosphorins of first, second, third, fourth and fifth generation & Carbapenems

Effective for Environmental Monitoring in Anitibiotic Manufacturing



Pack size : 1 Vial

- β - LACTAMASE I
- β - LACTAMASE II
- β - LACTAMASE MIXTURE

Testing Sterility of Blood Culture.

Testing for contamination of Drugs by Antibiotics.

Sterility testing of Bulk Antibiotics.

*Store Between 2 - 8˚C

TM MEDIA®

Media Supplement* A

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 267	**ACRIFLAVIN-CEFSULODIN-VANCOMYCIN SUPPLEMENT (ACV SUPPLEMENT)** For the isolation of Enterohemorrhagic E. coli (EHEC). Recommended With : TM 2020	5 vl	4155
TS 099	**AEROMONAS SELECTIVE SUPPLEMENT** for the selective isolation of Aeromonas species. Recommended With : TM 1136	5 vl	1105
TS 178	**ALBUMIN GLUCOSE SUPPLEMENT** for rapid cultivation of Mycobacterium tuberculosis. Recommended With : TM 099	5 vl	1310
TS 097	**AMPICILLIN SUPPLEMENT** for isolation of Aeromonas hydrophila from foods. Recommended With : TM 1074 / TM 1137	5 vl	1360
TS 319	**AMPICILLIN DEXTRIN SELECTIVE SUPPLEMENT** for selective isolation and differentiation of Aeromonas species from water samples using membrane filter technique Recommended With : TM 1958, TM 1959	5 vl	1225
TS 129	**ANTHRACIS SELECTIVE SUPPLEMENT** for selective isolation of Bacillus anthracis. Recommended With : TM 1271 / TM 2269	5 vl	1060
TS 255	**BACILLUS CEREUS SELECTIVE SUPPLEMENT** for selective isolation of Bacillus species. Recommended With : TM 1885	5 vl	1790
TS 100	**BACTEROIDES SELECTIVE SUPPLEMENT** for selective isolation of Bacteriodes species. Recommended With : TM 1144	5 vl	1015
TS 281	**BACILLUS SELECTIVE SUPPLEMENT** recommended for the selective isolation of Bacillus species. Recommended With : TM 2110	5 vl	1540
TS 211	**BASIC FUCHSIN (6 g/vl)** for standard test for lactose fermenting organisms. Recommended With : TM 373 / TMV 373	1 vl	610
TS 322	**BCSA SELECTIVE SUPPLEMENT** NEW For isolation of Burkholderia cepacia from the respiratory secretions of patients with cystic fibrosis and other non-clinical specimens.	5 vl 25 vl	1530 6735
TS 261	**β LACTAMASE I SUPPLEMENT (W/ >3000 UNITS/VIAL OF PENICILLINASE)** for inactivation of penicillin group of antibiotics	1 vl	12630
TS 262	**β LACTAMASE II SUPPLEMENT (W/ > 50 β II UNITS/ VIAL)** for inactivation of Penicillins and Cephalosporins of first, second, third, fourth & fifth generation and Carbopenems	1 vl	13205
TS 263	**β LACTAMASE MIXTURE SUPPLEMENT W/ (>500 β I UNITS/VIAL) & (>50 β II UNITS/VIAL)** for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vl	6890
TS 263G	**β LACTAMASE MIXTURE SUPPLEMENT (STERILE) W/ (>500 β I UNITS/VIAL) & (>50 β II UNITS/VIAL)** for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems	1 vl	7575
TS 264	**β LACTAMASE MIXTURE SUPPLEMENT W/ 2 β II UNITS/MG & 20 β I UNITS/MG** for inactivation of Penicillins and Cephalosporins of first, second, third, fourth generation and Carbopenems.	1 vl	13420
TS 179	**BOLTON SELECTIVE SUPPLEMENT** for selective isolation of Camphylobacter species from foods. Recommended With : TM 1510	5 vl	1485
TS 012	**BORDETELLA SELECTIVE SUPPLEMENT** for selective isolation of Bordetella pertussis. Recommended With : TM 044 / TM 1147 / TM 062 / TM 063	5 vl	1240
TS 004	**B.P. SULPHA SUPPLEMENT** for suppression of growth and swarming of Proteus species. Recommended With : TM 358 / TMV 358	5 vl	1025
TS 045	**BROMO CRESOL PURPLE (15 mg/vl)** for selective isolation and enumeration of faecal Streptococci. Recommended With : TM 136	5 vl	665

B Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 006	**BRUCELLA SELECTIVE SUPPLEMENT** for selective isolation of Brucella species from milk. Recommended With : TM 041 / TM 514 / TM 680 / TM 050 / TM 682 / TM 1513 / TM 071 / TM 1842 / TM 2011	5 vl 25 VL	1410 3540
TS 269	**BROMO THYMOL BLUE SUPPLEMENT** recommended for the selective cultivation of pathogenic fungi Recommended With : TM 090	5 vl	425
TS 010	**CAMPYLOBACTER GROWTH SUPPLEMENT** for the enhancement of growth & aerotolerance of Campylobacter fetus. Recommended With : TM 041 / TM 071 / TMV 071 / TM 514 / TM 680 / TM 050 / TM 2044 / TM 2105 / TM 1842 / TM 2011	5 vl	1295
TS 278	**CAMPYLOBACTER SELECTIVE SUPPLEMENT, ABEYTA** recommended by FDA BAM for the selective isolation of Campylobacter species Recommended With : TM 2105	5 vl	1640
TS 007	**CAMPYLOBACTER SUPPLEMENT-I (Blaser Wang)** for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 056 / TM 071 / TMV 071 / TM 1842 / TM 2011 / TM 514 / TM 1157 / TM 2044	5 vl	1200
TS 008	**CAMPYLOBACTER SUPPLEMENT-II (Butzler)** for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 514 / TM 071 / TM 2011 / / TMV 071 / TM 2044 / TM 1842	5 vl 25 vl	1445 4070
TS 009	**CAMPYLOBACTER SUPPLEMENT-III (Skirrow)** for selective isolation of Campylobacter species. Recommended With : TM 041 / TM 514 / TM 680 / TM 056 / TM 071 / TM 2044 / TM 1842 / TM 2011 / TMV 071	5 vl	1295
TS 067	**CAMPYLOBACTER SUPPLEMENT-IV (Preston)** for isolation of Campylobacter species. Recommended With : TM 603 / TM 956 / TM 1590 / TMV 1590	5 vl	1170
TS 102	**CAMPYLOBACTER SUPPLEMENT V (BFCSA)** for selective isolation of Campylobacter species. Recommended With : TM 1146	5 vl	1575
TS 026	**CAMPYLOBACTER SELECTIVE SUPPLEMENT** for the selective isolation of Helicobacter pylori (Campylobacter pylori). Recommended With : TM 071 / TM 2044 / TMV 071	5 vl	1410
TS 081	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (Wesley)** for the selective isolation of Campylobacter species. Recommended With : TM 928	5 vl	1545
TS 145	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (Karmali)** for isolating thermotolerant Camphylobacter species. Recommended With : TM 1361 / TM 2112	5 vl 25 vl	1545 3230
TS 146	**CAMPYLOBACTER SELECTIVE SUPPLEMENT (With Hemin) (Karmali)** for isolating thermotolerant Campylobacter species. Recommended With : TM 1361	5 vl 25 vl	1485 4165
TS 027	**CAMPYLOBACTER SUPPLEMENT-VI (Butzler)** for selective isolation of thermotolerant Campylobacter species. Recommended With : TM 071 / TMV 071 / / TM 2044	5 vl 25 vl	1540 4070
TS 103	**CAT SELECTIVE SUPPLEMENT** for selective isolation of thermophillic Campylobacter species. Recommended With : TM 1146	5 vl	1430
TS 273	**CATC SUPPLEMENT** recommended for the selective isolation and detection of Enterococcus faecalis by means of TTC reduction Recommended With : TM 2041	5 vl	1340
TS 104	**C.B.I. SUPPLEMENT** for the selective isolation of Clostridium botulinum. Recommended With : TM 1154	5 vl	1270
TS 101	**CCDA SELECTIVE SUPPLEMENT** for the selective cultivation of Campylobacter species. Recommended With : TM 1145	5 vl	1460

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 275	**CC SUPPLEMENT ***	5 vl	1240
	recommended for the selective cultivation of pathogenic fungi		
	Recommended With : TM 090		
TS 301	**CEFIXIME SUPPLEMENT**	5 vl	645
	recommended for selective isolation of E.coli O157:H7		
	Recommended With : TM 2231		
TS 219	**CEFOXITIN SUPPLEMENT**	5 vl	1485
	for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens.		
	Recommended With : TM 1635 / TM 1561 / TM 1635		
TS 075	**CETRINIX SUPPLEMENT**	5 vl	1435
	for the selective isolation of Pseudomanas species.	25 vl	3655
	Recommended With : TM 626		
TS 077	**CFC SUPPLEMENT**	5 vl	1305
	for the selective isolation of Pseudomanas species.	25 vl	4050
	Recommended With : TM 626		
TS 053	**CHLORAMPHENICAL SELECTIVE SUPPLEMENT**	5 vl	1015
	for the selective isolation of yeasts and moulds.	25 vl	3075
	Recommended With : TM 563 / TM 667 / TM 982 / TMV 982 / TM 276		
TS 138	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT**	5 vl	1060
	for selective isolation of Penicillium virdicatum and related species from foods.	25 vl	3075
	Recommended With : TM 1330 / TM 1584 / TM 2306 / TM 2319 / TM 2320 / TM 1951 / TM 2438		
TS 213	**CHROMOGENIC CANDIDA SELECTIVE SUPPLEMENT**	5 vl	1415
	for isolation and identification of Candida species from mixed cultures.	25 vl	3375
	Recommended With : TM 1588		
TS 282	**CHROMOGENIC CANDIDA DIFFERENTIAL SELECTIVE SUPPLEMENT**	5 vl	1055
	recommended for rapid and direct isolation and identification of Candida species from mixed cultures		
	Recommended With : TM 2113		
TS 283	**CHROMOGENIC COLISTIN RESISTANT SELECTIVE SUPPLEMENT**	5 vl	1945
	for isolation & differentiation of colistin-resistant pathogens.		
	Recommended With : TM 2117		
TS 248	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT**	5 vl	645
	for selective isolation and detection of Escherichia coli O157:H7 from food samples.	25 vl	2295
	Recommended With : TM 1854 / TM 2123 / TM 2017		
TS 313	**CHROMOGENIC EC O157:H7 SELECTIVE SUPPLEMENT, MODIFIED**	5 vl	840
	for selective isolation and detection of Escherichia coli O157:H7 from food samples.		
	Recommended With : TM 2441		
TS 187	**CHROMOGENIC ECC SELECTIVE SUPPLEMENT**	5 vl	1200
	for the selective isolation of Escherichia coli and coliforms from water and food samples.		
	Recommended With : TM 1341		
TS 215	**CHROMOGENIC ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT**	5 vl	1945
	for selective isolation and detection of Enterococcus faecium.		
	Recommended With : TM 1632		
TS 031	**CHROMOGENIC ENRICHMENT SUPPLEMENT**	5 vl	1855
	for the isolation, detection and enumeration of Listeria monocytogenes.		
	Recommended With : TM 1845 / TM 004		
TS 204	**CHROMOGENIC KLEBSIELLA SELECTIVE SUPPLEMENT**	5 vl	1300
	for the selective isolation of Klebsiella species from water and other sources.		
	Recommended With : TM 1633		
TS 205	**CHROMOGENIC LISTERIA SELECTIVE SUPPLEMENT**	5 vl	1360
	for the isolation, detection and enumeration of Listeria monocytogenes.		
	Recommended With : TM 1845 / TM 004 / TM 1634		
TS 206	**CHROMOGENIC MeReSa SELECTIVE SUPPLEMENT**	5 vl	1485
	for the selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens.		
	Recommended With : TM 1635		
TS 302	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED**	5 vl	1010
	recommended for selective isolation of Penicillium viridicatum and related species from foods.		
	Recommended With : TM 2232		

C Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 259	**CHLORTETRACYCLINE SELECTIVE SUPPLEMENT, MODIFIED** for selective isolation of Penicillium viridicatum and related species isolated from food, in accordance with FDA BAM, 2001, Chapter 18 Yeasts, Molds and Mycotoxins. Recommended With : TM 116	5 vl	975
TS 295	**CHROMOGENIC SUPPLEMENT** for the enumeration of faecal coliform by membrane filter technique Recommended With : TM 2186	5 vl	2330
TS 253	**CHROMOGENIC VRE AGAR SUPPLEMENT** for selective isolation of Vancomycin Resistant Enterococci (VRE). Recommended With : TM 1907	5 vl	1540
TS 298	**CIPROFLOXACIN CLINDAMYCIN SELECTIVE SUPPLEMENT** recommended for selective cultivation of Lactic acid bacteria from food Recommended With : TM 2217	5 vl	2540
TS 024	**CLOSTRIDIUM DIFFICILE SUPPLEMENT** for selective isolation of Clostridium difficile. Recommended With : TM 068 / TM 2042	5 vl 25 vl	1300 3410
TS 274	**CLOSTRIDIUM DIFFICILE SELECTIVE SUPPLEMENT** recommended for the selective isolation of Clostridium difficile Recommended With : TM 2043	5 vl	2015
TS 250	**CLOSTRIDIUM PERFRINGENS SUPPLEMENT** for selective isolation of Clostridium perfringens. Recommended With : TM 1826 / TM 2400	5 vl	3330
TS 271	**COLISTIN SELECTIVE SUPPLEMENT** for selective isolation of Clostridium perfringens. Recommended With : TM 2027	5 vl	1960
TS 141	**CPC SUPPLEMENT** for selective isolation of Clostridium perfringens. Recommended With : TM 1422	5 vl	2020
TS 315	**CYCLOSERINE – CEFOXITIN SUPPLEMENT** for the isolation and presumptive identification of Clostridium difficile, a recognized cause of pseudomembraneous (antimicrobial agent-associated) colitis Recommended With : TM 2446	5 vl	2070
TS 207	**DMACA REAGENT (10 ml/vl)** for enumeration and differentiation of enteric pathogens in urinary tract infections. Recommended With : TM 1639	1 vl	710
TS 028	**DERMATO SUPPLEMENT** for the determine the tryptophan-deaminase activity. Recommended With : TS 083	5 vl	1300
TS 059	**DIPHTHERIA VIRULENCE SUPPLEMENT (Part A&B) (Double Pack)** for isolation and presumptive identification of Corynebacterium diphtheriae. Recommended With : TS 450	1 vl	3985
TS 135	**DOYLE'S ANTIBIOTIC SUPPLEMENT** for selective isolation of Campylobacter species. Recommended With : TM 987	5 vl 25 vl	1120 3590
TS 287	**ECC SELECTIVE SUPPLEMENT MODIFIED** recommended for detection of Escherichia coli and other coliform. Recommended With : TM 2127	5 vl	1140
TS 001	**EGG YOLK TELLURITE EMULSION (100 ml/vl)** for identification of Staphylococci. Recommended With : TM 1579 / TM 635 / TM 636 / TM 943 / TMV 358 / TM 1337 / TM 358 / TMV 358 / TMH 119	5 vl	2185
TS 290	**EGG YOLK EMULSION, 50%** for use in various culture media in accordance with FDA BAM 1998. Recommended With : TM 2151, TM 2311	5 vl	2705
TS 002	**EGG YOLK EMULSION (100 ml/vl)** for use in various culture media. Recommended With : TM 1120 / TM 358 / TM 1881 / TM 635 / TM 943 / TMV 358 / TM 1154 / TM 1886 / TM 724 / TM 1843 / TMV 615 / TM 197 / TM 206 / TMV 206 / TM 1206 / TM 1125 / TM 1207 / TM 1221 / TMV 197 / TM 197 / TM 210 / TMHV 114 / TMH 114	5 vl	2100

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 168	**ENTEROCOCCUS FAECIUM SELECTIVE SUPPLEMENT** for selective isolation and detection of of Enterococcus faecium. Recommended With : TM 1470	5 vl	1945
TS 157	**ENTEROCUCUS SELECTIVE SUPPLEMENT** for enumeration of intestinal Enterococci from surface and waste water. Recommended With : TM 1388 / TM 2220	5 vl	1320
TS 090	**ESCULIN SUPPLEMENT (0.5g/vl)** for detection of group D Streptococci by means of esculin hydrolysis. Recommended With : TM 037	5 vl	2575
TS 033	**FRASER ENRICHMENT SUPPLEMENT** for isolation and enrichment of Listeria monocytogenes from food and environmental samples. Recommended With : TM 113	5 vl	1185
TS 035	**FRASER SELECTIVE SUPPLEMENT** for selective isolation and enrichment of Listeria monocytogenes from food and environmental samples. Recommended With : TM 113 / TM 1472 / TM 1937 / TM 2092	5 vl	1550
TS 034	**FRASER SUPPLEMENT** for selective isolation and enumeration of Listeria monocytogenes from food, animal feeds etc. Recommended With : TM 1472 / TM 1937 / TM 2092 / TM 2093	5 vl	980
TS 277	**FRIIS SUPPLEMENT** a selective supplement for detection of non-avian Mycoplasmas in pharmaceutical products in accordance with European pharmacopoeia Recommended With : TM 2095	5 vl	1770
TS 184	**GBS SUPPLEMENT** for selective isolation and presumptive identification of group B Streptococci. Recommended With : TM 1545	5 vl	925
TS 036	**GC SUPPLEMENT W/ANTIBIOTICS** for selective isolation and cultivation of pathogenic Neisseria. Recommended With : TM 116 / TMV 116 / TM 933	5 vl 25 vl	1445 3660
TS 056	**G.N. SPORE ANAEROBIC SUPPLEMENT** for the selective isolation of gram-negative anaerobes. Recommended With : TM 915 / TM 916	5 vl 25 vl	1380 3750
TS 299	**GROWTH SUPPLEMENT I FOR MSM** a growth supplement for the enrichment of Salmonella species Recommended With : TM 2218	5 vl	1045
TS 300	**GROWTH SUPPLEMENT II FOR MSM** a growth supplement for the enrichment of Salmonella species Recommended With : TM 2218	5 vl	860
TS 109	**GTC SUPPLEMENT** for selective isolation of Enterococci. Recommended With : TM 1190	5 vl	1065
TS 025	**G. VAGINALIS SELECTIVE SUPPLEMENT** for selective isolation of Gardnerella vaginalis . Recommended With : TM 071 / TMV 071 / TM 2044	5 vl	1130
TS 217	**GENTAMYCIN SUPPLEMENT** for detection of Clostridium perfringens from pharma products. Recommended With : TM 701 / TMH 116 / TMHV 116	5 vl	920
TS 128	**GENTA-OXY SELECTIVE SUPPLEMENT** for selective isolation of Vancomycin Resistant Enterococci. Recommended With : TM 1061	5 vl 25 vl	1300 3115
TS 111	**GEORGE KIMMIG SELECTIVE SUPPLEMENT** for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vl	1250
TS 047	**GRUFT MYCOBACTERIAL SUPPLEMENT** for selective cultivation of Mycobacteria. Recommended With : TM 375 / TMV 375 / TM 526 / TM 2167	5 vl	1185

H Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 021	**HEAMOGLOBIN POWDER** for isolation of Neisseria spp. Recommended With : TM 064 / TM 116 / TMV 116 / TM 879 / TM 933 / TM 1105 / TM 2264	100 gm	2350
TS 144	**HAEMOPHILUS GROWTH SUPPLEMENT** for cultivation of Haemophilus influenzae. Recommended With : TM 1352	5 vl	1300
TS 014	**HORSE SERUM (Store at 2 - 20°C)** for isolation and cultivation of Mycoplasma or Trichomonas or Streptococcus species. Recommended With : TM 514 / TM / 680 / TM 050 / TM 1513 / TM 106 / TM 1544 / TM 1545 / TM 1366 / TM 106 / TM 1544 / TM 1545 / TM 1366 TM 106 / TM 768 / TM 1265 / TM 233 / TM 235 / TM 794 / TM 1266 / TM 1267 / TM 233 / TM 1308 / TM 1307	100 ml	4460
K TS 068	**KANAMYCIN SULPHATE SELECTIVE SUPPLEMENT** for selective isolation of Enterococci. Recommended With : TM 748 / TM 749	5 vl	1360
TS 314	**KANAMYCIN AND VANCOMYCIN SUPPLEMENT** for the isolation and partial identification of obligately anaerobic gram-negative bacilli. LKV agar is useful for the rapid isolation of Prevotella species Recommended With : TM 2445	5 vl	2010
TS 110	**KIMMIG SELECTIVE SUPPLEMENT** for selective isolation and cultivation of fungi. Recommended With : TM 1211	5 vl	1755
TS 134	**KL VIRULENCE ENRICHMENT (20 ml/vl)** for cultivation and in-vitro toxicity testing of Corynebacterium diptheriae. Recommended With : TM 984	5 vl 25 vl	1270 3315
TS 257	**KLEBSIELLA SELECTIVE SUPPLEMENT** for selective isolation and easy detection of Klebsiella species from water and other sources. Recommended With : TM 582 / TM 2192	5 vl	1300
L TS 227	**L.MONO SELECTIVE SUPPLEMENT I** for isolation of Listeria species. Recommended With : TM 1443 / TM 1806 / TM 2148	5 vl	1130
TS 228	**L.MONO SELECTIVE SUPPLEMENT II** for isolation of Listeria species. Recommended With : TM 1443 / TM 1806	5 vl	1385
TS 321	**L. MONO ENRICHMENT SUPPLEMENT I** NEW for selective differentiation of Listeria monocytogenes from other Listeria species. Recommended With : TM 1443 / TM 1806	5 vl	8440
TS 229	**L.MONO ENRICHMENT SUPPLEMENT II (Store at 2 - 20°C)** for selective differentiation of Listeria monocytogenes from other Listeria species. Recommended With : TM 1443 / TM 1806	5 vl	4020
TS 161	**LACHICA SUPPLEMENT** for selective isolation of Aeromonas hydrophilla. Recommended With : TM 1369	1 vl	680
TS 049	**10% LACTIC ACID SOLUTION (10ml/vl)** for adjustment of acidic pH. Recommended With : TM 080 / TM 340 / TM 326 / TM 397 / TMV 204 / TM 204 / TM 205 / TM 114 / TM 115 / TM 398 / TMV 205 / TM 397	5 vl 25 vl	920 2955
TS 069	**LACTIC SUPPLEMENT (10ml/vl)** for selective isolation of Lactic acid bacteria in beer and brewing processes. Recommended With : TM 752 / TM 753	5 vl	1140
TS 308	**LACTOBACILLI SUPPLEMENT** recommended for the selective isolation of Lactobacilli from wine Recommended With : TM 2379	5 vl 25 vl	1440 4580
TS 154	**LANDER VPT SUPPLEMENT A** for selective enrichment and transport of Campylobacter spp. Recommended With : TM 1430	2 vl	2035

Media Supplement* L

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 160	**LANDER AF SUPPLEMENT B** for selective enrichment and transport of Campylobacter spp. Recommended With : TM 1430	1 vl	2035
TS 294	**LCN SUPPLEMENT** used for the selective isolation of Mycobacterium from specimens containing mixed flora. Recommended With : TM 2168	5 vl 25 vl	1485 4340
TS 285	**LECITHIN SOLUTION** for based on PCPLC activity. Recommended With : TM 2124	5 vl	3455
TS 044	**LEGIONELLA GROWTH SUPPLEMENT (Twin Pack) (Part A & B)** for enhancing growth of Legionella species. Recommended With : TM 760 / TM 759	5 vl	960
TS 195	**LEGIONELLA GROWTH SUPPLEMEN W/O L-CYSTEINE** for enhancing growth of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl 25 vl	1550 4105
TS 015	**LEGIONELLA SELECTIVE SUPPLEMENT** for selective isolation of Legionella species. Recommended With : TM 684 / TM 759	5 vl 25 vl	1245 3745
TS 016	**LEGIONELLA SELECTIVE SUPPLEMENT-II** for selective isolation of Legionella species from mixted cultures. Recommended With : TM 684	5 vl	1510
TS 078	**LEPTOSPIRA ENRICHMENT SUPPLEMENT (Double Pack)** for cultivation of Leptospira species. Recommended With : TM 153	5 vl	1965
TS 017	**LEGIONELLA SELECTIVE SUPPLEMENT-III** for selective isolation of Legionella species from mixed cultures. Recommended With : TM 684	5 vl	1430
TS 018	**LEGIONELLA SELECTIVE SUPPLEMENT-IV (MWY)** for selective isolation of Legionella species. Recommended With : TM 684 / TM 1894	5 vl	1675
TS 019	**LEGIONELLA SUPPLEMENT** for enhanced growth of Legionella species. Recommended With : TM 684 / TM 1894 / TM 759	5 vl	1090
TS 114	**LEGIONELLA GROWTH SUPPLEMENT (BCYE)** for enhancing growth of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl	1730
TS 114A	**LEGIONELLA SELECTIVE SUPPLEMENT (GVPN)** for selective isolation of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl	1485
TS 115	**LEGIONELLA (GVPC) SELECTIVE SUPPLEMENT** for isolation of Legionella species. Recommended With : TM 1218 / TM 1894 / TM 2156	5 vl 25 vl	1245 3745
TS 116	**LEGIONELLA BMPA SELECTIVE SUPPLEMENT** for selective isolation of Legionella species. Recommended With : TM 1218 / TM 2156	5 vl 25 vl	1300 3900
TS 041	**LINCO T SUPPLEMENT (LINCOMYCIN-COLISTIN-AMPHOTERICIN-B TRIMETHOPRIM) *** contains antibiotics, which are targeted to selective isolation and cultivation of Neisseria species in GC AGAR BASE. Recommended With : TM 116 / TMV 116	5 vl 25 vl	1510 4400
TS 147	**LISTERIA SELECTIVE SUPPLEMENT A** for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl	1140
TS 148	**LISTERIA CONFIRMATORY SUPPLEMENT B** for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl	1885
TS 149	**LISTERIA ENRICHMENT SUPPLEMENT** for isolation and enumeration of Listeria monocytogenes. Recommended With : TM 1375	5 vl	3975
TS 121	**LISTERIA MOXALACTAM SUPPLEMENT** for selective isolation and cultivation of Listeria monocytogenes from food and environmental specimens. Recommended With : TM 1229	5 vl	1550

L Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 292	**LISTERIA MOXALACTAM SUPPLEMENT MODIFIED** recommended for the selective isolation of Listeria species from food samples in accordance with FDA BAM,1998. Recommended With : TM 2162, TM 2163	5 vl	1605
TS 092	**LISTERIA SELECTIVE SUPPLEMENT-II** for selective isolation and cultivation of Listeria monocytogenes. Recommended With : TM 1333 / TM 1444 / TM 761 / TMV 761	5 vl 25 vl	1200 4205
TS 119	**LISTERIA SELECTIVE SUPPLEMENT (PALCAM)** for the selective isolation and identification of Listeria monocytogenes. Recommended With : TM 1226 / TM 1227	5 vl 25 vl	1165 3975
TS 117	**LISTERIA UVM SUPPLEMENT-I** for selective isolation and cultivation of Listeria monocytogenes. Recommended With : TM 1225	5 vl	1025
TS 118	**LISTERIA UVM SUPPLEMENT-II** for selective isolation and cultivation of Listeria monocytogenes from clinical specimens. Recommended With : TM 1225	5 vl	1025
TS 289	**LM SELECTIVE SUPPLEMENT** recommended for presumptive enumeration of Listeria species. Recommended With : TM 2149	5 vl	1410
TS 231	**MeReSa SELECTIVE SUPPLEMENT** for selective isolation of Methicillin Resistant Staphylococcus aureus from clinical specimens. Recommended With : TM 1561	5 vl	1485
TS 318	**M-CP SELECTIVE SUPPLEMENT I** recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl	1410
TS 320	**M-CP SELECTIVE SUPPLEMENT II** recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl	1270
TS 317	**M-CP SELECTIVE SUPPLEMENT, MODIFIED** recommended for selective isolation of Clostridium perfringens Recommended With : TM 2130	5 vl	745
TS 297	**M-PA SELECTIVE SUPPLEMENT** recommended for selective isolation of Pseudomonas aeruginosa. Recommended With : TM 2197	5 vl	1590
TS 096	**MCBRIDE LISTERIA SUPPLEMENT** for selective isolation of Listeria species. Recommended With : TM 905	5 vl	1335
TS 216	**MEROPENEM SUPPLEMENT** for enrichment of Enterococci. Recommended With : TM 1643 / TM 1642	5 vl	1650
TS 050	**MIDDLEBROOK ADC GROWTH SUPPLEMENT** for cultivation of Mycobacteria. Recommended With : TM 213	5 vl	2435
TS 060	**MIDDLEBROOK OADC GROWTH SUPPLEMENT** for isolation and cultivation of Mycobacteria. Recommended With : TM 215 / TM 786 / TM 618 / TM 214 / TM 590	5 vl	2505
TS 152	**MKTT NOVOBIOCIN SUPPLEMENT** for selective enrichment and isolation of Salmonellae. Recommended With : TM 1399	5 vl	1860
TS 268	**MODIFIED CFC SELECTIVE SUPPLEMENT** for selective isolation of Pseudomonas species. Recommended With : TM 2023 / TM 2024	5 vl	1370
TS 270	**MODIFIED CPC SUPPLEMENT** for selective isolation of Pseudomonas species. Recommended With : TM 2027	5 vl	2195
TS 286	**MODIFIED L.MONO SELECTIVE SUPPLEMENT** for selective isolation of L.monocytogenes and Listeria species based on PCPLC activity. Recommended With : TM 2124	5 vl	1920

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 113	**MOXALACTAM SUPPLEMENT** for isolating and cultivating Listeria monocytogenes. Recommended With : TM 1213	5 vl	1440
TS 123	**MUELLER TELLURITE SERUM (25 ml/vl)** for isolation, cultivation and differentiation of Corynebacterium diptheriae. Recommended With : TM 1050	5 vl	2415
TS 296	**MUG SUPPLEMENT (50 MG PER VIAL)** for measuring b - glucuronidase activity, for rapid and sensitive identification of Escherichia coli. Recommended With : TM 2186	5 vl	2120
TS 124	**MYCOPLASMA CULTIVATION SUPPLEMENT** for isolation and cultivation of Mycoplasma. Recommended With : TM 1265	5 vl	3460
TS 052	**MYCOPLASMA ENRICHMENT SUPPLEMENT** for isolation of Mycoplasma. Recommended With : TM 233 / TM 794 / TM 235	5 vl 25 vl	3460 13065
TS 310	**MYCOPLASMA SELECTIVE SUPPLEMENT** supplement for the isolation of Mycoplasma. Recommended With : TM 2404 / TM 2405	5 vl	3175
TS 249	**MYCOPLASMA UROGENITAL SELECTIVE SUPPLEMENT** for selective cultivation of Mycoplasma associated with urogenital infections. Recommended With : TM 1267	5 vl 25 vl	1485 3460
TS 020	**NALIDIXIC SELECTIVE SUPPLEMENT** for selective isolation of Pseudomonas aeruginosa from clinical specimens. Recommended With : TM 060 / TMV 060 / TM 2035	5 vl	1055
TS 293	**NAMC LISTERIA SELECTIVE SUPPLEMENT** recommended for the selective enrichment of Listeria species from food. Recommended With : TM 2165	5 vl	1205
TS 303	**NEO ENRICHMENT SELECTIVE SUPPLEMENT** recommended for the selective isolation of Listeria species from food samples in 24 hours. Recommended With : TM 2253	5 vl	1510
TS 095	**NEOMYCIN SUPPLEMENT** for selective isolation of Streptococcus species. Recommended With : TM 927 / TM 1274	5 vl	1225
TS 055	**NON SPORE ANAEROBIC SUPPLEMENT** for selective isolation or cultivation of nonsporing anaerobic bacteria. Recommended With : TM 915 / TM 916	5 vl	1250
TS 051	**NOVOBIOCIN SUPPLEMENT** for presumptive identification of Aeromonas hydrophila. Recommended With : TM 1400 / TM 1127 / TM 546	5 vl 25 vl	1365 3410
TS 070	**NOVOBIOCIN SELECTIVE SUPPLEMENT** for the presumptive detection of Salmonella species in foods and feed materials. Recommended With : TM 770	5 vl	1485
TS 304	**OFPBL SELECTIVE SUPPLEMENT** recommended for selective isolation of Burkholderia cepacia from clinical specimens as well as non-clinical samples Recommended With : TM 2262	5 vl	1785
TS 062	**OLEIC ALBUMIN SUPPLEMENT** For cultivation of Mycobacterium tuberculosis. Recommended With : TM 100 / TM 720	5 vl 25 vl	1255 4480
TS 153	**OXACILLIN RESISTANCE SELECTIVE SUPPLEMENT** for screening Oxacillin Resistant microorganisms. Recommended With : TM 1402	5 vl	1135
TS 120	**OXFORD LISTERIA SUPPLEMENT** for selective isolation of Listeria species. Recommended With : TM 1229 / TM 2163	5 vl	1360
TS 071	**OXYTETRA SELECTIVE SUPPLEMENT** for selective isolation and cultivation of yeasts and molds. Recommended With : TM 1198 / TM 799 / TM 1061 / TM 800	5 vl 25 vl	920 3020

P Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 073	**PARK AND SANDERS SELECTIVE SUPPLEMENT A** for selective isolation and enumeration of thermotolerant Campylobacter species. Recommended With : TM 1335 / TM 1403 / TM 2274	5 vl	1445
TS 074	**PARK AND SANDERS SELECTIVE SUPPLEMENT B** for selective isolation and enumeration of thermotolerant Campylobacter species. Recommended With : TM 1158 / TM 1335 / TM 1403 / TM 2274	5 vl	2115
TS 254	**PCP SUPPLEMENT** for selective isolation and cultivation of Legionella species from cooling towers, clinical and other material. Recommended With : TM 1894	5 vl	1510
TS 203	**PEMBA SUPPLEMENT** for selective cultivation of Bacillus cereus. Recommended With : TM 1587	5 vl 25 vl	1135 3485
TS 054	**PERFRINGEN'S S.F.P. SUPPLEMENT (S.F. P. SUPPLEMENT)** for selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl	970 2540
TS 158	**PERFRINGEN'S SUPPLEMENT-A** for selective isolation of Clostridium perfringens. Recommended With : TM 808	5 vl 25 vl	860 2415
TS 159	**PERFRINGEN'S SUPPLEMENT-B** for selective isolation of Clostridium perfringens. Recommended With : TM 808	5 vl 25 vl	1180 3090
TS 076	**PERFRINGEN'S T.S.C.SUPPLEMENT (TSC SUPPLEMENT)** for the selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 1826 / TM 809 / TM 902 / TM 2311 / TM 2400	5 vl 25 vl	1280 3185
TS 311	**PIG SERUM** for culturing of mycoplasmas and viruses Recommended With : TM 2404 / TM 2405	100 ml	4005
TS 058	**POLYMYXIN B SELECTIVE SUPPLEMENT** for selective isolation of various microorganisms. Recommended With : TM 1120 / TM 1881 / TM 1523 / TM 1207 / TM 197 / TMV 197 / TM 1843 / TM 281 / TM 851 / TM 1848 / TM 1931 / TM 2221	5 vl 25 vl	1130 3255
TS 132	**POTASSIUM CHLORATE SUPPLEMENT** for selective enrichment of Yersinia enterocolitica. Recommended With : TM 1357	5 vl	805
TS 232	**POTASSIUM LACTATE 50% (10ml/vl)** for isolation and enumeration of wild yeast and pitching yeasts. Recommended With : TM 172 / TMV 172	5 vl	1335
TS 137	**POTASSIUM SORBATE 10% (10 ml/vl)** for the detection and isolation of acid resistant yeasts, Zygosaccharomyces bailii and Zygosaccharomyces rouxii in salads, sauces and dressings Recommended With : TM 1329	5 vl	1120
TS 003	**POTASSIUM TELLURITE 3.5% (10 ml/vl)** for selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 358 / TMV 358 / TM 635 / TM 943 / TM 118 / TM 118A / TM 522	5 vl	695
TS 005	**POTASSIUM TELLURITE 1% (1 ml /vl)** for the selective isolation of Staphylococci and Corynebacteria. Recommended With : TM 636 / TM 670 / TM 411 / TM 707 / TM 1165 / TM 984 / TMV 221 / TM 1048 / TM 221 / TM 235 / TM 438 / TM 879 TM 439 / TM 1109 / TM 395 / TMV 395 / TM 1722 / TM 1820 / TM 2121 / TM 2420 / TMH 119	5 vl 25 vl	645 2295
TS 139	**PROPIONIBACTERIA GROWTH SUPPLEMENT** for selective cultivation of Propionibacteria. Recommended With : TM 1331	5 vl	970

Media Supplement* P

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 170	**PYR REAGENT (10 ml/vl)** for detection of Pyrrolidonyl arylamidase enzyme activity of ß-hemolytic Streptococci	1 vl	690
TS 288	**RAPID LISTERIA SELECTIVE SUPPLEMENT** for selective enrichment of Listeria species from food samples Recommended With : TM 2128	5 vl	1370
TS 176	**RPF SUPPLEMENT (Fibrinogen plasma trypsin inhibitor Supplement)** for isolation and enumeration of coagulase positive staphylococci from food and clinical samples. Recommended With : TM 358 / TM 1579 / TMV 358 / TM 2300	5 vl 25 vl	5225 17750
TS 171	**RIPPEY CABELLI SUPPLEMENT** for cultivation of Aeromonas hydrophila. Recommended With : TM 1480	5 vl	1185
TS 048	**ROSOLIC ACID (0.1 g/vl)** for isolation of coliform bacteria. Recommended With : TM 178 / TMV 178 / TM 179 / TM 180	5 vl	1390
TS 305	**S.T.A. SELECTIVE SUPPLEMENT** recommended for the selective isolation of Brochothrix thermosphacta from meat products. Recommended With : TM 2315	5 vl 25 vl	1355 3720
TS 212	**SALENRICH SELECTIVE SUPPLEMENT** for two-step enrichment of sub-lethally injured Salmonellae from food and feeds. Recommended With : TM 1606	5 vl 25 vl	2070 8165
TS 306	**SALMONELLA SELECTIVE ENRICHMENT SUPPLEMENT** recommended for Selective isolation and differentiation of Salmonella species from coliforms by chromogenic method. Recommended With : TM 2328	5 vl	1680
TS 252	**SALMONELLA SELECTIVE SUPPLEMENT** for isolation and identification of Salmonella spp. Recommended With : TM 1839	5 vl	1160
TS 307	**SELECTIVE SUPPLEMENT FOR MRSA** recommended for the selective detection of Methicillin Resistance Staphylococcus aureus from clinical specimens. Recommended With : TM 2332	5 vl 25 vl	2040 6145
TS 167	**SM SELECTIVE SUPPLEMENT** for selective isolation and cultivation of Pseudomonas solanacearum. Recommended With : TM 1076	5 vl	1180
TS 054	**S.F. P. SUPPLEMENT (Perfringens S.F.P. Supplement)** for selective isolation of Clostridium perfringens. Recommended With : TM 615 / TMV 615 / TM 846	5 vl 25 vl	970 2540
TS 082	**SHIGELLA SELECTIVE SUPPLEMENT** for selective isolation of Shigella species. Recommended With : TM 857	5 vl	1180
TS 108	**SODIUM BICARBONATE SOLUTION (20ml/vl)** for selective isolation of Enterococcus species. Recommended With : TM 1190	5 vl	415
TS 089	**STAPH STREPTO SUPPLEMENT** for selective isolation of Staphylococci and Streptococci. Recommended With : TM 071 / TMV 071 / TM 2044	5 vl	1350
TS 265	**STERILE BETA LACTAMASE I SUPPLEMENT (READY TO USE)** for inactivation of penicillin.	6vl	19350
TS 291	**STERILE CHARCOAL SUPPLEMENT FOR LEGIONELLA AGAR** recommended for growth of Legionella species. Recommended With : TM 2156	5 vl 25 vl	745 1645

R

S

S Media Supplement*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 256	**STREPTOCOCCUS SELECTIVE SUPPLEMENT** Recommended for the selective isolation and cultivation of Streptococci of medical and veterinary importance. Recommended With : TM 071 / TMV 071 / TM 2044	5 vl 25 vl	1390 3405
TS 011	**STREPTO SUPPLEMENT** for selective cultivation Streptococcs species. Recommended With : TM 041 / TM 071 / TM 1842 / TM 2011 / TM 2044	5 vl 25 vl	1085 3410
TS 013	**SULPHA SUPPLEMENT** for selective cultivation Salmonella species. Recommended With : TM 364 / TM 047 / TM 046 / TM 952 / TM 1512	5 vl	1430
T TS 208	**TDA REAGENT (10 ml/vl)** for determination of tryptophan-deaminase activity. Recommended With : TM 1639	1 vl	310
TS 087	**TELLURITE CEFIXIME SUPPLEMENT** for isolation of Escherichia coli 0157:H7. Recommended With : TM 1393 / TM 1915	5 vl	1165
TS 131	**TICARCILLIN SUPPLEMENT** for selective enrichment of Yersinia enterocolitica. Recommended With : TM 1357	5 vl	1335
TS 063	**TOLUIDINE BLUE (0.1 g/vl)** for detection of deoxyribonuclease activity. Recommended With : TM 081	5 vl 25 vl	625 1060
TS 080	**TRIBUTYRIN (10ml/vl)** for detection of lipolytic microorganisms. Recommended With : TM 885	5 vl	1635
TS 251	**TRICHODERNA HARZIANUM SELECTIVE SUPPLEMENT** for selective isolation of Trichoderma harzianum. Recommended With : TM 1873	5 vl	4160
TS 112	**TRICHOMONAS SELECTIVE SUPPLEMENT I** for selective isolation of Trichoderma species from clinical specimens. Recommended With : TM 1212	5 vl	1550
TS 133	**TRICHOMONAS SELECTIVE SUPPLEMENT II** for selective isolation of Trichoderma species. Recommended With : TM 1307	5 vl	1195
TS 042	**TTC SOLUTION 1% (10 ml/vl)** for detection of microbial growth by means of TTC reduction. Recommended With : TM 1151 / TM 136 / TM 747 / TM 138 / TM 751 / TM 139 / TMV 751 / TM 1251 / TM 388 / TM 226 / TM 1274 TM 440 / TMV 440 / TM 441 / TMV 441 / TM 1311	5 vl 25 vl	1015 3165
TS 309	**TYCSB SUPPLEMENT** recommended for the selective isolation of S.mutans. Recommended With : TM 2398	5 vl	750
U TS 030	**UREA 40% (5 ml/vl)** for detection of urease activity. Recommended With : TM 477 / TM 1196 / TM 1554 / TM 781 / TM 394 / TM 1851	5 vl 25 vl	450 1815
TS 126	**UREA SOLUTION 5% (5 ml/vl)** for selective cultivation of Mycoplasma hominis and Ureaplasma urealyticum. Recommended With : TM 1267	5 vl 25 vl	390 1600
V TS 043	**VANCLO T SUPPLEMENT** (Vancomycin - Colistin - Amphotericin - B Trimethoprim)for selective isolation of Neisseria species. Recommended With : TM 116 / TMV 116	5 vl 25 vl	1695 4105
TS 218	**VANCOMYCIN SUPPLEMENT** for isolation of Cronobacter sakazakii. Recommended With : TM 1642 / 2047	5 vl 25 vl	1585 3510

Media Supplement* V

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TS 280	**VANCOMYCIN SUPPLEMENT** for isolation of Cronobacter sakazakii. Recommended With : TM 1829	5 vl	1710
TS 038	**V.C.N. SUPPLEMENT** for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl	2005 7440
TS 039	**V.C.N.T. SUPPLEMENT** for selective isolation of Neisseria gonorrhoeae and Neisseria meningitidis. Recommended With : TM 116 / TMV 116 / TM 933 / TM 1105	5 vl 25 vl	2005 7900
TS 022	**VITAMINS AMINO GROWTH SUPPLEMENT (VITAMINS & AMINO ACIDS MIXTURE) (Double pack)** for cultivation of wide variety of microorganisms. Recommended With : TM 1267 / TM 879 / TM 933 / TM 1105 / TM 064 / TM 116 / TMV 116	5 vl 25 vl	2005 7900
TS 272	**VITAMINO GROWTH SUPPLEMENT, MODIFIED** for the isolation and cultivation of fastidious microorganisms, especially Neisseria and Haemophilus species, from a variety of clinical specimens. Recommended With : TM 2264	5 vl	1480
TS 266	**VITAMINS K1 SUPPLEMENT** A vitamin growth supplement used for the isolation of anaerobic organisms. Recommended With : TM 1960	5 vl	1065
TS 276	**V.P. SUPPLEMENT** for selective isolation & differentiation of Legionella species Recommended With : TM 983	5 vl	1440
TS 098	**WILLIS AND HOBB'S SUPPLEMENT** for isolation of Clostridium perfringens and Clostridium botulinum species from food. Recommended With : TM 1319	5 vl	1360
TS 072	**XLT4 SUPPLEMENT** for isolation of non-typhi Salmonella. Recommended With : TM 493	5 vl	1460
TS 023	**YEAST AUTOLYSATE SUPPLEMENT** for the cultivation of Neisseria species. Recommended With : TM 064 / TM 116 / TMV 116	5 vl 25 vl	950 3075
TS 057	**YERSINIA SELECTIVE SUPPLEMENT** for selective isolation of Yersinia enterocolitica. Recommended With : TM 501 / TM 2439 / TM 2440	5 vl 25 vl	1200 3625
TS 312	**YERSINIA SELECTIVE SUPPLEMENT - 2** for use, in selective isolation and enumeration of Yersinia enterocolitica from food samples, in accordance with FDA BAM, 1998 Recommended With : TM 2439	5 vl 25 vl	1240 3760

W

X

Y

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
242 M	**AGAR AGAR TYPE-I** For General Purpose, Bacteriological Grade	100 gm 500 gm 5 Kg	1010 4035 37255
1201	**AGAR AGAR POWDER** Bacteriological Grade	100 gm 500 gm	1050 4720
1202	**AGAR AGAR POWDER** Highly Purified	100 gm 500 gm	1505 5905
1203	**AGAR AGAR POWDER** (as per IP) Bacteriological Grade	100 gm 500 gm	1110 5320
1243	**AGAR AGAR POWDER HIGH GEL** At low temp. like NMT 38°C	100 gm 500 gm	1655 6625
1228	**AGAR SPECIAL** Equivalent to Agar Noble	100 gm 500 gm	2405 8710
3540	**AGAR AGAR** For Molecular Biology	100 gm 500 gm	2185 10185
1525	**B. MEAT EXTRACT PASTE (Bovine)** For General Purpose, Bacteriological Grade	500 gm 5 Kg	1145 7630
1204	**B. MEAT EXTRACT POWDER (Type-I) (Bovine)** For General Purpose, Bacteriological Grade	500 gm 5 Kg	1530 11515
1205 V	**VEG. BE EXTRACT POWDER** Culture Media Ingredient, Equivalent to Beef Extract Powder	500 gm	2390
1205	**B. MEAT EXTRACT POWDER (Bovine)** For Microbiology	500 gm	2365
1206	**B. MEAT EXTRACT (STD) TBL POWDER (Bovine)** Culture Media Ingredient	500 gm	4400
1207	**BILE SALT POWDER** Culture Media Ingredient, Bacteriological Grade	100 gm 500 gm	2940 8955
1234	**BILE SALT (STD) TBL POWDER** Culture Media Ingredient	500 gm	9915
1208	**BILE SALT MIXTURE** Equivalent to Bile Salt No.3	100 gm	4295
1235	**BILE SALT MIXTURE (STD) TBL POWDER** Culture Media Ingredient	100 gm	7850
1236 V	**VEG. BIOPEPTONE** Culture Media Ingredient, Equivalent to Biopeptone	500 gm	3035
1236	**BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE)** Used as Additional Enrichment of Microorganisms	500 gm	2850
1238	**BIO PEPTONE (STD) TBL POWDER** Culture Media Ingredient	500 gm	4250
1240 V	**VEG. BH INFUSION POWDER** Culture Media Ingredient, Equivalent to Brain Heart Infusion Powder	500 gm	3325
1240	**BRAIN HEART INFUSION POWDER** Culture Media Ingredient used for Cultivation of Fastidious Microorganisms	500 gm	3220

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1262 V	**VEG. CA HYDROLYSATE** Culture Media Ingredient, Equivalent to Casein Acid Hydrolysate	500 gm	4920
1262	**CASEIN ACID HYDROLYSATE, (Technical)** Culture Media Ingredient	500 gm	5200
1230	**CASEIN ACID HYDROLYSATE (STD) TBL POWDER** Culture Media Ingredient	500 gm	7750
1231	**CASEIN ACID HYDROLYSATE** Less than 3% NaCl	500 gm	7750
1232	**CASEIN ACID HYDROLYSATE** Special for Pertussis Vaccine production	500 gm	6370
1233	**CASEIN ACID HYDROLYSATE** (Vitamin Free) Culture Media Ingredient	500 gm	7870
1501	**CASITONE** Peptic Digest Casein With Dipeptides and Tripeptides	500 gm	2915
1512 V	**VEG. CEH ENZYMATIC HYDROLYSATE (TYPE-I)** Culture Media Ingredient, Equivalent to Casein Enzymatic Hydrolysate	500 gm	3065
1512	**CASEIN ENZYMATIC HYDROLYSATE (TYPE-I) (Tryptone TYPE-I)** Tryptic Digest Casein With Dipeptides	500 gm	2935
1513 V	**VEG. CEH ENZYMATIC HYDROLYSATE (STD) TBL POWDER** Culture Media Ingredient	100 gm 500 gm	930 3790
1513	**CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER** Culture Media Ingredient	100 gm 500 gm	930 3790
1580	**COTTON SEED PEPTONE** Bacteriological Grade	500 gm	4450
1216	**CORN MEAL EXTRACT POWDER** Culture Media Ingredient	500 gm	3135
4501	**FISH PEPTONE** Bacteriological Grade	500 gm	4220
1210	**GELATIN CRYSTAL, Bloom Type B** Bacteriological Grade	500 gm	1215
1502 V	**VEG. GEL PEPTONE** Culture Media Ingredient, Equivalent to Gelatin Peptone	500 gm	2860
1502	**GELATONE (Gelatin Peptone)** Culture Media Ingredient	500 gm	2825
3534	**GELATONE (STD.) TBL POWDER** Culture Media Ingredient	500 gm	3065
4502	**GLUTEN RICE HYDROLYSATE** Culture Media Ingredient	500 gm	2940
4503	**GLUTEN MAIZE HYDROLYSATE** Culture Media Ingredient	500 gm	2940
1211	**HAEMOGLOBIN POWDER** Culture Media Supplement	100 gm	2460

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1251 V	**VEG. H INFUSION POWDER** Culture Media Ingredient, Equivalent to Heart Infusion Powder	500 gm	4025
1251	**HEART INFUSION POWDER** A Media Base for Cultivation of Fastidious Microorganisms	500 gm	3845
1242 V	**VEG. LB HYDROLYSATE** Culture Media Ingredient, Equivalent to Lactalbumin Hydrolysate	500 gm	5225
1242	**LACTALBUMIN HYDROLYSATE** Culture Media Ingredient with Sugar Amino Acids	500 gm	5225
4504	**LACTALBUMIN HYDROLYSATE TBL** Rich in All Essential Amino Acids and Suitable for Vaccine Productions	500 gm	6490
3535	**LACTOSE (MONO) (Gamma Irradiated)** Culture Media Ingredient	500 gm 5 Kg 50 Kg	985 8245 POR
4509	**LACTOSE (MONO), Sterile (Gamma Irradiated) (Triple Pack)** Culture Media Ingredient	500 gm 5 Kg 50 Kg	1225 10335 POR
1297	**LIVER EXTRACT PASTE** Bacteriological Grade	500 gm	1185
1212 V	**VEG. Liv EXTRACT POWDER** Culture Media Ingredient, Equivalent to Liver Extract Powder	500 gm	3065
1212	**LIVER EXTRACT POWDER** Bacteriological Grade	500 gm	2720
1241	**LIVER EXTRACT POWDER (Protolysed)** For Cultivation of Fastidious Anaerobes and Bulk Production of Vaccines, Steroids and Enzymes	500 gm	2760
1239 V	**VEG. Liv HYDROLYSATE POWDER** Enzymatic Veg. Hydrolysate, Equivalent to Liver Hydrolysate Powder Used for Cultivation of Anaerobes	500 gm	2800
1239	**LIVER HYDROLYSATE POWDER** Hydrolysis of Liver by Enzyme, Ingredients of Culture Media Used for Cultivation of Anaerobes	500 gm	2800
1213 V	**VEG. Liv INFUSION POWDER** Equivalent to Liver Infusion Powder Suitable for Vaccine Production	500 gm	2800
1213	**LIVER INFUSION POWDER** Suitable for Vaccine Production	500 gm	2800
1298	**MALT EXTRACT PASTE** Bacteriological Grade	500 gm	1080
1214	**MALT EXTRACT POWDER** Bacteriological Grade	500 gm	2505
1215	**MALT EXTRACT (STD) TBL POWDER** Culture Media Ingredient	500 gm	4510
3536	**MALTOSE (Monohydrate)**(Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg	1215 10760
4505	**MALTOSE (Monohydrate) NRC GRADE** for Vaccine Production	500 gm	3475
3537	**D-MANNITOL** (Gamma Irradiated) Culture Media Ingredient	500 gm 5 Kg	1080 9320
1299	**MEAT EXTRACT PASTE** Bacteriological Grade	500 gm	1145
4508	**MEAT EXTRACT TYPE-I** Bacteriological Grade	500 gm	1620
1217 V	**VEG. M EXTRACT POWDER** Culture Media Ingredient, Equivalent to Meat Extract Powder	500 gm	2285
1217	**MEAT EXTRACT POWDER** Culture Media Ingredient	500 gm	2285
1218	**MEAT EXTRACT (STD) TBL POWDER** Culture Media Ingredient	500 gm	4660
1219 V	**VEG. M INFUSION POWDER** Culture Media Ingredient, Equivalent to Meat Infusion Powder	500 gm	2830
1219	**MEAT INFUSION POWDER** For Vaccine Production	500 gm	2830
1504 V	**VEG. MP PEPTONE** Culture Media Ingredient, Equivalent to Meat Peptone	500 gm	2685
1504	**MEAT PEPTONE** Culture Media Ingredient	500 gm	2685
1259	**MEAT PEPTONE-P** Peptic Digest Animal Meat Tissue	500 gm	3500
1260	**MEAT PEPTONE-T** Tryptic Digest Animal Meat Tissue	500 gm	3645
1507 V	**VEG. MYCO PEPTONE** Culture Media Ingredient, Equivalent to Mycological Peptone	500 gm	2765
1507	**MYCOLOGICAL PEPTONE** Suitable for Cultivation of Yeasts & Molds	500 gm	2765
1518	**MYCOLOGICAL PEPTONE (STD) TBL POWDER** Culture Media Ingredient	500 gm	4025
1524	**OAT MEAL POWDER** Culture Media Ingredient	500 gm	1215
1220	**OX BILE POWDER (DRIED)** Bacteriological Grade, General Purpose, Culture Media Ingredient	100 gm 500 gm	2225 8710
4506	**PEA PROTEIN HYDROLYSATE (PEA PEPTONE)** Bacteriological Grade	500 gm	4435
1527	**PEPTONE PASTE** Bacteriological Grade	500 gm 5 Kg	930 7870

Biological Media Bases (Including Veg.)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1506	**PEPTONE-R** Regular Bacteriological Grade	500 gm 5 Kg	1140 9320
1578	**PEPTONE-RG (Granular)** Bacteriological Grade	500 gm 5 Kg	1795 16450
1505 V	**VEG. PEPTONE-TBL** Culture Media Ingredient, Equivalent to Peptone TBL	500 gm 5 Kg	2225 16450
1505	**PEPTONE-TBL** For Cultivation of Fastidious Microorganisms	500 gm 5 Kg	2225 16450
1519	**PEPTONE (STD) TBL POWDER** Culture Media Ingredient	500 gm	4660
1508	**PEPTONE SPECIAL** Equivalent to Neopeptone	500 gm	2935
1581	**PEPTONE TYPE-III** Bacteriological Grade	500 gm	1415
1221 V	**VEG. PM HYDROLYSATE** Culture Media Ingredient, Equivalent Peptonized Milk	500 gm	2995
1221	**PEPTONIZED MILK** Suitable for Lactobacilli, Yeast & Molds	500 gm	2995
1509 V	**VEG. PP PEPTONE** Culture Media Ingredient, Equivalent to Proteose Peptone	500 gm 5 Kg	3225 25085
1509	**PROTEOSE PEPTONE** (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides	500 gm 5 Kg	3225 25085
1523	**PROTEOSE PEPTONE, (STD) TBL POWDER** Culture Media Ingredient	500 gm	5935
221 M	**SODIUM CHOLATE (Cholic Acid Sodium)** A selective inhibitory agent used in Culture Media	25 gm 100 gm	1495 5220
220 M	**SODIUM DEOXYCHOLATE** A selective inhibitory agent used in Culture Media	25 gm 100 gm	4700 16400
212 M	**SODIUM TAUROCHOLATE** A selective inhibitory agent used in Culture Media	100 gm 500 gm	2650 9345
1261	**SODIUM TAUROGLYCOCHOLATE** A selective inhibitory agent used in Culture Media	100 gm 500 gm	1930 7665
3543	**SOLUBLE STARCH** Culture Media Ingredient	500 gm	1215
1528	**SOYATONE - R (Soya Peptone - R)** Bacteriological Grade	500 gm 5 Kg	1565 13825
3546	**SOYATONE TYPE-I (Soya Peptone TYPE-I)** Bacteriological Grade	500 gm 5 Kg	1565 13825
1510	**SOYATONE (Soya Peptone)** Peptic Digest of Soyabean Meal	500 gm 5 Kg	2650 23620
1511	**SOYATONE (STD), TBL POWDER** (Soya Peptone) Culture Media Ingredient	500 gm	4660

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1522	**TRYPTONE - D** Tryptic Digest Casein for Vaccine Production	500 gm	4225
1520	**TRYPTONE - T** For Tetanus Toxin	500 gm	4225
1529	**TRYPTONE - R** General purpose for Bacteriology	500 gm 5 Kg	1575 13560
1512 V	**VEG. TRYPTONE (TYPE-I)** Veg Enzymatic Digest with Dipeptides	500 gm	3065
1512	**TRYPTONE (TYPE-I)** Tryptic enzymatic degest of casein with dipeptides	500 gm	2935
1513 V	**VEG. TRYPTONE (STD) TBL POWDER** Culture Media Ingredient	100 gm 500 gm	930 3790
1513	**TRYPTONE (STD) TBL POWDER** Culture Media Ingredient	100 gm 500 gm	930 3790
1521 V	**VEG. TRYP HYDROLYSATE** Enzymatic Hydrolysate of Protein, that replace Meat Infusion	500 gm 5 Kg	3665 27955
1521	**TRYPTOSE** Enzymatic hydrolysate of Protein that Replace Meat Infusion	500 gm 5 Kg	3665 27955
1265	**TRYPTOSE (STD) TBL POWDER** To promote excellent growth of highly fastidious microorganisms	500 gm	5950
1629	**WHEAT PEPTONE** Culture Media Ingredient	500 gm	1930
1631	**WHEAT EXTRACT TYPE-I** Culture Media Ingredient	500 gm	1930
1637	**WHEAT EXTRACT TBL POWDER** Culture Media Ingredient	500 gm	2710
1300	**YEAST AUTOLYSATE POWDER** For Bacteriology	500 gm	2580
1531	**YEAST EXTRACT PASTE** For Bacteriology	500 gm 5 Kg	1025 8955
1532	**YEAST EXTRACT POWDER -R** Bacteriological Grade	500 gm 5 Kg	1120 9190
1224	**YEAST EXTRACT POWDER TYPE-I** Bacteriological Grade	500 gm 5 Kg	1395 13160
1225	**YEAST EXTRACT TBL POWDER** Low salt content refined rich in B-group of Vitamins	500 gm 5 Kg	1715 14615
1264	**YEAST EXTRACT (STD) TBL POWDER** Culture Media Ingredient	500 gm	3005
4141	**YEAST EXTRACT (ULTRA PURIFIED)** Culture Media Ingredient	500 gm 5 Kg	7370 POR
1628	**YEAST PEPTONE** Culture Media Ingredient	500 gm	2195

READY-TO-USE MEDIA

Easy Microbiology solutions for all laboratories



- Meticulous packaging
- Favourably convenient
- Approved Quality
- Reliable growth formulations
- High reproducibility
- Proven Sterility
- Complies with Harmonized pharmacopeia (USP/IP/JP/EP/BP) & ISO regulations.

TM Media offers convenient and industry-tailored range of ready-to-use media that comes in a large variety of formats, formulations and sizes.

SUB-CATEGORIES	DESCRIPTION
Ready-To-Use Media Plates	For direct isolation with no time consuming preparation
Ready-To-Use Agar Media (Glass Bottle)	For detecting microorganisms from pharmaceutical, food, environmental or water testing samples
Ready-To-Use Broth Media (Glass Bottle)	For cultivation of microorganism from various samples
Ready-To-Use Liquid Medium (Tubes)	For direct enrichment and enumeration of microorganisms
Combo Sterility Kit	For complete sterility testing in accordance with USP/EP/JP/IP
Ready-To-Use Kits	For rapid detection of organisms
Ready-To-Use Slants (For Tuberculosis Tests)	For rapid diagnosis & treatment of Tuberculosis
Ready-To-Use Slants/Butts (Glass Tube)	For isolation of pure cultures with minimum risk of contamination
Blood Culturing System (Ready-To-Use Broth Media)	For detection & isolation of fastidious microorganisms from blood
Transport Swab with Medium (Disposable)	For easy transport and preservation of clinical specimens
Viral Transport Kit / Universal Transport Kit	For safe collection & transport of viral specimen. Recommended by CDC, WHO and ICMR for specimen collection of COVID 19.
Molecular Transport Kit	For the stabilization, transportation and inactivation of infectious viral agents

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 033	**BAIRD PARKER AGAR PLATE** For the isolation and enumeration of coagulase positive Staphylococci from food and clinical sample.	50 Plts	3250
TMP 066	**BURKHOLDERIA CEPACIA SELECTIVE AGAR (BCSA) (AS PER USP)** For use in qualitative procedures for the selective and differential isolation of Burkholderia cepacia complex from respiratory secreations of patients with cystic fibrosis.	50 Plts	4805
TMP 034	**BLOOD AGAR PLATE W/ GENTAMICIN (5MCG/PLATE) *** For selective isolation of *Streptococcus pneumoniae.*	20 Plts 50 Plts	1480 3125
TMP 001	**BRAIN HEART INFUSION AGAR PLATE** For cultivation of fastidious pathogenic bacteria, yeasts and molds.	50 Plts	2330
TMP 035	**BRAIN HEART INFUSION AGAR PLATE W/ BLOOD *** For cultivation of fastidious pathogenic bacteria requiring blood for growth.	20 Plts 50 Plts	1665 3770
TMP 002	**CETRIMIDE AGAR PLATE** For selective isolation of *Pseudomonas aeruginosa* from pharmaceutical product and clinical specimens.	50 Plts	3025
TMP 002GT	**CETRIMIDE AGAR PLATE (γ- irradiated) (Triple Pack)** For selective isolation of *Pseudomonas aeruginosa* from pharmaceutical product (as per USP/EP/BP/JP/IP) and clinical specimens.	50 Plts	3575
TMP 020	**CHOCOLATE AGAR PLATE *** For isolation and cultivation of fastidious microorganisms like *Neisseria gonorrhoeae.*	20 Plts 50 Plts	1735 3835
TMP 1858	**CHROMOGENIC COLIFORM AGAR PLATE *** For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	20 Plts 50 Plts	1885 4255
TMP 073T	**Chromogenic E.Coli Agar Plate Triple Pack** NEW for the detection and enumeration of Escherichia coli in foods without further confirmation on membrane filter or by indole reagent	20 Plts 50 Plts	1800 3790
TMP 1199	**CHROMOGENIC UTI AGAR PLATE *** For identification and confirmation of microorganisms causing urinary tract infections.	20 Plts 50 Plts	1805 3935
TMP 014	**CLED AGAR W/ BROMOTHYMOL BLUE PLATE** For isolation and differentiation of urinary pathogens on the basis of lactose fermentation.	50 Plts	2980
TMP 032GT	**COLUMBIA AGAR PLATE (γ- irradiated) (Triple Pack)** For the selection and subculture of *Clostridium* species in accordance with harmonized method of USP/EP/BP/JP/IP.	50 Plts	3255
TMP 031	**COLUMBIA 5% BLOOD AGAR PLATE** For isolation and cultivation of fastidious organisms.	20 Plts 50 Plts	1670 3775
TMP 031A	**COLUMBIA BLOOD AGAR W/10% Sheep Blood** NEW For isolation and cultivation of fastidious organisms.	50 Plts	1870
TMP 074	**DEOXYCHOLATE CITRATE AGAR (DCA) AGAR PLATE** NEW for selective isolation of enteric pathogens	50 Plts	3350
TMP 003	**DEY ENGLEY NEUTRALIZING AGAR PLATE** For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	50 Plts	3025
TMP 003GT	**DEY ENGLEY NEUTRALIZING AGAR PLATE (γ- irradiated) (Triple Pack)** For disinfectant testing, where neutralization agent is important for determining its bactericidal activity.	50 Plts	3565
TMP 025	**EMB AGAR, LEVINE PLATE** For isolation, enumeration and differentiation of Enterobacteriaceae.	50 Plts	3870
TMP 037	**HEKTOEN ENTERIC AGAR PLATE** For differential & selective isolation of Salmonella and Shigella from enteric pathological specimens.	50 Plts	3095
TMP 004	**LURIA BERTANI AGAR PLATE** For the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular studies, may be used for routine isolation, cultivation of not particularly fastidious microorganisms.	50 Plts	3095
TMP 004A	**LURIA BERTANI AGAR PLATE (w/100ug/ml Ampicillin) *** For the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular studies.	50 Plts	3470

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 004 KI	**LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin & IPTG)** * For the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies.	50 Plts	3860
TMP 004K	**LURIA BERTANI AGAR PLATE (w/100ug/ml Kanamycin)** * For the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies.	50 Plts	3440
TMP 004C	**LURIA BERTANI AGAR PLATE (w/50ug/ml Chloramphenicol)** For the cultivation and maintenance of recombinant strains of *E.coli* for genetic and molecular biology studies.	50 Plts	3440
TMP 1898	**MacCONKEY AGAR "TBL"** For cultivation and differentiation of enteric bacteria and gram-positive microorganisms from clinical samples especially *Enterococcus faecalis* within 18 hours.	50 Plts	2440
TMP 080	**MUELLER HINTON AGAR NO. 2 + 5% SHEEP BLOOD** NEW For testing susceptibility of common and rapidly growing bacteria using antimicrobial discs by using Kirby bauer technique.	20 Plts 50 Plts	1825 3870
TMP 015	**MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl)** For selective isolation and differentiation of coliform organisms and other enteric pathogens.	50 Plts	2330
TMPH 015T	**MacCONKEY AGAR PLATE (W/ 0.15% BILE SALTS, CV and NaCl) (Triple Pack)** For selective isolation and differentiation of coliform organisms and other enteric bacteria in accordance with the harmonized method of USP/EP/BP/JP/IP	50 Plts	3025
TMP 016	**MacCONKEY AGAR PLATE (W/O CV, NaCl W/ 0.5% SODIUM TAUROCHOLATE)** For the selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food and water samples.	50 Plts	2330
TMP 072T	**MALT EXTRACT AGAR PLATE Triple Pack** NEW For detection, isolation and enumeration of yeasts and molds	50 Plts	2700
TMP 021	**MANNITOL SALT AGAR PLATE** For selective isolation of pathogenic Staphylococci.	50 Plts	2330
TMPH 021	**MANNITOL SALT AGAR PLATE** For selection and subculture of *Staphylococcus aureus* in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts	2440
TMPH 021T	**MANNITOL SALT AGAR PLATE (Triple Pack)** For selection and subculture of *Staphylococcus aureus* in accordance with harmonized method USP/EP/BP/JP/IP	50 Plts	3025
TMP 005	**MUELLER HINTON AGAR PLATE** For determination of susceptibility of microorganisms to antimicrobial agents.	50 Plts	2630
TMP 061	**MUELLER HINTON AGAR PLATE W/ 5% SHEEP BLOOD** For determination of susceptibility of *Streptococcus species* to antimicrobial agents	20 Plts 50 Plts	1825 3870
TMP 006	**NUTRIENT AGAR PLATE** A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts	2350
TMP 006GT	**NUTRIENT AGAR PLATE (γ- irradiated) (Triple Pack)** A general purpose medium used for cultivation of wide variety of microorganisms.	50 Plts	2875
TMP 007	**PLATE COUNT AGAR** For determination of plate counts of microorganisms in food, water and waste water.	50 Plts	2240
TMP 007GT	**PLATE COUNT AGAR (γ- irradiated) (Triple Pack)** For determination of plate counts of microorganisms in food, water and waste water.	50 Plts	2650
TMP 008	**POTATO DEXTROSE AGAR PLATE** For the isolation and enumeration of yeasts & molds from water, dairy, other food products and clinical samples	50 Plts	2330
TMPH 008	**POTATO DEXTROSE AGAR PLATE** For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	50 Plts	2440
TMP 009	**R-2A AGAR PLATE** For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	3025
TMP 009G	**R-2A AGAR PLATE (γ- irradiated)** For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	3310

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 009GT	**R-2A AGAR PLATE (γ- irradiated) (Triple Pack)** For heterotrophic plate count of treated potable water, using longer incubation period.	50 Plts	3450
TMP 010	**SABOURAUD CHLORAMPHENICOL AGAR PLATE** For selective cultivation of yeasts and moulds.	50 Plts	3080
TMP 010G	**SABOURAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated)** For selective cultivation of yeasts and moulds.	50 Plts	3620
TMP 010GT	**SABOURAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated) (Triple Pack)** For selective cultivation of yeasts and moulds.	50 Plts	3785
TMP 039GT	**SABORAUD CHLORAMPHENICOL AGAR PLATE W/ β- LACTAMASE MIXTURE (25IU/PLATE) (γ- irradiated) (Triple Pack)** A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first,second,third and fourth generation of penems.	50 Plts	2425
TMP 011	**SABOURAUD DEXTROSE AGAR PLATE** For cultivation of yeast, moulds and aciduric microorganisms.	50 Plts	2350
TMP 011G	**SABOURAUD DEXTROSE AGAR PLATE (γ- irradiated)** For cultivation of yeast, moulds and aciduric microorganisms.	50 Plts	2520
TMP 011GT	**SABOURAUD DEXTROSE AGAR PLATE (γ- irradiated) (Triple Pack)** For the subculture of Candida albicans in accordance with harmonized method of USP/EP/BP/JP/IP.	50 Plts	2655
TMP 040	**SABOURAUD DEXTROSE AGAR PLATE W/ CYCLOHEXIMIDE** For selective isolation of fungi.	50 Plts	2410
TMP 041GT	**SABORAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & β-LACTAMASE I (γ- irradiated) (Triple Pack)** For isolation of yeast amd moulds, for determining efficiency of containers,equipment surfaces, water miscible cosmetics and inactivation of b-lactam antibiotics.	50 Plts	3775
TMP 012	**SOYBEAN CASEIN DIGEST AGAR PLATE** For the subculture of aerobic organisms.	50 Plts	3870
TMP 012G	**SOYBEAN CASEIN DIGEST AGAR PLATE (γ- irradiated)** For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2485
TMP 012GT	**SOYBEAN CASEIN DIGEST AGAR PLATE (γ- irradiated)(Triple Pack)** For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	2485
TMP 042GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% Glycerine & 1% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	2785
TMP 043GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	50 Plts	2725
TMP 044GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05% TWEEN 80 (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	50 Plts	3380
TMP 026GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL, (γ- irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	50 Plts	3660
TMP 045GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equpments, surfaces, water miscible cosmetics etc.	50 Plts	4250
TMP 027GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	4245
TMP 028GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 2% GLYCEROL (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	50 Plts	3825

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 030GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% Polysorbate 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 Plts	4250
TMP 049GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of b-lactam antibiotics.	50 Plts	3930
TMP 050GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE II (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.	50 Plts	6160
TMP 051GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	6165
TMP 052GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β-LACTAMASE MIXTURE (25 IU/PLATE) (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	4950
TMP 053GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	6480
TMP 054GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE II (γ - irradiated) (Triple Pack)** For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.	50 Plts	6460
TMP 055GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN AND TWEEN 80 W/ β- LACTAMASE (γ - irradiated) (Triple Pack)** For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β- lactam antibiotics.	50 Plts	4255
TMP 056GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN AND 5 IU/PLATE β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** For cultivation of wide variety of aerobes and fungi and for inactivation of penicillins, cephalosporins of first, second, third and fourth generation and penems.	50 Plts	4305
TMP 029GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL & 4% POLYSORBATE 80 (γ- irradiated) (Triple Pack)** For determining efficiency of sanitization of containers,equipments,surfaces,water miscible cosmetics etc.	50 Plts	3880
TMP 013	**SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3415
TMP 013GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (γ- irradiated)(Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	3920
TMPV 013GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (VEG.) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (VEG.)] (γ- irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	50 Plts	4355
TMP 057GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (γ- irradiated) (Triple Pack)** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.	50 Plts	4240
TMP 062GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ - irradiated) (Triple Pack)** For determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	50 Plts	3920

Ready-To-Use Media

Ready-To-Use Media Plates (90 mm Plates)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMP 070GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 4% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ- irradiated) (Triple Pack)** NEW for determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	50 Plts	4580
TMP 058	**SALMONELLA SHIGELLA AGAR PLATE (SS AGAR PLATE)** For differentiation and selective isolation of *Salmonella* and *Shigella* species from pathological specimens, suspected foodstuff etc.	50 Plts	3095
TMP 017	**SHEEP BLOOD AGAR PLATE** * For cultivation of fastidious organisms and studying haemolytic reactions.	20 Plts 50 Plts	1825 3870
TMP 018	**SHEEP BLOOD AGAR BASE, MODIFIED PLATE** * For cultivation and studying haemolytic reaction of *Bacillus cereus*.	20 Plts 50 Plts	2005 4235
TMP 019	**SHEEP BLOOD SOYABEAN CASEIN DIGEST AGAR PLATE** * For cultivation of wide variety of microorganisms and studying haemolytic reactions.	20 Plts 50 Plts	2005 4235
TMP 022	**TCBS AGAR PLATE** For selective isolation of *Vibrio cholerae* and enteropathogenic Vibrios.	50 Plts	3145
TMP 023	**VOILET RED BILE GLUCOSE AGAR PLATE** For selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk and other dairy, food products.	50 Plts	3095
TMPH 023	**VOILET RED BILE GLUCOSE AGAR PLATE** For selection and subculture of bile tolerant organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	3255
TMP 024	**XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE** For selective isolation and enumeration of *Salmonella Typhi* and other *Salmonella* species.	50 Plts	3095
TMPH 024	**XYLOSE LYSINE DEOXYCHOLATE AGAR (XLD AGAR) PLATE** For selective isolation and enumeration of *Salmonella Typhi* and other *Salmonella* species with the harmonized method of USP/EP/BP/JP/IP.	50 Plts	3255

Ready-To-Use Media Plates
(55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSP 001GT	**CETRIMIDE AGAR PLATE (γ- irradiated) (Triple Pack)** For the isolation and subculture of *Pseudomonas aeruginosa* in accordance with harmonized method of USP/EP/BP/JP/IP	100 Plts	6170
TSP 002	**DEY/ENGLEY NEUTRALIZING AGAR PLATE** For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts	7280
TSP 003GT	**DEY/ENGLEY NEUTRALIZING AGAR PLATE (γ- irradiated) (Triple Pack)** For disinfectant testing, where neutralization agent is important for determining its bactericidal activity	100 Plts	7670
TSP 004G	**POTATO DEXTROSE AGAR (γ- irradiated)** For the subculture of fungi in accordance with harmonized method of USP/EP/BP/JP.	100 Plts	4870
TSP 005G	**SABORAUD CHLORAMPHENICOL AGAR PLATE (γ- irradiated)** For selective cultivation of yeasts and moulds.	100 Plts	5945
TSP 059GT	**SABORAUD CHLORAMPHENICOL AGAR PLATE W/ β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** A general purpose medium used for isolation of yeasts and mould and for inactivation of penicillins cephalosprins of first, second, third and fourth generation of penems.	100 Plts	4815
TSP 060GT	**SABORAUD DEXTROSE AGAR PLATE (γ - irradiated) (Triple Pack)** For cultivation of yeast,molds and aciduric microorganisms.	100 Plts	5210

Ready-To-Use Media

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSP 061GT	**SABORAUD DEXTROSE AGAR PLATE W/ LECITHIN, POLYSORBATE 80 & β - LACTAMASE I (γ - irradiated) (Triple Pack)** For isolation of yeast amd moulds, for determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β-lactam antibiotics.	100 Plts	7390
TSP 006GT	**SOYABEAN CASEIN DIGEST AGAR PLATE (γ - irradiated) (Triple Pack)** For the subculture of aerobic organisms in accordance with the harmonized method of USP/EP/BP/JP/IP.	100 Plts	6530
TSP 007GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/1% GLYCEROL (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms in accordance with harmonized method of USP/EP/BP/JP.	100 Plts	6305
TSP 008GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80) (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7905
TSPV 008GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/LECITHIN AND POLYSORBATE 80 (Veg) [TYPTONE SOYA AGAR PLATE W/LECITHIN & POLYSORBATE 80 (Veg)]** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	8290
TSP 009GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	8525
TSP 010GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 2% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	8960
TSP 011GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	7795
TSP 063GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL & 0.5% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	100 Plts	7425
TSP 012GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% LECITHIN & 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	8525
TSP 064GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LTHTH (γ - irradiated) (Triple Pack)** For determining the efficiency of sanitization of containers, equipment surfaces etc and for enumeration of organisms from water insoluble & fatty products containing antimicrobial or preservatives.	100 Plts	7280
TSP 065GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	8490
TSP 066GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.05 % Tween 80 (γ - irradiated) (Triple Pack)** Sterility test medium for cultivation of wide variety of microorganisms.	100 Plts	6740
TSP 067GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCERINE AND 1%POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics etc.	100 Plts	6740
TSP 068GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% LECITHIN AND 4% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For determining efficiency of sanitization of containers, equipment, surfaces, water miscible cosmetics etc.	100 Plts	7795
TSP 069GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 0.1% POLYSORBATE 80 (γ - irradiated) (Triple Pack)** For cultivation of wide variety of microorganisms.	100 Plts	6575
TSP 070G	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β - LACTAMASE (γ - irradiated)** For cultivation of wide variety oforganisms and for inactivation of β-lactam antibiotics.	100 Plts	6845
TSP 070GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β - LACTAMASE (γ - irradiated) (Triple Pack)** For cultivation of wide variety oforganisms and for inactivation of β-lactam antibiotics.	100 Plts	8735
TSP 071GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β- LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of penicillins, cephalosporins of first, second,third and fourth generation and penems.	100 Plts	11760

Ready-To-Use Media

Ready-To-Use Media Plates (55 mm Contact Plate Equivalent to RODAC Plate)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TSP 072GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ β- LACTAMASE II (γ - irradiated) (Triple Pack)** For cultivation of wide variety of organisms and for inactivation of cephalosporins of first, second, third and fourth generation.	100 Plts	11760
TSP 073GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ TWEEN 80, SOYA LECITHIN & β - LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** Recommended for determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of penicillins, cephalosporins of first, second , third and fourth generation and penems.	100 Plts	12320
TSP 015GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL,0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN (γ - irradiated) (Triple Pack)** for determining the efficiency of sanitization of containers, equipment, surfaces, water-miscible cosmetics, etc.	100 Plts	7905
TSP 074GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE-II (γ - irradiated) (Triple Pack)** For determining efficiency of containers, equipment surfaces, water miscible cosmetics and for inactivation of cephalosporins of first, second, third and fourth generation and penems.	100 Plts	12320
TSP 075GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ LECITHIN, TWEEN 80 & β-LACTAMASE (γ - irradiated) (Triple Pack)** For determining efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation of β- lactam antibiotics.	100 Plts	7905
TSP 076GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ 1% GLYCEROL, 0.5% POLYSORBATE 80, 0.07% SOYA LECITHIN & 5IU/PLATE β-LACTAMASE MIXTURE (γ - irradiated) (Triple Pack)** For derterming efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	8510
TSP 077GT	**SOYABEAN CASEIN DIGEST AGAR PLATE W/ POLYSORBATE 80, GLYCEROL W/ 5IU OF β-LACTAMASE II & 50IU OF β-LACTAMASE 1/100 ML (γ - irradiated) (Triple Pack)** For derterming efficiency of containers, equipment surfaces, water miscible cosmetics and inactivation penicillins, cephalosporins of first, second, third and fourth generation and penems.	100 Plts	6295
TSP 078GT	**TOTAL PLATE COUNT AGAR PLATE W/ -LACTAMASE (g - irradiated) (Triple Pack)** For derterming of plate counts of microorganisms in foods, water and wastewater and inactivation of b-lactam antibiotics. .	100 Plts	5355

#Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TRM 360	**BLOOD AGAR BASE (INFUSION AGAR) W/O BLOOD** for selective isolation of fastidious pathogenic microorganisms after addition of blood	100 ml x 25	3190
TRM 361	**BRAIN HEART INFUSION AGAR** for cultivation of fastidious microorganisms like bacteria, yeasts and molds	100 ml x 25	3190
TRM 405	**C.L.E.D. AGAR (W/ BROMO THYMOL BLUE) (BROLACIN AGAR)** for isolation and differentiation of urinary pathogen by lactose fermentation	100 ml x 25	3190
TRM 054	**C.L.E.D. AGAR W/ ANDRADE INDICATOR (CYSTINE LACTOSE ELECTROLYTE DEFICIENT AGAR)** for isolation and differentiation of microorganisms based on lactose fermentation	100 ml x 25	3190
TRM 1199	**CHROMOGENIC UTI AGAR *** for presumptive identification of microorganisms mainly causing urinary tract infections	100 ml x 25	5235
TRM 1858	**CHROMOGENIC COLIFORM AGAR *** For determination of coliform bacteria particularly Enterobacteriaceae on the basis of their ability to ferment lactose	100 ml x 25	5235
TRM 349	**MacCONKEY AGAR W/O CV, W/ 0.15% BILE SALTS** for selective isolation and differentiation of lactose fermenting and lactose non-fermenting enteric pathogens	100 ml x 25	3190
TRMH 110	**MACCONKEY AGAR W/ 0.15% BILE SALTS, CV AND NACL (USP/EP/BP/JP/IP)** for the selection and subculture of *E.coli* in accordance with harmonized method	100 ml x 25	3190

Ready-To-Use Media

#Ready-To-Use Agar Media (Glass Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TRM 378	**MacCONKEY AGAR W/ SODIUM TAUROCHOLATE W/O CV & NaCl** for or selection and recovery of the Enterobacteriaceae and related enteric gram-negative bacilli from clinical, food,water samples	100 ml x 25	3190
TRM 339	**MUELLER HINTON AGAR** for cultivation of Neisseria and for determination of susceptibility of microorganisms	100 ml x 25	3190
TRM 206	**BRAIN HEART INFUSION AGAR** for selective isolation of pathogenic staphylococci from clinical and non-clinical samples	100 ml x 25	3190
TRMH 114	**MANNITOL SALT AGAR (USP/EP/BP/JP/IP)** for selective isolation of pathogenic staphylococci from pharmaceutical products in accordance with microbial limit test	100 ml x 25	3360
TRM 341	**NUTRIENT AGAR** general purpose medium for cultivation of less fastidious microorganisms	100 ml x 25	3190
TRM 544	**PLATE COUNT AGAR (STANDARD PLATE AGAR)** for determination of plate count of microorganisms in food, waste water and clinical samples	100 ml x 25	3190
TRM 344	**POTATO DEXTROSE AGAR** for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25	3190
TRMH 344	**POTATO DEXTROSE AGAR (USP/EP/BP/JP/IP)** for isolation and enumeration of yeast and moulds from clinical, dairy and other food products	100 ml x 25	3360
TRM 269	**R-2A AGAR** for heterotrophic plate count of treated potable water using longer incubation time	100 ml x 25	3190
TRM 622	**SABOURAUD CHLORAMPHENICOL AGAR** for selective isolation and cultivation of yeast and molds	100 ml x 25	3190
TRM 387	**SABOURAUD DEXTROSE AGAR** for cultivation of yeast, molds and aciduric bacteria from clinical and non-clinical samples	100 ml x 25	3190
TRMH 387	**SABOURAUD DEXTROSE AGAR (USP/EP/JP/BP/IP)** for cultivation of yeast,molds and aciduric bacteria from pharmaceutical products in accordance with microbial limit testing	100 ml x 25	3360
TRMH 345	**SOYA CASEIN DIGEST AGAR (USP/EP/JP/BP/IP)** for cultivation of variety of microorganisms from pharmaceutical products accordance with harmonized method	100 ml x 25	3190
TRM 1927	**VIOLET RED GLUCOSE AGAR** for selective isolation, detection and enumeration of coli-aerogenes bacteria in water, milk other dairy products and clinical samples	100 ml x 25	3190
TRMH 117	**VIOLET RED BILE GLUCOSE AGAR (USP/EP/JP/BP/IP)** for detection and enumeration of Enterobacteriaceae especially subculturing of bile tolerant gram negative bacteria from pharmaceutical products in accordance with microbial limit test	100 ml x 25	3360
TRM 492	**XLD AGAR** for selective isolation and enumeration of *Salmonella Typhi* and other *Salmonella* species.	100 ml x 25	3190

#Ready-To-Use Broth Media (Glass Bottle)

For Food Testing

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMF 001	**BUFFERED PEPTONE WATER** For pre-enrichment of injured salmonella species prior to selective enrichment and isolation	225ml x 20	POR

Ready-To-Use Media

#Ready-To-Use Broth Media (Glass Bottle)

Sterility Test Media

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 010	**ALTERNATIVE THIOGLYCOLLATE MEDIUM (USP)** For sterility testing of biological products	100ml x 25	4900
TMKH 028PS	**BUFFERED NaCl-PEPTONE SOLUTION, pH 7.8 (USP/EP/JP/BP/IP)** NEW Dilution fluid for samples in case of microbiological contamination.	200ml x 25	8700
TMKH 001	**FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP)** For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25 200ml x 20 500ml x 6	3500 3920 5490
TMKH 001S	**FLUID THIOGLYCOLLATE MEDIUM (USP/EP/JP/BP/IP)** For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25	3500
TMKH 021	**FLUID THIOGLYCOLLATE MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80** For sterility testing of biological and for cultivation of aerobes, anaerobes and microaerophilic organisms.	100ml x 25	5700
TMKH 023	**SCDM W/ 0.5% SOYA LECITHIN & 1% TWEEN 80** For cultivation of wide variety of microorganisms and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	7750
TMKH 003	**SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)** For the evaluation of sterility in manufacturing processes.	100ml x 25 200ml x 20 500ml x 6	3500 3920 5490
TMKH 003S	**SOYA CASEIN DIGEST MEDIUM (USP/EP/JP/BP/IP)** For the evaluation of sterility in manufacturing processes.	100ml x 25	3500
TMKH 022	**SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 4%TWEEN 80** For the evaluation of sterility in manufacturing processes.	100ml x 25	8880
TMKH 026S	**SOYA CASEIN DIGEST MEDIUM W/ 0.5% SOYA LECITHIN & 5% POLYSORBATE 80** For the evaluation of sterility in manufacturing processes.	100ml x 25	15905

200ml Bottle with Screw Cap.

Wash Solutions

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 006	**BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 (USP/EP/JP/BP/IP)** Dilution fluid for samples in case of microbiological contamination.	100 ml x 25 500 ml x 6	5095 7785
TMKH 009	**BUFFERED NaCl-PEPTONE SOLUTION, pH 7.0 W/ SOYA LECITHIN (USP/EP/JP/BP/IP)** For the preparation of test suspension.	100 ml x 25	5460
TMKH 004	**DILUTING FLUID A (USP)** Used as diluent for sterility testing of pharma products.	100ml x 25 500ml x 6	4900 5460
TMKH 011	**DILUTING FLUID D (USP)** Used as diluent for sterility testing of pharma products.	100ml x 25	4900
TMKH 012	**DILUTING FLUID K (USP)** Used as diluent for sterility testing of pharma products.	100ml x 25	4900
TMKH 013	**PEPTONE WATER 0.1%** Used as diluent for microbial enumeration purposes.	100ml x 25 500ml x 6	3500 3920
TMKH 013S	**PEPTONE WATER 0.1% -** Used as diluent for microbial enumeration purposes.	100ml x 25	3500
TMKH 027	**PHOSPHATE BUFFER pH 7.0** Used as a diluent.	100ml x 25	5215
TMKH 014	**STERILE SALINE 0.85%** Used as a diluent.	100ml x 25 500ml x 6	3500 3920

Ready-To-Use Media

#Ready-To-Use Broth Media (Glass Bottle)

Microbial Limit Test

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMKH 005	**EE BROTH MOSSEL (ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL) (USP/EP/JP/BP/IP)** For selective enrichment of Enterobacteriaceae.	100ml x 25 500ml x 6	5180 5095
TMKH 008	**MacCONKEY BROTH (USP/EP/JP/BP/IP)** For the selective enrichment of *Escherichia coli* in accordance with harmonized method.	100ml x 25 500ml x 6	5180 5095
TMKH 008S	**MacCONKEY BROTH (USP/EP/JP/BP/IP)** NEW For the selective enrichment of Escherichia coli in accordance with harmonized method.	100ml x 25	14200
TMKH 015	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/JP/BP/IP)** For selective enrichment of *Salmonella* species from pharmaceutical and clinical samples in accordance with harmonized method.	100ml x 25	5180
TMKH 025	**REINFORCED CLOSTRIDIAL BROTH (as per USP/BP/JP/EP)** for isolation, cultivation and enumeration of *Clostridia* species, highly nutritive for *Clostridium sporogenes* and other anaerobes	100ml x 25	4815
TMKH 007	**SABOURAUD DEXTROSE BROTH (USP/EP/JP/BP/IP)** For the enrichment of *Candida albicans* in accordance with harmonized method.	100ml x 25 500ml x 6	5180 5095

200ml Bottle with Screw Cap.

Miscellaneous Use

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 016	**GN BROTH, HAJNA** For the selective enrichment of Gram negative organisms of the enteric group from clinical & non clinical sample	100ml x 25	15120
TMK 017	**0.1% PEPTONE WATER w/0.1% TWEEN 80** Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	8230
TMK 018	**0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 80** Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	15905
TMK 019	**0.1% PEPTONE WATER w/0.5% SOYA LECITHIN AND 4% TWEEN 20** Used as a growth medium and for determining efficiency of sanitization of containers, equipment surfaces, water miscible cosmetics etc.	100ml x 25	17190

#Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMT 033	**BRAIN HEART INFUSION BROTH** For the cultivation of fastidious and nonfastidious microorganisms, including aerobic and anaerobic bacteria, from clinical and non-clinical specimens.	5ml x 25 5ml x 50	920 1400
TMTH 001	**BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 (USP/EP/BP/JP/IP)** For the preparation of test suspension in accordance with harmonized methods.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1150 1790 1290 1965
TMTH 002	**BUFFERED SODIUM CHLORIDE PEPTONE SOLUTION pH 7.0 W/0.05% POLYSORBATE 80 (USP/EP/BP/JP/IP)** For the preparation of test suspension.	10ml x 25 10ml x 50	1370 2575
TMT 021	**DEY ENGLEY NEUTRALISING BROTH** * For neutralising and testing antiseptics and disinfectants.	10ml x 25 10ml x 50	1590 2910

Ready-To-Use Media

#Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMT 015	**DILUENT TSB WITH CAP 4** For total aerobic microbial, count of water soluble specimens to be tested in pharmaceuticals, cosmetic etc.	10ml x 25 10ml x 50	1290 2350
TMTH 003	**ENTEROBACTERIA ENRICHMENT BROTH, MOSSEL (USP/EP/BP/JP/IP)** For the enrichment of bile tolerant organisms in accordance with the harmonized methods	10ml x 25 10ml x 50	1175 2130
TMTH 019	**FLUID THIOGLYCOLLATE MEDIUM (USP/EP/BP/JP/IP)** For sterility testing of biologicals and cultivation of aerobes and microphiles inaccordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1680 3465 2130 4090
TMTH 022	**GN BROTH (IP 2018)** For enrichment of shigella from pharmaceutical products in accordance with Indian pharmacopoeia.	10ml x 25 10ml x 50	2800 5040
TMT 023	**LURIA BERTANI BROTH** For cultivation and maintained of recombinant strains of *E.coli* and may be used for routine cultivation of not particularly fastidious microorganisms.	10ml x 25 10ml x 50	885 1510
TMTH 024	**MacCONKEY BROTH (USP/EP/BP/JP/IP)** For selective enrichment of *Escherichia coli* in accordance with harmonized method.	10ml x 50	2185
TMT 004	**MR-VP MEDIUM** To perform Methyl Red & Voges-Proskauer tests for enteric gram negative bacilli.	10ml x 25 10ml x 50	1510 2420
TMT 005	**PEPTONE WATER** All purpose growth medium and as a base of carbohydrate fermentation media.	10ml x 25 10ml x 50	1010 1810
TMTH 006	**PHOSPHATE BUFFER pH 7.0 (USP)** Used as a diluent.	9ml x 25 9ml x 50	1290 2325
TMT 007	**PHOSPHATE BUFFER pH 7.2 (FDA BAM)** Used as a diluent.	9ml x 25 9ml x 50	1290 2325
TMT 025	**R2A BROTH** For cultivation and maintenance of heterotropic bacteria from potable water.	10ml x 25 10ml x 50	1290 2325
TMT 008	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH** For selective enrichment of *Salmonella* species from clinical samples.	10ml x 25 10ml x 50	1065 1970
TMTH 009	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (IP)** For selective enrichment of *Salmonella* species as per Indian pharmacopoeia.	10ml x 25 10ml x 50	1185 2175
TMTH 010	**RAPPAPORT VASSILIADIS SALMONELLA ENRICHMENT BROTH (USP/EP/BP/JP/IP)** For selective enrichment of *Salmonella* species with harmonized pharmacopoeia.	10ml x 25 10ml x 50	1065 2070
TMT 026	**REHYDRATION FLUID** Recommended as diluting fluid for performing growth promotion test use with longer stability.	9ml x 25 9ml x 50	1020 1850
TMTH 027	**SABOURAUD DEXTROSE BROTH (USP/EP/BP/JP/IP)** For the enrichment of Clostridia from pharmaceutical products in accordance with the microbial limit testing by harmonized methods.	10ml x 25 10ml x 50	1140 1905
TMTH 011	**SOYABEAN CASEIN DIGEST MEDIUM (USP/EP/BP/JP/IP)** Sterility test media prepared in accordance with harmonized method.	9ml x 25 9ml x 50 10ml x 25 10ml x 50	1150 1820 1150 1820
TMTH 013	**SOYBEAN CASEIN DIGEST MEDIUM W/ LTHTh** for determining the efficiency of sanitization of containers, equipments, surfaces, water miscible cosmetics.	10ml x 25 10ml x 50	1150 1820
TMT 028	**STERILE SALINE 0.85%** Used as a diluent	10 ml x 50	2085
TMT 014	**STERILE SALINE 0.9%** Used as a diluent	9ml x 50 10ml x 25 10ml x 50	2070 1210 2080
TMT 029	**STERILE SALINE 0.9% w/ 0.05% Tween 80** Used as a diluent	9ml x 50 10ml x 25	2220 2350
TMT 031	**STERILE SALINE 0.9% w/ 0.05% Soya lecithin & 0.5% Polysorbate 80** Used as a diluent	10ml x 25	2175

Ready-To-Use Media

#Ready-To-Use Liquid Medium (Tubes)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMT 016	**TETRATHIONATE BROTH** For selective isolation of Salmonellae from foods and other pathological materials.	10ml x 25 10ml x 50	1225 2005
TMT 032	**TRYPTONE BROTH W/ 10% NaCl** Recommended for enumeration of *Staphylococcus aureus.*	10ml x 25	1230
TMT 017	**TRYPTOPHAN MEDIUM** for detection of indole production	10ml x 25 10ml x 50	1150 2070
TMT 030	**TWEEN 80** Recommended as a surfactant and emulsifier.	10ml x 25	1345
TMT 018	**UREA INDOLE MEDIUM** * for differentiation of microorganism especially Enterobacteriaceae on the basis of their ability to hydrolyze urea and indole production.	10ml x 25 10ml x 50	1150 2070
TMT 012	**UNIVERSAL TRANSPORT MEDIUM** for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	5265
TMT 034	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS** for collection and transport of clinical specimen for recovery of viral agents. Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	6270
TMT 020	**VIRAL TRANSPORT MEDIUM** for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	5265
TMT 035	**VIRAL TRANSPORT MEDIUM W/ GLASS BEADS** for collection and transport of clinical specimen for recovery of viral agents Quantity: 3 ml medium in 10 to 15 ml self stand tube	3ml x 50	6270
TMT 036	**UNIVERSAL TRANSPORT MEDIUM** for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	4705
TMT 037	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS** for collection and transport of clinical specimen for recovery of viral agents. Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	5710
TMT 038	**VIRAL TRANSPORT MEDIUM** for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	4705
TMT 039	**VIRAL TRANSPORT MEDIUM W/ GLASS BEADS** for collection and transport of clinical specimen for recovery of viral agents Quantity: 1.3 ml medium in 5 to 10 ml self stand tube	1.3ml x 50	5710
TMT 040	**MOLECULAR TRANSPORT MEDIUM (VIRAL LYSIS TRANSPORT MEDIUM)** For the stabilization, transportation and inactivation of infectious viral agents. Quantity: 1.5 ml medium in 10 to 15 ml self stand tube	1.5ml x 50	7895

Combo Sterility Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCK 001	**COMBO STERILITY KIT (USP/EP/JP/IP)** Eash kit consists of 2 glass bottles (100ml) of Fluid Thioglycollate Medium (TMKH 001) and Soya Casein Digest Medium (TMKH 003).Recommended for all purpose.	5 Kit 20 Kit	2665 9250

Ready-To-Use Media

#Ready-To-Use Liquid Media (Tubes)

This Ready-To-Use liquid media tube is pre-measured, presterilized media ideal to be used with Filtration funnel and membrane Filtration funnel for detection and enumeration of microorgansims in water as well as product in pharmaceutical beverages and food processing industries.

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMA 001	**MF-ENDO BROTH** For Total Coliforms	20 Tubes 50 Tubes	1670 3640
TMA 002	**M-FC BROTH** For Fecal organism	20 Tubes 50 Tubes	1670 3640
TMA 003	**M-FC WITH ROSOLIC ACID BROTH** For Fecal organism	20 Tubes 50 Tubes	1670 3640
TMA 004	**M-TGE BROTH** For Total Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 005	**M-TGE WITH TTC INDICATOR BROTH** For Total Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 006	**TRYPTICASE SOY BROTH - USP** For Total Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 007	**KF-STREPTOCOCCAL BROTH** For Total Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 008	**PSEUDOMONAS BROTH** For Pseudomonas sp	20 Tubes 50 Tubes	1670 3640
TMA 009	**M-GREEN YM BROTH** For Yeast and Molds	20 Tubes 50 Tubes	1670 3640
TMA 010	**ORANGE SERUM BROTH** For Lactobacillus, Acid Resistant Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 011	**HPC MEDIA WITH TTC INDICATOR** For Total Bacteria	20 Tubes 50 Tubes	1670 3640
TMA 012	**R2A BROTH** For Total Bacteria	20 Tubes 50 Tubes	1670 3640

Each tube contain 2-2.5 ml of media

Ready-To-Use Kits

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 07	**H_2S TEST POWDER KIT (10 TEST)** **(1 pack contains: 10 bottles)** for detection of Salmonella, Citrobacter and *E. coli* from water	1 Kit	495
TMK 06	**H_2S TEST STRIP KIT (10 TEST)** **(1 pack contains: 10 bottles)** for detection of Salmonella, Citrobacter and *E. coli* from water	1 Kit	495
TMK 02	**PA E. COLI KIT (100 ml capacity & Dehydrated Culture Medium - 3X Concentration)** for detection of presence and absence of coliform bacteria in water. Kit contains Sterile Bottle	10 Kit	1245
TMK 03	**RAPID COLIFORM KIT** * for rapid detection and confirmation of *Escherichia coli* and other coliforms from water on the basis of enzyme substrate reaction	1 Kit	275
TMK 04	**RAPID ENTEROCOCCI TEST KIT** for rapid and easy identification & differentiation of Enterococci from water	1 Kit	290
TMK 05	**SALT TESTING KIT** Iodine Test Solution	10 Kit	1365
TMK 01	**WATER TESTING KIT (COLI-CHECK)** for detection of Coliforms in potable water	1 Kit 10 Kit	125 1100
TMK 08L	**FOOD PATHOGEN DETECTION KIT** for rapid detection of food pathogens such as *E. coli*, *E.coli* O157: H7, *Salmonella, Listeria, Staphylococcus* and *Clostridium species.*	5 Kit 10 Kit	6815 12265
TMK 08S	**FOOD PATHOGEN DETECTION KIT** For rapid detection of food pathogens such as E. coli, E.coli O157: H7, Salmonella, Listeria, Staphylococcus and Clostridium species..	5 Kit 10 Kit	4300 7525
TMK 08M	**FOOD PATHOGEN DETECTION KIT** For rapid detection of food pathogens such as E. coli, E.coli O157: H7, Salmonella, Listeria, Staphylococcus and Clostridium species..	5 Kit 10 Kit	4820 8690

#Once open, recommended consume immediately

Ready-To-Use Media

Ready-To-Use Kits

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 09	**H_2S TEST MEDIUM** for the detection of *Salmonella* species and *Citrobacter* species from water samples.	1 Kit	550
TMK 10	**SULPHATE REDUCING BACTERIA TEST KIT** **(1 pack contains: 10 bottles)** for the detection of Sulphate Reducing Bacteria for testing 20 ml water sample.	1 Kit	1480
TMK 11	**SULPHATE REDUCING BACTERIA TEST KIT** **(1 pack contains: 10 bottles)** for the detection of Sulphate Reducing Bacteria for testing 100 ml water sample.	1 Kit	3460
TMK 12	**WATER TEST KIT** for rapid and simultaneous detection of *Salmonella species, E. coli, Citrobacter species* and *Vibrio species.* Kit includes Medium A, Medium B and two sterile bottles.	1 Kit	1780
TMK 13	**WATER TEST KIT** **(1 pack contains: 10 bottles)** for primary detection of *Salmonella, Citrobacter and E. coli* based on H_2S production in glass bottles.	1 Kit	650
TMK 14	**WATER TEST KIT** **(1 pack contains: 10 bottles)** for primary detection of *Salmonella, Citrobacter and E. coli* based on H_2S production in plastic bottles.	1 Kit	575
TMK 15	**SELECTIVE E. COLI TEST KIT** for the rapid detection and confirmation of *E. coli* based on enzyme-substrate reaction from water samples.	1 Kit	555

Ready-To-Use Slants (For Tuberculosis Tests)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMS 01	**L.J. MEDIUM SLANT (10 Slants)** * for cultivation of *Mycobacterium tuberculosis*	1 Kit	1420
TMS 07	**TUBERCULOSIS FIRST LINE KIT (7 Slants)** * with five antitubular drugs (Isoniazide, Streptomycin, Ethambutol, Rifampicin, Pyrazinamide) +2 controls	1 Kit	1175
TMS 08	**TUBERCULOSIS SECOND LINE KIT (10 Slants)** * with seven antitubular drugs (Kanamycin, Amikacin, Ethionamide, D-Cycloserine, Clarithromycin Ciprofloxacin, p-Amino salicyclic acid) + 3 controls	1 Kit	1665

Ready-To-Use Slants / Butts (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMS 02	**KLIGLER IRON AGAR SLANT (10 Slants)** * for differential identification of Gram-negative enteric bacilli on the basis of the fermentation of dextrose, lactose and H_2S Production	1 Kit	670
TMS 03	**LYSINE IRON AGAR SLANT (10 Slants)** * for detection of enteric organism especially *Salmonella arizonae*, based on their ability to decarboxylate or deaminate lysine and to form hydrogen sulphide (H_2S)	1 Kit	790
TMS 10	**MIU MEDIUM (10 Butts)** * for detection of motility, urease and indole production	1 Kit	775
TMS 04	**MOTILITY INDOLE LYSINE IRON AGAR (10 Butts)** * for identification of members of Enterobacteiaceae on the basis of motility , lysine decarboxylase, lysine deaminase and indole production	1 Kit	775
TMS 11	**SOYA CASEIN DIGEST AGAR SLANT (10 Slants)** * General purpose medium used for enrichment, isolation of fastidious microorganisms and also for sterility testing.	1 Kit	735

Ready-To-Use Media

Ready-To-Use Slants / Butts (Glass Tube)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMS 05	**SIMMON'S CITRATE AGAR SLANT (10 Slants)** * to differentiate gram-negative bacteria on the basis of citrate utilization	1 Kit	735
TMS 06	**TRIPLE SUGAR IRON AGAR SLANT (10 Slants)** * to differentiate gram-negative enteric bacilli based on carbohydrate fermentation	1 Kit	735
TMS 09	**UREA AGAR SLANT (10 Slants)** * to differentiate enterobacteriaceae on the basis of their ability to produce urease	1 Kit	765

Blood Culturing System

(Ready-To Use- Broth Media) (Aluminium-Capped Bottle)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMK 362	**BRAIN HEART INFUSION BROTH** for detection of fastidious microorganisms in blood	25 ml x 10 (Paediatric) 50 ml x 5 (Adult)	820 475
TMK 362S	**BHI SUPPLEMENTED W/ 0.05% SPS** for detection of microorganisms associated with blood culture	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	890 500
TMK 303	**BILE BROTH BASE** for cultivation of Enterobacteriaceae group	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	825 475
TMK 319S	**FLUID THIOGLYCOLLATE MEDIUM w/ 0.05% SPS** for cultivation of aerobes, anaerobes and microaerophiles	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	1230 670
TMK 308S	**GLUCOSE BROTH W/ 0.05% SPS (BLOOD CULTURE BOTTLE)** for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	820 475
TMK 374	**HARTLEY DIGEST BROTH** For isolation of various bacteria from blood especially Streptococci and *Corynebacterium diphtheriae*	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	890 475
TMK 374S	**HARTLEY DIGEST BROTH W/ 0.5% SPS** For isolation of various bacteria from blood especially Streptococci and *Corynebacterium diphtheriae*	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	890 475
TMK 350	**NUTRIENT BROTH** for general cultivation of microorganisms	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	820 500
TMK 332	**TRYPTONE SOYA BROTH (SOYA CASEIN DIGEST MEDIUM)** for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	820 475
TMK 332S	**TRYPTONE SOYA BROTH W/ 0.05% SPS** for detection of microorganisms in blood	25 ml x 10(Paediatric) 50 ml x 5 (Adult)	890 500

Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
THTS 001	**STERILE SWABS W/0.85% SALINE** for propogation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 No.	760
THTS 011	**STERILE SWABS W/0.90% SALINE (NYLON SWAB)** for propogation of pathogenic cocci and other fastidious associated with blood culture work and allied pathological investigations	10 No.	890
THTS 415	**TRANSPORT SWABS W/ CARY - BLAIR MEDIUM BASE (TRANSPORT MEDIUM W/O CHARCOAL)** for holding clinical specimens during collection, like, *Enterobacter aerogenes, Klebsiella pneumoniae, Neisseria meningitidis, Salmonella Typhimurium, Vibrio cholera* etc.	10 No.	825
THTS 715	**TRANSPORT SWABS W/ DEY-ENGLEY NEUTRALIZING AGAR (D/E AGAR DISINFECTANT TESTING)** for transportation of microorganisms from sanitized surface.	10 No.	825

Ready-To-Use Media

Transport Swab with Medium (Disposable)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
THTS 341	**TRANSPORT SWABS W/ NUTRIENT AGAR** for enumeration of Enterobacteriaceae	10 No.	825
THTS 420	**TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM** for preservation and transport of *Neisseria* species and other fastidious organisms, like, *Haemophilus influenzae, Neisseria gonorrhoeae, Shigella flexneri, Streptococcus pneumoniae* etc.	10 No.	825
THTS 456	**TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/O CHARCOAL** for transportation and preservation of clinical samples like, *Neisseria gonorrhoeae, Shigella flexneri, Streptococcus pneumoniae, Salmonella Typhi* etc.	10 No.	825
THTS 009	**TRANSPORT SWABS W/ TRANSPORT MEDIUM AMIES W/ CHARCOAL** for transportation and preservation of microbiological samples	10 No.	825
THTS 010	**TRANSPORT SWABS W/ BUFFERED PEPTONE SODIUM CHLORIDE 7.0 pH** use for transport of specimen	10 No.	875
THTS 002	**TRANSPORT SWABS W/ AMINES MEDIUM (A)** with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaeobic and fastidious organisms from wound, skin and throat.	50 No.	3835
THTS 003	**TRANSPORT SWABS W/ AMINES MEDIUM (B)** with 1.0ml medium and two swabs recommended for collection and transport of aerobic, anaeobic and fastidious organisms from wound, skin and throat and MRSA Screening.	50 No.	5550
THTS 004	**TRANSPORT SWABS W/ AMINES MEDIUM (C)** with 1.0ml medium and three swabs recommended for collection and transport of aerobic, anaeobic and fastidious organisms from wound, skin and throat and MRSA Screening and multiple body sides.	50 No.	7280
THTS 005	**TRANSPORT SWABS W/ AMINES MEDIUM (D)** with 1.0ml medium and one swab recommended for collection and transport of aerobic, anaeobic and fastidious organisms from nasopharyngeal,paediatric and urogenital	50 No.	3530
THTS 006	**TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl** with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from nose, throat,axilla,perneum, groin for MRSA Screening	50 No.	8125
THTS 007	**TRANSPORT SWAB W/ SOYABEAN CASEIN DIGEST MEDIUM W/ 6.5% NaCl** with 2.0ml TSB medium and one swab recommended for collection & transport of aerobic, anaerobic and fastidious organisms from rectum.	50 No.	5845
THTS 008	**TRANSPORT SWAB W/ SELENITE MEDIUM (A)** with 2.0ml Medium recommended for enrichment of enteric organisms from fecal specimens	50 No.	4280
THTS 012	**TRANSPORT SWAB W/ CARY BLAIR MEDIUM** for recovery of aerobic, anaerobic and fastidious bacteria from faecal specimen.	50 No.	4280

THTS 420
TRANSPORT SWABS W/ STUART TRANSPORT MEDIUM





VIRAL TRANSPORT KIT / UNIVERSAL TRANSPORT KIT

Safe, Collect, Store, Transport)

Viability and virulence of sample always in check.

Maximizes sample yield and recovery.

Unique Formulation of Medium

- 3 ml is available in flat bottom stand tube to allow for testing flexibility.
- Capture cap on tubes eliminates the need for forceps to remove the swab and reduce the risk of contamination.
- Single formulation sustain viability for viruses, chlamydiae, mycoplasmas and ureaplasma.
- The pH is quenched with Buffer.
- Phenol red is used as a pH indicator ensures that medium is suitable for use at the time of specimen collection
- Already incorporated antibiotics (Vancomycin, Amphotericin B and Colistin) in the medium suppresses bacterial and fungal contamination.
- Cryoprotectant helps in preserving the viruses if samples are frozen for prolonged storage.





Sterile, Viscose tip swab



Sterile, Nasopharyngeal nylon flocked swab



Sterile, Oropharyngeal nylon flocked swab

Unique of Efficient Design of Swab

Peculiar design of the flocked swab ensures optimum elution of the specimen into the transport medium. Flexible shaft deliver better patient comfort. Throat swabs are available without breakpoint whereas flocked nylon swab has a breakpoint which allow the swab to be broken in to the tube. Packed individually in peel/tear to open pouch format.

Transportation of Sample

To maintain optimum viability, transport the specimen to the laboratory as soon as possible. Best recovery is obtained when specimens are refrigerated at 2-8°C or kept on wet ice following collection and while in transit. If there will be long delay before processing, it is suggested that specimen should be frozen at -70°C.

Storage & Shelf Life

The transport medium should be stored at 15-30°C before sample collection and 2-8°C after sample collection. Use before the expiry date.

Viral Transport Kit / Universal Transport Kit / Molecular Transport Kit

Viral Transport Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMVT 001	**VIRAL TRANSPORT KIT (Single Nylon Flocked Swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile flocked nylon swab with breakpoint.	50 Nos.	5175
TMVT 002	**VIRAL TRANSPORT KIT (with Nasal and Throat Swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint.	50 Nos.	5425
TMVT 003	**VIRAL TRANSPORT KIT (Double Nylon Flocked Swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.	5650
TMVT 009	**VIRAL TRANSPORT KIT (Single Viscose Swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos.	4985
TMVT 010	**VIRAL TRANSPORT KIT (Nylon flocked and Polyester Swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 Nos.	5425
TMVT 011	**VIRAL TRANSPORT KIT (Single Polyester swab)** w/3ml viral transport medium in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 Nos.	4985
TMVT 006	**VIRAL TRANSPORT KIT (Nylon Flocked Swab and Viscose Swab)** W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint.	50 Nos.	5425
TMVT 007	**VIRAL TRANSPORT KIT (Double Nylon Flocked Swab)** W/ 1.3 ml viral transport medium in 5-10 ml polystyrene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint.	50 Nos.	5650
TMVT 008	**VIRAL TRANSPORT KIT (Single Nylon Flocked Swab)** W/ 1.3 ml viral transport medium in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint.	50 Nos.	5175

Universal Transport Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMUT 001	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab)** w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos.	9655
TMUT 002	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nasal and Throat Swab)** w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint and Oropharyngeal viscose throat swab without breakpoint	50 Nos.	9905
TMUT 003	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked** Swab) w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.	10130
TMUT 009	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Viscose swab)** w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint	50 Nos.	9465
TMUT 010	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon flocked and Polyester swab)** w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 Nos.	9905
TMUT 011	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Polyester swab)** w/3ml universal transport medium with three glass beads in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 Nos.	9905

Viral Transport Kit / Universal Transport Kit / Molecular Transport Kit

Universal Transport Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMUT 006	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Nylon Flocked Swab** W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile nylon flocked swab with breakpoint and one sterile viscose swab without breakpoint.	50 Nos.	11860
TMUT 007	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Double Nylon Flocked Swab)** W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml polypropylene tube with one sterile Nasopharyngeal and one sterile oropharyngeal nylon flocked swab with breakpoint	50 Nos.	10130
TMUT 008	**UNIVERSAL TRANSPORT MEDIUM W/ GLASS BEADS (Single Nylon Flocked Swab)** W/ 1.3 ml universal transport medium with three glass beads in 5-10 ml	50 Nos.	9655

Molecular Transport Kit

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
MTM 001	**MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab)** w/3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 Nos.	7415
MTM 002	**MOLECULAR TRANSPORT KIT (Nasal and Throat Swab)** w/ 3 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint	50 Nos.	7665
MTM 003	**MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab)** w/3ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polystyrene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 Nos.	7890
MTM 009	**MOLECULAR TRANSPORT KIT (Single Viscose Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one sterile viscose swab without breakpoint.	50 nos.	7225
MTM 010	**MOLECULAR TRANSPORT KIT (Nylon Flocked and Polyester Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab and One polyester swab with breakpoint.	50 nos.	7665
MTM 011	**MOLECULAR TRANSPORT KIT (Single Polyester Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile polyester swab with breakpoint.	50 nos.	7225
MTM 006	**MOLECULAR TRANSPORT KIT (Nasal and Throat Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube, one Nasopharyngeal nylon flocked swab with breakpoint & one Oropharyngeal viscose throat swab without breakpoint.	50 nos.	7665
MTM 007	**MOLECULAR TRANSPORT KIT (Double Nylon Flocked Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube with one Nasopharyngeal and one Oropharyngeal nylon flocked swab with breakpoints.	50 nos.	7890
MTM 008	**MOLECULAR TRANSPORT KIT (Single Nylon Flocked Swab)** w/1.5 ml Molecular Transport Medium (Viral Lysis Transport Medium) in 10-15 ml polypropylene tube and one sterile nylon flocked swab with breakpoint.	50 nos.	7415

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 001	AMIKACIN	AK	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 003	AMOXICLAV (Amoxicillin / Clavulanic Acid)	AMC	30 mcg (20/10 mcg)	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 004	AMPICILLIN	AMP	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 005	AMPICILLIN / SULBACTAM	A/S	20 mcg (10/10 mcg)	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 006	AZITHROMYCIN	AT	15 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 046	AZTREONAM	AZT	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 047	CARBENICILLIN	CB	100 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 007	CEFACLOR	CF	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 009	CEFAZOLIN	CZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 048	CEFDINIR	CDR	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 049	CEFEPIME	CPM	30 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810
TBD 010	CEFIXIME	CFM	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 011	CEFOPERAZONE	CS	75 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 012	CEFOTAXIME (CEPHOTAXIME)	CTX	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 075	CEFOXITIN	CXN	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 050	CEFPODOXIME	CPD	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 051	CEFPROZIL	CPR	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 014	CEFTAZIDIME	CAZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 052	CEFTAZIDIME/ CLAVULANIC ACID	CAC	30/10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 053	CEFTIZOXIME	CZX	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 013	CEFTRIAXONE	CTR	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 015	CEFUROXIME	CXM	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 016	CEPHALOTHIN	CEP	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 017	CHLORAMPHENICOL	C	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 018	CIPROFLOXACIN	CIP	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675

*ABBR.: Abbreviation | *CON.: Concentration | *Store between 2 - 8°C
Pack Size : 5 ct : 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) : 5 x 50 Discs in Blister Pack
1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 019	CLARITHROMYCIN	CL	15 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 020	CLINDAMYCIN	CD	2 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 054	COLISTIN (METHANE SULPHATE)	CLM	10 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 210 860
TBD 022	Co-TRIMOXAZOLE (Sulphamethoxazole / Trimethoprim)	COT	25 mcg (23.75/ 1.25 mcg)	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 023	DOXYCYCLINE HCl	DO	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 055	ERTAPENEM	ETP	10 mcg	1 vl 5 vl	560 2210
TBD 024	ERYTHROMYCIN	E	15 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 056	FAROPENEM	FAR	5 mcg	1 vl 5 vl	630 2495
TBD 057	FLUCONAZOLE (Antifungal)	FLC	25 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 058	GATIFLOXACIN	GAT	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 059	GEMIFLOXACIN	GEM	5 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810
TBD 025	GENTAMICIN	GEN	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 060	GENTAMICIN	HLG	120 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810
TBD 061	IMIPENEM	IPM	10 mcg	1 vl 5 vl	520 2045
TBD 026	KANAMYCIN	K	30 mcg	5 ct 1 B. set 1 vl 5 vl	435 415 195 790
TBD 062	LEVOFLOXACIN	LE	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 063	LINEZOLID	LZ	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 027	LOMEFLOXACIN	LOM	10 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810
TBD 028	MEROPENEM	MR	10 mcg	1 vl 5 vl	560 2210
TBD 064	MINOCYCLINE	MI	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 065	MOXIFLOXACIN	MO	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 029	NALIDIXIC ACID	NA	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 030	NETILLIN (Netimicin Sulphate)	NET	30 mcg	5 ct 1 B. set 1 vl 5 vl	485 410 195 790
TBD 031	NITROFURANTOIN	NIT	300 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675

*ABBR.: Abbreviation | *CON.: Concentration | *Store between 2 - 8°C
Pack Size : 5 ct : 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) : 5 x 50 Discs in Blister Pack
1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 032	NORFLOXACIN	NX	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 070	SPECTINOMYCIN	SPT	100 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 033	OFLOXACIN	OF	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 039	STREPTOMYCIN	S	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 066	OXACILLIN	OX	1 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 210 860	TBD 071	STREPTOMYCIN	HLS	300 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810
TBD 067	PEFLOXACIN	PF	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 072	TEICOPLANIN	TEI	30 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 225 860
TBD 034	PENICILLIN-G	P	10 units	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 040	TETRACYCLINE	TE	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 035	PIPERACILLIN	PC	100 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 210 860	TBD 073	TICARCILLIN	TI	75 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 068	PIPERACILLIN / TAZOBACTUM	PIT	100/10 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 210 860	TBD 041	TICARCILLIN/ CLAVULANIC ACID	TCC	75/2.5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 036	POLYMYXIN-B	PB	300 units	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 042	TOBRAMYCIN	TOB	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 069	PRULIFLOXACIN (ULIFLOXACIN)	PRU	5 mcg	5 ct 1 B. set 1 vl 5 vl	450 425 200 810	TBD 043	TRIMETHOPRIM	TR	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 037	RIFAMPICIN	R	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 044	VANCOMYCIN	VA	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 038	SPARFLOXACIN	SPX	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 074	VORICONAZOLE (Antifungal)	VRC	1 mcg	5 ct 1 B. set 1 vl 5 vl	480 450 225 860

Antibiotic Sensitivity Discs *

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)	CODE	PRODUCT NAME	ABBR.	CON.	PACK SIZE	PRICE (₹)
TBD 002	AMOXICILLIN	AX	10 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 008	CEFADROXIL (CEPHADROXIL)	CFR	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675
TBD 045	AMOXICILLIN	AX	30 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675	TBD 021	CLOXACILLIN	CX	5 mcg	5 ct 1 B. set 1 vl 5 vl	380 350 175 675

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERM-EDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 001	**AMIKACIN** *Enterobacteriaceae, P.aeruginosa* *Acientobacter & Staphylococcus*	AK	30 mcg	17	15-16	14	19-26	20-26	18-26	-	-	-	-	-	-	-	-	-
TBD 003	**AMOXYCLAV (Amoxicillin/clavulanic)** *Enterobacteriaceae Staphylococcus spp.* *Haemophilus influenzae &* *haemophilus parainfluenzae*	AMC	(300 mcg)	18 20	14-17 -	13 19	18-24 -	28-36 -	- -	17-22 -	- -	- -	- 15-23	- -	- -	- -	- -	- -
TBD 004	**AMPICILLIN** *Enterobacteriaccae* *Staphylococcus spp.* *Enterococcus spp.* *Haemophilus inflenzae &* *Haemophilus parainfluenzae* *Streptococcus spp. beta* *haemolytic group*	AMP	10 mcg	17 29 17 22 24	14-16 - - 19-21 -	13 28 16 18 -	15-22 - - - -	- 27-35 - - -	- - - - -	6 - - - -	- - - - -	- - - - -	- - - 13-21 -	- - - - -	- - - - -	- - - - -	- - - - 30-36	- - - - -
TBD 005	**AMPICILLIN/SULBACTAM** *Enterobacteriaccae,Acientobacter &* *Haemophilus inflenzae &* *Haemophilus parainfluenzae*	A/S	10/10 mcg	15 20	12-14 -	11 19	19-24 -	29-37 -	- -	13-19 -	- -	- -	- 14-22	- -	- -	- -	- -	- -
TBD 006	**AZITHROMYCIN** *Staphylococcus,S.pneumoniae,* *Streptococcus spp.,Viridians group &* *Streptococcus spp. Beta* *haemolytic group* *haemophillus inflenzae &* *Haemophillus parainfluenzae* *Neisseria meningtidis* *Salmonella Typhi*	AZM	15 mcg	18 12 20 13	14-17 - - -	13 - - -	- - - -	21-26 - - -	- - - -	- - - -	- - - -	- - - -	- 13-21 - -	- - - -	- - - -	- - 30-38 -	19-25 - - -	- - - -
TBD 046	**AZTREONAM** *Enterobacteriaccae* *P.aeruginosa* *haemophillus inflenzae &* *Haemophillus parainfluenzae*	AT	30 mcg	21 22 26	18-20 16-21 -	17 15 -	28-36 - -	- - -	- 23-29 -	31-38 - -	- - -	- - -	- - 30-38	- - -	10-16 - -	- - -	- - -	- - -
TBD 047	**CARBENICILLIN**	CB	100 mcg	-	-	-	23-29	-	18-24	-	-	-	-	-	-	-	-	-
TBD 007	**CEFACLOR** *Enterobacteriaceae Staphylococcus* *spp.* *Haemophilus influenzae &* *Haemophilus parainfluenzae*	CF	30 mcg	18 20	15-17 17-19	14 16	23-27 -	27-31 -	- -	- -	- -	- -	- -	- 25-31	- -	- -	24-32 -	- -
TBD 009	**CEFAZOLIN** *Enterobacteriaceae* *Enterobacteriaceae (uncomplicated* *UTIs)* *Staphylococcus spp.*	CZ	30 mcg	23 15 18	20-22 - 15-17	19 14 14	21-27 - -	- - 29-35	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -
TBD 048	**CEFDINIR** *Enterobacteriaceae Staphylococcus spp.* *Haemophilus influenzae &* *Haemophilus parainfluenzae*	CDR	5 mcg	20 20	17-19 -	16 -	24-28 -	25-32 -	- -	- -	- -	- -	- -	- 24-31	- -	40-49 -	26-31 -	
TBD 048	**CEFAPIME** *Enterobacteriaccae* *P.aeruginosa,* *Acientobacter* *Haemophilus influenzae &* *haemophilus parainfluenzae* *Neisseria gonorhoeae* *Streptococcus spp. Virdans group* *Streptococcus spp. beta* *haemolytic group*	CPM	30 mcg	25 18 26 31 24 24	19-24 15-17 - - 22-23 -	18 14 - - 21 -	31-37 - - - - -	- 23-29 - - - -	25-31 - - - - -	- - - - - -	- - - - - -	- - - - - -	- - 25-31 - - -	- - - - - -	- - - - - -	- - - 37-46 - -	26-31 - - - 28-35 -	- - - - - -
TBD010	**CEFIXIME** *Enterobacteriaceae* *Haemophilus influenzae &* *Haemophilus parainfluenzae* *Neisseria gonorhoeae*	CFM	5 mcg	19 21 31	16-18 - -	15 - -	20-26 - -	- - -	- - -	- - -	- - -	- - -	- 25-33 -	- - -	- - -	- - 37-45	16-23 - -	- - -
TBD 011	**CEFOPERAZONE** *Enterobacteriaceae* *Staphylococcus spp.*	CPZ	75 mcg	21	16-20	15	28-34	24-33	23-29	-	-	-	-	-	-	-	-	-
TBD 012	**CEFOTAXIME (CEPHOTAXIME)** *Enterobacteriaceae* *Acientobacter &* *Staphylococcus spp.* *Haemophilus influenza &* *Haemophilus parainfluenzae* *Neisseria meningitidis* *Neisseria gonorhoeae* *Streptococcus spp. Viridians group* *Streptococcus spp.* *Beta haemolytic group*	CTX	30 mcg	26 23 26 34 31 28 24	23-25 15-22 - - - 26-27 -	22 14 - - - 25 -	29-35 - - - - - -	- 25-31 - - - - -	- 18-22 - - - - -	- - - - - - -	- - - - - - -	- - - - - - -	- - 31-39 - - - -	- - - - - - -	17-25 - - - - - -	- - - - 38-48 - -	- - - - - 31-39 -	- - - - - - -
TBD 050	**CEFPODOXIME** *Enterobacteriaceae Staphylococcus* *spp.* *Haemophilus influenzae &* *Haemophilus parainfluenzae* *Neisseria gonohoeae*	CPD	10 mcg	21 21 29	18-20 - -	17 - -	23-28 - -	19-25 - -	- - -	- - -	- - -	- - -	- 25-31 -	- - -	9-16 - -	- - 35-43	28-34 - -	- - -
TBD 051	**CEFROZIL** *Enterobacteriaceae Staphylococcs* *Haemophilus influenzae &* *Haemophilus parainfluenzae*	CPR	30 mcg	18	15-17	14	21-27	27-33	-	-	-	-	-	20-27	-	-	25-32	-
TBD 014	**CEFTAZIDIME** *Enterobacteriacaceae,B.cepacia* *P.aeruginosa,Acientobacter &* *Staphylococcus spp.* *Haemophilus influenza &* *Haemophilus parainfluenzae* *Neisseria gonorhoeae*	CAZ	30 mcg	21 18 26 31	18-20 15-17 - -	17 14 - -	25-32 - - -	- 16-20 - -	- 22-29 - -	- - - -	- - - -	- - - -	- - 27-35 -	- - - -	10-18 - - -	- - - -	- - - 35-43	- - - -
TBD 052	**CEFTAZIDIME/CLAVULANIC ACID**	CAC	30/10 mcg	22	19-21	19	23-29	-	-	-	-	-	-	-	-	-	-	-

*ABBR.: Abbreviation | *CON.: Concentration | *Store between 2 - 8°C
Pack Size : 5 ct : 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) : 5 x 50 Discs in Blister Pack
1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

TM MEDIA®

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)										
				SENSITIVE mm or more	INTERM-EDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 053	**CEFTIZOXIME**	CZX	30 mcg															
	Enterobacteriaceae			25	22-24	21	30-36	27-35	12-17	-	-	-	-	-	-	-	28-34	-
	Haemophilus influenzae &																	
	Haemophilus parainfluenzae			26	-	-	-	-	-	-	-	-	29-39	-	-	-	-	-
	Neisseria gonorhoeae			38	-	-	-	-	-	-	-	-	-	-	-	42-51	-	-
TBD 013	**CEFTRIAXONE**	CTR	30 mcg															
	Enterobacteriaceae			23	20-22	19	29-35	-	-	-	-	-	-	-	16-24	-	-	-
	Paeruginosa,Acientobacter &																	
	Staphylococcus spp.			21	14-20	13	-	22-28	17-23	-	-	-	-	-	-	-	-	-
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			26	-	-	-	-	-	-	-	-	31-39	-	-	-	-	-
	Neisseria meningitidis			34	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Neisseria gonorhoeae			35	-	-	-	-	-	-	-	-	-	-	-	39-51	-	-
	Streptococcus spp. Viridians group			27	25-26	24	-	-	-	-	-	-	-	-	-	-	30-35	-
	Strptococcus spp.																	
	Beta haemolytic group			24	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TBD 015	**CEFUROXIME**	CXM	30 mcg															
	Enterobacteriaceae (Parental)			18	15-17	14	20-26	27-35	-	-	-	-	-	-	-	-	-	-
	Staphylococcus spp.			23	15-22	14	-	-	-	-	-	-	-	-	-	-	-	-
	Enterobacteriaceae (Oral)																	
	Haemophilus influenzae &																	
	Haemophilus parainfluenzae			20	17-19	16	-	-	-	-	-	-	-	28-36	-	33-41	-	-
	Neisseria gonorhoeae			31	26-30	25	-	-	-	-	-	-	-	-	-	-	-	-
TBD 016	**CEFHALOTHIN**	CEP	30 mcg	-	-	-	15-21	29-37	-	-	-	-	-	-	-	-	26-32	-
TBD 017	**CHLORAMPHENICOL**	C	30 mcg															
	Enterobacteriaceae ,Staphylococcus			18	13-17	12	21-27	19-26	-	-	-	-	-	-	-	-	-	-
	& Enterococcus spp.																	
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			29	26-28	25	-	-	-	-	-	-	31-40	-	-	-	-	-
	Neisseria meningitidis			26	20-25	19	-	-	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae			21	-	20	-	-	-	-	-	-	-	-	-	-	23-27	-
	Streptococcus spp. Viridians group &																	
	Strptococcus spp.																	
	Beta haemolytic group			21	18-20	17	-	-	-	-	-	-	-	-	-	-	-	-
TBD 018	**CIPROFLOXACIN**	CIP	5 mcg															
	Enterobacteriaceae other than S.Typhi																	
	& extraintestinal Salmonella spp.,			26	22-25	21	29-37	-	-	-	-	-	-	-	-	-	-	-
	Acientobacter, Staphylococcus &																	
	Enterococcus spp.			21	16-20	15	-	22-30	-	-	-	-	-	-	-	-	-	-
	P.aeruginosa			25	19-24	18	-	-	25-33	-	-	-	-	-	-	-	-	-
	For S.Typhi and extraintestinal																	
	Salmonella spp.			31	21-30	20	-	-	-	-	-	-	-	-	-	-	-	-
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			21	-	-	-	-	-	-	-	-	34-42	-	-	-	-	-
	Neisseria meningitidis			35	33-34	32	-	-	-	-	-	-	-	-	-	-	-	-
	Neisseria gonorhoeae			41	28-40	27	-	-	-	-	-	-	-	-	-	48-58	-	-
TBD 019	**CLARITHROMYCIN**	CLP	15 mcg															
	Staphylococcus spp.			18	14-17	13	-	26-32	-	-	-	-	-	-	-	-	-	-
	Haemophilus inflenzae &																	
	Haemophilus parainfluenzae			13	11-12	10	-	-	-	-	-	-	11-17	-	-	-	-	-
	S.pneumoniae,Streptococcus spp.																	
	Viridans group,Streptococcus spp.																	
	Beta haemolytic group			21	17-20	18	-	-	-	-	-	-	-	-	-	-	25-31	-
TBD 020	**CLINDAMYCIN**	CD	2 mcg															
	Staphylococcus spp.			21	15-20	14	-	24-30	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae,Streptococcus spp.																	
	Virdians group,Streptococcus spp.																	
	Beta haemolytic group			19	16-18	15	-	-	-	-	-	-	-	-	-	-	19-25	-
TBD 054	**COLISTIN (METHANE SULPHONSTE)**	CL	10 mcg															
	Paeruginosa			-	-	-	11–17	-	11–17	-	-	-	-	-	-	-	-	-
TBD 022	**Co-TRIMOXAZOLE (Sulphamethoxazole)**	COT	25 mcg (23.75/ 1.25mcg)															
	Enterobacteriacceae,Acientobacter,																	
	B.cepacia,S.maltophila,																	
	staphylococus,Haemophilus																	
	inflenza & Haemophilus																	
	parainflenzae			16	11-15	10	23-29	24-32	-	-	-	>=20	24-32	-	-	-	-	-
	Neisseria meningitidis			30	26-29	25	-	-	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae			19	16-18	15	-	-	-	-	-	-	-	-	-	-	20-28	-
TBD 023	**DOXYCYCLINE HCL**	DO	30 mcg															
	Enterobacteriacceae			14	11-13	10	18-24	23-29	-	-	-	-	-	-	-	-	-	-
	Acientobacter			13	10-12	9	-	-	-	-	-	-	-	-	-	-	-	-
	Staphylococcus & Enterococcus spp.			16	13-15	12	-	-	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae			28	25-27	24	-	-	-	-	-	-	-	-	-	-	25-34	-
TBD 055	**ERTAPENEM**	ETP	10 mcg															
	Enterobacteriacceae			22	19-21	18	29-36	-	13-21	-	-	-	-	27-33	-	-	28-35	-
	Staphylococcus spp.			19	16-18	15	-	24-31	-	-	-	-	-	-	-	-	-	-
	Neisseria gonorhoeae			19	-	-	-	-	-	-	-	-	20-28	-	-	-	-	-
TBD 024	**ERYTHROMYCIN**	E	15 mcg															
	Staphylococcus & Enterococcus spp.			23	14-22	13	-	22-30	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae,.Streptococcus spp.																	
	Virdians group,Streptococcus spp.																	
	Beta haemolytic group			21	16-20	15	-	-	-	-	-	-	-	-	-	-	25-30	-
TBD 056	**FAROPENEM**	FAR	5 mcg															
	Enterobacteriaceae			-	-	-	20-26	27-34	-	-	-	-	15-22	-	-	-	27-35	-
TBD 058	**GATIFLOXACIN**	GAT	5 mcg															
	Enterobacteriaceae, P.aeruginosa,			18	15-17	14	30-37	-	20-28	-	-	-	-	-	-	-	-	-
	Acientobacter & Enterococcus spp.			23	20-22	19	-	27-33	-	-	-	-	-	-	-	-	-	-
	Staphylococcus spp.																	
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			18	-	-	-	-	-	-	-	-	33-41	-	-	-	-	-
	Neisseria gonorhoeae			38	34-37	33	-	-	-	-	-	-	-	-	-	45-56	-	-
	S.pneumoniae,Strptococcus spp.																	
	Viridians group,Streptococcus spp.																	
	Beta harmolytic group			21	18-20	17	-	-	-	-	-	-	-	-	-	-	24-31	-

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERM-EDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 059	GEMIFLOXACIN	GEM	5 mcg															
	Enterobacteriaceae			20	16-19	15	29-36	27-33	19-25	-	-	-	-	-	-	-	-	-
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			18	-	-	-	-	-	-	-	-	30-37	-	-	-	-	-
	S.pneumoniae			23	20-22	19	-	-	-	-	-	-	-	-	-	-	28-34	-
TBD 025	GENTAMICIN	HLG	120 mcg															
	Enterococcus spp.			10	7-9	6	-	-	-	-	-	16-23	-	-	-	-	-	-
TBD 060	GENTAMICIN	GEN	10 mcg															
	Enterobacteriaceae, P.aeruginosa,																	
	Acinetobacter & Staphylococcus spp.			15	13-14	12	19-26	19-27	17-23	-	-	-	-	-	-	-	-	-
TBD 061	IMIPENEM	IPM	10 mcg															
	Enterobacteriaceae			23	20-22	19	26-32	-	-	-	-	-	-	-	-	-	-	-
	P.aeruginosa			19	16-18	15	-	-	20-28	-	-	-	-	-	-	-	-	-
	Staphylococcus spp.																	
	Haemophilus influenza &																	
	Haemophilus parainfluenzae			16	-	-	-	-	-	-	-	-	21-29	-	-	-	-	-
	Acientobacter spp.			22	19-21	18	-	-	-	-	-	-	-	-	-	-	-	-
TBD 026	KANAMYCIN	K	30 mcg															
	Enterobacteriaceae, Staphylococcus spp.			18	14-17	13	17-25	19-26	-	-	-	-	-	-	-	-	-	-
TBD 062	LEVOFLOXACIN	LE	5 mcg															
	Enterobacteriaceae, S.Typhi,			21	17-20	16	29-37	-	-	-	-	-	-	-	-	-	-	-
	P.aeruginosa,			22	15-21	14	-	-	19-26	-	-	-	-	-	-	-	-	-
	Acientobacter spp.																	
	S.maltophila, Enterococcus spp.,																	
	S.pneumoniae,																	
	Streptococcusspp. Viridians group,																	
	Streptococcus spp.																	
	Beta haemolytic group			17	14-16	13	-	-	-	-	-	-	-	-	-	-	20-25	-
	Staphylococcus spp.			19	16-18	15	25-30	25-30	-	-	-	-	-	-	-	-	-	-
	Haemophilus influenzae &																	
	Haemophilus parainflenzae			17	-	-	-	-	-	-	-	-	32-40	-	-	-	-	-
TBD 063	LINEZOLID	LZ	30 mcg															
	Staphylococcus spp.			21	-	20	-	25-32	-	-	-	-	-	-	-	-	-	-
	Enterococcus spp.			23	21-22	20	-	-	-	-	-	-	-	-	-	-	-	-
	Streptococcus group A,B,C & G																	
	Corynebacterium spp.																	
	S.pneumoniae			21	-	-	-	-	-	-	-	-	-	-	-	-	25-34	-
TBD 027	LOMEFLOXACIN	LOM	10 mcg															
	Enterobacteriaceae, P.aeruginosa &			22	19-21	18	27-33	23-29	22-28	-	-	-	-	-	-	-	-	-
	Staphylococcus spp.																	
	B.cepacia																	
	Haemophilus influenzae &																	
	Haemophilus parainflenzae			22	-	-	-	-	-	-	-	-	33-41	-	-	-	-	-
	Neisseria gonorhoeae			38	27-37	26	-	-	-	-	-	-	-	-	-	45-54	-	-
TBD 028	MEROPENEM	MRP	10 mcg															
	Enterobacteriaceae			23	20-22	19	28-35	-	-	-	-	-	-	-	-	-	-	-
	P.aeruginosa			19	16-18	15	-	-	27-33	-	-	-	-	-	-	-	-	-
	Staphylococcus spp.			16	14-15	13	-	29-37	-	-	-	-	-	-	-	-	-	-
	B.cepacia			20	16-19	15	-	-	-	-	-	-	-	-	-	-	-	-
	Haemophilus influenzae &																	
	Haemophilus parainflenzae			20	-	-	-	-	-	-	-	-	20-28	-	-	-	-	-
	Neisseria meningitidis			30	-	-	-	-	-	-	-	-	-	-	-	-	28-35	-
	Acientobacter spp.			18	5-17	14	-	-	-	-	-	-	-	-	-	-	-	-
TBD 064	MINOCYCLINE	MI	30 mcg															
	Enterobacteriaceae, Acientobacter			16	13-15	12	19-25	25-30	-	-	-	-	-	-	-	-	-	-
	B.cepacia, S.maltophila,																	
	Staphylococcus & Enterococcus			19	15-18	14	-	-	-	-	-	-	-	-	-	-	-	-
	Neisseria meningitidis			26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TBD 065	MOXIFLOXACIN	MO	5 mcg															
	Staphylococcus spp.			24	21-23	20	28-35	28-35	17-25	-	-	-	-	-	-	-	-	-
	Haemophilus influenzae &																	
	Haemophilus parainflenzae			18	-	-	-	-	-	-	-	-	31-39	-	-	-	-	-
	S.pneumoniae			18	15-17	14	-	-	-	-	-	-	-	-	-	-	25-31	-
TBD 029	NALIDIXIC ACID	NA	30 mcg															
	Enterobacteriaceae			19	14-18	13	22-28	-	-	-	-	-	-	-	-	-	-	-
TBD 030	NETILLIN (Netimicin Sulphate)	NET	30 mcg															
	Enterobacteriaceae, P.aeruginosa																	
	Staphylococcus spp.			15	13-14	12	22-30	22-31	17-23	-	-	-	-	-	-	-	-	-
TBD 031	NITROFURANTOIN	NIT	300 mcg															
	Enterobacteriaea, Staphylococcus &																	
	Enterococcus spp.			17	15-16	14	20-25	18-22	-	-	-	-	-	-	-	-	23-29	-
TBD 032	NORFLOXACIN	NX	10 mcg															
	Enterobacteriaceae, P.aeruginosa																	
	Staphylococcus & Enterococcus			17	13-16	12	28-35	17-28	22-29	-	-	-	-	-	-	-	15-21	-
TBD 033	OFLOXACIN	OF	5 mcg															
	Enterobacteriaceae, P.aeruginosa,																	
	S.pneumoniae, Streptococcus spp.																	
	Viridians group, Streptococcus spp.																	
	Beta haemolytic group			16	13-15	12	29-33	-	17-21	-	-	-	-	-	-	-	16-21	-
	Staphylococcus spp.			18	15-17	14	-	24-48	-	-	-	-	-	-	-	-	-	-
	Haemophilus influenzae &																	
	Haemophilus parainflenzae			16	-	-	-	-	-	-	-	-	31-40	-	-	-	-	-
	Neisseria gonorhoeae			31	25-30	24	-	-	-					-	-	43-51	-	-
TBD 066	OXLOXACIN	OX	1 mcg															
	Staphylococcus (S.pseudintermedius)			18	-	17	-	18-24	-	-	-	-	-	-	-	-	-	-
	S.pneumoniae			20	-	-	-	-	-	-	-	-	-	-	-	-	<=12°	-
TBD 067	PEFLOXACIN	PF	5 mcg															
	Enterobacteriaceae (S.Typhi)			24	-	23	25-33	-	-	-	-	-	-	-	-	-	-	-
TBD 034	PENICILLIN-G	P	10 units															
	Staphylococcus spp.			29	-	28	-	26-37	-	-	-	-	-	-	-	-	-	-
	Enterococcus spp.			15	-	14	-	-	-	-	-	-	-	-	-	-	-	-
	Neisseria gonorhoeae			47	27-46	26	-	-	-	-	-	-	-	-	-	26-34	-	-
	Streptococcus spp.																	
	Beta haemolytic group			24	-	-	-	-	-	-	-	-	-	-	-	-	24-30	-

*ABBR.: Abbreviation | *CON.: Concentration | *Store between 2 - 8°C
Pack Size : 5 ct : 5 x 50 Discs in Plastic Container | 1 Blister Set (B. set) : 5 x 50 Discs in Blister Pack
1 vl = 100 Discs in vial | 5 vl = 5 x 100 Discs in vial

TM MEDIA®

Antibiotic Sensitivity Discs*

Concentration of Antibiotics as per CLSI (Formerly known as NCCLS) Standards

PRODUCT CODE	ANTIMICROBIAL AGENT	SYMBOL	DISC CONTENT	INTERPRETATIVE CRITERIA			QUALITY CONTROL LIMITS (mm)											
				SENSITIVE mm or more	INTERM-EDIATE mm	RESISTANT mm or less	E.coli ATCC 25922	S.aureus ATCC 25923	P.aeruginosa ATCC 27853	E.coli ATCC 35218	S.aureus ATCC 259213	E.faecalis ATCC 29212	H.influenzae ATCC 49247	H.influenzae ATCC 49766	K.pneumoniae ATCC 700603	N.gonorrhoeae ATCC 49266	S.pneumoniae ATCC 49619	C.jejuni ATCC 33560
TBD 035	**PIPERACILLIN** *Enterobacteriaceae & Acientobacter spp.* *P.aeruginosa*	PI	100 mcg	 21 21	 18-20 15-20	 17 14	 24-30 -	 - -	 - 25-33	 12-18 -	 - -	 - -	 - -	 - -	 - -	 - -	 - -	 - -
TBD 068	**PIPERACILLIN/TOZOBACTUM** *Enterobacteriaceae & Acientobacter spp.* *P.aeruginosa* *Haemophilus influenza &* *Haemophilus parainfluenzae*	PIT	100/10 mcg	 21 21 21	 18-20 15-20 -	 17 14 -	 24-30 - -	 27-36 - -	 - 25-33 -	 24-30 - -	 - - -	 - - -	 - - 33-38	 - - -	 - - -	 - - -	 - - -	 - - -
TBD 036	**POLYMYXIN-B**	PB	300 units	-	-	-	13-19	-	14-18	-	-	-	-	-	-	-	-	-
TBD 069	**PRULIFLOXACIN (ULIFLOXACIN)**	PRU	5 mcg	-	-	-	32-38	20-26	27-33	-	-	-	-	-	-	-	-	-
TBD 037	**RIFAMPICIN** *Staphylococcus ,Enterococcus spp.,* *Haemophilus influenzae &* *Haemophilus parainflenzae* *Neisseria meningitidis* *S.pneumoniae*	RIF	5 mcg	 - 20 25 19	 - 17-19 29-24 17-18	 - 16 19 16	 8-10 - - -	 - 26-34 - -	 - - - -	 - - - -	 - - - -	 - - - -	 - 22-30 - -	 - - - -	 - - - -	 - - - -	 - - - 25-30	 - - - -
TBD 038	**SPARFLOXACIN** *Enterobacteriaceae* *Staphylococcus,S.pneumoniae*	SPX	5 mcg	 - 19	 - 16-18	 - 15	 30-38 -	 - 27-33	 21-29 -	 - -	 - -	 - -	 32-40 -	 - -	 - -	 43-51 -	 - 21-27	 - -
TBD 070	**SPECTINOMYCIN** *Neissseria gonorhoeae*	SPT	100 mcg	 18	 15-17	 14	 -	 -	 -	 -	 -	 -	 -	 -	 -	 23-29	 -	 -
TBD 039	**SPREPTOMYCIN** *Enterococcus spp.*	S	10 mcg	 15	 12-14	 1	 12-20	 14-22	 -	 -	 -	 -	 -	 -	 -	 -	 -	 -
TBD 071	**STREPTOMYCIN** *Enterobacteriaceae*	HLS	300 mcg	 15	 12-14	 11	 -	 14-22	 -	 -	 -	 -	 -	 -	 -	 -	 -	 -
TBD 072	**TEICOPLANIN** *Enterococcus spp.*	TEI	30 mcg	 14	 11-13	 10	 -	 15-21	 -	 -	 -	 -	 -	 -	 -	 -	 -	 -
TBD 040	**TETRACYCLINE** *Enterbacteriaceae,Acientobacter* *Staphylococcus,Enterococcus &* *neisseria meningitidis* *Haemophilus influenzae &* *Haemophilus parainfluenzae* *Neisseria gonorhoeae* *S.pneumoniae,* *Streptococcus spp. Beta haemolytic* *group & Viridians group*	TE	30 mcg	 15 19 29 38 28 23	 12-14 15-18 26-28 31-37 25-27 19-22	 11 14 25 30 24 18	 18-25 - - - - -	 - 24-30 - - - -	 - - - - - -	 - - - - - -	 - - - - - -	 - - - - - -	 - - 14-22 - - -	 - - - - - -	 - - - - - -	 - - - 30-42 - -	 - - - - 27-31 -	 - - - - - -
TBD 073	**TICARCILLIN**	TI	75 mcg	-	-	-	24-30	-	21-27	6	-	-	-	-	-	-	-	-
TBD 041	**TICARCILLIN/CLAVULANIC ACID** *Enterbacteriaceae & Acientobacter* *P.aeruginosa* *Staphylococcus spp.*	TCC	75/10 mcg	 20 24 23	 15-19 16-23 -	 14 15 22	 24-30 - -	 - - 29-37	 - 20-28 -	 21-25 - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -
TBD 042	**TOBRAMYCIN** *Enterbacteriaceae, P.aeruginosa,* *Acientobacter & Staphylococcus spp.*	TOB	10 mcg	 15	 13-14	 12	 18-26	 19-29	 20-26	 -	 -	 -	 -	 -	 -	 -	 -	 -
TBD 043	**TRIMETHOPRIM** *Enterbacteriaceae, Staphylococcus*	TR	5 mcg	 16	 11-15	 10	 19-26	 -	 -	 -	 -	 -	 -	 -	 -	 -	 -	 -
TBD 044	**VANCOMYCIN** *Enterococcus spp.* *S.pneumoniae,Streptococcus spp.* *Beta haemolytic group &* *Strptococcus spp. Viridians*	VA	30 mcg	 - 17 17	 - 15-16 -	 - 14 -	 - - -	 17-21 - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - -	 - - 20-27	 - - -

ZONE SIZE INTERPRETATIVE CHART FOR ANTIFUNGAL AGENT										
CODE	ANTIFUNGAL AGENT	SYMBOL	DISC CONTENT	ZONE DIAMETER,NEAREST WHOLE (mm)			QUALITY CONTROL LIMITS (mm)			
				RESISTANT mm or less	S-DD*	susceptible mm or more	C.albicans ATCC 90028	C.parapsilosis ATCC 22019	C.tropicalis ATCC 750	C.krusei ATCC 6258
TBD 057	FLUCONAZOLE	FLC	25 mcg	14	15-18	19	28-39	22-33	26-37	–
TBD 074	VORICONAZOLE	VRC	1 mcg	13	14-16	17	31-42	28-37	–	16-25

- Zone size interpretative criteria is per as CLSI standard.
- For E.coli, S aureus, P.aeriginosa: Mueller Hinton agar (MHA). For Haemophilus spp.:Haemophilus Test Medium;
- For S.pneumoniae: mueller Hinton Agar with 5% sheep blood; For N.gonorrhoeae: GC Agar Base with 1% defined growth supplement.

Differentiation Discs

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 046	**BACITRACIN DISCS** for identification of Streptococcus pyogenes	50 Discs/vl	125
TBL 021	**BILE ESCULIN DISCS** For detection of esculin hydrolysis in the presence of bile	50 Discs/vl	350
TBL 022	**DMACA INDOLE DISCS** For indole testing	50 Discs/vl	350
TBL 027	**NITRATE DISCS** Substrate for nitrate reduction	50 Discs/vl	350
TBL 028	**NITRATE REAGENT DISCS** (Double Pack) For detection of nitrate reduction Part I : Discs Part II (a) : Reagent A Part II (b) : Reagent B	50 Discs/vl 2.5 ml/vl 2.5 ml/vl	350
TBL 029	**ONPG DISCS** Testing for ONPG	50 Discs/vl	350
TBL 030	**OXIDASE DISCS** For detection of oxidase production by microorganisms	50 Discs/vl	220
TBL 056	**STERILE DISCS**	50 Discs/vl	130

Differentiation Test Strips

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 023	**KOVAC'S REAGENT STRIPS*** For indole testing	25 Strips /1 vl	190
TBL 024	**LEAD ACETATE PAPER STRIPS*** For detection of H_2S production	25 Strips /1 vl	190

* Storage temperature for all the above mentioned discs is between 2 to 8°C.

* For long storage purposes use, store at (-20°C).

+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



Staining and Indicator Solution

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 041	ACID FAST DECOLOURIZER	125 ml 500 ml	415 1405
TBL 090	BASIC FUCHSIN 0.1%	125 ml 500 ml	165 580
TBL 025	GRAM'S CRYSTAL VIOLET Bacteriological Stain	125 ml 500 ml	165 580
TBL 032	GRAM'S DECOLOURIZER	125 ml 500 ml	355 1230
TBL 034	GRAM'S IODINE Bacteriological Mordant	125 ml 500 ml	185 635
TBL 026	GRAM'S SAFRANINE Counter Stain for Bacteria	125 ml 500 ml	180 610
TBL 016	GIEMSA'S STAIN SOLUTION	100 ml 500 ml	315 1405
TBL 008	HAEMATOXYLIN STAIN (Delafield) For nuclear staining in histology and cytology.	125 ml 500 ml	405 1440
TBL 042	HARRIS HAEMATOXYLIN (Papanicolaou's Solution 1) Cytological Stain	125 ml 500 ml	435 1555
TBL 053	JSB STAIN SOLUTION NO. 1	125 ml	125
TBL 054	JSB STAIN SOLUTION NO. 2	125 ml	125
TBL 033	LACTOPHENOL COTTON BLUE	100 ml 500 ml	155 690
TBL 092	LEISHMAN'S STAIN (Twin Pack)	250 ml 500 ml	265 475
TBL 093	LEISHMAN STAIN SOLUTION	250 ml	300
TBL 051	LITMUS BLUE SOLUTION	125 ml 500 ml	120 385
TBL 052	LITMUS RED SOLUTION	125 ml 500 ml	120 385
TBL 019	LOEFFLER'S METHYLENE BLUE	125 ml 500 ml	175 610
TBL 035	LUGOL'S IODINE	125 ml 500 ml	150 520
TBL 094	NEISSER'S METHYLENE BLUE	100 ml	155
TBL 089	NEUTRAL RED	125 ml	145
TBL 039	PAPANICOLAOU'S-EA-36	125 ml 500 ml	470 1670
TBL 055	PAPANICOLAOU'S EA-50 (Papanicolaous 3b)	125 ml 500 ml	645 2245
TBL 049	PAPANICOLAOU'S EA-65	125 ml 500 ml	645 2245
TBL 038	PAPANICOLAOU'S-OG-6 (Papanicolaou's 2b Orange)	125 ml 500 ml	375 1325
TBL 070	PHENOLPHTHALEIN, 1% w/v	125 ml 500 ml	130 385
TBL 040	STRONG CARBOL FUCHSIN (ZN)	125 ml 500 ml	160 580
TBL 013	UNIVERSAL INDICATOR SOLUTION PH 4-11	125 ml 500 ml	120 240

Readymade Staining Kits

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TK 005	ALBERT'S METACHROMATIC STAIN - KIT i) ALBERT'S STAIN A-125 ml ii) ALBERT'S STAIN B-125 ml	1 Kit	350
TK 003	CAPSULE STAIN - KIT for Bacterial Capsule Staining i) METHYLENE BLUE (AQUEOUS)-125 ml ii) NIGROSIN STAIN-100 ml	1 Kit	350
TK 004	GRAM'S STAIN - KIT Bacteriological Stain i) GRAM'S CRYSTAL VIOLET-125 ml Bacteriological Stain ii) GRAM'S DECOLOURIZER-125 ml Bacteriological Stain iii) GRAM'S IODINE-125 ml Bacteriological Stain iv) GRAM'S SAFRANINE 0.5% w/v-125 ml Counter Stain for Bacteria	1 Kit	1280
TK 002	FIELD'S STAIN - KIT for Malarial Parasite i) FIELD'S STAIN A-125 ml ii) FIELD'S STAIN B-125 ml	1 Kit	375
TK 011	PAPANICOLAOU'S STAIN - KIT i) PAPANICOLAOU'S EA-50-125 ml ii) PAPANICOLAOU'S-OG-6-125 ml iii) HARRIS HAEMATOXYLIN-125 ml (Papanicolaou's Solution 1) Cytological Stain	1 Kit	1390
TK 009	SCHAEFFER & FULTON'S SPORE STAIN - KIT i) SCHAEFFER & FULTON'S SPORE STAIN A-100 ml ii) SCHAEFFER & FULTON'S SPORE STAIN B-100 ml	1 Kit	375
TK 001	ZN ACID FAST STAIN - KIT for Acid Fast Bacteria i) ACID FAST DECOLOURIZER-125 ml ii) STRONG CARBOL FUCHSIN (ZN)-125 ml iii) LOEFFLER'S METHYLENE BLUE-125 ml	1 Kit	725

Analytical Reagent

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TR 002	BARIUM CHLORIDE SOLUTION, 10% w/v	500 ml	120
TR 105	BARRITT REAGENT A (for VP test)	100 ml	335
TR 106	BARRITT REAGENT B (for VP test)	100 ml	150
TR 120	BUTTERFIELD'S PHOSPHATE BUFFERED DILUTION WATER	500 ml	230
TR 044	C.S.F. DILUTING FLUID	125 ml	105
TS 207	DMACA REAGENT (10 ml/vl)	1 vl	715
TR 107	EDTA (di-Sodium) 5%	125 ml	115
TR 108	EOSINE YELLOW STAIN SOLUTION 2% W/V	125 ml 500 ml	105 320
TR 052	FEHLING SOLUTION A	500 ml	320
TR 053	FEHLING SOLUTION B	500 ml	480
TR 109	FIELD'S STAIN SOLUTION A	125 ml 500 ml	215 750
TR 110	FIELD'S STAIN SOLUTION B	125 ml 500 ml	215 750
TR 111	FOLIN & WU'S PHOSPHATE, MOLYBDATE SOLUTION	100 ml 500 ml	230 520
TR 008	KOVAC'S INDOLE REAGENT	100 ml	330
TR 029	MILLON'S REAGENT (For Protein)	125 ml 500 ml	4600 16100
TR 060	NESSLER'S REAGENT (For detection of Ammonia and Ammonium Salt)	100 ml	185
TR 113	NESSLER'S REAGENT (For Serum Urea Nitrogen)	100 ml	260
TR 020	OXIDASE REAGENT	100 ml	450
TR 114	POTASSIUM CHROMATE, 5% w/v	125 ml	90
TR 115	POTASSIUM OXALATE, 5% w/v	125 ml	105
TS 170	PYR REAGENT (10 ml/vl)	1 vl	705
TR 013	SODIUM CITRATE, 3.8% w/v	500 ml	140
TR 015	SULPHANILIC ACID 0.8%	100 ml	115
TR 085	5-SULPHOSALICYLIC ACID 3%	125 ml	185
TS 208	TDA REAGENT (10 ml/vl)	1 vl	320
TR 009	O-TOLIDINE REAGENT (Free Chloride)	500 ml	325

Standard Solutions

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TR 102	BUFFER Sol. pH 4.0	500 ml	980
TR 103	BUFFER Sol. pH 7.0	500 ml	980
TR 104	BUFFER Sol. pH 9.2	500 ml	980
TR 048	EDTA 0.1M (0.2N) VOLUMETRIC SOLUTION	500 ml	310
TR 049	EDTA 0.5M (1N) VOLUMETRIC SOLUTION	500 ml	405
TR 118	HYDROCLORIC ACID 0.1N	500 ml 2.5 ltr	130 370
TR 132	IODINE SOLUTION N/10 (0.1 N)	500 ml	425
TR 112	McFARLAND STANDARD KIT (Each set contains 1 tube of 0.5, 1, 2, 3, 4 Mcfarland Standard)	1 Nos	735
TR 028	α-NAPHTHYLAMINE SOLN.	100 ml	290
TR 070	SILVER NITRATE SOLUTION, 0.1N	500 ml	2415
TR 071	SILVER NITRATE SOLUTION, 0.05N	500 ml	1025
TR 117	SODIUM HYDROXIDE 1N	500 ml 2.5 ltr	195 520
TR 116	SODIUM HYDROXIDE SOLUTION (N/10)	500 ml 2.5 ltr	150 395
TR 074	SODIUM THIOSULPHATE, 0.1N	500 ml 1 Ltr	125 240



CULTURE STRAIN

TM Media is authorized distributor of pure strain of **Freeze dried Discs** of brand **SELECTROL**® The discs are manufactured exclusively from NCTC (National Collection of Type Cultures) and NCPF (National collection of Pathogenic Fungi) under licence from Public Health England.

Features

- Guaranteed first generation derivatives from source strain.
- Discs contain at least 106 at time of purchase.
- Direct inoculation on surface or establishing liquid culture.
- Easily storable source of viable organisms with long shelf life.
- Available in pack of 10 and 25 discs per vial.

Applications

- Quality control of bacterial growth media.
- Quality control of antibiotic susceptibility testing, whether by disc diffusion or serial dilution.
- Screening concentration of antibiotic in blood, serum, CSF and other body fluids.
- Quality control of antiseptic and disinfectant solutions.
- Controlling the staining reactions and chemical reactions during the identification of bacteria.

For Agar Plates

Place disc on suitable growth medium → Leave disc for a few minutes to liquify, then spread plate and incubate to produce isolated colonies

For Broth Media

Place disc in a small volume of suitable broth medium such as brain-heart infusion → Allow disc a few minutes to dissolve, then spread aliquot onto a plate of suitable growth medium

Obtain a stock culture

PRECAUTIONS

Warm the vial to ambient temperature before opening. Be sure to use non-selective culture media to revive the organisms. Whereas for more fastidious organisms, such as anaerobes, it is generally better to use agar rather than broth for revival.

Culture Strain

Freeze-Dried Disc

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCS 001	*Aspergillus brasiliensis* NCPF 2275	10	POR
TMCS 002	*Bacillus cereus* (Recently renamed as *bacillus toyonensis)* NCTC 10320	10	POR
TMCS 003	*Bacillus cereus* NCTC 7464	10 25	POR POR
TMCS 004	*Bacillus subtilis* NCTC 10400	10 25	POR POR
TMCS 005	*Bacteroides fragilis* NCTC 9343	10	POR
TMCS 006	*Burkholderia cepacia* NCTC 10661	10	POR
TMCS 007	*Camphylobacter jejuni* NCTC 11322	10	POR
TMCS 008	*Camphylobacter jejuni* NCTC 11351	10	POR
TMCS 009	*Candida albicans* NCPF 3255	10 25	POR POR
TMCS 010	*Candida albicans* NCPF 3179	10 25	POR POR
TMCS 011	*Candida krusei* NCPF 3953	10	POR
TMCS 012	*Candida parapsilosis* NCPF 8334	10	POR
TMCS 013	*Citrobacter freundii* NCTC 9750	10	POR
TMCS 014	*Clostridium perfringens* NCTC 8237	10	POR
TMCS 015	*Clostridium sporogenes* NCTC 532	10	POR
TMCS 016	*Enterobacter aerogenes* NCTC 10006	10 25	POR POR
TMCS 017	*Enterobacter cloacae* NCTC 13380	10	POR
TMCS 018	*Enterococcus faecalis* NCTC 775	10 25	POR POR
TMCS 019	*Enterococcus faecalis* NCTC 12697	10 25	POR POR
TMCS 020	*Enterococcus faecalis* NCTC 13379	10	POR
TMCS 021	*Enterococcus hirae* NCTC 13383	10	POR
TMCS 022	*Enterobacter cloacae* NCTC 13406	10	POR
TMCS 023	*Escherichia coli* (CRE) NCTC 13476	10	POR
TMCS 024	*Escherichia coli* NCTC 12241	10 25	POR POR
TMCS 025	*Escherichia coli* NCTC 11954	10 25	POR POR
TMCS 026	*Escherichia coli* NCTC 10418	10 25	POR POR
TMCS 027	*Escherichia coli* NCTC 12923	10 25	POR POR
TMCS 028	*Escherichia coli* NCTC 11560	10	POR
TMCS 029	*Escherichia coli* NCTC 9001	10	POR
TMCS 030	*Escherichia coli* (mcr-1) NCTC 13846	10	POR
TMCS 031	*Escherichia coli 0157 non-toxigenic* NCTC 12900	10	POR
TMCS 032	*Haemophilus influenzae* NCTC 12699	10	POR
TMCS 033	*Haemophilus influenzae* NCTC 11931	10	POR
TMCS 034	*Haemophilus influenzae* NCTC 8468	10	POR
TMCS 035	*Haemophilus influenzae* NCTC 12975	10	POR
TMCS 036	*Klebsiella aerogenes / Raoultella planticola* NCTC 9528	10	POR
TMCS 037	*Klebsiella pneumoniae* (CRE) NCTC 13438	10	POR
TMCS 038	*Klebsiella pneumoniae (CRE)* NCTC 13440	10	POR
TMCS 039	*Klebsiella pneumoniae (CRE)* NCTC 13442	10	POR
TMCS 040	*Klebsiella pneumoniae (CRE)* NCTC 13443	10	POR
TMCS 041	*Klebsiella pneumoniae* NCTC 9633	10 25	POR POR
TMCS 042	*Klebsiella pneumoniae* NCTC 13368	10	POR
TMCS 043	*Lactobacillus brevis* NCTC 13386	10	POR
TMCS 044	*Legionella anisa* NCTC 11974	10	POR
TMCS 045	*Legionella pneumophila serogroup 1* NCTC 11192	10	POR
TMCS 046	*Listeria innocua* NCTC 11288	10	POR
TMCS 047	*Listeria monocytogenes* NCTC 7973	10 25	POR POR
TMCS 048	*Listeria monocytogenes* NCTC 13372	10	POR
TMCS 049	*Listeria monocytogenes* NCTC 11994	10	POR
TMCS 050	*Listeria monocytogenes* NCTC 10527	10	POR
TMCS 051	*Neisseria gonorrhoea* NCTC 8375	25	POR
TMCS 052	*Neisseria gonorrhoea* NCTC 12700	25	POR
TMCS 053	*Proteus mirabilis* NCTC 13376	10	POR
TMCS 054	*Proteus mirabilis* NCTC 10975	10	POR

NCTC - National Collection of Type Cultures.
NCPF - National Collection of Pathogenic Fungi

CRE - Carbapenem Resistant Enterobacteriaceae
CPE - Carbapenemase Producing Enterobacteriaceae

Culture Strain

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCS 055	*Proteus mirabilis* NCTC 11938	10	POR
TMCS 056	*Proteus vulgaris* NCTC 4175	10 25	POR POR
TMCS 057	*Pseudomonas aeruginosa* NCTC 12903	10 25	POR POR
TMCS 058	*Pseudomonas aeruginosa* NCTC 12924	10 25	POR POR
TMCS 059	*Pseudomonas aeruginosa* NCTC 13359	10	POR
TMCS 060	*Pseudomonas aeruginosa* NCTC 10662	10	POR
TMCS 061	*Rhodococcus equi* NCTC 1621	10	POR
TMCS 062	*Saccharomyces cerevisiae* NCPF 3178	10	POR
TMCS 063	*Saccharomyces cerevisiae* NCTC 10716	10	POR
TMCS 064	*Salmonella enteritidis* NCTC 12694	10	POR
TMCS 065	*Salmonella Nottingham* NCTC 7832	10	POR
TMCS 066	*Salmonella Poona* NCTC 4840	10 25	POR POR
TMCS 067	*Salmonella Typhimurium* NCTC 12023	10 25	POR POR
TMCS 068	*Serratia marcescens* NCTC 13382	10	POR
TMCS 069	*Shigella sonnei* NCTC 12984	10	POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMCS 070	*Staphylococcus aureus* NCTC 12981	10 25	POR POR
TMCS 071	*Staphylococcus aureus* NCTC 12973	10 25	POR POR
TMCS 072	*Staphylococcus aureus* NCTC 7447	10 25	POR POR
TMCS 073	*Staphylococcus aureus* NCTC 10788	10 25	POR POR
TMCS 074	*Staphylococcus aureus (MRSA)* NCTC 12493	10	POR
TMCS 075	*Staphylococcus aureus* NCTC 6571	10	POR
TMCS 076	*Staphylococcus aureus (MRSA)* NCTC 13373	10	POR
TMCS 077	*Staphylococcus epidermidis* NCTC 13360	10 25	POR POR
TMCS 078	*Streptococcus agalactiae* NCTC 8181	10	POR
TMCS 079	*Streptococcus dysgalactiae subsp. Equisimilis* NCTC 13762	10	POR
TMCS 080	*Streptococcus pneumoniae* NCTC 12695	10 25	POR POR
TMCS 081	*Streptococcus pneumoniae* NCTC 12977	10	POR
TMCS 082	*Streptococcus pyogenes* NCTC 12696	10 25	POR POR
TMCS 083	*Vibrio parahaemolyticus* NCTC 10885	10	POR
TMCS 084	*Yersinia enterocolitica* NCTC 12982	10 25	POR POR

+91-9999-1687-70


marketing@titanbiotechltd.com

www.tmmedia.in



Microbiological Lab Consumables

ANAEROBIC BOX SYSTEM

CODE	PRODUCT NAME		PACK SIZE	PRICE (₹)
TMC 011	**ANAEROBIC BOX - L** Transparent unbreakable poly box, Size: 28.5cm x 22cm x 11cm | Capacity: 7 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 2 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1	21945
TMC 012	**ANAEROBIC BOX - L** Transparent unbreakable poly box, Size: 19.8cms x 13.7 cms x 9 cms| Capacity: 2.5 Ltr. Accessories required but not provided. Anaerobe Gas Pack 3.5 Ltr. (TMC 001D) 1 Packs and Anaerobe Indicator Tablet (TMC 001C) 1 Pack		1	13950

ANAEROBIC JAR SYSTEM

CODE	PRODUCT NAME		PACK SIZE	PRICE (₹)
TMC 001	**ANAEROBIC JAR SYSTEM (3.5 Ltr)** **POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES, PRESSURE VALVE WITH SEAFTY VALVE & TWO WAY PRESSURE GAUGE, PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK)** A system to provide anaerobic environment to bacteria.	 TMC 001A  TMC 001B	1	22365
TMC 001A	**POLYCARBONATE JAR (WITH PRESSURE GAUGE)** Anaerobic system consists of plastic container (used to place agar plates).		1	13420
TMC 001B	**PETRI PLATES CARRIER** Stainless Steel Carrier for 10 petri plates.		1	2105
TMC 001C	**ANAEROBE INDICATOR TABLET** Indicator for detection of anaerobic condition in the jar.		1 x 5 1 x 10	1500 2680
TMC 001D	**ANAEROBE GAS PACK** * Carbon dioxide generating pack	 TMC 001C  TMC 001D	1 x 5	3590
TMC 013	**ANAEROBIC JAR SYSTEM (3.5 Ltr)** **POLYCARBONATE JAR WITH STURDY, ALUMINIUM LID CLAMP AND SEALING RING WITH BUILT IN SAFETY FEATURES PETRI PLATE CARRIER, INDICATOR TABLETS & GAS PACK)** A system to provide anaerobic environment to bacteria.		1	15475

SPREADER/INOCULATING LOOP / NEEDLE

Spreader

CODE	PRODUCT NAME		PACK SIZE	PRICE (₹)
TMC 002	**L - SHAPED SPREADERS (P.P.)** For spreading bacterial samples on agar plates.		50 Spreaders 5 X 10 nos	720

Disposable Loops

CODE	PRODUCT NAME		PACK SIZE	PRICE (₹)
TMC 003	**STERILE NEEDLE (P. P.)** Straight loop, for stabbing into medium		50 Needle 5 X 10 nos.	720
TMC 004	**STERILE DISPOSABLE LOOP (P. P.)** Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1ml		5 X 10 nos. 1 X 50 nos.	720 915
TMC 005	**STERILE DISPOSABLE LOOP (P. P.)** Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10ml		5 X 10 nos. 1 X 50 nos.	720 915
TMC 006	**STERILE NEEDLE LOOP (ABS)** Size: Inner Diameter 0.7mm, Outer Diameter 2.1mm, Loop calibrated to 1ml		50 Loops 5 X 10 nos.	800
TMC 007	**STERILE NEEDLE LOOP (ABS)** Size: Inner Diameter 3.5mm, Outer Diameter 6.0mm, Loop calibrated to 10ml		50 Loops 5 X 10 nos.	800

Microbiological Lab Consumables

Inoculating Metal Loop Holder & Loops

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 008	**METAL LOOP Holder(WITHOUT LOOP)** Size: Length 200 mm	10 Pcs	1795
TMC 009	**NICROME LOOP** Size: Replacement Dia 2.5 mm loop end, length 50 mm	50 Pcs	1555
TMC 047	**NICROME LOOP** NEW Size: Dia 1.3 double wound , calibrated to 1.0µl	50 Pcs	1555
TMC 048	NEW **NICROME LOOP** Size: Dia 3 mm, double wound calibrated to 0.06 ml	50 Pcs	1555
TMC 049	**NICROME LOOP** NEW Size: Dia 4 mm, double wound calibrated to 0.01 ml	50 Pcs	1555
TMC 050	**ASSORTED NICHROME LOOP** NEW Each packet contains 3 pieces of each Nichrome loop having diameter 4 mm (0.01 ml),2.5 mm(0.05ml), 1.3 mm(1µl) and straight wire, double wound	50 Pcs	1555



CULTURE VESSELS AND ACCESSORIES

Petri Plates



CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
	55 mm Petri Plates		
PP 008	**STERILE DISPOSABLE SCORED TOP PETRI PLATES** Polystyrene, Optically Clear, Flat Bottom, Clean Room | **Size :** 65 mm x 12 mm | Pack of 10 Plates.	10 x 50	7400
PP 010	**STERILE DISPOSABLE SCORED TOP PETRI PLATES** Polystyrene, Optically Clear, Domed Bottom, Clean Room | **Size :** 65 mm x 12 mm | Pack of 10 Plates	10 x 50	7400
PP 007	**STERILE DISPOSABLE SCORED TOP PETRI PLATES** Polystyrene, Optically Clear, Flat Bottom (Gamma Irradiated) **Size :** 65 mm x 12 mm | Pack of 10 Plates.	10 x 50	7900
PP 009	**STERILE DISPOSABLE SCORED TOP PETRI PLATES** Polystyrene, Optically Clear, Domed Bottom (Gamma Irradiated) **Size :** 65 mm x 12 mm | Pack of 10 Plates.	10 x 50	7900

Microbiological Lab Consumables

CULTURE VESSELS AND ACCESSORIES

Petri Plates

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
	90 mm Petri Plates		
PP 004	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear Clean Room | **Size :** 90 mm Diameter x 15 mm | Individually Packed	1x500	6800
PP 005	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear Clean Room | **Size :** 90 mm Diameter x 15 mm | Pack of 20 Plates	20 x 30	7950
PP 001	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear (Gamma Irradiated) | **Size :** 90 mm Diameter x 15 mm | Individually Packed	1 x 500	9250
PP 002	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear (Gamma Irradiated) | Size : 90 mm Diameter x 15 mm | Pack of 20 Plates	20 x 30	8700
	100 mm Petri Plates		
PP 011	**STERILE DISPOSABLE SQUARE PETRI PLATES** Polystyrene, Optically Clear Clean Room | **Size :** 100 mm Diameter x 15 mm | Individually Packed	1 x 500	10000
PP 012	**STERILE DISPOSABLE SQUARE PETRI PLATES** Polystyrene, Optically Clear Clean Room (Gamma Irradiated) | **Size :** 100 mm Diameter x 15 mm | Individually Packed	1 x 500	10700
PP 013	**STERILE DISPOSABLE SQUARE PETRI PLATES** Polystyrene, Optically Clear Clean Room | **Size :** 100 mm Diameter x 15 mm | Pack of 10 Plates	10 x 50	9600
	120 mm Petri Plates		
PP 014	**STERILE DISPOSABLE SQUARE PETRI PLATES** Polystyrene, Optically Clear, transparent useful for carrying out bioassy and antibacterial sensitivity test, Clean Room | **Size :** 120 mm x 120 mm | Individually Packed	1 x 100	5800
	150 mm Petri Plates		
PP 015	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room | **Size :** 150 mm Diameter x 20 mm | Individually Packed	1 x 100	6525
PP 006	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear, transparent useful for carrying out bioassay and antibacterial sensitivity test. (Non-Gamma Irradiated), Clean Room | **Size :** 150 mm Diameter x 20 mm | Set of 10 Plates	10 x 10	6000
PP 003	**STERILE DISPOSABLE PETRI PLATES** Polystyrene, Optically Clear, transparent useful for carrying out bioassy and antibacterial sensitivity test. (Gamma Irradiated) **Size :** 150 mm Diameter x 20 mm | Set of 10 Plates.	10 x 10	6250
	Bi-Petri Plates		
PP 016	**STERILE DISPOSABLE PETRI PLATES (Bi-Petri Plates)** (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work | **Size :** 90 mm Diameter x 15 mm | Individually Packed	1 x 500	7100
PP 017	**STERILE DISPOSABLE PETRI PLATES (Bi-Petri Plates)** (Divided Petri Plates) Polystyrene, Optically clear, having partition, useful for culturing work | **Size :** 90 mm Diameter x 15 mm | Set of 10 Plates	10 x 50	6475

Microbiological Lab Consumables

STAINLESS STEEL PETRI PLATE CARRIER (γ-IRRADIATED)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 051	**PETRI PLATE CARRIER WITH HANDLE** Made out of S.S 304, **Size:** for dia 90mm petri plates for 12 plates	1	4940
TMC 052	**PETRI PLATE CARRIER WITH HANDLE** Made out of S.S 304, **Size:** for dia 55mm petri plates for 15 plates	1	4865



TMC 051 TMC 052

DURHAM TUBES

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 053	**DURHAM TUBES** Neutral glass, autoclave, Length:25mm-27mm, Diameter:6-7mm	1 X 100 No	570

MCCARTNEY BOTTLE

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 032	**MCCARTNEY BOTTLE W/ ALUMINIUM CAP** Neutral glass, autoclavable	1 X 100 No	4370

DISPOSABLE STERILE BOTTLE

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 054	**DISPOSABLE STERILE MEDIA BOTTLES-125 ML** Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X50 No 1X100 No	4615 8770
TMC 055	**DISPOSABLE STERILE MEDIA BOTTLES-250 ML** Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X50 No 1X100 No	8755 17325
TMC 056	**DISPOSABLE STERILE MEDIA BOTTLES-500 ML** Alternative to Glass Media Bottles, Square per (PETG), graduated bottles, sterilized by g irradiation	1X25 No 1X100 No	18800 35720

ENVIRONMENTAL MONITORING AID

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 057	**STERILE FLEXI PLATES (PLAIN) WITHOUT MEDIUM**	1X 100 No	2700

Microbiological Lab Consumables

SAMPLING AID

Auto Analyser Sampler Cup

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 058	**AUTO SAMPLER CUP** Suitable for SMART lab system (Transasia), Double wall cup,spherical outerside,conical innerside, Capacity: 1 ml	1 X 1000 No	4290

HDM FILTERATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 059	**HDM FILTERATION FUNNEL** Sterile Disposable cup.Same cup can be autoclaved for further use. 100ml filteration funnel for microbiological testing.	4 X 25 No	6385

SWABS

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 036	**STERILE COTTON SWAB W/ TUBE** In Screw capped polypropylene tube, cotton bud w/ polypropylene stick. Size: 75mm, Packed in 12mm diameter tube, Individually packed 	1 X 100 No	1500
TMC 033	**STERILE COTTON SWAB W/ TUBE** In polypropylene tube,cotton bud w/ polypropylene stick. Size:150 mm, Packed in 12 mm diameter tube, individually packed. 	1 X 100 No	1730
TMC 037	**STERILE COTTON SWAB** With polypropylene stick Size: 150 mm, individually packed.	1 X 100 No	1495
TMC 038	**CLEAN SWAB** With polypropylene stick,recommended for surface sampling	1 X 50 No 1 X 100 No	1065 1905
TMC 039	**STERILE CLEAN SWAB W/ TUBE** In Polypropylene tube, Plyester swab w/ polypropylene stick,Recommended for surface sampling, Individually packed	1 X 100 No	3440
TMC 040	**CLEAN SWAB** With polypropylene stick, Sterile (gamma irradiated), recommended for surface sampling, Individually packed	1 X 100 No	2165
TMC 041	**PURE VISCOSE SWAB** With Polypropylene Stick, Size:150 x 2.5mm	1 X 500 No	2040
TMC 035	**STERILE PURE VISCOSE SWAB** With Polypropylene Stick (gamma irradiated), Size:150 x 2.5mm, Individually packed	1 X 500 No	2960
TMC 034	**STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED)** For nasopharyngeal or urethral specimen collection and viral transport	1 X 50 No 1 X 100 No 1 X 500 No	4510 8030 36500
TMC 042	**STERILE NASOPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (SCORED) (RNAse / DNAse free)** Recommended for viral transport	1 X 50 No	4775
TMC 043	**STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT** Recommended for clinical sampling	1 X 50 No 1 X 100 No 1 X 500 No	4130 8150 37450
TMC 044	**STERILE OROPHARYNGEAL FLOCKED NYLON SWAB WITH BREAKPOINT (RNAse / DNAse free)** Recommended for viral transport.	1 X 50 No	4875
TMC 045	**STERILE POLYESTER TIPPED SWAB** Recommended for Tracheal Specimen collection	1 X 50 No 1 X 500 No	1230 10900
TMC 046	**STERILE POLYESTER SWAB WITH BREAKPOINT (SCORED)** Recommended for Tracheal Specimen collection	1 X 50 No	5360
TMC 071	**Sterile Nylon Swab W/ Tube** NEW In polypropylene tube, nylon bud w/ polypropylene stick. **Size:** 150 mm, Packed in 12 mm diameter tube, individually packed.	1 X 100 No	2290

Microbiological Lab Consumables

CRYO PRODUCT

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 060	**ICE COLD PACK** Keep colder for a long time. Content non-toxic and safe.	10X 100 No 10X 200 No	200 385

MARKER PEN*

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 061	**MARKER PEN WIDE/NARROW TIP** Permanent glass marking/cutting pen with tungsten carbide tip	10 No	1910

FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 063	**FILTRATION FUNNEL (PC)** Dia:47mm, Funnel Capacity: 300ml	1 unit	12075
TMC 064	**FILTRATION FUNNEL (PP)** Dia:47mm, Funnel Capacity: 300ml	1 unit	12075



Please check the compatability of liquid to be used with PC (Poly Carbonate) or PP (Poly Propylene) before ordering.

MEMBRANE FILTRATION FUNNEL

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 065	**MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE** Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	18805
TMC 066	**MEMBRANE FILTRATION FUNNEL W/ MCE GRIDDED MEMBRANE** Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	18805
TMC 067	**MEMBRANE FILTRATION FUNNEL W/ CN PLAIN MEMBRANE** Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	18805
TMC 068	**MEMBRANE FILTRATION FUNNEL W/ MCE PLAIN MEMBRANE** Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	18805
TMC 069	**MEMBRANE FILTRATION FUNNEL W/ CN GRIDDED MEMBRANE WITH ABSORBANT PAD** Funnel Capacity: 100 ml Pore Size and dia of membrane: 0.45 Micron, 47mm	100 nos	18805



Membrane Filtration funnel is ready to use pre sterilized, individually packed disposable filtration devices to prevent cross-contamination of Samples. These are easy to handle and speed up microbial analysis upto 70% of water as well as product in pharmaceutical beverages and food processing industries.

MANIFOLD SYSTEM

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 070	**SS. STERILITY TEST MANIFOLD SYSTEM** Made of Stainless steel 316 Available with 3 stations with PTFE Valve.	1 unit	54625



Microbiological Lab Consumables

AUTOCLAVE ACCESSORIES

Disposable Autoclave Bags

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMC 014	**Disposable Autoclavable Bags** (Size : (H) 11" X (B) 7") Clear, transparent autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.	2000 3600
TMC 015	**Disposable Autoclavable Bags** (Size : (H) 10" X (B) 6") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	1450 2550
TMC 016	**Disposable Autoclavable Bags** (Size : (H) 12" X (B) 10") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.	3000 5400
TMC 017	**Disposable Autoclavable Bags** (Size : (H) 20" X (B) 14") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	6450 12500
TMC 018	**Disposable Autoclavable Bags** (Size : (H) 32" X (B) 24") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	16200 29100
TMC 019	**Disposable Autoclavable Bags** (Size : (H) 40" X (B) 20") Clear, transparent autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.	20850 37500
TMC 020	**Red Color Disposable Autoclavable Bags** (Size : (H) 11" X (B) 7") Clear, red autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.	2000 3600
TMC 021	**Red Color Disposable Autoclavable Bags** (Size : (H) 10" X (B) 6") Clear, red autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	1450 2550
TMC 022	**Red Color Disposable Autoclavable Bags** (Size : (H) 12" X (B) 10") Clear, red autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.	3000 5400
TMC 023	**Red Color Disposable Autoclavable Bags** (Size : (H) 20" X (B) 14") Clear, red autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	6450 12500
TMC 024	**Red Color Disposable Autoclavable Bags** (Size : (H) 32" X (B) 24") Clear, red autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	16200 29100
TMC 025	**Red Color Disposable Autoclavable Bags** (Size : (H) 40" X (B) 20") Clear, red autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.	20850 37500
TMC 026	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 11" X (B) 7") Clear, yellow autoclavable disposable bag,maximum weight holding capacity: 0.8 kg, multiple packing of 50 bags,	250 nos. 500 nos.	2000 3600
TMC 027	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 10" X (B) 6") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 0.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	1450 2550
TMC 028	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 12" X (B) 10") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 1 kg, multiple packing of 50 bags,	250 nos. 500 nos.	3000 5400
TMC 029	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 20" X (B) 14") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 2.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	6450 12500
TMC 030	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 32" X (B) 24") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 9.5 kg, multiple packing of 50 bags,	250 nos. 500 nos.	16200 29100
TMC 031	**Yellow Color Disposable Autoclavable Bags** (Size : (H) 40" X (B) 20") Clear, yellow autoclavable disposable bag, maximum weight holding capacity: 14 kg, multiple packing of 50 bags,	250 nos. 500 nos.	20850 37500

recommended for disposal of pathological / clinical or contaminated material and also for sterilization of glasswares or plasticwares.

Microbiological Lab Equipments

TME 001| Infrared Sterilizer for Inoculation Loops

- Most advanced technology with intelligent temperature controller.
- Accurate, Reliable and Quick sterilization.
- Stainless steel body is safe to use and easy to clean.
- Long life and graceful instrument with zero pollution emittance.



Display	**LED**
Temperature Range (°C)	**300-830**
Temperature control precision (°C)	**10**
Temperature control accuracy (°C)	**±30**
Max. outer diameter of sterilizer items (mm)	**13**
The total length of heating area (mm)	**140**
Heating tube	**Ceramic**
Shell	**ABS**
Dimensions (LxWxH) (mm)	**158x192x290**
Weight (Kg)	**1.5**
Voltage (V)	**220V, 50/60Hz**
Power (W)	**190**
Working temperature (°C)	**+10-40**
Working humidity (%RH)	**<80**
Storage temperature (°C)	**-40-60**
Storage humidity (%RH)	**10-90**

TME 003 | Microbial Air Monitoring System (Air Sampler)

- Validated as per BS EN ISO 14698-Part I.
- Unique structure avoids re-circulation of air.
- Inbuilt adaptors for 90mm plates & 55mm plates.
- Customize air volume as per requirement.



Nominal Air Flow Rate	**100 litres of air per minute**
Impact Speed	**< 20m/sec**
Air Sample Volume	**10-9999 liters can be selected and stored in the instrument. Three different volumes can be set**
The maximum volume of air per cycle	**1000 litres**
Plate Size	**90 mm & 55 mm**
Weight of instrument	**2.68 kg**
Construction	**High quality aviation aluminum**
Display	**High Brightness LCD display**
Battery Pack	**Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.**

Air Sampler Accessories with TME 003 (Add-ons)

CODE	PRODUCT NAME	PACK SIZE
TME 003A	**Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas**	**1 unit**
TME 003B	**Porous Sampling Head and Safety Lid**	**1 unit**
TME 003C	**Power Charger**	**1 unit**
TME 003D	**Battery**	**1 unit**


Microbiological Lab Equipments

TME 004 | Microbial Air Monitoring System (Air Sampler)

- Validated as per BS EN ISO 14698-Part I.
- PC connectivity to meet 21 CFR: Part 11 requirements.
- Unique structure avoids recirculation of air.
- Inbuilt adaptors for 90mm and 55mm plates.
- Customize air volume as per requirement.
- Access from distance with infra-red remote control.



Nominal Air Flow Rate	**100 litres of air per minute**
Impact Speed	**< 20m/sec**
Air Sample Volume	**10-9999 liters can be selected and stored in the instrument. Three different volumes can be set**
Maximum Volume of air per cycle	**1000 litres**
Plate Size	**90 mm & 55 mm**
Weight of instrument	**3 kg**
Construction	**Anodized aluminum**
Accessories	**Petri-Plates (2 pcs), Remote, Power Charger, Software disk and cord**
Display	**High Brightness LCD display**
Operating Environment	**Temperature: 0-50 °C ,Humidity: 10- 90%, Atmospheric Pressure: 80-110kpa, Maximum Dust Concentration: 100,000,000/ m^3 @ 0.5 m or 0.2mg/ m^3**
Battery Pack	**Rechargeable Li Ion (without memory effect). Battery Charging takes only 4 hours. After charging, the battery will work up to 8 hours.**



Air Sampler Accessories with TME 003 (Add-ons)

CODE	PRODUCT NAME	PACK SIZE
TME 004A	Compressed gas Head Component of an environmental monitoring program used for evaluation of compressed gas	1 unit
TME 004B	Porous Sampling Head and Safety Lid	1 unit
TME 004C	Power Charger	1 unit
TME 004D	Battery	1 unit
TME 004E	Remote	1 unit
TME 004F	Cord	1 unit

BIOLOGICAL AND CHEMICAL INDICATORS

Evident Control Of Sterilization Process

Easy to Use & Interpret the result

Reliable Sensitivity

Accurate Performance

Certified in accordance with ISO/IRAM/NS-EN/ANIMAT PM

Trusted products

"Your Safety, Our commitment"

(The most trusted partner for ensuring sterility)



Biological Indicators*

SPORE STRIPS

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 001	***Bacillus atrophaeus*** 10^6 (formerly *Bacillus subtilus*) Spore Strips 10 (ATCC 93722)	Gas & Dry Heat (ETO)	1 x 100 No.	9240
TBI 004	***Geobacillus stearothermophilus*** 10^6 Spore Strips 10 (ATCC 7953)	Steam Sterilization	1 x 100 No.	19950

SPORE AMPOULES

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 006	***Geobacillus stearothermophilus*** 10^6 (Vol. 2ml)	Steam Sterilization	1 x 50 No.	16000
TBI 013	***Bacillis subtilis*** 10^6	Steam Sterilization	1 x 200 No.	131250

SELF-CONTAINED BIOLOGICAL INDICATORS (SCBI)

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 010	***Geobacillus stearothermophilus*** 10^6	Steam Sterilization	1 x 100 No.	33600

SPORE COUPON

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBI 011	***Geobacillus stearothermophilus*** 10^6	Vaporized Hydrogen Peroxide (H_2O_2) sterilization processes	1 x 100 No.	POR

CULTURE MEDIA

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TBIM 001	Culture media Ampoule with pH indicator	Culture Media for Spore Strips & Spore Coupons	1 x 50 No.	POR

+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



Chemical Indicators TERRAGENE®

SELF ADHESIVE STERILIZATION INDICATORS FOR RADIATION

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 001	RADIATION CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2100 7875

SELF ADHESIVE STERILIZATION INDICATORS FOR ETHYLENE OXIDE

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 002	ETHYLENE OXIDE (EO) CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2100 7875

STERILIZATION INDICATORS FOR STEAM

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 005	BOWIE & DICK TEST PACK (CLASS 2)	Steam Sterilization Process	1 x 1 Pack 1 x 20 Pack	475 8400
TCI 006	STEAM CHEMICAL PROCESS INDICATOR (CLASS 1)	Plain Indicator Circular Dot (15mm)	1 x 1000 No. 5 x 1000 No.	2100 8400
TCI 012	MOVING FRONT INTEGRATOR INDICATOR (CLASS 5)	Steam Sterilization Processes	1 x 250 No.	POR

CHEMICAL INDICATOR TAPE

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 007	SELF ADHESIVE AUTOCLAVE TAPE (CLASS 1)	19mm x 50m	1 No. 1 x 5 No.	790 3310
TCI 008	SELF ADHESIVE ETO TAPE (CLASS 1)	19mm x 50m	1 No.	2050

CHEMICAL INDICATOR TEST STRIP

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 009	DRY HEAT INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.	4200
TCI 010	STEAM INDICATOR STRIP (Class 4)	105mm x 18mm	1 x 250 No.	5515

SELF ADHESIVE STERILIZATION INDICATORS FOR VAPORIZED HYDROGEN PEROXIDE (H_2O_2)

CODE	PRODUCT NAME	PROCESS	PACK SIZE	PRICE (₹)
TCI 011	VAPORIZED H_2O_2 STERLIZATION PROCESS INDICATOR (Class 1)	Circular Indicator with Text (15mm)	1 x 1000 No.	POR

 # Send Us Your Direct Enquiry For Class 5/ Class 6 Steam Chemical Indicators.



PLANT TISSUE CULTURING

Why Tissue Culture is also called Micro propagation in-vitro?

Tissue culture is a technique of growing plant or animal cells, tissues or organ in a sterilized nutrient / culture medium under controlled environmental condition. Plant tissue culture specifically is known as micropropagation because it involves rapid multiplication of small amount of plant material to produce more progeny exactly similar to the mother plant in all aspects.

What are Micro element and Macro element?

Micro element: These elements are required in trace amount (< 0.5mM) for plant growth and development. Micrœlements that are usually used in plant tissue culturing are: Manganese, Iodine, Copper, Cobalt, Boron, Molybdenum, Iron and Zinc.

Macro element: These elements are present in greater amount (> 0.5mM) for plant growth and development. These element comprises at least 0.1% of dry weight of plants. Macroelements that are usually used in plant tissue culturing: Nitrogen, Phosphorous, Potassium, Magnesium, Calcium and Sulphur.

Which Vitamins are used?

Most frequently used vitamins are Thiamin (B1), Nicotinic Acid, Pyridoxine (B6) and Myo-inositol (Myo-inositol is commonly included in many vitamin stock solution. Although it is a carbohydrate not a vitamin, it has been shown to stimulate growth in certain cell cultures.)
Other Vitamins such as Biotin, Folic Acid, Ascorbic Acid, Panthothenic Acid, Vitamin E (Tocopherol), Riboflavin, and p -Aminobenzoic Acid. The requirement for these vitamins by plant cell cultures is generally negligible and they are not considered growth-limiting factors. These vitamins are generally added to the culture medium only when the concentration of Thiamin is below the desired level or when it is desirable to grow cells at very low population densities.

Which concentration of Agar / Gellan gum should be used?

Agar is the most commonly used gelling agent for preparing semisolid and solid plant tissue culture media. The agar concentrations commonly used in plant cell culture media fall in range between 0.5 and 1.0%; these concentrations give a firm gel at the typical pH of plant cell culture media. Another gelling agent commonly used for commercial as well as research purposes is Gellan gum. This product is synthetic and should be used at 1.5-2.5 g/litre, resulting in a clear gel which aids in detecting contamination.

How do Plant Growth Regulators affect plant morphogenesis in culture?

Two plant growth regulators affect plant differentiation:
Auxin: Stimulate root development
Cytokinins: Stimulates shoot development

Generally, the ratio of these two hormones can determine plant development:

Auxin > Cytokinin = Root development
Cytokinin > Auxin = Shoot development
Auxin = Cytokinin = Callus development

Apart from these, Abscisic acid promotes shoot bud regeneration in many species and also improves somatic embryogenesis (SE) maturation. Among 20 gibberellins, GA_3 is exclusively used to promote shoot elongation and somatic embryogenesis germination. Ethylene is associated with controlling fruit ripening.

What are the in vitro parameters affecting plant growth?

Temperature, photoperiods (light and dark cycles), carbon source, plant growth regulators, macro and micro nutrients, vitamins, water and more.

Why antibiotics are used in plant tissue culture?

Antibiotics are substances produced by certain microorganisms that suppress the growth of other microorganisms and eventually destroy them. Their applications include:
A. Suppresses bacterial infections in plant cell tissue culture.
B. Suppresses mold and yeast infections in cell cultures.
C. Eliminates Agrobacterium species after the transformation of plant tissue.

Why one should go for tissue culture plants?

Tissue Culture plant are qualitative better and disease free, uniform vigorous and fast growing and give better yield.
It is possible to multiply plants that are difficult to cutting or other traditional methods.







+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 007	**ANDERSON'S RHODODENDRON MEDIUM (W/O Vitamin, Sucrose, Agar)** Micro & Macro Element	1.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	475 600 2440
TP 008	**ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Agar & $CaCl_2$W/O IAA & 2iP)**	42.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	690 940 3815
TP 082	**ANDERSON'S RHODODENDRON MEDIUM (With Vitamins, Sucrose, Gelzan CM& $CaCl_2$W/O IAA & 2iP)** for micro propagation of Musa species and Daucus species	35.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	770 1225 5130
TP 071	**BANANA MICROPROPAGATION MEDIUM (W/Vitamins, W/O NH_4NO_3, Surcose, Agar)**	2.58	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 755 2575
TP 072	**BANANA MULTIPLICATION MEDIUM (W/ Vitamins, Glucose, Plant growth regulators & Agar)** for in vitro multiplication of Musa species	41.5	5x1 Ltr 1x10 Ltr 1x50 Ltr	815 1050 4450
TP 073	**BANANA MULTIPLICATION MEDIUM (W/Vitamins, Tryptone, IAA W/O Surcose, Agar)**	4.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	530 755 2815
TP 075	**BANANA MULTIPLICATION MEDIUM (W/Vitamins, Surcose, Tryptone, Agar & IAA)**	42.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	815 1050 4450
TP 076	**BANANA MULTIPLICATION MEDIUM (W/$CaCl_2$, Vitamins, Sucrose, Glucose, Ascorbic Acid, IAA, 6-BAP, Agar)**	42.47	5x1 Ltr 1x10 Ltr 1x50 Ltr	815 1050 4450
TP 077	**CARROT CALLUS INITIATION MEDIUM (W/Vitamins, 2,4-D, W/O Sucrose, Agar)**	3.21	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 755 2575
TP 027	**CHEE AND POOL (C2D) VITIS MEDIUM (W/O. Vitamins, Sucrose, Agar)** Micro & Macro Element for regeneration and micro propagation of grapevine	4.44	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 565 1940
TP 028	**CHEE AND POOL (C2D) VITIS MEDIUM (With Vitamins W/O Sucrose, Agar)** Micro & Macro Element	4.49	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 625 2175

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 029	**CHU (N6) MEDIUM (W/O Vitamins, Sucrose, Agar)** Micro & Macro Element	3.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 530 1975
TP 030	**CHU (N) MEDIUM (With Vitamins, W/O Sucrose, Agar)** Micro & Macro Element	4.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 620 2320
TP 031	**CLC/ IPOMOEA CP MEDIUM (W/O Vitamins)** Micro & Macro Element	6.61	5x1 Ltr 1x10 Ltr 1x50 Ltr	395 530 2030
TP 032	**CLC/ IPOMOEA EP MEDIUM (With Vitamins)** Micro & Macro Element	3.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	405 620 2265
TP 083	**CLC/ IPOMOEA BASAL MEDIUM (W/Vitamins, W/O CaCl Sucrose & Agar)**	6.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	675 920 3330
TP 078	**DATE PALM CALLUS INITIATION MEDIUM (W/ Vitamins, Sucrose, 2,4-D, 2iP, Activated Charcoal, Agar)** for in vitro micro propagation of date palm	45.76	5x1 Ltr 1x10 Ltr 1x50 Ltr	675 920 3330
TP 033	**DE GREEF & JACOBS MEDIUM (W/O. Vitamins)** Micro & Macro Element	3.77	5x1 Ltr 1x10 Ltr 1x50 Ltr	395 580 2045
TP 034	**DE GREEF & JACOBS MEDIUM (With Vitamins) W/O SUCROSE, AGAR**	3.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 665 2325
TP 035	**DKW MEDIUM (W/O Vitamins)** Micro & Macro Element	5.48	5x1 Ltr 1x10 Ltr 1x50 Ltr	395 580 2045
TP 036	**DKW MEDIUM (With Vitamins)**	5.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 665 2320
TP 009	**ERIKSSON (ER) MEDIUM (W/O Vitamins, Sucrose & Agar)**	4.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	395 665 2320
TP 010	**ERIKSSON (ER) MEDIUM, (With Vitamins, Sucrose W/O Agar)**	34.14	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 980 3390
TP 011	**GAMBORG MEDIUM (With Vitamins, Sucrose, $CaCl_2$, W/O IAA, Kinetin & Agar)**	23.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	575 865 2820
TP 017	**GAMBORG MEDIUM (W/O Vitamins, Sucrose & Agar)**	3.05	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 620 1965
TP 012	**GAMBORG MEDIUM (With Vitamins, Sugar & Agar)**	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	680 1025 3390
TP 074	**GAMBORG'S (VITAMIN 1000X POWDER)**	112.0	100 ml	1440

Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 085	**GAMBORG B5 MEDIUM (W/$CaCl_2$, Vitamins, Agar and Sucrose, W/O IAA & Kinetin)**	31.23	5x1 Ltr 1x10 Ltr 1x50 Ltr	680 1025 3390
TP 079	**GERBERA MULTIPLICATION MEDIUM (W/ $CaCl_2$ Vitamins, Tyrosine, Sucrose, Adenine Sulphate, Agar, W/O IAA & Kinetin)**	59.83	5x1 Ltr 1x10 Ltr 1x50 Ltr	470 690 2745
TP 037	**GRESSHOFF & DOY (DBM2) MEDIUM (W/O Vitamins)** Micro & Macro Element	2.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	370 525 1905
TP 038	**GRESSHOFF & DOY (DBM2) MEDIUM (With Vitamins)** Micro & Macro Element	2.81	5x1 Ltr 1x10 Ltr 1x50 Ltr	405 620 2220
TP 039	**HELLER MEDIUM (W/O Vitamins)** Micro & Macro Element	1.66	5x1 Ltr 1x10 Ltr 1x50 Ltr	475 690 2065
TP 090	**HOAGLAND NO.2 BASAL SALT MIXTURE**	1.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 665 2040
TP 040	**KAO & MICHAYLUK MEDIUM (W/O Vitamins)** Micro & Macro Element	3.80	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 665 2040
TP 018	**KNUDSON-C ORCHID MEDIUM MOREL MODIFICATION** Micro & Macro Element	2.00	5x1 Ltr 1x10 Ltr 1x50 Ltr	475 690 2120
TP 019	**KNUDSON-C ORCHID MEDIUM** (With Sucrose & Vitamins W/O Agar)	21.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	555 825 2945
TP 086	**KNUDSON-C ORCHID MEDIUM, MOREL MODIFICATION** (With Sucrose, Vitamins & Agar)	29.99	5x1 Ltr 1x10 Ltr 1x50 Ltr	655 815 3205
TP 041	**LINDEMANN ORCHID MEDIUM (W/O Vitamins)** Micro & Macro Element	2.60	5x1 Ltr 1x10 Ltr 1x50 Ltr	405 580 2030
TP 042	**LINSMAIER & SKOOG MEDIUM (With Vitamins W/O Sucrose & Agar)** Micro & Macro Element	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	575 665 2605
TP 043	**LITVAY MEDIUM (W/O Vitamins) Micro & Macro with vitamins**	4.95	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 540 1970
TP 044	**LITVAY MEDIUM (With Vitamins)** Micro & Macro Element	5.08	5x1 Ltr 1x10 Ltr 1x50 Ltr	540 690 2315
TP 045	**MCCOWN WOODY PLANT MEDIUM (W/O Vitamins)** Micro & Macro Element	2.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 540 1970
TP 046	**MCCOWN WOODY PLANT MEDIUM (With Vitamins)** Micro & Macro Element	2.46	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 795 3175
TP 087	**MURASHIGE & MILLER MEDIUM (W/ NaHPO and Vitamins W/O Sucrose & Agar)**	4.69	5x1 Ltr 1x10 Ltr 1x50 Ltr	680 740 2475
TP 093	**MURASHIGE & SKOOG MICROELEMENT** NEW	4.20	1x10 Ltr 1x50 Ltr	330 1250
TP 047	**MURASHIGE & SKOOG MEDIUM (With Vitamins & Folic Acid)**	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	620 800 2475
TP 048	**MURASHIGE & SKOOG MEDIUM (With Vitamins & MES Buffer)**	5.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	655 800 2475
TP 001	**MURASHIGE & SKOOG MEDIUM (With Vitamins, W/O Sucrose, Agar & Calcium Chloride)**	4.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	575 630 2555
TP 001A	**MURASHIGE & SKOOG MEDIUM (With Vitamins & Calcium Chloride W/O Sucrose, Agar)**	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	575 630 2555
TP 002	**MURASHIGE & SKOOG MEDIUM (With Sucrose, & Vitamins, W/O Agar & Calcium Chloride)**	34.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	625 815 2940
TP 089	**MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamin & Sucrose W/O Agar**	34.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	625 815 2940
TP 060	**MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose & Agar**	41.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	775 1065 4000
TP 088	**MURASHIGE & SKOOG MEDIUM W/Calcium Chloride, Vitamins, Sucrose and Gellan Gum**	37.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	775 1065 4000
TP 003	**MURASHIGE & SKOOG MEDIUM (With Sucrose, Agar, Vitamins, 6-BAP W/O Calcium Chloride, IAA & Kinetin)**	42.10	5x1 Ltr 1x10 Ltr 1x50 Ltr	775 1065 4000
TP 004	**MURASHIGE & SKOOG MEDIUM (S.B) (W/O Vitamins and with Calcium Chloride)**	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 006	**MURASHIGE & SKOOG MEDIUM (S.B) (W/O Calcium Chloride & Vitamins)**	4.07	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625

Plant Tissue Culture Media

CODE	PRODUCT NAME	F.Wt. Gm./Ltr.	PACK SIZE	PRICE (₹)
TP 020	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With 1/2 Macronutrient	2.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 021	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) W/O. NH_4NO_3	2.65	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 022	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) ½ x NH_4NO_3 and KNO_3	2.53	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 023	MURASHIGE & SKOOG MEDIUM MODIFIED (SB) With Micro and Macro nutrient W/O.Ammonium Salt	4.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 024	MURASHIGE & SKOOG MEDIUM (SB) With minimal organics (MSMO)	4.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	380 450 1625
TP 025	MURASHIGE & SKOOG MODIFIED MEDIUM With Calcium Chloride & Gamborg's Vitamins	4.55	5x1 Ltr 1x10 Ltr 1x50 Ltr	525 630 2230
TP 026	MURASHIGE & SKOOG MEDIUM Vitamin (1000x)	103.10	100 ml	1440
TP 013	NITSCH MEDIUM (With Vitamins, Sucrose & Agar) for anther culture	30.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 815 3190
TP 014	NITSCH MEDIUM (With Vitamins and Sucrose W/O. Agar) Micro & Macro Element	22.04	5x1 Ltr 1x10 Ltr 1x50 Ltr	500 625 2325
TP 049	NLN MEDIUM Without CaNO.4HO Micro & Macro Element	0.39	5x1 Ltr 1x10 Ltr 1x50 Ltr	425 480 2065
TP 050	NLN MEDIUM (With Vitamins) Micro & Macro Element	1.45	5x1 Ltr 1x10 Ltr 1x50 Ltr	920 1105 4465
TP 051	ORCHID MAINTENANCE MEDIUM (W/O Vitamins, MES, Sucrose, Tryptone, Charcoal & Agar)	2.17	5x1 Ltr 1x10 Ltr 1x50 Ltr	480 625 2065
TP 052	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose, Tryptone & Charcoal W/O Agar)	27.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 940 3315
TP 053	ORCHID MAINTENANCE MEDIUM (With Vitamins, Buffer MES, Sucrose and Tryptone, Charcoal & Agar)	35.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	775 1070 4075
TP 080	ORCHID MAINTENANCE/ REPLATE MEDIUM (W/$CaCl_2$, Vitamins, Sucrose, Peptone, MES, Agar W/O. Activated Charcoal)	33.36	5x1 Ltr 1x10 Ltr 1x50 Ltr	775 1065 4075
TP 081	POTATO MICROPROPAGATION MEDIUM (W/$CaCl_2$, Vitamins, IAA, Kinetin, W/O. Surcose & Agar)	4.54	5x1 Ltr 1x10 Ltr 1x50 Ltr	450 530 2025
TP 054	QUOIRIN & LEPOIVRE MEDIUM (W/O. Vitamins)	3.28	5x1 Ltr 1x10 Ltr 1x50 Ltr	375 450 1625
TP 055	QUOIRIN & LEPOIVRE MEDIUM (With Vitamins W/O. Sucrose & Agar)	3.41	5x1 Ltr 1x10 Ltr 1x50 Ltr	565 640 2190
TP 057	RUGINI OLIVE MEDIUM (With Vitamins, W/O Sucrose & Agar) Micro & Macro Element	4.16	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 700 2815
TP 058	SCHENK & HILDEBRANDT MEDIUM (W/O Vitamins) Micro & Macro with Vitamins	3.18	5x1 Ltr 1x10 Ltr 1x50 Ltr	465 580 1940
TP 059	SCHENK & HILDEBRANDT MEDIUM (With Vitamins W/O Sucrose & Agar) Micro & Macro with Vitamins	4.26	5x1 Ltr 1x10 Ltr 1x50 Ltr	665 845 2815
TP 063	S-MEDIUM (Morel and Wetmore) (With Vitamins, MES Buffer & Sucrose)	13.03	5x1 Ltr 1x10 Ltr 1x50 Ltr	795 950 3805
TP 070	VACIN & WENT MEDIUM (With Vitamins, Sucrose & Agar)	29.63	5x1 Ltr 1x10 Ltr 1x50 Ltr	570 865 3190
TP 069	WEST VACO WU5 MEDIUM (for Embryogenic Culture)	5.22	5x1 Ltr 1x10 Ltr 1x50 Ltr	940 1065 3565
TP 015	WHITE MEDIUM Micro & Macro Element	0.94	5x1 Ltr 1x10 Ltr 1x50 Ltr	565 705 2440
TP 016	WHITE MEDIUM (With Vitamins and Sucrose & W/O Agar)	21.06	5x1 Ltr 1x10 Ltr 1x50 Ltr	525 775 2940
TP 084	WOODY PLANT MEDIUM (W/Cacl2, Vitamins, W/O Sucrose, Agar)	2.43	5x1 Ltr 1x10 Ltr 1x50 Ltr	950 1725 5815
TP 092	WOODY PLANT MEDIUM (W/Cacl2, Vitamins & Sucrose W/O Agar)	22.40	5x1 Ltr 1x10 Ltr 1x50 Ltr	1180 2365 8790

Gelzan cm® is regd. trademark of CP Kelco USA for Gellan Gum. Gelrite now available in the name of Gelzan cm®. Titan Biotech offers Plant Tissue Culture Media as per customer specifications.

Plant Tissue Culture Media Ingredients

VITAMINS

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
561	ADENINE 99% (6 Aminopurine, Vitamin B) CAS 73-24-55 $C_5H_5N_5$ F. wt. 135.13	5 gm 25 gm 1 Kg	325 1290 30940
233	p-AMINOBENZOIC ACID (PABA) (Para Amino Benzoic Acid) CAS 150-13-0 $C_7H_7NO_2$F. wt. 137.14	100 gm 500 gm	600 2395
1706	L-ASCORBIC ACID (Vitamin C) CAS 50-81-7 $C_6H_8O_6$ F. wt. 176.12	100 gm 500 gm	345 1375
1709	D(+)-BIOTIN (Vitamin H) * CAS 58-85-5 $C_{10}H_{16}N_2O_3S$ F. wt. 244.31	1 gm 10 gm 25 gm	650 4850 9350
1701	CALCIUM-D-PANTOTHENATE (Vitamin B5)* CAS 137-08-6 $C_{18}H_{32}CaN_2O_{10}$ F. wt. 476.53	25 gm 100 gm 1 Kg	950 3120 27150
335	FOLIC ACID (Vitamin B9)* (Pterogl-L-glutamic acid) CAS 59-30-3 $C_{19}H_{19}N_7O_6$ F. wt. 441.40	5 gm 25 gm	260 650
3151	HYPOXANTHINE CAS 68-94-0 $C_5H_4N_4O$ F. Wt. 136.112	5 gm 100 gm	270 3350
604	INOSITOL (Meso-Inositol) CAS 87-89-8 $C_6H_{12}O_6$ F. wt. 180.2	25 gm 100 gm 1 Kg	300 800 7000
685	NICOTINAMIDE (Niacinamide) (Vitamin PP) CAS 98-92-0 $C_6H_6N_2O$ F. wt. 122.1	25 gm 100 gm 1 Kg	140 390 2900
759	NICOTINIC ACID (Niacin) (Vitamin B) CAS 59-67-6 $C_6H_6NO_2$ F. wt. 123.1	25 gm 100 gm 1 Kg	180 420 2900
4238	PYRROLOQUINOLINE QUINONE) CAS : 7290-34-3 $C_{14}H_6N_2O_8$ F. wt. 330.21	100 gm 500 gm	4500 19500
4239	PYRROLOQUINOLINE QUINONE DISODIUM CAS : 122 628-50-6 $C_{14}H_4NA_2O_8$ F. wt. 347.17	100 gm 500 gm	4500 19500
1705	PYRIDOXINE HCl (Vitamin B) CAS 58-56-0 $C_8H_{11}NO_3$.HCl F. wt. 205.64	10 gm 25 gm 100 gm	210 510 1870
1703	RIBOFLAVINE (Vitamin B 2,Vitamin G) CAS 83-88-5 $C_{17}H_{20}N_4O_6$F. wt. 376.36	10 gm 25 gm 100 gm	320 760 2870
1702	THIAMINE Hcl (Vitamin B1) CAS 67-03-8 $C_{12}H_{17}ClN_4OS.HC$ F. wt. 337.27	25 gm 100 gm 500 gm	820 2730 12815
1701	Vitamin B5 (Calcium-D-pantothenate) CAS 137-08-6 $C_{18}H_{18}CaN_2O_{10}$F. wt. 476.53	25 gm 100 gm	950 3120
1704	Vitamin B12 (Cyanocobalamin) CAS 68-19-9 $C_{63}H_{88}CoN_{14}P$ F. wt. 1355.38	1 gm 10 gm	3860 33360

AMINO ACID

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1103	L-ALANINE, 99%+Purity CAS 56-41-7 C_3H_7NO.F .wt. 89.10	25 gm 100 gm 500 gm	225 550 2250
1104	L-ARGININE, 99%+Purity CAS 74-79-3 $C_6H_{14}N_4O_2$ .F. wt. 174.20	25 gm 100 gm 1 Kg	250 785 6990
1106	L-ASPARAGINE, 99%+Purity (Mono) CAS 5794-13-8 $C_4H_8N_2O_3H_2O_2$ F. wt. 150.14	25 gm 100 gm 500 gm	335 910 3895
1108	L-ASPARTIC ACID, 99%+Purity CAS 56-84-8 $C_4H_7NO_4$ F. wt. 294.3	25 gm 100 gm 500 gm	105 375 1600
1138	L-CYSTEINE, 99%+Crystalline CAS 52-90-4 $C_3H_7NO_2S$ F. wt. 121.17$_{72}$	5 gm 25 gm 100 gm	145 410 1360
1139	L-CYSTEINE HCl (Mono) 99%+Purity CAS 7048-04-6 $C_3H_8ClN_2O_2$ .S.H O F. wt. 175.63	25 gm 100 gm 1 Kg 25 Kg	260 880 5990 POR
1140	L-CYSTINE, 99%+CRYSTALLINE (Free Base) CAS 56-89-3 $C_6H_{12}N_2O_4S_2$ F. Wt. 240.3	25 gm 100 gm 1 Kg	330 1100 10190
1111	L-GLUTAMIC ACID CAS 56-86-0 $C_5H_9No_4$ F. wt. 147.13	100 gm 500 gm 25 kg	1380 5540 POR
1114	L-GLUTAMINE, 99%+Crystalline CAS 56-85-9 $C_5H_{10}N_2O_3$ F. Wt. 146.14	25 gm 100 gm 500 gm	360 1120 5460
757	GLUTATHIONE (Reduced) CAS 70-18-8 $C_{10}H_{12}N_3O_6S$ F. wt. 307.32	1 gm 5 gm 25 gm	220 850 3800
1109	GLYCINE, 99%+Purity, AR GRADE CAS 56-40-6 $C_2H_5N_2OF$. wt. 75.07	100 gm 500 gm 5 Kg	280 1040 9710
1115	L-HISTIDINE, 99%+Crystalline CAS 71-00-1 $C_6H_9N_3O_2$ F. wt. 155.15	25 gm 500 gm	970 15000
1119	L-ISOLEUCINE, 99%+Crystalline CAS 73-32-5 $C_6H_{13}NO_2$ F. wt. 131.17	5 gm 25 gm	135 490
1121	L-LEUCINE, 99%+Crystalline CAS 61-90-5 $C_6H_{13}NO_2$F. wt. 131.17	25 gm 100 gm 500 gm	330 970 4840
1122	L-LYSINE MONO HCl, 99%+Crystalline CAS 657-27-2 $C_6H_{14}N_2O_2$ .HCl F. wt. 182.65	100 gm 500 gm	250 1070
1123	L-METHIONINE, 99%+Crystalline CAS 63-68-3 $C_5H_{11}NO_2S$ F. wt. 149.21	25 gm 100 gm 500 gm	330 1190 5900
1125	L-ORNITHINE MONO HCl, 99%+Crystalline CAS 3184-13-2 $C_5H_{12}N_2O_2$ .HCl F. Wt. 168.62	25 gm 100 gm 500 gm	710 2510 11185

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1127	L-PHENYLALANINE, 99%+Crystalline CAS 63-91-2 $C_9H_{11}NO_2$ F. wt. 165.2	25 gm 100 gm 500 gm	350 1040 3820
1128	L-PROLINE, 99%+Crystalline CAS 147-85-3 $C_5H_9NO_2$ F. wt. 115.13	5 gm 25 gm 500 gm	125 420 4935
1130	L-SERINE, 99%+Crystalline CAS 56-45-1 $C_3H_7NO_3$ F. wt. 105.09	10 gm 25 gm 1 Kg	350 600 18000
956	TAURINE (2-Aminoethanesulphonic Acid) CAS 107-35-7 $C_2H_7NO_3S$ F. wt. 125.15	25 gm 100 gm	480 1430
1131	L-THREONINE, 99%+Crystalline CAS 72-19-5 $C_4H_9NO_3$ F. wt. 119.12	5 gm 25 gm 500 gm	170 650 4910
1134	L-TRPYTOPHAN, 99% Crystalline CAS 73-22-3 $C_{11}H_{12}N_2O_2$ F. wt. 204.23	5 gm 25 gm 500 gm	260 880 12500
1135	L-TYROSINE, 99+Crystalline CAS 60-18-4 $C_9H_{11}NO_3$ F. wt. 181.19	25 gm 100 gm 500 gm	320 1040 4780
674	URACIL CAS 66-22-8 $C_4H_4N_2O_2$ F. wt. 112.09	5 gm 25 gm	135 430
1137	L-VALINE, 99% Crystalline CAS 72-18-4 $C_5H_{11}NO_2$ F. wt. 117.15	25 gm 100 gm	350 1090
	MICRONUTRIENTS		
245	AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE CAS 12054-85-2 $(NH_4)_6MO_7O_{24}.4H_2O$ F. wt. 1235.86	100 gm 500 gm 25 Kg	1075 5050 POR
282	BORIC ACID, AR GRADE CAS 10043-35-3 H_3Bo_3 F. wt. 61.83	500 gm 5 Kg	550 4400
977	COBALT (II) NITRATE (Hexa), EXTRA PURE CAS 10026-22-9 $CO(NO_3)_2.6H_2O$ F. Wt. 291.03	100 gm 500 gm	960 4080
978	COBALT (II) SULPHATE (Hepta), EXTRA PURE CAS 10026-24-1 $CO_2SO_3.7H_4O$ F. Wt. 281.10	100 gm 500 gm	900 3840
320	CUPRIC SULPHATE (Penta), AR GRADE CAS 7758-99-8 $CuSO_2.5H_4O$ F. wt. 249.68	500 gm	840
973	ETHYLENE DIAMINE TETRAACETIC ACID FERRIC-MONO SODIUM, EXTRA PURE CAS 15708-41-5 $C_{10}H_{12}N_2O_8FeNa$ F. wt. 367	100 gm 500 gm	260 1040
328	ETHYLENE DIAMINE TETRAACETIC ACID DISODIUM SALT, AR GRADE CAS 6381-92-6 $C_{10}H_{14}N_2O_8$ Fe.$Na_2$2H_2O F. wt. 372.2	100 gm 500 gm 5 kg	290 1310 12540
330	FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE CAS 1185-57-5 $C_{12}H_2Fe_2N_3O_{14}$ F. Wt. 488.16	500 gm 5 Kg	600 6050
4223	FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC SODIUM COMPLEX CAS 84539-55-9 $C_{18}H_{18}FeN_2NaO_6$ F. Wt. 437.19	25 gm 100 gm	4125 9200
756	FERRIC CITRATE, (Mono) CAS 2338-05-8 $C_6H_5FeO_7$ F. Wt. 244.94	500 gm	1195
514	FERROUS SULPHATE (Hepta), AR GRADE CAS 7782-63-0 $FeSo_4$7H_2O F. wt. 278.01	500 gm	335
704	MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE CAS 13446-34-9 $MnCl_2.4H_2O$ F. Wt. 197.91	500 gm	590
703	MANGANESE (II) SULPHATE (Mono), AR GRADE CAS 10034-96-5 $MnSO_4H_2O$ F. wt. 169.02	500 gm	610
2131	NICKEL CHLORIDE (Hexa), EXTRA PURE CAS 7791-20-0 $NiCl_2$6H_2O F. wt. 237.69	500 gm	2100
394	POTASSIUM IODIDE, EXTRA PURE CAS 7681-11-0 KI F. Wt. 166.00	100 gm 500 gm	2190 10120
924	SODIUM CHLORIDE CAS 7647-14-5 NaCl F. wt. 58.44	500 gm 5 Kg	660 5560
449	SODIUM MOLYBDATE, (Dihydrate), EXTRA PURE CAS 10102-40-6 $Na_2MoO_4$2H_2O F. Wt. 241.95	100 gm 500 gm	900 3900
469	SODIUM THIOSULPHATE (Penta), EXTRA PURE CAS 10102-17-7 $Na_2S_2O_3.5H_2O$ F. Wt. 248.18	500 gm 5 Kg	250 2050
2325	STRONTIUM NITRATE, (ANH.), EXTRA PURE CAS 10042-76-9 $Sr(NO_3)_2$ F. Wt. 211.63	500 gm	600
3508	ZINC SULPHATE (Hepta), AR GRADE CAS 7446-20-0 $ZnSO_4$7H_2O F. wt. 287.55	500 gm 5 Kg	460 4365

*Store between 2 - 8°C
■Rare Chemicals

TM MEDIA®

Plant Tissue Culture Media Ingredients

MACRONUTRIENTS

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
242	AMMONIUM CHLORIDE, AR GRADE CAS 12125-02-9 NH_4Cl F. wt. 53.49	500 gm 5 kg	380 2970
256	AMMONIUM DIHYDROGEN PHOSPHATE, AR GRADE CAS 7722-76-1 $NH_4H_2PO_4$ F. wt. 115.02	500 gm	650
238	AMMONIUM HYDROGEN CARBONATE, AR GRADE CAS 1066-33-7 CH_5NO_3 F. wt. 79.056	500 gm	350
246	AMMONIUM MOLYBDATE (Tetra), AR GRADE CAS 12054-85-2 $(NH_4)_6MO_7O_{24}.4H_2O$ F. wt. 1235.86	100 gm 500 gm	1300 6000
258	AMMONIUM SULPHATE, AR GRADE CAS 7783-20-2 $(NH_4)_2SO_4$ F. wt. 132.16	500 gm 5 Kg	250 1950
289	CALCIUM CARBONATE (Precipitated), (ANH.), AR GRADE CAS 471-34-1 $CaCO_3$ F. wt. 100.09	500 gm	250
292	CALCIUM CHLORIDE (Dihydrate), AR GRADE CAS 10035-04-8 $CaCl_2 2H_2O$ F. wt. 147.02	500 gm	360
828	CALCIUM CITRATE (Tetra) CAS 5785-44-4 $C_{12}H_{10}Ca_3O_{14}.4(H_2O)$ F. wt. 570.50	500 gm	550
160	CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4 $CaH_8N_2O_{10}$ F. wt. 236.15	500 gm 5 Kg	310 2840
163	tril-CALCIUM PHOSPHATE, EXTRA PURE CAS 7758-87-4 $Ca_3(PO_4)_2$ F. wt. 310.2	500 gm 5 Kg	530 4950
614	MAGNESIUM CHLORIDE (Hexa), AR GRADE CAS 7791-18-6 $MgCl_2.6H_2O$ F. wt. 203.3	500 gm 5 Kg	310 2260
357	MAGNESIUM NITRATE, (Hexa), EXTRA PURE CAS 13446-18-9 $Mg(NO_3)_2.6H_2O$F. Wt. 256.41	500 gm	420
359	MAGNESIUM SULPHATE (Hepta), AR GRADE CAS 10034-99-8 $MgSO_4.7H_2O$ F. wt. 246.48	500 gm 5 Kg	340 2185
386	POTASSIUM CHLORIDE,AR GRADE CAS 7447-40-7 KCl F. wt. 74.55	500 gm 5 Kg	340 3045
218	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.), AR GRADE CAS 7758-11-14 K_2HPO_4 F. Wt. 174.17	500 gm 5 Kg	1090 10440
220	POTASSIUM DIHYDROGEN ORTHOPHPOSPHATE (ANH.), AR GRADE CAS 7778-77-0 KH_2PO_4 F. Wt. 329.25	500 gm 5 Kg	970 9220
511	POTASSIUM HYDROXIDE PELLETS, AR GRADE CAS 1310-58-3 KOH F. wt. 56.11	500 gm 5 Kg	530 3790
634	POTASSIUM IODIDE, AR GRADE CAS 7681-11-0 KI F. wt. 166.0	100 gm 500 gm	2300 10580
761	POTASSIUM NITRATE, EXTRA PURE CAS 7757-79-1 KNO_3 F. Wt. 101.10	500 gm 5 Kg	345 2425
407	POTASSIUM SULPHATE, AR GRADE CAS 7778-80-5 K_3SO_4 F. wt. 101.1	500 gm	410
763	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate), AR GRADE CAS 13472-35-0 $NaH_2PO_4.2H_2O$ F. Wt. 156.01	500 gm 5 Kg	590 5670
451	SODIUM NITRATE, AR GRADE CAS 7631-99-4 $NaNO_3$ F. wt. 85.0	500 gm	520

ANTIBIOTIC POWDER

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3300	ACETYLSALICYLIC ACID (Aspirin, 2-Acetoxybenzoic Acid) CAS 50-78-2 $C_9H_8O_4$ F. wt. 180.15	500 gm	850
573	ACTIDIONE (Cycloheximide), AR GRADE CAS 66-81-9 $C_{15}H_{23}NO_4$ F. wt. 281.36	1 gm 5 gm	2505 11950
2028	AMOXYCILLIN (Trihydrate) * CAS 61336-70-7 $C_{16}H_{25}N_3O_8S$ F. wt. 419.5	1 gm	305
3078	AMPHOTERICIN B * CAS 1397-89-3 $C_{47}H_{79}NO_{17}$ F. wt. 924.1	1 gm 5 gm	1615 4000
2007	AMPICILLIN SODIUM * CAS 69-52-3 $C_{16}H_{18}N_3NaO_4S$ F. wt. 371.4	1 gm 10 gm	370 2945
4002	AUGMENTIN (Amoxycillin : clavulanic acid potassium 5:1)	1 gm	1830
4228	CARBENDAZIM CAS 10605-21-7 $C_9H_9N_3O_2$ F. Wt. 191.19	1 gm 5 gm 25 gm	3000 12315 19250

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3314	CARBENICILLIN DISODIUM * CAS 4800-94-6 $C_{17}H_{16}N_2Na_2O_6S$ F. wt. 422.4	1 gm	1330
2016	CEFOTAXIME SODIUM * CAS 64485-93-4 $C_{16}H_{16}N_5NaO_7S_2$ F. wt. 477.4	1 gm 5 gm	1275 5390
2012	CEPHALEXIN (Mono) * CAS 23325-78-2$C_{16}H_{17}N_3O_4S.H_2O$ F. wt. 365.4	1 gm	1945
2017	CHLORAMPHENICOL * CAS 56-75-7$C_{11}H_{12}Cl_2N_2O_5$ F. wt. 323.1	5 gm 25 gm	1000 4865
4004	CLINDAMYCIN HCL CAS 18323-44-9 $C_{18}H_{33}ClN_2O_5S.HCl$ F. wt. 424.98 g/mole	5 gm	4170
4207	D-CYCLOSERINE CAS 68-41-7 $C_3H_6N_2O_2$ F. wt. 102.09	1 gm	3315
1805	COLCHICINE CAS 64-86-8 $C_{22}H_{25}NO_6$ F. wt. 399.4 (Store at room temp.)	1 gm 10 gm	1840 17140
2020	COLISTIN SULPHATE SODIUM (2,50,000/VL)* CAS 1264-72-8	1 vl	5945
4208	DICAMBA CAS 1918-00-9 $C_8H_6Cl_2O_3$ F. wt. 221.04	100 mg 1 gm	6050 54500
3539	DOXYCYCLINE HCl CAS 10592-13-9 $C_{22}H_{24}N_2O_8HCl$ F. wt. 480.89	1 gm	550
2023	ERYTHROMYCIN CAS 114-07-8 $C_{37}H_{67}NO_{13}$ F. wt. 733.9	1 gm	425
3341	G-418-DISULPHATE (Geneticin Sulphate) CAS 108321-42-2 $C_{20}H_{40}N_4O_{10}$ F. wt. 692.70	500 mg 1 gm	3890 7755
2025	GENTAMYCIN SULPHATE * CAS 1405-41-0$C_{21}H_{43}N_5O_7.H_7SO_4$ F. wt. 575.67	1 gm 5 gm	825 3745
3357	HYGROMYCIN B CAS 31282-04-9 $C_{20}H_{37}N_3O_{13}$ F. wt. 527.60	100 mg 1 gm	4000 28315
2035	KANAMYCIN SULPHATE (Mono) * CAS 29701-07-3$C_{18}H_{37}N_5O_{10}.H_2O_4S$ F. wt. 581.68	1 gm 5 gm	790 2775
2026	LINCOMYCIN HCl (Mono) * (10,00000 Unit/vl) CAS 7179-49-9$C_{18}H_{37}ClN_2O_7S$ F. wt. 461.01	1 vl	1530

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4209	METRONIDAZOLE CAS 443-48-1 $C_6H_9N_3O_3$ F. wt. 171.2	1 gm	7190
4210	MINOCYCLINE HCL CAS 10118-90-8 $C_{23}H_{27}N_3O_7$ F. wt. 457.47	100 mg 1 gm	5925 30940
1713	NALIDIXIC ACID * CAS 389-08-2 $C_{12}H_{12}N_2O_3$ F. wt. 232.2	1 gm 5 gm	365 1520
2003	NEOMYCIN SULPHATE CAS 1405-10-3$C_{23}H_{46}N_6O_{13}.3H_2SO_4$ F. wt. 908.9 (Store at 2 º 8 C)	5 gm	295
2463	NYSTATINE (10,00,000 u/vl) * CAS 1400-61-9 $C_{47}H_{75}NO_{17}$ F. wt. 926.10	1 vl	450
2004	OXYTETRACYCLINE HCl * CAS 2058-46-0 $C_{22}H_{24}N_2O_9.HCl$ F. wt. 496.9	1 gm	525
4229	PAROMOMYCIN SULPHATE CAS 1263-89-4 $C_{23}H_{47}N_5O_{18}S$ F. Wt. 713.71	1 gm 5 gm	4250 19375
2005	POLYMYXIN B. SULPHATE (I million units/vl) CAS 1405-20-5 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$	1 vl 5 vl	695 3090
3393	PENICILLIN BENZYL SODIUM (PENCILLIN-G) CAS 69-57-8 $C_{16}H_{17}N_2NaO_4S$(1MU/vl) F. wt. 356.35	1 vl	375
2200	RIFAMPICIN CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm	675
2030	STREPTOMYCIN SULPHATE CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7.(H_2SO_4)_3$	5 gm 25 gm	830 3275
3439	SULPHAMETHOXAZOLE CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm	295 1090
070	TETRACYCLINE CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. wt. 444.43	5 gm	715
478	THIOMERSAL, EXTRA PURE CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	20000 75000
071	TICARCILLIN / CLAVULANIC ACID CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	500 mg	830
3441	TICARCILLIN SODIUM CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	1gm 5 gm 25 gm	2500 11170 44670

*Store between 2 - 8°C
■Rare Chemicals

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2031	TRIMETHOPRIM CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. wt. 290.3	5 gm	750
072	TOBRAMYCIN SULPHATE CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. wt. 567.51	100 mg	1170
4211	VALIDAMYCINE CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. wt. 497.49	1 gm	7315
2032	VANCOMYCIN HCl CAS 1404-93-9 $C_{66}H_{75}Cl_2N_9O_{24}$.HCl F. wt. 1485.7	500 mg	3945
	PLANT GROWTH REGULATORS		
3051	ABSCISIC ACID (ABA) CAS 21293-29-8 $C_{15}H_{20}O_4$ F. wt. 264.3	100 mg 500 mg 1 gm	4000 18900 33300
4240	ACETOSYRINGONE CAS : 2478-38-8 $C_{10}H_{12}O_4$ F. wt. 196.2	1 gm 5 gm	2350 10990
562	ADENINE SULPHATE (Dihydrate) (6 Aminopurine Sulphate) CAS 321-30-2 $C_{10}H_{12}N_{10}O_4S$ F. wt. 368.34	10 gm 100 gm	550 4995
4241	5-AMINOLEVULINIC ACID * CAS : C5H9NO3 $C_5H_9NO_3$ F. wt. 131.12	1 gm 5 gm	21700 65700
2565	p-CHLOROPHENOXY ACETIC ACID (4 CPA) CAS 122-88-3 $C_8H_7ClO_3$ F. wt. 186.6	25 gm	6300
4242	DAMINOZIDE CAS : 1596-84-5 $C_6H_{12}N_2O_3$ F. wt. 160.17	5 gm	3400
2590	2,4, DICHLORO PHENOXY ACETIC ACID (2,4-D) CAS 94-75-7 $C_8H_6Cl_2O_3$ F. wt. 221.04	500 gm	5050
4212	FORCHLORFENURON (4-CPPU) N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 $C_{12}H_{10}ClN_3O$ F. wt. 247.68	5 gm	7350
4243	GENISTEIN CAS 466-72-0 $C_{19}H_{10}O_5$ F. wt. 270.24	100 gm	12000
3547	GIBBERELLIC ACID (GA)$^{4+7}$ CAS 202467-69-4 $C_{20}H_{19}N_3O_7S$ F. wt. 445.45	1 gm 5 gm 100 gm	1100 4500 72500
849	GIBBERELLIC ACID A3 (GA)^3 CAS 77-06-5 $C_{19}H_{22}O_6$ F. wt. 346.37	1 gm 10 gm 100 gm 1 kg	140 1330 10520 POR
4213	2, 8 HOMO BRASSINOLIDE CAS 80483-89-2 $C_{29}H_{50}O_6$ F. wt. 494.70	10 mg 100 mg	3000 10500
606	INDOLE-3-ACETIC ACID (3-Indoleacetic acid, IAA) CAS 87-51-4 $C_{10}H_9NO_2$ F. wt. 175.18 (Store at 2 - 15°C)	5 gm 25 gm 100 gm 1 Kg	430 1390 4900 31000
606A	INDOLE-3-ACETIC ACID POTASSIUM SALT CAS 2338-19-4 $C_{10}H_8KNO_2$ F. Wt. 213.27	25 gm 100 gm 1 kg	1350 3675 28000
607	INDOLE-3-BUTYRIC ACID * (3-Indolebutyric acid, IBA) CAS 133-32-4 $C_{12}H_{13}NO_2$ F. wt. 203.33	5 gm 25 gm 100 gm 1 Kg	520 1760 5530 35000
607A	INDOLE-3-BUTYRIC ACID POTASSIUM SALT CAS 60096-23-3 $C_{12}H_{12}KNO_2$ F. Wt. 241.33	25 gm 100 gm 1 kg	1690 5170 35000
4215	N6-(2-ISOPENTENYL)ADENINE; (2IP) [6-(g-g-Dimethyllallylamino)purine] CAS 2365-40-4 $C_{10}H_{13}N_5$ F. wt. 203.24	1 gm 5 gm	10680 47285
863	KINETIN (6-Furfurylaminopurine) * CAS 525-79-1 $C_{10}H_9N_5O$ F. wt. 215.21	1 gm 5 gm	270 1050
4214	meta-TOPOLINE CAS 75737-38-1 $C_{12}H_{10}N_5OH$ F. wt. 241.25	25 mg 100 mg	4315 15400
2122	α-NAPHTHALENE ACETIC ACID CAS 86-87-3 $C_{12}H_{10}O_2$ F. wt. 186.21	25 gm 100 gm 500 gm 25 kg	210 640 2825 POR
2122A	α-NAPTHALENE ACETIC ACID POTASSIUM SALT CAS 15165-79-4 $C_{12}H_9O_2K$ F. Wt. 224.30	25 gm 100 gm 1 Kg	240 755 6520
3565	β-NAPHTOXY ACETIC ACID CAS 120-23-0 $C_{12}H_{10}O_3$ F. wt. 202.21	25 gm 100 gm	300 980
3570	PACLOBUTRAZOL * CAS 76738-62-0 $C_{15}H_{20}ClN_3O$ F. wt. 293.80	5 gm 25 gm	1300 4750
906	PHENYLACETIC ACID (PAA; Benzeneacetic acid) CAS 103-82-2 $C_8H_8O_2$ F. wt. 136.15	500 gm	760
2457	PHLOROGLUCINOL CAS : 108-73-6 $C_6H_6O_3$ F. wt. 126.11	25 gm 100 gm	1970 6950
3576	PICLORAM CAS 1918-02-1 $C_6H_3Cl_3N_2O$ F. wt. 241.46	1 gm 5 gm	2620 8540

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4245	**PROHEXADIONE-CALCIUM** CAS : 127277-53-6 $C_{10}H_{10}CaO_5$ **F. Wt. 250.263**	5 gm	2500
680	**SALICYCLIC ACID, AR GRADE**	500 gm	850
3584	**THIDIAZURON** CAS 51707-55-2 $C_9H_8N_4OS$ **F. wt. 220.25**	250 mg 1 gm	4140 13100
3587	**2,4,5, TRICHLOROPHENOXY ACETIC ACID** CAS 93-76-5 $C_8H_5Cl_3O_3$ **F. wt. 255.49**	5 gm 25 gm	1875 7500
4246	**TRIACONTANOL 20%** CAS : 593-50-0 $C_{30}H_{62}O$ **F. wt. 438.81 (Store at 2°- 4 C)**	100 gm 500 gm	1800 7650
516	**ZEATIN** CAS 1637-39-4 $C_{10}H_{13}N_5O$ **F. wt. 219.25 (Store at 2°- 4 C)**	100 mg 500 mg 1 gm	9500 36600 74700

CARBOHYDRATES

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3625	**β-CYCLODEXTRIN** CAS 7585-39-9 $C_{42}H_{70}O_{35}$ **F. Wt. 1134.98**	500 gm	2580
1315	**D(-) FRUCTOSE** (Bacteriological Grade) CAS 57-48-7 $C_6H_{12}O_6$ **F. wt. 180.16**	100 gm 500 gm	310 1380
TC 010	**D(+)-GALACTOSE** CAS 59-23-4 $C_6H_{12}O_6$ **F. wt. 180.16**	25 gm 100 gm 500 gm	600 1870 8650
1303	**DEXTROSE** (Mono), **EXTRA PURE** CAS 5996-10-1 $C_6H_{12}O_6.H_2O$ **F. Wt. 198.17**	500 gm 5 Kg 25 Kg	220 1690 POR
1304	**DEXTROSE** (ANH.), **EXTRA PURE** CAS 50-99-7 $C_6H_{12}O_6$ **F. Wt. 180.16**	500 gm 5 Kg 25 Kg	290 2370 POR
1305	**LACTOSE** (Mono) CAS 10039-26-6 $C_{12}H_{22}O_{11}.H_2O$ **F. wt. 360.31**	500 gm	525
1244	**MALTOSE** (Mono) (for Bacteriology) CAS 6363-53-7 $C_{12}H_{24}O_{12}$ **F. wt. 360.31**	100 gm 500 gm	280 1150
365	**D+MANNOSE** CAS 3458-28-4 $C_6H_{12}O_6$ **F. Wt. 180.16**	25 gm 100 gm	1160 4410
1246	**D-MANNITOL, AR GRADE** CAS 69-65-8 $C_6H_{14}O_6$ **F. wt. 182.17**	100 gm 500 gm	475 1385
TC 018	**D-RAFFINOSE** (Penta) CAS 17629-30-0 $C_{18}H_{32}O_{16}.5H_2O$ **F. wt. 594.52**	10 gm 25 gm	880 1785
1306	**D-RIBOSE** CAS 50-69-1 $C_5H_{10}O_5$ **F. wt. 150.13**	10 gm 25 gm 100 gm	260 550 1520
465	**D-SORBITOL POWDER** (D-Glucitol) CAS 50-70-4 $C_6H_{14}O_6$ **F. wt. 182.17**	100 gm 500 gm	145 540
1309	**STARCH,** POTATO (Insoluble) CAS 9005-84-9	500 gm	360
TC 023	**SUCROSE,** for Tissue Culture & Molecular Biology CAS 57-50-1 $C_{12}H_{22}O_{11}$ **F. wt. 342.3**	500 gm 5 Kg	390 3270
TC 024	**D-TREHALOSE** (Dihydrate) CAS 6138-23-4 $C_{12}H_{22}O_{11}.2HO_2$ **F. Wt. 378.33**	5 gm 25 gm	370 1280
1312	**D(+)XYLOSE** CAS 58-86-6 $C_5H_{10}O_5$ **F. wt. 150.13**	25 gm 100 gm 500 gm	200 430 1790

GELLING AGENT

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3500	**AGAR AGAR Type I** CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	1020 4250 POR POR
243 M	**AGAR AGAR Type II** CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	875 4100 POR POR
1227	**AGAROSE,** (High EEO) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm	460 1850 6650 28700
1270	**AGAROSE SPL** (Low EEO) (Counterelectrophoresis) CAS 9012-36-6	5 gm 25 gm 100 gm 500 gm	365 1510 5225 24500
4139	**CARRAGEENAN** (Kappa Type) CAS 9000-07-1	100 gm 500 gm	790 3500
3526	**GELATIN CRYSTAL, Bloom Type B** (Bacteriological Grade) CAS 9000-70-8	500 gm 5 Kg 50 Kg	1335 11850 POR
3318	**GELLAN GUM** Plant Tissue Culture Grade CAS 71010-52-1	100 gm 500 gm 1 Kg	2010 8650 14500
3342	**GELZAN CM®(GELRITE)®** **Regd. Trademark CP Kelco USA** CAS 7110-51-1	100 gm 1 Kg 5 Kg	4225 37600 POR
2115	**POLYVINYL PYRROLIDINE K-30** (PVP) CAS 9003-39-8 $(C_6H_9O)_n$ **F. Wt. 165.19**	100 gm 500 gm 25 Kg	660 2950 POR

*Store between 2 - 8°C
■Rare Chemicals

TM MEDIA®

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
	BUFFERING AGENT		
3086	**BES, SODIUM, EXTRA PURE** CAS 66992-27-6 $C_6H_{14}NNaO_5S$ F. wt. 235.23	5 gm 25 gm	1010 3670
3088	**BIS-TRIS** * CAS 6976-37-0 $C_8H_{19}NO_5$ F. wt. 209.24	25 gm 100 gm	1300 4775
503	**HEPES, FREE ACID** CAS 7365-45-9 $C_8H_{18}N_2O_4S$ F. wt. 238.30	25 gm 100 gm 500 gm 1 Kg	530 1680 7350 13650
2110	**MES, (MONO)(2 (N-MORPHLINO) ETHANE SULFONIC ACID)** CAS 4432-31-9 $C_6H_{13}NO_4SH_2O$ F. wt. 213.2	25 gm 100 gm 1 Kg	1050 3780 25500
2219	**PIPES** (Piperazine-N,N-bis (2 Ethane Sulphonic Acid)CAS 5625-37-6 $C_8H_{18}N_2O_6S_2$ F. wt. 302.4	5 gm 25 gm	320 1000
487	**TRIS, 99%+Purity AR GRADE** (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 $C_4H_{11}NO_3$ F. wt. 121.14	100 gm 500 gm	1040 4580
488	**TRIS HYDROCHLORIDE, AR GRADE** CAS 1185-53-1 $C_4H_{11}NO_3.HCl$ F. wt. 157.6	100 gm 500 gm	1090 5240
	ADSORBING AGENT		
2903	**CHAROCAL ACTIVATED, AR GRADE** CAS 7740-44-0	500 gm	510
2115	**POLYVINYL PYRROLIDINE K-30 (PVP)** CAS 7740-44-0	100 gm 500 gm 25 Kg	660 2950 POR
	DISINFECTING AGENTS		
2632	**8-HYDROXYQUINOLINE, AR GRADE,** (Oxine) CAS 148-24-3 C_9H_7NO F. wt. 145.2	100 gm 500 gm	1070 4500
	OTHER ESSENTIAL INGREDIENTS		
3300	**ACETYLSALICYLIC ACID** (Aspirin)	500 gm	850
3509	**ADENOSINE** (9-β-Riboluranosylademine) * CAS 58-61-7 $C_{10}H_{13}N_5O_4$ F. wt. 267.25	5 gm 25 gm 100 gm	350 1350 5050
3063	**ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na_2)** CAS 16178-48-6 $C_{10}H_{13}N_5Na_2O_{10}P_2$ F. wt. 391.19	1 gm 5 gm	1525 6950
3066	**ALCIAN BLUE 8GX**	5 gm 25 gm	1890 8850

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3093	**5-BROMO-4-CHLORO-3-INDOLYL-β-D-GALCTOPYRANOSIDE (X-Gal)** CAS 7240-90-6 $C_{14}H_{14}BrClNO_6$ F. wt. 408.63	100 mg 500 mg 1 gm	1650 7835 15175
3095	**5-BROMO-4-CHLORO-3-INDOLYL-β-D-GLUCPYRANOSIDE (X-Glucoside)** CAS 15548-60-4 $C_{14}H_{15}BrClNO_6$ F. wt. 408.63	100 mg	5300
1614	**BROMO CRESOL PURPLE, AR GRADE** (pH 5.2-6.8, Yellow to Purple)	5 mg 25 gm 100 gm	300 1020 2880
1657	**BROMOTHYMOL BLUE** (pH 5.8-7.6, Yellow to Blue)	5 gm 25 gm 100 gm	350 1330 4215
3523	**CELLULASE** * CAS 9012-54-8 Activity 10,000 U/gm	1 gm	6360
827	**CHITIN [Poly** (N-acetyl-1,4-D-glucopyranosamine)]	100 gm 500 gm	3360 6725
4224	**CHITOSAN** CAS 9012-76-4 $(C_6H_{11}NO_4)n$ F. Wt. 309.54	25 gm 100 gm 1 Kg	960 3100 22200
310	**CITRIC ACID** (Mono), **AR GRADE** CAS 5949-29-1 $C_6H_{10}O_8$ F. wt. 210.14	500 gm 5 Kg	450 4260
1850	**DITHIOERY THREITOL (D.T.E.)** * (1,4 Dithioerythreitol) CAS 6892-68-8 $C_4H_{10}O_2S_2$ F. wt. 154.25	1 gm 5 gm	950 4590
1852	**DITHIOTHREITOL (DTT)** * **(DL-DITHIOTHREITOL)** CAS 3483-12-3 $C_4H_{10}O_2S_2$ F. wt. 154.25	1 gm 5 gm	580 2050
304	**ESCULINE** (Aesculin) CAS 531-75-9 $C_{15}H_{16}O_9$ F. wt. 340.29	5 gm 25 gm	1345 5950
597	**GLYCEROL** (Glycerine), **AR GRADE** CAS 56-81-5 $C_3H_8O_3$ F. wt. 92.09	500 ml 2.5 Ltr 5 Ltr	710 3060 5650
227	**GUANIDINE HYDROCHLORIDE, AR GRADE** CAS 50-01-1 CH_5N_3HCl F. wt. 95.53	25 gm 100 gm	305 660
3156	**ISOPROPYL-β-D-1-THIOGALACTOPYRANOSIDE (IPTG, DIOXAN FREE)** * CAS 367-93-1 $C_9H_{18}O_5S$ F. wt. 238.3	1 gm 5 gm 25 gm	400 1780 8070
3556	**MALEIC HYDRAZIDE** CAS 123-33-1 $C_4H_4N_2O_2$ F. wt. 112.09	100 gm	660
363	**(DL)-MALIC ACID** CAS 6915-15-7 $C_4H_6O_5$ F. wt. 134.09	500 gm 5 Kg	630 4940
4142	**MALT EXTRACT POWDER** Bacteriological Grade	500 gm	1070

Plant Tissue Culture Media Ingredients

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2651	**METHYLENE BLUE, AR GRADE**	25 gm 100 gm 1 kg	600 2045 18125
3564	**MTT Methylthiazolyldiphenyl Tetrazolium Bromide** CAS 298-93-1 $C_{18}H_{16}N_5SBr$ **F. wt. 414.3 (Store at 2°- 8 C)**	1 gm	4320
2153	**NITRO BLUE TETRAZOLIUM** (Nitro Tetrazolium Blue, NBT), **AR GRADE** CAS 298-83-9 $C_{40}H_{30}Cl_2N_{10}O_6$ **F. wt. 817.6**	100 mg 250 mg 1 gm	610 1100 3300
3184	**O-NITROPHENYL-b-D-GALACTOPYRANOSIDE** (ONPG) CAS 369-07-3 $C_{12}H_{15}NO_8$ **F. wt. 301.25 (Store at 2°- 8 C)**	500 mg 1 gm 5 gm	730 1370 5715
3518	**PEPTONE (BACTO GRADE)** CAS 73049-73-7	500 gm 5 Kg	1480 14170
2457	**PHLOROGLUCINOL, AR GRADE** CAS 108-73-6 $C_6H_6O_3$ **F. wt. 126.11**	25 gm 100 gm	1970 6950
908	**POLYETHYLENE GLYCOL 4000** (P.E.G. 4000) CAS 25322-68-3	500 gm	500
1013	**POLYETHYLENE GLYCOL 6000** (P.E.G. 6000) CAS 25322-68-3	500 gm	550
670	**POLYOXYETHYLENE SORBITAN MONOLAURATE** (Tween 20) CAS 9005-64-5 $C_{58}H_{113}O_{26}$ **F. wt. 1226.5**	500 ml	1160
511	**POTASSIUM HYDROXIDE PELLETS, AR GRADE**	500 gm 5 kg	530 3790
3258	**POTASSIUM SILICATE POWDER**	500 gm 50 Kg	495 POR
673	**POLYOXYETHYLENE SORBITAN MONOOLEATE** (Tween 80) CAS 9005-65-6 $C_{32}H_{60}O_{10}$ **F. wt. 604.8**	100 ml 500 ml	325 1050
648	**PROPYLENE GLYCOL** CAS 57-55-6 $C_3H_8O_2$ **F. wt. 76.09**	500 ml 5 ltr	1040 8320
680	**SALICYLIC ACID** (2-Hydroxybenzoic acid), **AR GRADE** CAS 69-72-7 $C_7H_6O_3$ **F. wt. 138.12**	500 gm	850

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
649	**SILVER NITRATE, AR GRADE** CAS 7761-88-8 $AgNO_3$ **F. wt. 169.87**	10 gm 25 gm	2760 5700
4247	**SILICON DIOXIDE** CAS-7631-86-9 SiO_2 **F. wt. 60.08**	100 gm	2100
542	**tri-SODIUM CITRATE** (Dihydrate), **AR GRADE** CAS 6132-04-3 $C_6H_5Na_3O_7.2H_2O$ **F. wt. 294.1**	500 gm 5 Kg	510 4690
658	**di-SODIUM HYDROGEN PHOSPHATE** (Dihydrate), **AR GRADE** CAS 10028-24-7 $Na_2HPO_4.2H_2O$ **F. wt. 159.97**	500 gm 5 Kg	810 7650
440	**SODIUM HYDROXIDE PELLETS, AR GRADE** CAS 1310-73-2 **NaOH F. wt. 39.99**	500 gm 5 Kg	310 2240
659	**SODIUM PYRUVATE, AR GRADE** CAS 113-24-6 $C_3H_3NaO_3$ **F. wt. 110.04**	100 gm 500 gm	1030 3050
663	**SODIUM THIOSULPHATE (ANH.), AR GRADE** CAS 7772-98-2 $Na_2S_2O_3$ **F. wt. 158.1**	500 gm	380
3436	**SPERMIDINE** [N-(3-Aminoopropyl)-1,4-diaminobutane] CAS 124-20-9 $C_7H_{19}N_3$ **F. wt.145.2 (Store at 2 - 8°C)**	1 gm 5 gm	2140 8930
1016	**SUCCINIC ACID, EXTRA PURE** CAS 110-15-6 $C_4H_6O_4$ **F. wt. 118.09**	500 gm 25 Kg	570 POR
2742	**TALCUM POWDER** (400 mesh) CAS 14807-96-6	500 gm	150
3226	**TALCUM POWDER** (700 mesh) CAS 14807-96-6	500 gm	180
821	**TETRAZOLIUM BLUE CHLORIDE, AR GRADE**	1 gm 5 gm	1425 6200
3514	**TRYPTONE (REGULAR GRADE)**	500 gm	1780
492	**UREA, AR GRADE** (Carbamide) CAS 57-13-6 CH_4N_2O **F. wt. 60.06**	500 gm 5 kg	660 6330
4204	**YEAST EXTRACT POWDER (Bacto Grade)**	500 gm	1450

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3525	**ACTINOMYCIN D** CAS 50-76-0 $C_{62}H_{86}N_3O_6S$ F. wt. 1255.42	1 mg 5 mg	1995 8995
2001	**AMIKACIN SULPHATE** CAS 39831-55-5 $C_{22}H_{43}N_5O_{13}.2H_2SO_4$ F. wt. 781.76	1 gm	2230
4002	**AMOXICLAV (Amoxicillin / Clavulanic Acid)** CAS 61336-70-7 $C_{16}H_{25}N_3O_8S$ F. wt. 419.45 CAS 58001-44-8 $C_8H_9NO_5$ F. wt. 199.16	1 gm	1830
2028	**AMOXYCILLIN** CAS 26787-78-0 $C_{16}H_{19}N_3O_5S$ F. wt. 365.4	1 gm	305
035	**AMPICILLIN / SULBACTAM** CAS 69388-84-7 CAS 69-52-3 $C_{16}H_{18}N_3NaO_4S$ F. wt. 371.42 $C_8H_{10}NNaO_5S$ F. wt. 255.22	1 gm	1470
2007	**AMPICILLIN SODIUM** CAS 69-52-3 $C_{16}H_{18}N_3O_4SNa$F. wt. 371.39	1 gm 10 gm 25 gm 100 gm	370 2945 7225 27445
3007	**AMPICILLIN** (Trihydrate) (Soluble in water) CAS 7177-48-2 $C_{16}H_{19}N_3O_4S.3H_2O$F. wt. 403.45	1 gm	390
3078	**AMPHOTERCIN B** CAS 1397-89-3 $C_{47}H_{73}NO_{17}$ F. wt. 924.10	1 gm 5 gm	1615 4000
4002	**AUGMENTIN** **(Amoxycillin : clavulanic acid potassium 5:1)**	1 gm	1830
4138	**AZITHROMYCIN SULPHATE** CAS 83905-01-5 $C_{38}H_{72}N_2O_{12}$ F. wt. 748.99	25 mg	11990
2008	**BACITRACIN (50,000 Units/vl)** CAS 1405-87-4 $C_{66}H_{103}N_{17}O_{16}S$ F. wt. 1422.69	1 vl	1075
2520	**BACITRACIN ZINC** CAS 1405-89-6 $C_{66}H_{101}N_{17}O_{16}SZn$ F. wt. 1486.07	1 gm	1825
4228	**CARBENDAZIM** CAS 10605-21-7 $C_9H_9N_3O_2$ F. Wt. 191.19	1 gm 5 gm 25 gm	3000 12315 19250
3314	**CARBENICILLIN DISODIUM** CAS 4800-94-6 $C_{17}H_{16}N_2O_6SNa$ F. wt. 422.36	1 gm	1330
2034	**CEFACLOR** CAS 53994-73-3 $C_{15}H_{14}ClN_3O_4S$ F. wt. 367.81	1 gm	1470
2929	**CEFADROXIL** CAS 50370-12-2 $C_{16}H_{17}N_3O_5S$ F. wt. 363.39	1 gm	4050

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2015	**CEFAZOLIN SODIUM** CAS 27164-46-1 $C_{14}H_{13}NaO_4S_3$ F. wt. 477.49	1 gm	2555
4003	**CEFIXIME** CAS 79350-37-1 $C_{16}H_{15}N_5O_7S_2$ F. wt. 453.452	1 gm	1170
2016	**CEFOTAXIME SODIUM** CAS 64485-93-4 $C_{16}H_{16}N_5NaO_7S_2$ F. wt. 477.45	1 gm 5 gm	1275 5390
3633	**CEFOPERAZONE** CAS 62893-19-0 $C_{25}H_{27}N_9O_8S_2$ F. wt. 645.68	5 gm	7775
3636	**CEFOXITIN** CAS 35607-66-0 $C_{16}H_{17}N_3O_7S_2$ F. wt. 427.45	100 mg	6945
3634	**CEFSULODIN SODIUM SALT** CAS 52152-93-9 $C_{22}H_{19}NaO_8S_2$ F. wt. 554.52	1 gm	7775
2010	**CEFTAZIDIME** (Penta) CAS 72558-82-8 $C_{22}H_{22}N_6O_7S_2$ F. wt. 546.58	1 gm	1590
2011	**CEFTRIAXONE SODIUM** CAS 104376-79-6 $C_{18}H_{16}N_8Na_2O_7S_3.½H_2O$ F. wt. 598.54	1 gm	19990
3632	**CEFUROXIME** CAS 55268-75-2 $C_{16}H_{16}N_4O_8S$ F. wt. 424.38	1 gm	1500
2012	**CEPHALEXIN** (MONO) CAS 23325-78-2 $C_{16}H_{19}N_3O_5S$ F. wt. 365.4	1 gm	1945
3119	**CEPHALOTHIN SODIUM** CAS 58-71-9 $C_{16}H_{15}N_2O_6S_2Na$ F. wt. 418.41	500 mg	2775
3120	**CEPHALORIDINE** CAS 50-59-9 $C_{19}H_{17}N_3O_4S_2$ F. wt. 415.48	500 mg	1330
2017	**CHLORAMPHENICOL** CAS 56-75-7 $C_{11}H_{12}Cl_2N_2O_5$ F. wt. 323.13	5 gm 25 gm	1000 4865
2019	**CIPROFLOXACIN HCl** CAS 86393-32-0 $C_{17}H_{18}FN_3O_3HClH_2O$F. wt. 385.82	1 gm	600
4180	**CLARITHROMYCIN** CAS 81103-11-9 $C_{38}H_{69}NO_{13}$ F. wt. 474.96	100 mg 500 mg	6230 11100
4004	**CLINDAMYCIN HCL** CAS 18323-44-9 $C_{18}H_{33}ClN_2O_5S.HCl$ F. wt. 424.98 g/mole	5 gm	4170
4005	**CLOXACILLIN** CAS 61-72-3 $C_{19}H_{18}ClN_3O_5S$ F. wt. 435.88	1 gm	1615

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2020	**COLISTIN SULPHATE SODIUM (2,50,000 Units/vl)** CAS 8068-28-8 $C_{58}H_{10}SN_{16}O_{28}S_5Na_5$ F. wt. 1351.59	1 vl	5945
573	**CYCLOHEXIMIDE** (Actidione), **AR GRADE** CAS 66-81-9 $C_{15}H_{23}NO_4$ F. wt. 281.36	1 gm 5 gm	2200 9350
4207	**D-CYCLOSERINE** CAS 68-41-7 $C_3H_6N_2O_2$ F. wt. 102.09	1 gm	3315
4208	**DICAMBA** CAS 1918-00-9 $C_8H_6Cl_2O_3$ F. wt. 221.04	100 mg 1 gm	6050 54500
3539	**DOXYCYCLINE HCl** CAS 10592-13-9 $C_{22}H_{24}N_2O_8HCl$ F. wt. 480.89	1 gm	550
2023	**ERYTHROMYCIN** CAS 114-07-8 $C_{37}H_{67}N_{13}$ F. wt. 694.00	1 gm	425
2024	**ETHAMBUTOL Di-HCl** CAS 1070-11-7 $C_{10}H_{24}N_2O_2$ 2HCl F. wt. 277.23	1 gm	2325
4006	**FLUCONAZOLE** CAS 86386-73-4 $C_{13}H_{12}F_2N_6O$ F. wt. 306.2708	5 gm	4170
3341	**G-418-DISULPHATE (Geneticin Sulphate)** CAS 108321-42-2 $C_{20}H_{40}N_4O_{10}$ F. wt. 692.70	500 mg 1 gm	3890 7755
2025	**GENTAMYCIN SULPHATE** CAS 1405-41-0 $C_{21}H_{43}N_5O_7H_2SO_4$ F. wt. 575.67	1 gm 5 gm	825 3745
3357	**HYGROMYCIN B** CAS 31282-04-9 $C_{20}H_{37}N_3O_{13}$ F. wt. 527.60	100 mg 1 gm	4000 28315
2948	**ISONIAZIDE 99%** CAS 54-85-3 $C_6H_7N_3O$ F. wt. 137.14	5 gm	275
2035	**KANAMYCIN SULPHATE** CAS 25389-94-0 $C_{18}H_{36}N_{16}N_4O_{11}.H_2SO_4$ F. wt. 582.58	1 gm 5 gm	790 2775
2026	**LINCOMYCIN HCl** (Mono) **(10,00000 Unit/vl)** CAS 7179-49-9 $C_{18}H_{37}ClN_2O_7S$ F. wt. 461.01 (Store at 2° - 8 C)	1 vl	1530
4168	**LOMEFLOXACIN HCL** CAS 98079-52-8 $C_{17}H_{20}ClF_2N_3O_3$ F. wt. 387.81	1 gm	5225
4176	**MEROPENEM** CAS 96036-03-2 $C_{17}H_{25}N_3O_5S$ F. wt. 387.81	10 mg	5415
4209	**METRONIDAZOLE** CAS 443-48-1 $C_6H_9N_3O_3$ F. wt. 171.2	1 gm	7190

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4210	**MINOCYCLINE HCL** CAS 10118-90-8 $C_{23}H_{27}N_3O_7$ F. wt. 457.47	100 mg 1 gm	5925 30940
3637	**MOXALACTAM** CAS 64952-97-2 $C_{20}H_{20}N_6O_9S$ F. wt. 520.47	500 mg	15000
2463	**MYCOSTATINE** (Nystatin) 10,00,000 unit/vl CAS 1400-61-9 $C_{47}H_{75}NO_{17}$ F. wt. 926.09	1 vl	695
1713	**NALIDIXIC ACID** CAS 389-08-2 $C_{12}H_{12}N_2O_3$ F. wt. 232.24	1 gm 5 gm	365 1520
3528	**NATAMYCIN (Pimaricin)** CAS 7681-93-8 $C_{33}H_{47}NO_{13}$ F. wt. 665.73 **CAS 7681-93-8**	1 gm 5 gm	725 2830
2003	**NEOMYCIN SULPHATE** CAS 1405-10-3 $C_{23}H_{52}N_6O_{25}S_3$ F. wt. 908.88	5 gm	295
3384	**NETILMICIN SULPHATE** CAS 56391-57-2 $C_{42}H_{92}N_{10}O_{34}S_5$ F. wt. 1441.55	100 mg	18325
3590	**NISIN** CAS 1414-45-5 $C_{143}H_{230}O_{37}N_{42}S_7$ F. wt. 3354.07	1 gm 5 gm 25 gm	1330 4670 17775
2962	**NORFLOXACIN** CAS 70458-96-7 $C_{16}H_{18}FN_3O_3$ F. wt. 319.33	1 gm	945
3529	**NOVOBIOCIN SODIUM** CAS 1476-53-5 $C_{31}H_{35}N_2NaO_{11}$ F. wt. 634.62	1 gm	5190
063	**OFLOXACIN** CAS 82419-36-1 $C_{18}H_{20}FN_3O_4$ F. wt. 361.41	500 mg 5 gm	390 2390
3390	**OXACILLIN SODIUM** CAS 1173-88-2 $C_{19}H_{18}N_3NaO_5S$ F. wt. 423.42	5 gm	2770
2004	**OXYTETRACYCLINE HCl** CAS 2058-46-0$C_{22}H_{24}N_2O_9$.HCl F. wt. 496.9 (Store at 2° 8 C)	1 gm	525
4229	**PAROMOMYCIN SULPHATE** CAS 1263-89-4 $C_{23}H_{47}N_5O_{18}S$ F. Wt. 713.71	1 gm 5 gm	4250 19375
3393	**PENICILLIN BENZYL SODIUM (Pencillin-G)** CAS 69-57-8 $C_{16}H_{17}N_2NaO_4S$(1MU/vl) F. wt. 356.35	1 vl	375
3572	**PENICILLIN V POTASSIUM** CAS 132-98-9 $C_{16}H_{17}N_2O_5SK$ F. wt. 388.48	1 vl	390

Pure Antibiotic Powder

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3397	**PHOSPHOMYCIN SODIUM** CAS 26016-99-9 $C_3H_5O_4PNa_2$ F. wt. 182.02	1 gm 5 gm	1675 4845
3398	**PIPERACILLIN SODIUM** CAS 59703-84-3 $C_{23}H_{26}N_5NaO_7S$ F. wt. 539.54	1 gm 5 gm	2925 12115
2005	**POLYMYXIN B. SULPHATE** **(I million units/vl)** CAS 1405-20-5 $C_{55}H_{96}N_{16}O_{13}.2H_2SO_4$	1 vl 5 vl	695 3090
3203	**PYRAZINAMIDE** CAS 98-96-4 $C_5H_5N_3O$	5 gm	2215
2200	**RIFAMPICIN** CAS 13292-46-1 $C_{43}H_{58}N_4O_{12}$	1 gm	675
068	**SPARFLOXACIN** CAS 110871-86-8 $C_{19}H_{22}F_2N_4O_3$ F. wt. 392.40	1 mg	390
3435	**SPECTINOMYCIN HYDROCHLORIDE** CAS 22189-32-8 $C_{14}H_{24}N_2O_7.2HCl.5H_2O$ F. wt. 495.3	1 gm	1415
2030	**STREPTOMYCIN SULPHATE** CAS 3810-74-0 $C_{21}H_{39}O_{12}O_7.(H_2SO_4)_3$	5 gm 25 gm	830 3275
2033	**SULPHADIAZINE** CAS 68-35-9 $C_{10}H_{10}N_4O_2S$	5 gm	115
3244	**SULPHACETAMIDE SODIUM** CAS 127-56-0 $C_8H_9N_2NaO_3S.aq$	5 gm	3275

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3439	**SULPHAMETHOXAZOLE** CAS 723-46-6 $C_{10}H_{11}N_3O_3S$	5 gm 25 gm	295 1090
3443	**SULPHAMETHAZIDE** CAS 57-68-1 $C_{12}H_{14}N_4O_2S$ F. wt. 278.33	25 gm	770
070	**TETRACYCLINE** CAS 60-54-8 $C_{22}H_{24}N_2O_8$ F. wt. 444.43	5 gm	715
478	**THIOMERSAL, EXTRA PURE** CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	20000 75000
3441	**TICARCILLIN SODIUM** CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	1gm 5 gm 25 gm	2500 11170 44670
071	**TICARCILLIN / CLAVULANIC ACID** CAS 4697-14-7 $C_{15}H_{14}N_2Na_2O_6S_2$ F. wt. 428.39	500 mg	830
072	**TOBRAMYCIN SULPHATE** CAS 49842-07-1 $C_{18}H_{37}N_5O_9$ F. wt. 567.51	100 mg	1170
2031	**TRIMETHOPRIM** CAS 738-70-5 $C_{14}H_{18}N_4O_3$ F. wt. 290.32	5 gm	690
4211	**VALIDAMYCINE** CAS 37248-47-8 $C_{20}H_{35}NO_{13}$ F. wt. 497.49	1 gm	7315
2032	**VANCOMYCIN HYDROCHLORIDE** CAS 1404-93-9 $C_{66}H_{75}Cl_2N_9O_{24}.HCl$ F. wt. 1485.72	500 mg	3945

+91-9999-1687-70

marketing@titanbiotechltd.com

www.tmmedia.in



Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 001	**ACES** (N-[2-Acetamido]-2-Aminoethane -Sulfonic Acid) CAS 7365-82-4 $C_4H_{10}N_2O_4S$ **F. Wt. 182.20** **Assay : ≥99%**	**5 gm** **25 gm** **100 gm**	**710** **2620** **9360**
TMB 002	**ACETAMIDE** (Amide C) CAS 60-35-5 C_5H_5NO **F. Wt. 59.07** **Assay : ≥99%**	**100 gm**	**880**
TMB 003	**ACRYLAMIDE** CAS 79-06-1 C_3H_5NO **F. Wt. 71.08** **Assay : ≥99%**	**25 gm** **100 gm** **500 gm** **1 Kg**	**370** **1020** **4325** **7595**
TMB 004	**ADENOSINE DIPHOSPHATE DISODIUM SALT** (Dihydrate) CAS 16178-48-6 $C_{10}H_{13}N_5Na_2O_{10}P_2.H_2O$ **F. Wt. 507.2** **Assay : ≥95% Store below 2-8° C**	**1 gm** **5 gm**	**1380** **6745**
TMB 090	**AGAR AGAR** CAS 9002-18-0	**100 gm** **500 gm** **1 kg**	**2470** **4620** **8110**
TMB 005	**AGAROSE** DNA Grade, Low Melting Point CAS 9012-36-6	**10 gm** **100 gm**	**5495** **49300**
TMB 006	**AGAROSE, LOW EEO** (Nuclease and Protease Free) CAS 9012-36-6	**10 gm** **100 gm** **500 gm** **1 Kg**	**425** **3570** **17125** **30835**
TMB 007	**ALCIAN BLUE 8GX** CAS 33864-99-2 $C_{56}H_{68}Cl_4CuN_{16}S_4$ **F. Wt. 1298.86**	**25 gm** **50 gm**	**12665** **24005**
TMB 121	**ALUMINIUM AMMONIUM SULPHATE** CAS 7784-25-0 $AlNH_4(SO_4)2{\cdot}12H_2O$ **F. Wt. 453.32** **Assay : ≥99.5%**	**500 gm**	**815**
TMB 008	**AMMONIUM ACETATE** CAS 631-61-8 $C_2H_7NO_2$ **F. Wt. 77.08** **Assay : ≥98%**	**100 gm** **500 gm**	**305** **860**
TMB 009	**AMMONIUM CHLORIDE** CAS 12125-02-9 NH_4Cl **F. Wt. 53.49** **Assay : ≥99.5%**	**500 gm**	**860**
TMB 010	**DI-AMMONIUM HYDROGEN CITRATE** CAS 3012-65-5 $C_6H_{14}N_2O_7$ **F. Wt. 226.18** **Assay: ≥99%**	**500 gm**	**5455**
TMB 011	**AMMONIUM MOLYBDATE** (Tetra) CAS 12054-85-2 $(Nh_4)_6Mo_7O_{24}.4H_2O$ **F. Wt. 1235.86** **Assay: ≥99%**	**100 gm** **500 gm**	**2340** **10505**
TMB 012	**AMMONIUM PERSULPHATE** CAS 7727-54-0 $(NH_4)_2S_2O_8$ **F. Wt. 228.2** **Assay : ≥98%**	**25 gm** **100 gm** **500 gm**	**240** **595** **1930**
TMB 013	**AMMONIUM PHOSPHATE DIBASIC** CAS 7783-28-0 $(NH_4)_2HPO_4$ **F. Wt. 132.06** **Assay : ≥98%**	**500 gm**	**720**
TMB 014	**AMMONIUM PHOSPHATE MONOBASIC** CAS 7722-76-1 $NH_4H_2PO_4$ **F. Wt. 115.03** **Assay:** ≥99%	**500 gm**	**475**
TMB 015	**AMMONIUM SULPHATE** CAS 7783-20-2 $(NH_4)_2SO_4$ **F. Wt. 132.14** **Assay: ≥99%**	**250 gm** **500 gm**	**715** **1395**
TMB 016	**BES-BUFFER** CAS 10191-18-1 $C_6H_{15}NO_5S$ **F. Wt. 213.25** **Assay : ≥99.5%**	**25 gm** **100 gm**	**1110** **4135**
TMB 017	**BICINE** CAS 150-25-4 $C_6H_{13}NO_4$ **F. Wt. 163.17** **Assay : ≥99%**	**25 gm** **100 gm** **500 gm**	**935** **3045** **13460**
TMB 018	**BIS-TRIS** (Bis[2-hydroxyethyl) Amino-Trishydroxymethyl])Methane) CAS 6976-37-0 $C_8H_{19}NO_5$ **F. Wt. 209.24** **Assay : ≥98%**	**25 gm** **100 gm**	**1690** **5895**
TMB 019	**BISACRYLAMIDE** [(N-N'-Methylene-Bis(Acrylamide)] CAS 110-26-9 $C_7H_{10}N_2O_2$ **F. Wt. 154.17** **Assay : ≥99%**	**25 gm** **100 gm** **250 gm** **500 gm**	**575** **1800** **4435** **8505**
TMB 091	**BORAX POWDER,** (Deca) (Sodium Tetraborate) CAS 1303-96-4 $Na_2B_4O_7.10H_2O$ **F. Wt. 381.37** **Assay : ≥99.5%**	**500 gm**	**715**
TMB 092	**BORIC ACID** CAS 10043-35-3 H_3BO_3 **F. Wt. 61.83** **Assay : ≥99.5%**	**500 gm** **1 Kg**	**970** **1800**
TMB 020	**BOVINE SERUM ALBUMIN** CAS 9048-46-8 **Assay : ≥98% Protein** **Store Below 2-8° C**	**5 gm** **25 gm** **100 gm** **500 gm**	**790** **3265** **10800** **52460**
TMB 021	**BRILLIANT BLUE R-250** (Coomassie Brilliant Blue R-250) CAS 6104-59-2 C.I. No. 42660 $C_{45}H_{44}N_3NaO_7S_2$ **F. Wt. 825.97**	**5 gm** **25 gm** **100 gm**	**1740** **2745** **10755**

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 022	**CAPS** (3-[Cyclohexylamino]-1-Propanesulphonic Acid) CAS 1135-40-6 $C_9H_{19}NO_3S$ **F. Wt. 221.32** **Assay : ≥99%**	25 gm 100 gm 250 gm 1 Kg	1220 4555 9560 33435
TMB 023	**CHAPS** CAS 75621-03-3 $C_{32}H_{58}N_2O_7S$ **F. Wt. 614.88** **Assay : ≥98%**	1 gm 5 gm 10 gm	1415 6315 10690
TMB 024	**CALCIUM CHLORIDE** (Dihydrate) CAS 10035-04-8 $CaCl_2.2H_2O$ **F. Wt. 147.01** **Assay : ≥99%**	100 gm 500 gm	305 1405
TMB 025	**CITRIC ACID** (ANH.) CAS 77-92-9 $C_6H_8O_7$ **F. Wt. 192.12** **Assay : ≥99.5%**	500 gm	2730
TMB 093	**CITRIC ACID,** (Mono) CAS 5949-29-1 $C_6H_8O_7.H_2O$ **F. Wt. 210.14** **Assay : ≥99.5%**	500 gm	1870
TMB 026	**CITRIC ACID TRISODIUM SALT** (Dihydrate) CAS 6132-04-3 $C_6H_5O_7Na_3.2H_2O$ **F. Wt. 294.1** **Assay : ≥99%**	500 gm	1190
TMB 027	**COOMASSIE BRILLIANT BLUE G 250** CAS 6104-58-1 C.I. 42655 $C_{47}H_{48}N_3NaO_7S_2$ **F. Wt. 854.02**	5 gm 25 gm	615 2285
TMB 028	**COPPER (II) SULPHATE** (Penta) CAS 7758-99-8 $CuSO_4.5H_2O$ **F. Wt. 249.69** **Assay:** ≥99.5%	100 gm 500 gm	200 745
TMB 029	**CTAB** (N-Cetyl-N,N,N-Trimethylammonium Bromide) CAS 57-09-0 $CH_{19}BrN_{42}$ **F. Wt. 364.45** **Assay : ≥99%**	100 gm 500 gm	555 2615
TMB 030	**DL-DTT** (DL-Dithiothreitol) CAS 3483-12-3 $C_4H_{10}O_2S_2$ **F. Wt. 154.25** **Assay:** ≥99% **Store Below 2-8° C**	5 gm 25 gm	2395 11225
TMB 031	**1,4-Dithioerythritol** (DTE) CAS 6892-68-8 $C_4H_{10}O_2S_2$ **F. Wt. 154.25** **Assay:** ≥99% **Store Below 2-8° C**	1 gm 5 gm	1255 6140
TMB 032	**EDTA SODIUM SALT** (Dihydrate) (Ethylenediaminetetraacetic Acid Disodium Salt Dehydrate) CAS 6381-92-6 $C_{10}H_{14}N_2Na_2O_8.2H_2O$ **F. Wt. 372.24** **Assay:** ≥99%	500 gm 1 Kg	1695 2920

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 033	**ETHIDIUM BROMIDE** CAS 1239-45-8 $C_{21}H_{20}BrN_3$ **F. Wt. 394.31** **Assay:** ≥95%	1 gm 5 gm	665 2910
TMB 094	**D-FRUCTOSE,** (Levulose) CAS 57-48-7 $C_6H_{12}O_6$ **F. Wt. 180.16** **Assay : ≥99%**	100 gm 500 gm 1 Kg	270 1210 2180
TMB 095	**D-GALACTOSE** CAS 59-23-4 $C_6H_{12}O_4$ **F. Wt. 180.16** **Assay : ≥99%**	100 gm 500 gm 1 Kg	1980 9470 18615
TMB 034	**D(+)-GLUCOSE** (ANH.) CAS 50-99-7 $C_6H_{12}O_6$ **F. Wt. 180.16** **Assay:** ≥99.5%	100 gm 500 gm	1595 7730
TMB 035	**L-GLUTATHIONE REDUCED** CAS 70-18-8 $C_{10}H_{17}N_3O_6S$ **F. Wt. 307.32** **Assay:** ≥98% **Store Below 2-8° C**	1 gm 5 gm 25 gm 100 gm	735 2130 7980 18525
TMB 036	**GLYCINE** CAS 56-40-6 $C_2H_5NO_2$ **F. Wt. 75.07** **Assay : ≥99%**	100 gm 500 gm 1 Kg 5 Kg	435 1405 2595 12415
TMB 037	**GUANIDINE HYDROCHLORIDE** CAS 50-01-1 $CH_5N_3.HCl$ **F. Wt. 95.53** **Assay : ≥99%**	25 gm 100 gm 500 gm	1910 6685 30060
TMB 038	**GUANINE** CAS 73-40-5 $C_5H_5N_5O$ **F. Wt. 151.13**$_{555o}$ **Assay : ≥98% Store Below 2-8° C**	50 gm	2380
TMB 039	**HEPES** [N-(2-Hydroxyethyl) Piperazine-N'-(2-Ethanesulphonic Acid] CAS 7365-45-9 $C_8H_{18}N_2O_4S$ **F. Wt. 238.3** **Assay : ≥99%**	25 gm 100 gm 500 gm	830 2285 8315
TMB 040	**HEPES SODIUM SALT** CAS 75277-39-3 $C_8H_{17}N_2NaO_4S$ **F. Wt. 260.29** **Assay : ≥99% Store Below 30° C**	25 gm 100 gm 500 gm	1565 3740 12475
TMB 041	**ISOPROPYL-β-D-THIOGALACTOPYRANOSIDE** CAS 367-93-1 $C_9H_{18}O_5S$ **F. Wt. 238.30** **Assay : ≥99% Store Below 2-8° C**	1 gm 5 gm 10 gm 25 gm	425 1930 3705 8575
TMB 042	**LACTOSE** (Monohydrate) CAS 64044-51-5 $C_{12}H_{22}O_{11}.H_2O$ **F. Wt. 360.31** **Assay : ≥99.5%**	500 gm 5 Kg	720 5520

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 043	**LAURYL SULPHATE SODIUM SALT** (Dodecyl Sulphate Sodium Salt, SDS) CAS 151-21-3 $C_{12}H_{25}NaO_4S$ **F. Wt. 288.38**$_{12254}$ **Assay : ≥99%**	**25 gm** **100 gm** **500 gm** **1 Kg**	**585** **1800** **5950** **11285**
TMB 096	**LITHIUM CHLORIDE,** (ANH.) CAS 7447-41-8 **LiCl F. Wt. 42.39** **Assay : ≥99%**	**100 gm** **500 gm**	**1475** **7215**
TMB 044	**MAGNESIUM ACETATE** (Tetra) CAS 16674-78-5 $C_4H_6MgO_4.4H_2O$ **F. Wt. 214.45** **Assay : ≥99%**	**100 gm**	**575**
TMB 045	**MAGNESIUM CHLORIDE** (Hexa) CAS 7791-18-6 $MgCl_2.6H_2O$ **F. Wt. 203.30** **Assay : ≥99.5%**	**100 gm** **500 gm**	**855** **3955**
TMB 046	**MAGNESIUM SULPHATE** (Hexa) CAS 10034-99-8 $MgSO_4.7H_2O$ **F. Wt. 246.47** **Assay : ≥99.5%**	**500 gm**	**1445**
TMB 047	**DL-MALIC ACID** CAS 6915-15-7 $C_4H_6O_5$ **F. Wt. 134.09** **Assay : ≥99%**	**500 gm**	**785**
TMB 048	**D-(+)-MALTOSE** (Mono) CAS 6363-53-7 $C_{12}H_{22}O_{11}H_2O$ **F. Wt. 360.31** **Assay : ≥95%**	**100 gm** **500 gm**	**240** **1135**
TMB 049	**MANGANESE (II) CHLORIDE** (Tetra) CAS 13446-34-9 $MnCl_2.4H_2O$ **F. Wt. 197.91** **Assay : ≥98%**	**100 gm** **500 gm**	**215** **780**
TMB 050	**D-MANNITOL** CAS 69-65-8 $C_6H_{14}O_6$ **F. Wt. 182.17** **Assay : ≥99%**	**500 gm** **1 Kg**	**1425** **2570**
TMB 051	**2-MERCAPTOETHANOL** CAS 60-24-2 C_2H_6OS **F. Wt. 78.13** **Assay : ≥98%**	**100 ml** **500 ml**	**760** **2455**
TMB 052	**MES** (Monohydrate) [2-(N-Morpholino) Ethanesulphonic Acid Monohydrate] CAS 145224-94-8 $C_6H_{13}NO_4S.H_2O$ **F. Wt. 213.25**$_{61342}$ **Assay : ≥90%**	**25 gm** **100 gm**	**1455** **3850**
TMB 053	**MOPS** (3-(N-Morpholino) Propanesulphonic Acid) CAS 1132-61-2 $C_7H_{15}NO_4S$ **F. Wt. 209.26** **Assay : ≥99.5%**	**25 gm** **100 gm** **500 gm**	**1165** **4305** **19380**
TMB 054	**MOPSO BUFFER** CAS 68399-77-9 $C_7H_{15}NO_5S$ **F. Wt. 225.26** **Assay : ≥99%**	**25 gm**	**1885**
TMB 055	**MTT** 3-(4,5-Dimethyl-2-Thiazolyl)-2,5 Diphenyl -2H-Tetrazolium Bromide); Thiazolyl Blue CAS 298-93-1 $C_{18}H_{16}BrN_5S$ **F. Wt. 414.32** **Assay : ≥98% Store Below 2-8° C**	**100 mg** **500 mg** **1 gm**	**715** **3145** **5645**
TMB 056	**NITROBLUE TETRAZOLIUM CHLORIDE** (NBT) CAS 298-83-9 $C_{40}H_{30}N_{10}O_6Cl_2$ **F. Wt. 817.64** **Assay : ≥98% Store Below 2-8° C**	**100 mg** **250 mg** **1 gm**	**870** **1525** **4790**
TMB 057	**p-NITROPHENYL PHOSPHATE DISODIUM** (Hexa) CAS 333338-18-4 $C_6H_4NNa_2O$ **P.6H**$_2$**O F. Wt. 371.14** **Assay : ≥98% Store Below 2-8° C**	**5 gm** **25 gm**	**745** **3595**
TMB 058	**PHENOL, CRYSTALS** (Hydroxybenzene) CAS 108-95-2 C_6H_6O **F. Wt. 94.11** **Assay : ≥99% Store Below 2-8° C**	**100 gm** **500 gm**	**455** **1715**
TMB 059	**PIPES** (Piperazine-N,N'-Bis (2-Ethanesulphonic Acid) CAS 5625-37-6 $C_8H_{18}N_2O_6S_2$ **F. Wt. 302.37** **Assay : ≥99.5%**	**100 gm** **500 gm**	**3435** **12375**
TMB 060	**POTASSIUM ACETATE** CAS 127-08-2 $C_2H_3KO_2$ **F. Wt. 98.14** **Assay : ≥99%**	**100 gm** **500 gm**	**760** **1635**
TMB 061	**POTASSIUM CHLORIDE** CAS 7447-40-7 **KCl F. Wt. 74.55** **Assay : ≥99%**	**500 gm**	**890**
TMB 097	**POTASSIUM IODIDE** CAS 7681-11-0 **KI F. Wt. 166.00** **Assay : ≥99.5%**	**100 gm** **250 gm**	**3125** **6870**
TMB 062	**POTASSIUM NITRATE** CAS 7757-79-1 KNO_3 **F. Wt. 101.1** **Assay : ≥99%**	**500 gm**	**735**
TMB 063	**POTASSIUM PHOSPHATE DIBASIC** (ANH.) CAS 7758-11-4 K_2HPO_4 **F. Wt. 174.18** **Assay : ≥99%**	**100 gm** **500 gm**	**325** **1215**
TMB 064	**POTASSIUM PHOSPHATE MONOBASIC** (ANH.) CAS 7778-77-0 KH_2PO_4 **F. Wt. 136.09** **Assay : ≥99%**	**100 gm** **500 gm**	**1100** **5140**
TMB 065	**SILVER NITRATE** CAS 7761-88-8 $AgNO_3$ **F. Wt. 169.87** **Assay : ≥99%**	**10 gm** **25 gm** **100 gm**	**3995** **8780** **30730**
TMB 066	**SODIUM ACETATE** (Trihydrate) CAS 6131-90-4 $C_2H_3O_2Na.3H_2O$ **F. Wt. 136.08** **Assay : ≥99%**	**500 gm**	**1080**

Molecular Biology Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TMB 067	**SODIUM BICARBONATE** CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01** **Assay : ≥99.7%**	100 gm 500 gm	325 1325
TMB 068	**SODIUM CARBONATE** (ANH.) (Soda Ash) CAS 497-19-8 **Na_2CO_3 F. Wt. 105.99** **Assay : ≥99.9%**	100 gm 500 gm 1 Kg	2465 4685 9005
TMB 069	**SODIUM CHLORIDE** CAS 7647-14-5 **NaCl F. Wt. 58.44** **Assay : ≥99.5%**	500 gm 1 Kg 5 Kg	655 1190 5505
TMB 070	**SODIUM HYDROXIDE PELLETS** CAS 1310-73-2 **NaOH F. Wt. 40.00** **Assay : ≥98%**	100 gm 500 gm 5 Kg	240 600 5345
TMB 071	**SODIUM PHOSPHATE DIBASIC** (Dihydrate) CAS 10028-24-7 **$Na_2HPO_4 .2H_2O$ F. Wt. 177.99** **Assay : ≥99%**	500 gm 5 Kg	1265 12175
TMB 072	**SODIUM PHOSPHATE MONOBASIC** (ANH.) CAS 7558-80-7 **NaH_2PO_4 F. Wt. 119.98** **Assay : ≥98%**	500 gm	2080
TMB 073	**SODIUM SULPHATE** (ANH.) CAS 7757-82-6 **Na_2SO_4 F. Wt. 142.04** **Assay : ≥99%**	1 Kg	665
TMB 074	**SUCROSE** CAS 57-50-1 **$C_{12}H_{22}O_{11}$ F. Wt. 342.3** **Assay : ≥99.5%**	500 gm 5 Kg	595 4475
TMB 075	**TEMED** (N,N,N',N'-Tetramethylenediamine) CAS 110-18-9 **$C_6H_{16}N_2$ F. Wt. 116.20** **Assay : ≥99% Store Below 2-8° C**	100 ml	1100
TMB 076	**TES** (N-[Tris(Hydroxymethyl)Methyl]-2-Aminoethanesulphonic Acid) CAS 7365-44-8 **$C_6H_{15}NO_6S$ F. Wt. 229.25** **Assay : ≥99%**	100 gm	6180
TMB 077	**TRICINE** CAS 5704-04-1 **$C_6H_{13}NO_5$ F. Wt. 179.17** **Assay : ≥99%**	100 gm	4735
TMB 078	**2,3,5-TRIPHENYLTETRAZOLIUM CHLORIDE** CAS 298-96-4 **$C_{19}H_{15}N_4Cl$ F. Wt. 334.8** **Assay : ≥99%**	10 gm 25 gm	2190 5305
TMB 079	**TRIS, FREE BASE** (Tris-[Hydroxymethyl] Aminomethane) CAS 77-86-1 **$C_4H_{11}NO_3$ F. Wt. 121.14** **Assay : ≥99%**	100 gm 500 gm 1 Kg 5 Kg	870 4110 7775 34530
TMB 080	**TRIS HYDROCHLORIDE** CAS 1185-53-1 **$C_4H_{11}NO_3.HCl$ F. Wt. 157.6** **Assay : ≥99%**	100 gm 500 gm 1 Kg	1355 5940 9710
TMB 081	**TRIS (HYDROXYMETHYL) AMINOMETHANE ACETATE** CAS 6850-28-8 **$C_6H_{15}NO_5$ F. Wt. 181.19** **Assay : ≥99%**	25 gm 100 gm	1795 6265
TMB 082	**TWEEN 20** CAS 9005-64-5 **$C_{58}H_{113}O_{26}$ F. Wt. 1226.5**	100 ml	4280
TMB 083	**TWEEN 80** CAS 9005-65-6 **$C_{32}H_{60}O_{10}$ F. Wt. 604.8**	100 ml	4280
TMB 084	**UREA** CAS 57-13-6 **CH_4N_2O F. Wt. 60.06** **Assay : ≥99.5%**	500 gm 1 Kg 5 Kg	940 1685 7810
TMB 085	**X-GAL** (5-Bromo-4-Chloro-3-Indolyl-β-D-Galactopyranoside) CAS 7240-90-6 **$C_{14}H_{15}BrClN_2O_6$ F. Wt. 408.63** **Assay : ≥98% Store Below 2-8° C**	100 mg 500 mg 1 gm	1030 4475 7790
TMB 086	**X-GLUCURONO CHA SALT** (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Cyclohexylammonium Salt) CAS 114162-64-0 **$C_{20}H_{26}BrClN_2O_7$ F. Wt. 521.79** **Assay : ≥98% Store Below 2-8° C**	100 mg 500 mg 1 gm	6060 19205 26410
TMB 087	**X-GLUCURONO SODIUM SALT** (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucuronide Sodium) CAS 129541-41-9 **$C_{14}H_{12}BrClNNaO_7$ F. Wt. 444.59** **Assay : ≥98% Store Below 2-8° C**	100 mg 500 mg 1 gm	8925 21485 39120
TMB 088	**X-GLUCOSIDE** (5-Bromo-4-Chloro-3-Indolyl-β-D-Glucopyranoside) CAS 15548-60-4 **$C_{14}H_{15}BrClNO_6$ F. Wt. 408.63** **Assay : ≥97% Store Below 2-8° C**	1 mg 5 gm 10 mg	1925 9005 16810
TMB 089	**ZINC SULPHATE** (Hepta) CAS 7446-20-0 **$ZnSO_4 .7H_2O$ F. Wt. 287.56** **Assay : ≥99.5%**	500 gm	620

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3051	**ABSCISIC ACID (ABA, DORMIVE)** CAS 21293-29-8 $C_{15}H_{20}O_4$ F. wt. 264.3 *	100 mg 500 mg 1 gm	4000 18900 33300
3051A	**ABSCISIC ACID (ABA) 10%** CAS 21293-29-8 $C_{15}H_{20}O_4$ F. wt. 264.3 *	10 gm 25 gm 100 gm	895 1735 5095
210	**ACACIA GUM POWDER (Spray Dried) (PHARMA GRADE)** CAS 9000-01-5	500 gm	605
3599	**ACES BUFFER** CAS 7365-82-4 $C_4H_{10}N_2O_4S$ F. wt. 182.20	5 gm 25 gm 100 gm	650 2720 9940
681	**ACETAMIDE (for Synthesis)** CAS 60-35-5 C_2H_5NO F. wt. 59.07	100 gm 500 gm	250 750
002	**ACETANILIDE (N-Phenylacetamide), AR GRADE** CAS 103-84-4 C_8H_9NO F. wt. 135.17	500 gm	1175
982	**ACETYL CHOLINE CHLORIDE, AR GRADE** CAS 60-31-1 $C_7H_{16}ClNO_2$ F. wt. 181.68 *	5 gm 25 gm	1405 5750
1143	**N-ACETYL-L-CYSTEINE** CAS 616-91-1 $C_5H_9NO_3S$ F. wt. 163.20 *	5 gm 25 gm 100 gm	325 840 2650
3058	**N-ACETYL-L-TYROSINE** CAS 537-55-3 $C_{11}H_{13}NO_4$ F. wt. 223.23 *	5 gm	2080
3300	**ACETYLSALICYLIC ACID (Aspirin)** CAS 50-78-2 $C_9H_8O_4$ F. wt. 180.15	500 gm	850
1681	**ACID BLUE 9(Erioglaucine)(Brilliant Blue FCF)** CAS 3844-45-9 $C_{37}H_{34}Na_2N_2O_9S_3$ F. wt. 792.86	10 gm	760
1640	**ACID FUCHSIN** CAS 3244-88-0 C.I. 42685 $C_{20}H_{17}N_3Na_2O_9S_3$ F. wt. 585.55	25 gm 100 gm	650 2175
1610	**ACRIDINE ORANGE** CAS 65-61-2 C.I. 46005 $C_{17}H_{20}ClN_3$ F. wt. 301.81	10 gm 25 gm	2550 4250
1695	**ACRIFLAVINE (Euflavine) (For Biochemistry)** CAS 8048-52-0 C.I. 46000 $C_{14}H_{14}ClN_3$ F. wt. 259.73	5 gm 25 gm	390 1625
646	**ACRIFLAVINE HYDROCHLORIDE** CAS 8063-24-9 $C_{14}H_{13}N_3.HCl$ F. wt. 259.73	5 gm 25 gm	650 2950
201	**ACRYLAMIDE, EXTRA PURE** CAS 79-06-1 C_3H_5NO F. wt. 71.08	500 gm	685

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
573	**ACTIDIONE (Cycloheximide), AR GRADE** CAS 66-81-9 $C_{15}H_{23}NO_4$ F. wt. 281.36	1 gm 5 gm	2200 9350
561	**ADENINE 99% (6 Aminopurine, Vitamin B4)** CAS 73-24-5 $C_5H_5N_5$ F. wt. 135.13	5 gm 25 gm 1 Kg	325 1290 30940
562	**ADENINE SULPHATE** (Adenine Hemi Sulphate) CAS 321-30-2 $C_{10}H_{12}N_{10}O_4S$ F. wt. 368.34	10 gm 100 gm	550 4995
3509	**ADENOSINE** CAS 58-61-7 $C_{10}H_{13}N_5O_4$ F. wt. 267.25 *	5 gm 25 gm 100 gm	350 1350 5050
3061	**ADENOSINE 5-MONOPHOSPHATE** AMP Free Acid CAS 61-19-8 $C_{10}H_{14}N_5O_7P$ F. wt. 347.22 *	1 gm 5 gm 25 gm	475 2185 9650
3287	**ADENOSINE-5-MONO PHOSPHATE DISODIUM (5'-ADP-Na_2)** CAS 4578-31-8 $C_{10}H_{13}N_5Na_2O_7P$ F. wt. 391.18 *	1 gm 5 gm 25 gm	210 840 3650
3063	**ADENOSINE 5-DIPHOSPHATE DISODIUM (5'-AMP-Na_2)** CAS 16178-48-6 $C_{10}H_{13}N_5Na_2O_{10}P_2$ F. wt. 391.19 *	1 gm 5 gm	1525 6950
3064	**ADENOSINE-5-TRIPHOSPHATE DISODIUM (5'-ATP-Na_2)** CAS 987-65-5 $C_{10}H_{14}N_5Na_2O_{13}P_3$ F. wt. 551.15 *	1 gm 5 gm 25 gm	395 1740 7615
500	**ADIPIC ACID, (Hexanedioic Acid)** CAS 124-04-9 $C_6H_{10}O_4$ F. wt. 146.14	500 gm	570
2506	**L-ADRENALINE, AR GRADE (Epinephrine)** CAS 51-43-4 $C_9H_{13}NO_3$ F. wt. 183.204	5 gm	9450
304	**AESCULIN (Esculin)** CAS 531-75-9 $C_{15}H_{16}O_9$ F. wt. 340.29	5 gm 25 gm	1345 5950
3500	**AGAR AGAR Type I** CAS 9002-18-0	100 gm 500 gm 5 Kg 25 Kg	1020 4250 POR POR
3628	**AGAR AGAR, FOOD GRADE** CAS 9002-18-0	100 gm 500 gm	870 3450
1227	**AGAROSE, HIGH EEO (0.23-0.26)** CAS 9012-36-6 $C_{24}H_{48}O_{19}$ F. wt. 630.547	5 gm 25 gm 100 gm 500 gm	460 1850 6650 28700

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1282	**AGAROSE, MEDIUM EEO (0.16-0.19)** CAS 9012-36-6 **$C_{24}H_{48}O_{19}$ F. wt. 630.547**	5 gm 25 gm 100 gm 500 gm	485 1950 7000 25915
1258	**AGAROSE, LOW EEO (0.05-0.13)** CAS 9012-36-6 **$C_{24}H_{48}O_{19}$ F. wt. 630.547**	5 gm 25 gm 100 gm 500 gm	325 1380 4950 23500
1270	**AGAROSE, LOW EEO** Spl. For immunoectrophoresis, Counterelectrophoresis CAS 9012-36-6 **$C_{24}H_{48}O_{19}$ F. wt. 630.547**	5 gm 25 gm 100 gm 500 gm	365 1510 5225 24500
1283	**AGAROSE, LOW EEO** Spl. For Routine Use CAS 9012-36-6 **$C_{24}H_{48}O_{19}$ F. wt. 630.547**	25 gm 100 gm 500 gm	1380 4950 23500
1101	**β-ALANINE, 99%+PURITY Crystalline** (L-Aminopropionic Acid) CAS 107-95-9 **$C_3H_7NO_2$ F. wt. 89.10**	25 gm 100 gm 500 gm	300 1010 4300
1102	**DL-ALANINE, 99%+PURITY Crystalline** CAS 302-72-7 **$C_3H_7NO_2$ F. wt. 89.10**	25 gm 1 Kg	200 3100
1103	**L-ALANINE, 99%+PURITY Crystalline** CAS 56-41-7 **$C_3H_7NO_2$ F. wt. 89.10**	25 gm 100 gm 500 gm	225 550 2250
322	**ALBUMIN EGG POWDER** (Egg Albumin Powder) CAS 9006-59-1	500 gm	2450
3066	**ALCIAN BLUE 8GX** CAS 33864-99-2 C.I. 74240 **$C_{56}H_{68}Cl_4CuN_{16}S_4$ F. wt. 1298.86**	5 gm 25 gm	1890 8850
684	**ALGINIC ACID (PHARMA GRADE)** CAS 9005-32-7 **$(C_6H_8O_6)_n$ F. wt. 176.13**	500 gm	1725
019	**ALIZARIN CYANINE GREEN (Acid Green 25)** CAS 4403-90-1 C.I. 61570 **$C_{28}H_{20}N_2O_8S_2Na_2$ F. wt. 622.57**	25 gm	1785
020	**ALIZARIN RED S,** (Sodium Alizarin Sulphonate) CAS 130-22-3 C.I. 58005 **$C_{14}H_7NaO_7S$ F. wt. 342.26**	25 gm 100 gm	675 2350
3069	**ALLOXAN (Mono)** CAS 2244-11-3 **$C_4H_2N_2O_4.HO_2$ F. wt. 160.10**	25 gm 100 gm	800 2950
3288	**ALLYLTHIOUREA (Thiosinamine)** CAS 109-57-9 **$C_4H_8N_2S$ F. wt. 116.18**	25 gm 100 gm	2220 7720

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
024	**ALUMINIUM METAL POWDER, AR GRADE** CAS 7429-90-5 **Al F. wt. 26.98**	500 gm	900
231	**ALUMINIUM AMMONIUM SULPHATE,** (Ammonium Alum), EXTRA PURE CAS 7784-26-1 **$AlNH_4(SO_4)_2.12H_2O$ F. wt. 453.33**	500 gm 50 Kg	265 POR
232	**ALUMINIUM AMMONIUM SULPHATE,** (Ammonium Alum), AR GRADE CAS 7784-26-1 **$AlNH_4(SO_4)_2.12H_2O$ F. wt. 453.33**	500 gm 50 Kg	375 POR
2598	**ALUMINIUM NITRATE (Nonahydrate), EXTRA PURE** CAS 7784-27-2 **$Al(NO_3)_3.9H_2O$ F. wt. 375.134**	500 gm	475
753	**ALUMINIUM POTASSIUM SULPHATE,** (Potash-Alum), EXTRA PURE CAS 7784-24-9 **$AlKO_8S_2.12H_2O$ F. wt. 474.39**	500 gm 5 Kg 50 Kg	275 2000 POR
230	**ALUMINIUM POTASSIUM SULPHATE,** (Potash-Alum) AR GRADE CAS 7784-24-9 **$AlKO_8S_2.12H_2O$ F. wt. 474.39**	500 gm 5 Kg 50 Kg	330 3015 POR
791	**ALUMINIUM SULPHATE, EXTRA PURE** CAS 7784-31-8 **$Al_2(SO_4)_3.18H_2O$ F. wt. 666.42**	500 gm 5 Kg 50 Kg	210 1450 POR
1601	**AMIDO BLACK 10 B, (Naphthol Blue Black)** CAS 1064-48-8 C.I. 20470 (Acid Black-1) **$C_{22}H_{14}N_6O_9S_2Na_2$ F. wt. 616.50**	25 gm 100 gm	550 1900
TCK 05	**AMINO ACID KIT (Biochemistry)** (20 Amino Acid 1 gm each & 4 Amino Acid 100 mg each) *	1 Kit	3600
TCK 06	**AMINO ACID KIT** (22 Essential Amino Acid 1gm each) *	1 Kit	3465
4020	**1-AMINO-2-NAPHTHOL-4-SULPHONIC ACID, EXTRA PURE** CAS 116-63-2 **$C_{10}H_9NO_4S$ F. wt. 239.25**	25 gm	525
036	**4-AMINOANTIPYRINE (4-Amino Phenazone)** CAS 83-07-8 **$C_{11}H_{13}N_3O$ F. wt. 203.25**	25 gm 100 gm	1175 4100

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
233	**4-AMINOBENZOIC ACID (PABA)** (Para Amino Benzoic Acid) CAS 150-13-0 **$C_7H_7NO_2$ F. wt. 137.14**	100 gm 500 gm	600 2395
996	**DL-2-AMINO BUTYRIC ACID** CAS 2835-81-6 **$C_4H_9NO_2$ F. wt. 103.12**	25 gm 100 gm	1900 5800
796	**p-AMINO-N, N-DIMETHYLANILINE OXALATE** (N, N-Dimethyl-p-Phenylenediamine Oxalate) (for oxidase reagent) CAS 62778-12-5 **$C_{10}H_{14}N_2O_4$ F. wt. 226.23**	1 gm 5 gm	810 3500
841	**4-AMINO N,N-DIMETHYLANILINE SULPHATE** (N, N-Dimethyl-p-Phenylenediamine Sulphate) CAS 536-47-0 **$C_8H_{14}N_2SO_4$ F. wt. 234.87**	5 gm 25 gm	2700 11000
042	**4-AMINOPHENOL (p-Aminophenol)** CAS 123-30-8 **C_6H_7NO F. wt. 109.13**	100 gm 500 gm	265 1215
234	**AMMONIUM ACETATE, EXTRA PURE** CAS 631-61-8 **$C_2H_3O_2NH_4$ F. wt. 77.08**	500 gm 50 Kg	430 POR
235	**AMMONIUM ACETATE, AR GRADE** CAS 631-61-8 **$C_2H_3O_2NH_4$ F. wt. 77.08**	500 gm 50 Kg	525 POR
236	**AMMONIUM AMIDO SULPHONATE, EXTRA PURE (Ammonium Sulphamate)** CAS 7773-06-0 **$H_6N_2O_3S$ F. wt. 114.125**	500 gm	450
237	**AMMONIUM BICARBONATE, EXTRA PURE** (Ammonium Hydrogen Carbonate) CAS 1066-33-7 **CH_5NO_3 F. wt. 79.056**	500 gm 5 Kg 50 Kg	250 1775 POR
238	**AMMONIUM BICARBONATE, AR GRADE** (Ammonium Hydrogen Carbonate) CAS 1066-33-7 **CH_5NO_3 F. wt. 79.056**	500 gm	350
4023	**AMMONIUM BIFLUORIDE, EXTRA PURE** CAS 1341-49-7 **F_2H_5N F. wt. 57.04**	500 gm	570
240	**AMMONIUM CARBONATE, EXTRA PURE** CAS 506-87-6 **$(NH_4)_2CO_3$ F. wt. 96.09**	500 gm	305
053	**AMMONIUM CARBONATE, AR GRADE** CAS 506-87-6 **$(NH_4)_2CO_3$ F. wt. 96.09**	500 gm	385
054	**AMMONIUM CERIC NITRATE, EXTRA PURE** CAS 16774-21-3 **$H_8N_8CeO_{18}$ F. wt. 548.26**	100 gm	1020
4025	**AMMONIUM CERIC NITRATE, AR GRADE** CAS 16774-21-3 **$CeH_8N_8O_{18}$ F. wt. 548.22**	100 gm	1305
800	**AMMONIUM CERIC SULPHATE (Dihydrate) EXTRA PURE** CAS 10378-47-9 **$CeH_{16}N_4O_{16}S_4.2H_2O$ F. wt. 632.55**	100 gm 500 gm	1775 7850
241	**AMMONIUM CHLORIDE, EXTRA PURE** CAS 12125-02-9 **NH_4Cl F. wt. 53.49**	500 gm 5 Kg 50 Kg	350 2550 POR
242	**AMMONIUM CHLORIDE, AR GRADE** CAS 12125-02-9 **NH_4Cl F. wt. 53.49**	500 gm 5 Kg 50 Kg	380 2970 POR
2514	**AMMONIUM CITRATE DIBASIC** (di-Ammonium Hydrogen Citrate) CAS 3012-65-5 **$C_6H_{14}N_2O_7$ F. wt. 226.19**	500 gm	1050
802	**tri-AMMONIUM CITRATE, EXTRA PURE** CAS 3458-72-8 **$C_6H_{17}N_3O_7$ F. wt. 243.22**	500 gm 50 Kg	1080 POR
686	**tri-AMMONIUM CITRATE, AR GRADE** CAS 3458-72-8 **$C_6H_{17}N_3O_7$ F. wt. 243.22**	500 gm	1115
551	**AMMONIUM DICHROMATE, EXTRA PURE** CAS 7789-09-5 **$(NH_4)_2Cr_2O_7$ F. wt. 252.07**	500 gm	985
255	**AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, EXTRA PURE** (Ammonium Phosphate, Monobasic) CAS 7722-76-1 **$NH_4H_2PO_4$ F. wt. 115.03**	500 gm	550
256	**AMMONIUM DIHYDROGEN ORTHOPHOSPHATE, AR GRADE** CAS 7722-76-1 **$NH_4H_2PO_4$ F. wt. 115.03**	500 gm	650
330	**AMMONIUM FERRIC CITRATE, (Brown)** CAS 1185-57-5 **$C_{12}H_{22}FeN_3O_{14}$ F. Wt. 488.16**	500 gm	600
243	**AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), EXTRA PURE** CAS 7783-85-9 **$(NH_4)_2Fe(SO_4)_2.6H_2O$ F. wt. 392.16**	500 gm 50 Kg	250 POR
244	**AMMONIUM FERROUS SULPHATE, HEXAHYDRATE (Mohr's Salt), AR GRADE** CAS 7783-85-9 **$(NH_4)_2Fe(SO_4)_2.6H_2O$ F. wt. 392.16**	500 gm 50 Kg	320 POR
804	**AMMONIUM FLUORIDE, EXTRA PURE** CAS 12125-1-8 **FH_4N F. wt. 37.04**	500 gm	800

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
055	**AMMONIUM FORMATE, EXTRA PURE** CAS 540-69-2 CH_5NO_2 F. wt. 63.06	500 gm	450
056	**AMMONIUM FORMATE, AR GRADE** CAS 540-69-2 CH_5NO_2 F. wt. 63.06	500 gm	460
2514	**di-AMMONIUM HYDROGEN CITRATE, EXTRA PURE** CAS 3012-65-5 $C_6H_{14}N_2O_7$ F. wt. 226.19	500 gm	1050
253	**di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, EXTRA PURE** (DiAmmonium phosphate dibasic) CAS 7783-28-0 $(NH_4)_2HPO_4$ F. wt. 132.07	500 gm 50 Kg	650
254	**di-AMMONIUM HYDROGEN ORTHOPHOSPHATE, AR GRADE** CAS 7783-28-0 $(NH_4)_2HPO_4$ F. wt. 132.07	500 gm	850
806	**AMMONIUM META VANADATE,** (Ammonium Vanadate), EXTRA PURE CAS 7803-55-6 NH_4VO_3 F. wt. 116.98	100 gm 500 gm	850 3525
807	**AMMONIUM META VANADATE, AR GRADE** CAS 7803-55-6 NH_4VO_3 F. wt. 116.98	100 gm 500 gm	950 3650
245	**AMMONIUM MOLYBDATE, (Tetra), EXTRA PURE** CAS 12054-85-2 $(NH_4)_6MO_7O_{24}.4H_2O$ F. wt. 1235.86	100 gm 500 gm 25 Kg	1075 5050 POR
246	**AMMONIUM MOLYBDATE, (Tetra), AR GRADE** CAS 12054-85-2 $(NH_4)_4MO_7O_{24}.4H_2O$ F. wt. 1235.86	100 gm 500 gm 25 Kg	1300 6000 POR
057	**AMMONIUM NICKEL SULPHATE, (Hexa),** (Nickel Ammonium Sulphate), EXTRA PURE CAS 7785-20-8 $H_8N_2NiO_8S_2.6H_2O$ F. wt. 395.00	500 gm	1360
249	**AMMONIUM OXALATE (Mono), EXTRA PURE** CAS 6009-70-7 $C_2H_8N_2O_4HO_2$ F. wt. 142.12	500 gm 5 Kg	370 3000
250	**AMMONIUM OXALATE, (Mono), AR GRADE** CAS 6009-70-7 $C_2H_8N_2O_4.H_2O$ F. wt. 142.12	500 gm	415
251	**AMMONIUM PERSULPHATE, EXTRA PURE** CAS 7727-54-0 $H_8N_2O_8S_2$ F. wt. 228.20	500 gm 25 Kg	375 POR
252	**AMMONIUM PERSULPHATE, AR GRADE** CAS 7727-54-0 $H_8N_2O_8S_2$ F. wt. 228.20	500 gm 25 Kg	415 POR
060	**AMMONIUM PURPURATE, (Murexide)** CAS 3051-09-0 C.I. 56085 $C_8H_8N_6O_6$ F. wt. 284.19	5 gm 25 gm	295 975
236	**AMMONIUM SULPHAMATE, EXTRA PURE** (Ammonium Amido Sulphonate) CAS 7773-06-0 $H_6N_2O_3S$ F. wt. 114.125	500 gm	450
257	**AMMONIUM SULPHATE, EXTRA PURE** CAS 7783-20-2 $(NH_4)_2SO_4$ F. wt. 132.14	500 gm 5 Kg 50 Kg	230 1480 POR
258	**AMMONIUM SULPHATE, AR GRADE** CAS 7783-20-2 $(NH_4)_2SO_4$ F. wt. 132.16	500 gm 5 Kg 50 Kg	250 1950 POR
576	**AMMONIUM(+)TARTRATE, AR GRADE** CAS 3164-29-2 $C_4H_{12}N_2O_6$ F. wt. 184.15	500 gm	1385
921	**AMMONIUM THIOCYANATE, EXTRA PURE** (Ammonium Sulphocyanate) (Amonium Rhodanide) CAS 1762-95-4 CH_4N_2S F. wt. 76.12	500 gm 50 Kg	560 POR
1417	**α-AMYLASE (Diastase)** **2000 Anson Unit/gm** CAS 9000-90-2	100 gm 500 gm	530 2460
1617	**ANILINE BLUE, (Spirit Soluble)** CAS 28631-66-5 C.I. 42775 $C_{32}H_{25}N_3O_9Na_2S_3$ F. wt. 737.73	25 gm 100 gm	840 2460
1687	**ANILINE BLUE (China Blue) (Water Soluble)** CAS 28983-56-4 C.I. 42780 $C_{37}H_{27}N_3Na_2O_9S_3$ F. wt. 799.80	25 gm 100 gm	700 2430
3295	**ANILINE HYDROCHLORIDE** CAS 142-04-1 $C_6H_5NH_2.HCl$ F. wt. 129.59	500 gm	1250
3296	**ANILINE SULPHATE** CAS 542-16-5 $C_{12}H_{14}N_2.H_2SO_4$ F. wt. 284.33	500 gm	1400

A Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
076	**ANTHRACENE 99%, EXTRA PURE** CAS 120-12-7 C.I. 10790 **$C_{14}H_{10}$ F. wt. 178.23**	100 gm	2650
079	**ANTHRAQUINONE** CAS 84-65-1 **$C_{14}H_8O_2$ F. wt. 208.22**	500 gm	1150
080	**ANTHRONE (9,10, Dihydro-9-oxoanthracene)** CAS 90-44-8 **$C_{14}H_{10}O$ F. wt. 194.24**	25 gm	850
2516	**ANTIMONY METAL POWDER 99%** CAS 7440-36-0 **Sb F. wt. 121.76**	500 gm	4150
2517	**ANTIMONY POTASSIUM TARTRATE, EXTRA PURE** CAS 28300-74-5 **$C_8H_4K_2O_{12}Sb_2.3H_2O$ F. wt. 667.87**	100 gm 500 gm 25 Kg	515 2300 POR
811	**ANTIMONY POTASSIUM TARTRATE,** (Potassium Antimony (iii) Oxide Tartrate), **AR GRADE** CAS 28300-74-5 **$C_8H_4K_2O_{12}Sb_2.3H_2O$ F. wt. 667.87**	100 gm 500 gm	615 2540
809	**ANTIMONY TRICHLORIDE, EXTRA PURE** CAS 10025-91-9 **$SbCl_3$ F. wt. 228.13**	100 gm 500 gm	700 2850
810	**ANTIMONY TRICHLORIDE, AR GRADE** (Antimony (III) Chloride) CAS 1309-64-4 **$SbCl_3$ F. wt. 228.13**	100 gm 500 gm	750 3150
085	**ANTIMONY TRIOXIDE, EXTRA PURE** CAS 1309-64-4 **Sb_2O_3 F. wt. 291.52**	500 gm	2600
086	**ANTIMONY TRIOXIDE, AR GRADE** CAS 1309-64-4 **Sb_2O_3 F. wt. 291.52**	100 gm 500 gm	675 2750
2519	**ANTIPYRINE, (Phenazone)** CAS 60-80-0 **$C_{11}H_{12}N_2O$ F. wt. 188.23**	100 gm 500 gm	1830 8800
087	**D (-) ARABINOSE, AR GRADE** CAS 10323-20-3 **$C_5H_{10}O_5$ F. wt. 150.13**	5 gm 25 gm	620 2200
259	**L (+) ARABINOSE** CAS 87-72-9 **$C_5H_{10}O_5$ F. wt. 150.13**	25 gm 100 gm	1000 4055
1104	**L- ARGININE 99%+PURITY (Free Base)** CAS 74-79-3 **$C_6H_{14}N_4O_2$ F. wt. 174.20**	25 gm 100 gm 1 Kg	250 785 6990
1105	**L-ARGININE HYDROCHLORIDE (Mono)** 99%+PURITY, CRYSTALLINE CAS 1119-34-2 **$C_6H_{14}N_4O_2.HCl$ F. wt. 210.67**	25 gm 100 gm 1 Kg	270 690 6090
088	**ARSENAZO I, (Neothorin) AR GRADE** CAS 520-10-5 **$C_{16}H_{10}AsN_2Na_3O_{11}S_2$ F. wt. 614.27**	1 gm 5 gm	1050 4250
090	**ARSENIC TRIOXIDE, EXTRA PURE** CAS 1327-53-3 **As_2O_3 F. wt. 197.84**	500 gm	480
1706	**L-ASCORBIC ACID (Vitamin C)** CAS 50-81-7 **$C_6H_8O_6$ F. wt. 176.12**	100 gm 500 gm	345 1375
1715	**L-ASCORBIC ACID (Vitamin C), AR GRADE** CAS 50-81-7 **$C_6H_8O_6$ F. wt. 176.13**	25 gm 100 gm 500 gm	245 360 1510
1714	**L-ASCORBIC ACID SODIUM** (Sodium Ascorbate) CAS 134-03-2 **$C_6H_7NaO_6$ F. wt. 198.11**	100 gm 500 gm	360 1725
1148	**DL-ASPARAGINE (Mono)** 98.5%+Purity, Crystalline CAS 3130-87-8 **$C_4H_8N_2O_3.H_2O$ F. wt. 150.14**	25 gm 100 gm	3360 13415
1106	**L- ASPARAGINE (Mono)** 99%+Purity Crystalline CAS 5794-13-8 **$C_4H_8N_2O_3.H_2O$ F. wt. 150.14**	25 gm 100 gm 500 gm	335 910 3895
1107	**DL-ASPARTIC ACID** 99%+Purity, Crystalline CAS 617-45-8 **$C_4H_7NO_4$ F. wt. 133.11**	25 gm 100 gm 500 gm	170 515 2050
1108	**L- ASPARTIC ACID** 99%+Purity, Crystalline CAS 56-84-8 **$C_4H_7NO_4$ F. wt. 133.10**	25 gm 100 gm 500 gm	105 375 1600
1638	**AURAMINE** CAS 2465-27-2 C.I 41000 **$C_{17}H_{21}N_3ClH$ F. wt. 303.84**	25 gm 100 gm	180 430
1022	**AZOMETHIN-H-MONOSODIUM SALT** CAS 206752-32-1 **$C_{17}H_{12}NNaO_8S_2.xH_2O$ F. wt. 445.40**	1 gm 5 gm	1010 3950
1699	**AZUR A** CAS 531-53-3 C.I. 52005 **$C_{14}H_{14}ClN_3S$ F. wt. 291.80**	5 gm 25 gm 100 gm	225 750 2840
1689	**AZUR I (AZUR B)** CAS 531-55-5 **$C_{15}H_{16}ClNS_3$ F. wt. 305.83**	5 gm 25 gm	330 805

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1697	**AZUR II (Azur I and Methylene Blue)** CAS 37247-10-2 C.I. 52010/52015 $C_{40}H_{52}Cl_2N_6S_2$ F. wt. 751.94	25 gm	650
1694	**AZUR II EOSIN** CAS 53092-85-6	25 gm	400
094	**BALSAM CANADA (Synthetic)** CAS 8007-47-4	500 ml	1850
3301	**BARBITURIC ACID** CAS 67-52-7 $C_4H_4N_2O_3$ F. Wt. 128.09	100 gm 500 gm	1195 5350
099	**BARIUM ACETATE, EXTRA PURE** CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	840
262	**BARIUM ACETATE, AR GRADE** CAS 543-80-6 $C_4H_6BaO_4$ F. Wt. 255.43	500 gm	1050
264	**BARIUM CARBONATE, EXTRA PURE** CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	590
265	**BARIUM CARBONATE, AR GRADE** CAS 513-77-9 $BaCO_3$ F. Wt. 197.34	500 gm	750
266	**BARIUM CHLORIDE, (Dihydrate), EXTRA PURE** CAS 10326-27-9 $BaCl_2.2H_2O$ F. Wt. 244.27	500 gm 5 Kg	330 3110
267	**BARIUM CHLORIDE, (Dihydrate), AR GRADE** CAS 10326-27-9 $BaCl_2.2H_2O$ F. Wt. 244.27	500 gm	415
4026	**BARIUM DIPHENYLAMINE SULPHONATE, AR GRADE** CAS 6211-24-1 $C_{24}H_{20}BaN_2O_6S_2$ F. wt. 633.88	5 gm 25 gm	310 960
268	**BARIUM HYDROXIDE, (Octa), EXTRA PURE** CAS 12230-71-6 $Ba(OH)_2.8H_2O$ F. Wt. 315.48	500 gm 5 Kg	330 3125
270	**BARIUM NITRATE, EXTRA PURE** CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm 5 Kg	430 4120
4027	**BARIUM NITRATE, AR GRADE** CAS 10022-31-8 $Ba(NO_3)_2$ F. Wt. 261.37	500 gm	680
273	**BARIUM SULPHATE, EXTRA PURE** CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm 5 kg	265 2830
274	**BARIUM SULPHATE, AR GRADE** CAS 7727-43-7 $BaSO_4$ F. Wt. 233.40	500 gm	525
1603	**BASIC FUCHSIN** (Fuchsin Basic, Margneta Basic) CAS 632-99-5 C.I. 42510 $C_{20}H_{20}ClN_3$ F. Wt. 337.86	25 gm 100 gm 1 Kg	275 780 6290
4028	**BATHOPHENANTHROLINE, AR GRADE** CAS 1662-01-7 $C_{24}H_{16}N_2$ F. wt. 332.4	250 mg	2320
3501	**B. MEAT EXTRACT PASTE** (For General Purpose, Bacteriological Grade)	500 gm 50 Kg	1225 POR
3502	**B. MEAT EXTRACT POWDER** (For General Purpose, Bacteriological Grade)	500 gm 25 Kg	1700 POR
4029	**BENTONITE POWDER** CAS 1302-78-9 $Al_2O_3.4(SiO_2).H_2O$ F. wt. 360.31	500 gm	305
108	**BENZAMIDE** CAS 55-21-0 C_7H_7NO F. Wt. 121.14	500 gm	1525
109	**BENZANILIDE** CAS 93-98-1 $C_{13}H_{11}NO$ F. Wt. 197.24	100 gm 500 gm	585 2300
4030	**BENZENE SULPHONIC ACID, EXTRA PURE** CAS 98-11-3 $C_6H_6O_3S$ F. wt. 158.18	500 gm	4620
4031	**BENZETHONIUM CHLORIDE** (Hyamine 1622) CAS 121-54-0 $C_{27}H_{42}ClNO_2$ F. wt. 448.08	25 gm	1890
3085	**BENZIL** CAS 134-81-6 $C_{14}H_{10}O_2$ F. Wt. 210.24	500 gm	1600
276	**BENZOIC ACID, EXTRA PURE** CAS 65-85-0 C_6H_5COOH F. wt. 122.12	500 gm 25 Kg	430 POR
4032	**BENZOIC ACID, AR GRADE** (Meets Analytical Standards of IP, BP, USP, Ph.Eur) CAS 65-85-0 $C_7H_6O_2$ F. wt. 122.12	500 gm 25 Kg	680 POR
2526	**BENZOIN** CAS 119-53-9 $C_{14}H_{12}O_2$ F. Wt. 212.25	100 gm 500 gm	500 1375

B Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
817	**BENZOIN-α-OXIME, (Cupron), AR GRADE** CAS 441-38-3 **$C_{14}H_{13}NO_2$ F. Wt. 227.27**	25 gm 100 gm	410 1310
3469	**BENZOPHENONE (Diphenylketene)** CAS 119-61-9 **$C_{13}H_{10}O$ F. Wt. 182.22**	500 gm	1190
117	**1,2,3, BENZOTRIAZOLE (Benzotriazole)** CAS 95-14-7 **$C_6H_5N_3$ F. Wt. 119.12**	100 gm	490
816	**6-BENZYLADENINE (6BAP)** * (6-Benzylaminopurine) Plant Growth Regulator CAS 1214-39-7 **$C_{12}H_{11}N_5$ F. Wt. 225.25**	1 gm 5 gm 25 gm 1 Kg 50 Kg	180 635 925 18500 POR
3086	**BES, SODIUM, EXTRA PURE** (N,N-Bis(2-hydroxyethyl)-2-amino ethane sulphonic acid sodium CAS 66992-27-6 **$C_6H_{14}NNaO_5S$ F. Wt. 235.23**	5 gm 25 gm	1010 3670
2388	**BETAINE HYDROCHLORIDE** CAS 590-46-5 **$C_5H_{12}ClNO_2$ F. Wt. 153.61**	100 gm	2450
121	**BILIRUBIN, AR GRADE** CAS 635-65-4 **$C_{33}H_{36}N_4O_6$ F. Wt. 584.68**	500 mg 1 gm	3810 7025
1709	**D-BIOTIN (Vitamin H)** * CAS 58-85-5 **$C_{10}H_{16}N_2O_3S$ F. Wt. 244.31**	1 gm 10 gm 25 gm	650 4850 9350
2533	**BIPHENYL (Diphenyl)** CAS 92-52-4 **$C_6H_5C_6H_5$ F. Wt. 154.21**	100 gm 500 gm	465 1800
2534	**2-2 BIPYRIDYL (2,2-Dipyridyl), AR GRADE** CAS 366-18-7 **$C_{10}H_8N_2$ F. Wt. 156.18**	5 gm 25 gm	670 2765
3088	**BIS-TRIS, EXTRA PURE** (Bis(2-hydroxyethyl)amino-trishydroxy methy methane) CAS 6976-37-0 **$C_8H_{19}NO_5$ F. Wt. 209.24**	25 gm 100 gm	1300 4775
371	**BISACRYLAMIDE, AR GRADE** (N-N-Mehtylene-bisacrylamide) for Electrophoresis CAS 110-26-9 **$C_7H_{10}N_2O_2$ F. Wt. 154.17**	25 gm 100 gm 500 gm	520 1030 2900
4033	**BISMUTH CARBONATE, EXTRA PURE** CAS 5892-10-4 **$(BiO)_2CO_3$ F. wt. 509.97**	100 gm 500 gm	1125 4950
4034	**BISMUTH CHLORIDE, EXTRA PURE** (Bismuth Trichloride) CAS 7787-60-2 **$BiCl_3$ F. wt. 315.34**	100 gm 500 gm	1865 7450
4035	**BISMUTH NITRATE, EXTRA PURE** CAS 10035-06-0 **BiN_3O_9 F. wt. 394.99**	100 gm 500 gm	705 3205
4036	**BISMUTH SUBNITRATE, EXTR APURE** (Bismuth Oxynitrate) CAS 10361-46-3 **$BiNO_4$ F. wt. 286.99**	100 gm 500 gm	980 4410
4037	**BISMUTH OXIDE, EXTRA PURE** CAS 1304-76-3 **Bi_2O_3 F. wt. 465.65**	100 gm 500 gm	900 4200
682	**BISMUTH SULPHATE** CAS 7787-68-0 **$Bi_2O_{12}S_3$ F. Wt. 706.15**	100 gm 500 gm	1640 6400
2537	**BISPHENOL A** CAS 80-05-7 **$C_{15}H_{16}O_2$ F. Wt. 228.29**	500 gm	485
130	**BIURET, AR GRADE (Allophanic Acid Amide)** CAS 108-19-0 **$C_2H_5N_3O_2$ F. Wt. 103.08**	25 gm	1030
821	**BLUE TETRAZOLIUM CHLORIDE, AR GRADE** CAS 1871-22-3 **$C_{40}H_{36}Cl_2N_8O_2$ F. Wt. 731.67**	1 gm 5 gm	1425 6200
279	**BORAX POWDER, (Deca)** (Sodium Tetraborate), EXTRA PURE CAS 1303-96-4 **$Na_2B_4O_7.10H_2O$ F. Wt. 381.37**	500 gm 5 kg 50 kg	210 2000 POR
280	**BORAX POWDER, (Deca)** (Sodium Tetraborate), AR GRADE CAS 1303-96-4 **$Na_2B_4O_7.10H_2O$ F. Wt. 381.37**	500 gm 5 kg 50 kg	345 3100 POR
281	**BORIC ACID, EXTRA PURE** CAS 10043-35-3 **H_3BO_3 F. Wt. 61.83**	500 gm 5 Kg 50 Kg	420 3900 POR
282	**BORIC ACID, AR GRADE** CAS 10043-35-3 **H_3BO_3 F. Wt. 61.83**	500 gm 5 Kg 50 Kg	550 4400 POR
4170	**di-BORON TRIOXIDE, EXTRA PURE** CAS 1303-86-2 **B_2O_3 F. Wt. 69.62**	250 gm 500 gm	4850 9200
1226	**BOVINE ALBUMIN FRACTION-V** * (Albumin Bovine Fraction-V) CAS 9048-46-8	5 gm 25 gm 100 gm	955 3700 13490
133	**BRIJ 35 (Polyoxyethylene Lauryl ether)** CAS 9002-92-0 **$C_{12}H_{25}O.\ C_2H_4O)_n$**	500 ml	970
1681	**BRILLIANT BLUE FCF (Erioglaucine A)** CAS 3844-45-9 **$C_{37}H_{34}N_2Na_2O_9S_3$ F. Wt. 792.86**	10 gm	760
1696	**BRILLIANT BLUE G-250,** (Coomasie Brilliant Blue G) for Electrophoresis CAS 6104-58-1 C.I. 42655 **$C_{47}H_{48}N_3NaO_7S_2$ F. Wt. 854.02**	5 gm 25 gm	925 3085

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1653	**BRILLIANT CRESYL BLUE, AR GRADE** CAS 81029-05-2 $(C_{17}H_{20}ClN_4)_2ZnCl_2$ F. Wt. 771.92	25 gm 100 gm	4080 14200
1611	**BRILLIANT GREEN** CAS 633-03-4 C.I. 42040 $C_{27}H_{33}N_2.HO_4S$ F. Wt. 482.65	25 gm 100 gm 1 Kg	235 700 5975
1630	**BRILLIANT GREEN FCF** CAS 2353-45-9 C.I. 42053 $C_{37}H_{34}N_2O_{10}S_3Na_2$ F. Wt. 808.85	5 gm 25 gm	400 1510
4256	**5-BROMO-4-CHLORO-3-INDOLYL-α-D-GALACTOPYRANOSIDE** * CAS 107021-38-5 $C_{14}H_{15}BrClNO_6$ F. Wt. 408.63	100 mg	42655
3093	**5-BROMO-4-CHLORO-3 INDOLYL-β-D-GALACTOPYRANOSIDE (X-Gal)** * CAS 7240-90-6 $C_{14}H_{14}BrClNO_6$ F. Wt. 408.63	100 mg 500 gm 1 gm	1650 7835 15175
4161	**5-BROMO-4-CHLORO-3-INDOLYL-β-D-GLUCURONIDE CYCLOHEXYL AMMONIUM SALT** * CAS 114162-64-0 $C_{20}H_{26}BrClN_2O_7$ F. Wt. 521.79	1 gm	15900
3096	**5-BROMO-4-CHLORO-3 INDOLYL-PHOSPHATE di-SODIUM (BCIP)** * CAS 102185-33-1 $C_8H_4BrClNO_4P.Na_2$ F. Wt. 370.43	500 mg 1 gm	12000 18100
275	**BROMO CRESOL GREEN SODIUM, AR GRADE** CAS 62625-32-5 $C_{21}H_{14}Br_4NaO_5S$ F. Wt. 720.0	5 gm 25 gm	700 2940
1612	**BROMOCRESOL GREEN, AR GRADE** (Bromo Cresol Blue) CAS 76-60-8 $C_{21}H_{14}Br_4O_5S$ F. Wt. 698.01	5 gm 25 gm 100 gm	760 3590 13450
1614	**BROMOCRESOL PURPLE, AR GRADE** (pH 5.2-6.8, Yellow to Purple) CAS 115-40-2 $C_{21}H_{16}Br_2O_5S$ F. Wt. 540.24	5 gm 25 gm 100 gm	300 1020 2880
1656	**BROMOPHENOL BLUE INDICATOR, AR GRADE** CAS 115-39-9 $C_{19}H_{10}Br_4O_5S$ F. Wt. 669.96	5 gm 25 gm	230 875
4039	**BROMOPYROGALLOL RED, AR GRADE** CAS 16574-43-9 $C_{19}H_{10}Br_2O_8S$ F. wt. 558.15	1 gm 5 gm	820 3200
1657	**BROMOTHYMOL BLUE** (pH 5.8-7.6, Yellow to Blue) CAS 76-59-5 $C_{27}H_{28}Br_2O_5S$ F. Wt. 624.38	5 gm 25 gm 100 gm	350 1330 4215
3327	**BROMOTHYMOL BLUE SODIUM** CAS 34722-90-2 $C_{27}H_{27}Br_2O_5SNa$ F. Wt. 646.35	5 gm 25 gm	275 975
3308	**BRUCINE** CAS 357-57-3 $C_{23}H_{26}N_2O_4$ F. Wt. 394.46	25 gm	3330
3309	**BRUCINE SULPHATE (Hepta)** CAS 5787-00-8 $(C_{23}H_{26}N_2O_4)_2.H_2SO_4.7H_2O$ F. Wt. 1013.13	25 gm	2375
284	**BUFFER CAPSULES pH 4.0**	10 Cap. 10x10	205 1840
285	**BUFFER CAPSULES pH 7.0**	10 Cap. 10x10	205 1840
286	**BUFFER CAPSULES pH 9.2**	10 Cap. 10x10	205 1840
4041	**1-BUTANE SULPHONIC ACID SODIUM SALT (Anhydrous), (For HPLC)** CAS 2386-54-1 $C_4H_9NaO_3S$ F. wt. 160.16	25 gm	1380
4042	**1-BUTANE SULPHONIC ACID SODIUM SALT (Monohydrate), (For HPLC)** CAS 2386-54-1 $C_4H_9NaO_3S.H_2O$ F. wt. 178.16	25 gm	1320
581	**BUTYLATED HYDROXY ANISOLE, (B.H.A.)** CAS 121-00-6 $C_{11}H_{16}O_2$ F. Wt. 180.24 (Store at 25°C)	100 gm 500 gm 25 Kg	1225 5540 POR
582	**BUTYLATED HYDROXY TOLUENE, (B.H.T.)** (2,6-di-tert-butyl-p-cresol) CAS 128-37-0 $C_{15}H_{24}O$ F. Wt. 220.35	500 gm 5 Kg 25 Kg	925 8920 POR
144	**tert-.BUTYL HYDROQUINONE (TBHQ)** CAS 1948-33-0 $C_{10}H_{14}O_2$ F. Wt. 166.22	100 gm 500 gm	575 2500
3109	**CADMIUM SULPHATE (Octa), EXTRA PURE** CAS 7790-84-3 $3CdSO_4.8H_2O$ F. wt. 769.50	100 gm 500 gm	575 1470
3110	**CADMIUM SULPHATE (Octa), AR GRADE** CAS 7790-84-3 $3CdSO_4.8H_2O$ F. wt. 769.50	100 gm 500 gm	660 2275
3111	**CAFFEINE (ANH) (as per IP)** CAS 58-08-2 $C_8H_{10}N_4O_2$ F. Wt. 194.19	100 gm 500 gm 25 Kg	1300 6100 POR
148	**CALAMINE (as per IP)** CAS 8011-96-9	500 gm 25 Kg	650 POR
149	**CALCEIN, AR GRADE (Fluorescin Complexone)** CAS 1461-15-0 $C_{30}H_{26}N_2O_{13}Na_2$ F. Wt. 622.55	1 gm 5 gm	260 770

C

C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
287	**CALCIUM ACETATE, (PHARMA GRADE)** (for soil test) CAS 62-54-4 **$C_4H_6CaO_4$ F. Wt. 158.17**	500 gm 25 Kg	505 POR
4043	**CALCIUM ACETATE, AR GRADE** CAS 62-54-4 **$C_4H_6CaO_4$ F. Wt. 158.17**	500 gm 25 Kg	775 POR
4007	**CALCIUM BUTYRATE** CAS 5743-36-2 **$C_8H_{14}CaO_4$ F. Wt. 214.27**	500 gm 25 Kg	640 POR
288	**CALCIUM CARBONATE (Precipitated), (ANH.) EXTRA PURE CAS 471-34-1** **$CaCO_3$ F. Wt. 100.09**	500 gm 5 Kg 50 Kg	200 1450 POR
289	**CALCIUM CARBONATE (Precipitated), (ANH.) AR GRADE** CAS 471-34-1 **$CaCO_3$ F. Wt. 100.09**	500 gm 50 Kg	250 POR
290	**CALCIUM CHLORIDE (Fused), EXTRA PURE** CAS 10043-52-4 **$CaCl_2$ F. wt. 110.98**	500 gm 5 kg 25 kg	210 1500 POR
291	**CALCIUM CHLORIDE (Dihydrate), EXTRA PURE** CAS 10035-04-8 **$CaCl_2.2H_2O$ F. Wt. 147.02**	500 gm 5 Kg 50 Kg	275 1660 POR
292	**CALCIUM CHLORIDE (Dihydrate), AR GRADE** CAS 10035-04-8 **$CaCl_2.2H_2O$ F. Wt. 147.02**	500 gm 50 Kg	360 POR
587	**CALCIUM CHLORIDE (ANH.), EXTRA PURE** CAS 10043-52-4 **$CaCl_2$ F. Wt. 110.98**	500 gm	340
828	**CALCIUM CITRATE (Tetra), EXTRA PURE** CAS 5785-44-4 **$Ca_3(C_6H_5O_7)_2.4(H_2O)$ F. Wt. 570.50**	500 gm 25 Kg	550 POR
1701	**CALCIUM-D-PANTOTHENATE (VITAMIN B_5)** CAS 137-08-6 **$C_{18}H_{32}CaN_2O_{10}$ F. wt. 476.53 (Store at 2-8°C)**	25 gm 100 gm 1 Kg	950 3120 27150
4044	**CALCIUM FLUORIDE** CAS 7789-75-5 **CaF_2 F. wt. 78.07**	500 gm	1125
823	**CALCIUM GLUCONATE (Mono)** CAS 18016-24-5 **$C_{12}H_{22}CaO_{14}.H_2O$ F. Wt. 448.39**	500 gm	450
3113	**CALCIUM GLYCEROPHOSPHATE** CAS 17603-42-8 **$C_3H_8PO_6Na$ F. Wt. 194.06**	500 gm	1280
298	**CALCIUM HYDROXIDE (Purified)** CAS 1305-62-0 **$Ca(OH)_2$ F. Wt. 74.09**	500 gm 5 Kg 50 Kg	200 1700 POR
299	**CALCIUM HYDROXIDE, AR GRADE** CAS 1305-62-0 $Ca(OH)_2$ **F. Wt. 74.09**	500 gm 50 Kg	530 POR
2915	**CALCIUM HYPOPHOSPHITE**	500 gm	1150
157	**CALCIUM LACTATE, EXTRA PURE** CAS 814-80-2 $C_6H_{10}CaO_6$ **F. Wt. 218.22**	500 gm	700
159	**CALCIUM NITRATE (Tetra), EXTRA PURE CAS 13477-34-4** **$Ca(NO_3).H_2O$ F. Wt. 236.15**	500 gm 5 Kg 50 Kg	210 1760 POR
160	**CALCIUM NITRATE (Tetra), AR GRADE CAS 13477-34-4** **$Ca(NO_3).H_2O$ F. Wt. 236.15**	500 gm 5 Kg	310 2840
695	**CALCIUM OXIDE POWDER, EXTRA PURE** CAS 1305-78-8 CaO F. Wt. 56.077	500 gm	245
4046	**di-CALCIUM PHOSPHATE (Dihydrate), EXTRA PURE** CAS 7789-77-7 **$CaHPO_4.2H_2O$ F. wt. 172.1**	500 gm 25 Kg	230 POR
296	**CALCIUM PHOSPHATE DIBASIC (ANH.), EXTRA PURE** CAS 7757-93-9 **$CaHPO_4$ F. Wt. 136.06**	500 gm 5 Kg	560 5150
163	**CALCIUM PHOSPHATE TRIBASIC** (tri-Calcium Phosphate), EXTRA PURE CAS 7758-87-4 **$Ca_3(PO_4)_2$ F. Wt. 310.20**	500 gm 5 Kg 50 Kg	530 4950 POR
933	**CALCIUM PROPIONATE, EXTRA PURE** CAS 4075-81-4 **$C_6H_{10}CaO_4$ F. Wt. 186.22**	500 gm 5 Kg 25 Kg	485 4100 POR
164	**CALCIUM SULPHATE (Dihydrate), EXTRA PURE** CAS 10101-41-4 **$CaSO_4.2H_2O$ F. Wt. 172.17**	500 gm	315
165	**CALCIUM SULPHATE (Dihydrate), AR GRADE** CAS 10101-41-4 **$CaSO_4.2H_2O$ F. Wt. 172.17**	500 gm	435
5086	**CALCIUM SULPHATE (Dihydrate), (FOOD GRADE)** CAS 7778-18-9 **$CaSO_4.2H_2O$ F. Wt. 172.17**	500 gm 25 Kg	500 POR
2995	**CALCON** (Solo Chrome Dark Blue / Eriochrome blue dark) CAS 2538-85-4 C.I. 15705 **$C_{20}H_{13}N_2NaO_5S$ F. Wt. 416.38**	5 gm 25 gm 100 gm	340 990 3200

Laboratory Chemicals (EP & AR Grade) C

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1025	**CALCONCARBOXYLIC ACID, AR GRADE** (Patton & Reeder's Reagent) CAS 3737-95-9 **$C_{21}H_{14}N_2O_7S$ F. Wt. 438.42**	5 gm 25 gm	200 810
4048	**CALMAGITE, AR GRADE** CAS 3147-14-6 **$C_{17}H_{14}N_2O_5S$ F. wt. 358.37**	1 gm 5 gm	220 690
094	**CANADA BALSAM (Synethic)** CAS 8007-47-4	500 ml	1840
TCK 002	**CARBOHYDRATE KIT** (21 items of 1 gm each) Adonitol, L-Arabinose, Cellobiose, Dextrose, Dulcitol, Galactose, Fructose, Inositol, Inulin, Lactose, Maltose, Mannitol, Mannose, Melibiose, Raffinose, Rhamnose, Salicin, Sorbitol, Sucrose Trehalose, Xylose	1 Kit 5 Kit	4220 19180
TCK 003	**CARBOHYDRATE KIT, TYPE A** (4 Amino Sugars of 1 gm each) N-Acetylgalactosamine, N-Acetylglucosamine D-Galactosamine HCl, D-Glucosamine HCl	1 Kit	8080
1658	**CARBOL FUCHSIN (Para fuchsin and Phenol)** CAS 4197-24-4 **$C_{26}H_{26}ClN_3O$ F. Wt. 431.96**	25 gm 100 gm	380 1020
293	**CARBOLIC ACID, CRYSTAL (Phenol Crystal), EXTRA PURE** CAS 108-95-2 **C_6H_5OH F. Wt. 94.11**	500 gm	580
170	**CARBOPOL® 934** CAS 9003-01-4	500 gm	1530
2546	**CARBOPOL® 940** CAS 9003-01-4	500 gm	1530
826	**CARBOXYMETHYL CELLULOSE** Sodium High Viscosity (CMC) (15 mpas) CAS 9000-11-7	500 gm 25 Kg	1250 POR
1659	**CARMINE, (Carminic Acid)** CAS 1390-65-4 C.I. 75470 **$C_{22}H_{20}O_{13}$ F. Wt. 492.38**	5 gm 25 gm	750 3530
1721	**L-CARNITINE (VITAMIN-B_T)** CAS 541-15-1 **$C_7H_{15}NO_3$ F. Wt. 161.2** *	5 gm 25 gm	1080 4620
4139	**CARRAGEENAN (Kappa Type)** CAS 9000-07-1	100 gm 500 gm	790 3500
209	**CASEIN (Soluble in Alkali)** **(Fat Free, Vitamin Free)** CAS 9000-71-9	500 gm	1450
510	**CATALASE (2000-5000 Unit/Mg)** (from Bovine Liver) CAS 9001-05-2 *	1 gm	6925
4231	**CEDARWOOD OIL** Optically clear, nonflouroscent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml	615 730 1780 3950
4232	**CEDARWOOD OIL, AR GRADE** Optically clear, nonflouroscent for microscopy CAS 8000-27-9	25 ml 30 ml 100 ml 500 ml	635 700 1900 4350
939	**D-CELLOBIOSE** CAS 528-50-7 **$C_{12}H_{22}O_{11}$ F. Wt. 342.29**	5 gm 25 gm	1100 4840
3523	**CELLULASE** CAS 9012-54-8 * Activity 10,000 U/gm	1 gm	6360
TC 005	**CELLULOSE POWDER** CAS 9004-34-6 $(C_6H_{10}O_5)_n$	500 gm 25 Kg	575 POR
2550	**CETOSTEARYL ALCOHOL, EXTRA PURE** CAS 8005-44-5	500 gm	820
584	**CETRIMIDE, (N-Cetyl N,N,N-** Trimethylammonium Bromide), EXTRA PURE CAS 57-09-0 **$C_{19}H_{42}NBr$ F. Wt. 364.62**	100 gm 500 gm 25 Kg	485 2060 POR
2556	**CETRIMIDE, (N-Cetyl N,N,N-** Trimethylammonium Bromide), AR GRADE CAS 57-09-0 **$C_{19}H_{42}NBr$ F. wt. 364.45**	100 gm 500 gm	535 2420
2553	**CETYL ALCOHOL, (1-Hexadecanol), EXTRA PURE** CAS 36653-82-4 **$C_{16}H_{34}O$ F. Wt. 242.44**	500 gm	595

C Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3316	**CHAPS BUFFER** CAS 75621-03-3 **$C_{32}H_{58}N_2O_7S$ F. wt. 614.9**	1 gm 5 gm	770 3630
203	**CHARCOAL ACTIVATED POWDER, EXTRA PURE** CAS 7440-44-0 **F. Wt. 12.01**	500 gm 25 Kg	475 POR
2903	**CHARCOAL ACTIVATED, AR GRADE** CAS 7440-44-0 **F. Wt. 12.01**	500 gm	510
2931	**CHARCOAL ACTIVATED, GRANULAR** SPECIAL GRADE 2.0 - 5.0 mm CAS 7440-44-0 **F. Wt. 12.01**	500 gm	550
4249	**CHES BUFFERE** CAS 103-47-9 **$C_8H_{17}NO_3S$ F. wt. 207.29**	25 gm 100 gm	2500 8990
074	**CHINA BLUE (Aniline Blue W/S)** CAS 28983-56-4 C.I. 42780 **$C_{37}H_{27}N_3Na_2O_9S_3$ F. wt. 799.80**	25 gm 100 gm	700 2430
827	**CHITIN** [Poly (N-acetyl-1,4-D-glucopyranosamine)] CAS 1398-61-4 $(C_8H_{13}NO_5)_n$	100 gm 500 gm 25 Kg	3360 6725 POR
4224	**CHITOSAN** CAS 9012-76-4 **$(C_6H_{11}NO_4)n$ F. Wt. 309.54**	25 gm 100 gm 1 Kg	960 3100 22200
183	**CHLORAMINE-T (Trihydrate), AR GRADE** CAS 7080-50-4 **$C_7H_{13}N_3ClNNaO_5S$ F. Wt. 281.69**	500 gm	2620
2559	**CHLOROACETIC ACID, EXTRA PURE** (Monochloroacetic Acid) CAS 79-11-8 **$C_2H_3ClO_2$ F. Wt. 94.50**	500 gm	350
2560	**CHLOROAURIC ACID, min.49% Au** (Gold chloride) CAS 16961-25-4 **$HAuCl_4.3H_2O$ F. wt. 339.79**	1 gm	13500
182	**CHLOROPHENOL RED, AR GRADE** CAS 4430-20-0 **$C_{19}H_{12}Cl_2O_5S$ F. Wt. 423.27**	5 gm 25 gm	620 2430
2565	**p-CHLOROPHENOXY ACETIC ACID (4 CPA)** CAS 122-88-3 **$C_8H_7ClO_3$ F. Wt. 186.59**	25 gm	6300
1707	**CHOLECALCIFEROL (Vitamin D_3)** * CAS 67-97-0 **$C_{27}H_{44}O$ F. Wt. 384.64**	1 gm	1210
305	**CHOLESTEROL (as per USP), EXTRA PURE** * CAS 57-88-5 **$C_{27}H_{46}O$ F. Wt. 386.65**	100 gm 500 gm	10080 46000
4053	**CHOLESTEROL, AR GRADE** CAS 57-88-5 **$C_{27}H_{46}O$ F. wt. 386.65**	5 gm 25 gm 100 gm	580 2530 9350
307	**CHOLIC ACID Purity 99%+** CAS 81-25-4 **$C_{20}H_{40}O_5$ F. Wt. 408.57**	25 gm 100 gm	2450 8570
4178	**CHOLIC ACID SODIUM** CAS 361-09-1 **$C_{20}H_{39}NaO_5$ F. Wt. 430.56**	25 gm 100 gm 5 Kg	2320 8750 POR
3125	**CHROMAZUROL S** CAS 1667-99-8 **$C_{23}H_{13}Cl_2Na_3O_9S$ F. Wt. 605.28**	10 gm	1460
3126	**CHROMIUM ACETATE, EXTRA PURE** CAS 1066-30-4 **$C_8H_{16}Cr_2O_{10}$ F. Wt. 376.2**	500 gm	1825
185	**CHROMIUM (III) CHLORIDE (Hexa) EXTRA PURE** CAS 10060-12-5 **$Cl_3Cr.6H_2O$ F. Wt. 266.45**	500 gm 25 gm	1145 POR
187	**CHROMIUM (III) NITRATE (Nona) EXTRA PURE** CAS 7789-02-8 **$CrN_3O_9.9H_2O$ F. Wt. 400.15**	500 gm	1460
189	**CHROMIUM PICOLINATE, EXTRA PURE** CAS 14639-25-9 **$C_{18}H_{12}N_3O_6Cr$ F. Wt. 418.33**	25 gm 100 gm	940 2820
2570	**CHROMIUM (III) SULPHATE BASIC, EXTRA PURE** CAS 39380-78-4 **$Cr_4(SO_4)_5(OH)_2$ F. Wt. 722.32**	500 gm	550
4054	**CHROMIUM OXIDE GREEN, EXTRA PURE** CAS 1308-38-9 **Cr_2O_3 F. wt. 151.99**	500 gm	1455
192	**CHROMIUM TRIOXIDE, EXTRA PURE** (Chromium (VI) Oxide/Chromic acid) CAS 1333-82-0 **CrO_3 F. Wt. 99.99**	500 gm	920
196	**CHROMOTROPIC ACID DISODIUM** (Dihydrate), AR GRADE CAS 5808-22-0 **$C_{10}H_6Na_2O_8S_2.2H_2O$ F. Wt. 400.29**	10 gm 25 gm	750 1740
199	**CINNAMIC ACID, (β phenyl acrylic acid) EXTRA PURE** CAS 140-10-3 **$C_9H_8O_2$ F. Wt.148.05**	100 gm 500 gm	400 1600

Laboratory Chemicals (EP & AR Grade)

C

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
309	**CITRIC ACID, (Mono), EXTRA PURE** CAS 5949-29-1 $C_6H_8O_7.H_2O$ F. Wt. 210.14	500 gm 5 Kg 25 Kg	430 4150 POR
310	**CITRIC ACID, (Mono), AR GRADE** CAS 5949-29-1 $C_6H_{10}O_8$ F. Wt. 210.14	500 gm 5 Kg 25 Kg	450 4260 POR
311	**CITRIC ACID (ANH.), EXTRA PURE** CAS 77-92-9 $C_6H_8O_7$ F. Wt. 192.12	500 gm 5 Kg 25 Kg	510 4910 POR
312	**CITRIC ACID (ANH.), AR GRADE** CAS 77-92-9 $C_6H_8O_7$ F. Wt. 192.12	500 gm 5 Kg 25 Kg	530 5180 POR
975	**COBALT (II) ACETATE (Tetra), EXTRA PURE** CAS 6147-53-1 $Co(CH_3COO)_4.4H_2O$ F. Wt. 249.08	100 gm 500 gm	1560 6960
1801	**COBALT (II) CARBONATE BASIC EXTRA PURE** CAS 12602-23-2 $_2CoCO_3.3Co(OH)_6$ F. Wt. 516.73	100 gm 500 gm	2340 10800
976	**COBALT (II) CHLORIDE (Hexa), EXTRA PURE** CAS 7791-13-1 $COCl_2.6(H_2O)$ F. Wt. 237.93	100 gm 500 gm	1080 5040
977	**COBALT (II) NITRATE (Hexa), EXTRA PURE** CAS 10026-22-9 $CO(NO_3)_2.6H_2O$ F. Wt. 291.03	100 gm 500 gm	960 4080
1803	**COBALT (II) NITRATE (Hexa), AR GRADE** CAS 10026-22-9 $CO(NO_3)_2.6H_2O$ F. Wt. 291.03	100 gm 500 gm	1140 4560
1804	**COBALT (II) OXIDE, EXTRA PURE** CAS 1308-06-1 Co_3O_4 F. Wt. 240.80	100 gm 500 gm	3300 14640
978	**COBALT (II) SULPHATE (Hepta), EXTRA PURE** CAS 10026-24-1 $CO_3SO_4.7H_2O$ F. Wt. 281.10	100 gm 500 gm	900 3840
1805	**COLCHICINE** CAS 64-86-8 $C_{22}H_{25}NO_6$ F. Wt. 399.44	1 gm 10 gm	1840 17140
1615	**CONGO RED** CAS 573-58-0 C.I. 22120 $C_{32}H_{22}N_6Na_2O_6S_2$ F. Wt. 696.67	25 gm 100 gm	310 880
1696	**COOMASSIE BRILLIANT BLUE G 250** (Brilliant Blue G-250) For electrophoresis CAS 6104-58-1 C.I. 42655 $C_{47}H_{48}NaO_7S_2$ F. Wt. 854.02	5 gm 25 gm	925 3085
1616	**COOMASSIE BRILLIANT BLUE R-250** (Brilliant Blue R-250) CAS 6104-59-2 C.I. 42660 $C_{45}H_{44}N_3NaO_7S_2$ F. Wt. 825.97	5 gm 25 gm	865 2840
2409	**COPPER METAL POWDER 99.5%** (325 mesh) Electrolytic Grade CAS 7440-50-8 Cu F. Wt. 63.55	500 gm	2180
1687	**COTTON BLUE, (Water Blue)** CAS 28983-56-4 C.I. 42780 $C_{37}H_{27}N_3Na_2O_9S_3$ F. Wt. 799.82	25 gm 100 gm	700 2430
2574	**COUMARIN [1-Benzopyran-2-One]** CAS 91-64-5 $C_9H_6O_2$ F. Wt. 146.143	100 gm 500 gm	600 2735
1807	**CREATINE (Mono)** CAS 6020-87-7 $C_4H_9N_3O_2.H_2O$ F. Wt. 149.16	25 gm 100 gm	210 720
1808	**CREATININE, AR GRADE** CAS 60-27-5 $C_4H_7N_3O$ F. Wt. 113.12	25 gm 100 gm 1 Kg	780 2620 21500
1811	**o-CRESOLPHTHALEIN (pH Indicator)** CAS 596-27-0 $C_{22}H_{18}O_4$ F. Wt. 346.38	5 gm 25 gm	170 575
4137	**o-CRESOLPHTHALEIN COMPLEXONE** CAS 2411-89-4 $C_{32}H_{32}N_2O_{12}$ F. wt. 636.6	1 gm 5 gm	390 1320
1618	**m-CRESOL PURPLE** CAS 2303-01-7 $C_{21}H_{18}O_5S$ F. Wt. 382.43	1 gm 5 gm	260 1140
1619	**CRESOL RED, AR GRADE** CAS 1733-12-6 $C_{21}H_{18}O_5S$ F. Wt. 382.44	5 gm 25 gm	230 690
1606	**CRYSTAL VIOLET POWDER, EXTRA PURE** (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42535 $C_{25}H_{30}ClN_3$ F. Wt. 407.99	25 gm 100 gm 1 Kg	660 2510 19385
1620	**CRYSTAL VIOLET, AR GRADE** (Gentian Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 $C_{25}H_{30}ClN_3$ F. Wt. 407.98	25 gm 100 gm 1 Kg	770 2840 22090
314	**CUPRIC ACETATE, (Mono) EXTRA PURE** CAS 6046-93-1 $C_4H_6CuO_4.H_2O$ F. Wt. 199.64	100 gm 500 gm	480 1580
1866	**CUPRIC CARBONATE BASIC, EXTRA PURE** CAS 12069-69-1 $CH_2Cu_2O_5$ F. Wt. 221.12	500 gm	1560

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
315	**CUPRIC CHLORIDE (Dihydrate), EXTRA PURE** CAS 10125-13-0 **$CuCl_2.2H_2O$ F. Wt. 170.48**	500 gm	885
316	**CUPRIC CHLORIDE (Dihydrate), AR GRADE** CAS 10125-13-0 **$CuCl_2.2H_2O$ F. Wt. 170.48**	500 gm	1220
317	**CUPRIC NITRATE (Trihydrate), EXTRA PURE** CAS 10031-43-3 **$Cu(NO_3)_2.3H_2O$ F. Wt. 241.60**	500 gm	1070
1818	**CUPRIC OXIDE, EXTRA PURE** CAS 1317-38-0 **CuO F. Wt. 79.55**	100 gm 500 gm	415 1700
319	**CUPRIC SULPHATE (Penta), EXTRA PURE** CAS 7758-99-8 **$CuSO_4.5H_2O$ F. Wt. 249.68**	500 gm 25 Kg	760 POR
320	**CUPRIC SULPHATE (Penta), AR GARDE** CAS 7758-99-8 **$CuSO_4.5H_2O$ F. Wt. 249.68**	500 gm 25 Kg	840 POR
1819	**CUPRIC SULPHATE (ANH.), EXTRA PURE** CAS 7758-98-7 **$CuSO_4$ F. Wt. 159.61**	500 gm 25 Kg	1110 POR
837	**CUPRIC SULPHATE (ANH.), AR GRADE** CAS 7758-98-7 **$CuSO_4$ F. Wt. 159.61**	500 gm 25 Kg	1250 POR
2893	**CUPROUS CHLORIDE, EXTRA PURE** CAS 7758-89-6 **CuCl F. Wt. 98.999**	500 gm	1330
817	**CUPRON, (Benzoin α-Oxime) AR GRADE** CAS 441-38-3 **$C_{14}H_{13}NO_2$ F. Wt. 227.27**	25 gm 100 gm	450 1320
2936	**CURCUMINE (Turmeric)** CAS 458-37-7 **$C_{21}H_{20}O_6$ F. Wt. 368.39**	5 gm 10 gm	660 2800
1704	**CYANOCOBALAMIN (Vitamin B_{12})** CAS 68-19-9 **$C_{63}H_{88}CON_{14}O_{14}P$ F. Wt. 1355.38**	1 gm 10 gm	3860 33360
3625	**β-CYCLODEXTRIN** CAS 7585-39-9 **$C_{42}H_{70}O_{35}$ F. Wt. 1134.98**	500 gm	2580
573	**CYCLOHEXIMIDE (Actidione), AR GRADE** CAS 66-81-9 **$C_{15}H_{23}NO_4$ F. wt. 281.36**	1 gm 5 gm	2200 9350
1138	**L-CYSTEINE, (Free Base)** 99%+Crystalline CAS 52-90-4 **$C_3H_7NO_2S$ F. Wt. 121.17**	5 gm 25 gm 100 gm	145 410 1360
1139	**L-CYSTEINE HYDROCHLORIDE (Mono)** 99%+Crystalline CAS 7048-04-6 **$C_3H_8NO_2SCl.H_2O$ F. Wt. 175.63**	25 gm 100 gm 1 Kg 25 Kg	260 880 5990 POR
1140	**L-CYSTINE, 99%+CRYSTALLINE (Free Base)** CAS 56-89-3 **$C_6H_{12}N_2O_4S_2$ F. Wt. 240.3**	25 gm 100 gm 1 Kg	330 1100 10190
4056	**CYTIDINE (For Biochemistry)** CAS 65-46-3 **$C_9H_{13}N_3O_5$ F. wt. 243.22**	1 gm 5 gm 25 gm	130 590 1540
4057	**CYTOSINE (For Biochemistry)** CAS 71-30-7 **$C_4H_5N_3O$ F. wt. 111.1**	1 gm 5 gm 25 gm	185 760 3370
4058	**1-DECANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC)** CAS 13419-61-9 **$CH_3(CH_2)_9SO_3Na$ F. wt. 244.33**	25 gm	1230
4059	**1-DECANE SULPHONIC ACID SODIUM SALT** (Mono), (For HPLC) CAS 13419-61-9 **$C_4H_9NaO_3S.H_20$ F. wt. 178.16**	25 gm	1230
666	**DETERGENT TABOLENE** (Neutral pH, W/O. Phosphate) (For glass ware cleaning)	500 ml 5 Ltr	330 2100
1823	**DEVARDA'S ALLOY POWDER, EXTRA PURE** CAS 8049-11-4	100 gm 500 gm	590 2360
1313	**DEXTRIN WHITE** CAS 9004-53-9 **$(C_6H_{10}O_5)_n.xH_2O$ F. Wt. 414.55**	500 gm	300
1303	**DEXTROSE (Mono), EXTRA PURE** CAS 5996-10-1 **$C_6H_{12}O_6.H_2O$ F. Wt. 198.17**	500 gm 5 Kg 25 Kg	220 1690 POR
1317	**DEXTROSE (Mono), AR GRADE** CAS 5996-10-1 **$C_6H_{12}O_6.H_2O$ F. Wt. 198.17**	500 gm 5 Kg 25 Kg	275 2220 POR
1304	**DEXTROSE (ANH.), EXTRA PURE** CAS 50-99-7 **$C_6H_{12}O_6$ F. Wt. 180.16**	500 gm 5 Kg 25 Kg	290 2370 POR
1314	**DEXTROSE (ANH.), AR GRADE** CAS 50-99-7 **$C_6H_{12}O_6$ F. Wt. 180.16**	500 gm 5 Kg 25 Kg	310 2850 POR
1825	**DIACETYL MONOXIME, AR GRADE** (2,3, Butanedione Monoxime) CAS 57-71-6 **$C_4H_7NO_2$ F. Wt. 101.10**	25 gm 100 gm	490 1580

Laboratory Chemicals (EP & AR Grade)

D

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1417	**DIASTASE** * (α-Amylase, Activity 2000 A U/g) CAS 9000-90-2	100 gm 500 gm 5 Kg	510 2150 POR
1827	**trans-1,2-DIAMINO CYCLOHEXANE N,N,N',N-TETRA ACETIC ACID (CDTA) EXTRA PURE** CAS 13291-61-7 $C_{14}H_{22}N_2O_8.H_2O$ F. Wt. 364.36	25 gm 100 gm	3750 14050
3136	**2,7 DICHLORO FLUORESCEIN, AR GRADE** CAS 76-54-0 $C_{20}H_{10}Cl_2O_5$ F. Wt. 401.2	10 gm	1155
2589	**2,6-DICHLOROPHENOL INDOPHENOL SODIUM, AR GRADE** CAS 620-45-1 $C_{12}H_6Cl_2NNaO_2$ F. Wt. 290.08	1 gm 5 gm 25 gm	310 1200 4900
2590	**2,4-DICHLOROPHENOXY ACETIC ACID (2,4-D)** CAS 94-75-7 $C_8H_6Cl_2O_3$ F. Wt. 221.04	500 gm	5050
2591	**2,6-DICHLOROQUINONE-4-CHLORIMIDE** * (Gibbs Reagent) CAS 101-38-2 $C_6H_2Cl_3NO$ F. Wt. 210.45	5 gm 25 gm	1600 6530
2942	**DIETHYLENE GLYCOL, EXTRA PURE** CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml 25 Kg	415 POR
2944	**DIETHYLENE GLYCOL, AR GRADE** CAS 111-46-6 $C_4H_{10}O_3$ F. Wt. 106.12	500 ml	465
754	**DIGITONIN, AR GRADE** CAS 11024-24-1 $C_{56}H_{92}O_{29}$ F. Wt. 1229.31	1 gm	27200
839	**L-3, 4-DIHYDROXYPHENYL L-ALANINE** (L-DOPA) CAS 59-92-7 $C_9H_{11}NO_4$ F. Wt. 197.19	5 gm 25 gm	930 4200
596	**p -DIMETHYLAMINO BENZALDEHYDE** (Ehrlich Reagent), EXTRA PURE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm 25 Kg	495 1590 7630 POR
795	**p-DIMETHYL AMINO BENZALDEHYDE** (Ehrlich Reagent), AR GRADE CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm	555 1750 7920
1836	**DIMETHYL GLYOXIME, EXTRA PURE** (2,3, butanedionedioxime) CAS 95-45-4 $C_4H_8N_2O_2$ F. Wt. 116.12	100 gm 500 gm	820 3380
1840	**N,N-DIMETHYL p-PHENLYENEDIAMINE Di Hcl, AR GRADE** CAS 536-46-9 $C_8H_{14}Cl_2N_2$ F. Wt. 209.12	25 gm	9100
796	**N,N-DIMETHYL-p-PHENYLENE DIAMINE OXALATE** (p-Amino-N,N dimethylaniline oxalate) CAS 62778-12-5 $C_{10}H_{14}N_2O_4$ F. wt. 226.23 (Store at 2-8°C)	1 gm 5 gm	810 3500
841	**N,N-DIMETHYL-p-PHENYLENE DIAMINE SULPHATE** (4-Amino-N,N dimethylaniline sulphate) CAS 536-47-0 $C_8H_{14}N_2SO_4$ F. wt. 234.87	5 gm 25 gm	2700 11000
1842	**DIMETHYL YELLOW (pH Indicator)** CAS 60-11-7 C.I. 11020 $C_{14}H_{15}N_3$ F. Wt. 225.29	25 gm 100 gm	275 950
4060	**DIMIDIUM BROMIDE 98%** (For Tenside Testing) CAS 518-67-2 $C_{20}H_{18}BrN_3$ F. wt. 380.28	100 mg 1 gm	390 3080
2941	**3,5 DINITROBENZOIC ACID, EXTRA PURE** CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm	560 2210
1844	**3,5- DINITROBENZOIC ACID, AR GRADE** CAS 99-34-3 $C_7H_4N_2O_6$ F. Wt. 212.12	100 gm 500 gm	720 3000
1845	**2,4-DINITROPHENYL HYDRAZINE, EXTRA PURE** CAS 119-26-6 $C_6H_6N_4O_4$ F. Wt. 198.14	25 gm 100 gm	230 740
2599	**3,5-DINITROSALICYLIC ACID, AR GRADE** CAS 609-99-4 $C_7H_4N_2O_7$ F. Wt. 228.12	25 gm 100 gm	1380 5010
4061	**DIOCTYL SODIUM SULPHOSUCCINATE 98%** (DOSS) (AEROSOL OT) CAS 577-11-7 $C_{20}H_{37}NaO_7S$ F. wt. 444.56	500 gm	1680
3138	**DIPHENYLAMINE, EXTRA PURE** CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm	300 900
1849	**DIPHENYLAMINE, AR GARDE** CAS 122-39-4 $C_{12}H_{11}N$ F. Wt. 169.22	100 gm 500 gm	330 1040

D Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2601	**N,N'-DIPHENYL BENZIDINE, AR GRADE** CAS 531-91-9 $C_{24}H_{20}N_2$ F. Wt. 336.43	5 gm	9450
2602	**1,5-DIPHENYL CARBAZIDE, AR GRADE** * CAS 140-22-7 $C_{13}H_{14}N_4O$ F. Wt. 242.28	25 gm	1750
4062	**1,5-DIPHENYL CARBAZONE, AR GRADE** (Reagent For Mercury) CAS 538-62-5 $C_{13}H_{12}N_4O$ F. wt. 240.26	5 gm 25 gm	550 2420
1850	**1,4,DITHIOERYTHRITOL (D.T.E)** * (Cleland Reagent) CAS 6892-68-8 $C_4H_{10}O_2S_2$ F. Wt. 154.25	1 gm 5 gm	950 4590
1852	**DL-DITHIOTHREITOL (D.T.T.)** * CAS 3483-12-3 $C_4H_{10}O_2S_2$ F. Wt. 154.25	1 gm 5 gm	580 2050
2998	**DITHIZONE (Diphenylthiocarbazone), EXTRA PURE** CAS 60-10-6 $C_{13}H_{12}N_4S$ F. Wt. 256.33	5 gm 25 gm	920 4430
1853	**DITHIZONE, AR GRADE** CAS 60-10-6 $C_{13}H_{12}N_4S$ F. Wt. 256.33	5 gm 25 gm	980 4430
755	**DNA** * (Deoxyribonucleic Acid) CAS 9007-49-2	5 gm 25 gm	1760 7650
1023	**DODECYL BENZENE SULPHONIC ACID SODIUM SALT** CAS 121-65-3 $C_{18}H_{29}NaO_3S$ F. Wt. 326.49	100 gm 500 gm	700 3080
3522	**DPX MOUNTANT** for Histology	250 ml	400
TC 008	**DULCITOL (Galactitol, Dulcite)** CAS 608-66-2 $C_6H_{14}O_6$ F. Wt. 182.17	25 gm 100 gm	1460 4980
596	**EHRLICH'S REAGENT** CAS 100-10-7 $C_9H_{11}NO$ F. Wt. 149.19	25 gm 100 gm 500 gm	495 1590 7630
1661	**EOSINE (Spirit soluble)** CAS 6359-05-3 C.I. 45386 $C_{22}H_{11}Br_4KO_5$ F. Wt. 714.03	25 gm 100 gm	380 1400
1669	**EOSINE YELLOW, (Water soluble)** CAS 548-26-5 C.I. 45380 $C_{20}H_6Br_4Na_2O_5$ F. Wt. 691.85	25 gm 100 gm 1 Kg	300 1120 8400
1623	**ERIOCHROME BLACK T, EXTRA PURE** CAS 1787-61-7 C.I. 14645 $C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38	25 gm 100 gm	300 950
1855	**ERIOCHROME BLACK T, AR GRADE** CAS 1787-61-7 C.I. 14645 $C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38	25 gm 100 gm	350 1040
1856	**ERIOCHROME CYANINE R, AR GRADE** CAS 3564-18-9 C.I. 43820 $C_{23}H_{15}Na_3O_9S$ F. Wt. 536.39	5 gm 25 gm	830 4600
1681	**ERIOGLAUCINE (Acid Blue 9)** (Brilliant Blue FCF) CAS 3844-45-9 C.I. 42090 $C_{37}H_{34}N_2Na_2O_9S_3$ F. Wt. 792.86	10 gm	760
TC 009	**ERYTHRITOL (Meso Erythritol)** CAS 149-32-6 $C_4H_{10}O_4$ F. Wt. 122.12 (Store below 8°C)	5 gm 25 gm 100 gm	275 550 1645
1859	**ERYTHROSIN B SODIUM** CAS 16423-68-0 C.I. 45430 $C_{20}H_6I_4Na_2O_5$ F. Wt. 879.86	25 gm	900
304	**ESCULIN (Aesculin)** CAS 531-75-9 $C_{15}H_{16}O_9$ F. Wt. 367.30	5 gm 25 gm	1345 5950
3141	**ETHIDIUM BROMIDE, EXTRA PURE** CAS 1239-45-8 $C_{21}H_{20}BrN_3$ F. Wt. 394.31	1 gm 5 gm	620 2690
4067	**ETHIDIUM BROMIDE, AR GRADE** (For Electrophoresis)	1 gm 5 gm	670 2940
324	**ETHYLENEDIAMINE TETRAACETIC ACID,** (EDTA), EXTRA PURE CAS 60-00-4 $C_{10}H_{16}N_2O_8$ F. Wt. 292.24	100 gm 500 gm	290 1260
325	**ETHYLENE DIAMINE TETRA ACETIC ACID,** (EDTA), AR GRADE CAS 60-00-4 $C_{10}H_{16}N_2O_8$ F. Wt. 292.24	100 gm 500 gm	330 1420
349	**EDTA DIPOTASSIUM, EXTRA PURE** CAS 25102-12-9 $C_{10}H_{14}K_2N_2O_8 . 2H_2O$ F. Wt. 404.46	100 gm 500 gm	310 1170
326	**EDTA DIPOTASSIUM, AR GRADE** CAS 25102-12-9 $C_{10}H_{14}K_2N_2O_8.2H_2O$ F. Wt. 404.46	100 gm 500 gm 25 Kg	330 1220 POR
327	**EDTA DISODIUM, EXTRA PURE** CAS 6381-92-6 $C_{10}H_{14}N_2Na_2O_8.2H_2O$ F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	220 1050 10140 POR

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
328	**EDTA DISODIUM, AR GRADE** CAS 6381-92-6 $C_{10}H_{14}N_2Na_2O_8.2H_2O$ F. Wt. 372.24	100 gm 500 gm 5 Kg 25 Kg	290 1310 12540 POR
973	**EDTA FERRIC MONOSODIUM, EXTRA PURE** CAS 15708-41-5 $C_{10}H_{12}FeN_2NaO_8$ F. Wt. 367.05	100 gm 500 gm	260 1040
2608	**EDTA MAGNESIUM DISODIUM (Tetra), EXTRA PURE** CAS 14402-88-1 $C_{10}H_{12}N_2O_8MgNa_2$ F. Wt. 358.50	500 gm	980
2610	**ETHYL-P-HYDROXY BENZOATE** (Ethyl Paraben) CAS 120-47-8 $C_9H_{10}O_3$ F. Wt. 166.17	500 gm 5 Kg	1365 13230
4065	**EOSIN YELLOW (W/S)** CAS 17372-87-1 C.I.45380 $C_{20}H_6Br_4Na_2O_5$ F. wt. 691.88	25 gm 100 gm	300 860
2940	**ETHYLENE GLYCOL, EXTRA PURE** CAS 107-21-1 $C_2H_6O_2$ F. Wt. 62.07	500 ml	410
2943	**ETHYLENE GLYCOL, AR GRADE** CAS 107-21-1 $C_2H_6O_2$ F. Wt. 62.07	500 ml	500
1625	**EVANS BLUE** CAS 314-13-6 C.I. 23860 $C_{34}H_{24}N_6Na_4O_{14}S_4$ F. Wt. 960.80	5 gm 25 gm	1000 4000
2613	**FAST BLUE B SALT, (For microscopy)** CAS 14263-94-6 C.I. 37235 $C_{14}H_{12}Cl_2N_4O_2.ZnCl_2$ F. Wt. 475.49	25 gm 100 gm	870 3200
1627	**FAST BLUE BB SALT, AR GRADE** CAS 5486-84-0 C.I. 37175 $C_{34}H_{36}Cl_4N_6O_6Zn$ F. Wt. 831.89	25 gm	6000
1630	**FAST GREEN FCF** CAS 2353-45-9 C.I. 42053 $C_{37}H_{34}N_2Na_2O_{10}S_3$ F. Wt. 808.85	5 gm 25 gm	400 1520
4223	**FE-EDDHA (ETHYLENEDIAMINE-N,N'-BIS (2-HYDROXYPHENYLACETATE ACID) FERRIC-SODIUM COMPLEX** CAS 84539-55-9 $C_{18}H_{18}FeN_2NaO_6$ F. Wt. 437.19	25 gm 100 gm	4125 9200
TR 052	**FEHLING SOLUTION A**	500 ml	320
TR 053	**FEHLING SOLUTION B**	500 ml	480
330	**FERRIC AMMONIUM CITRATE (BROWN), EXTRA PURE** CAS 1185-57-5 $C_{12}H_{22}FeN_3O_{14}$ F. Wt. 488.16	500 gm 5 Kg 25 Kg	630 6050 POR
331	**FERRIC CHLORIDE (ANH.), EXTRA PURE** CAS 7705-08-0 $FeCl_3$ F. Wt. 162.20	500 gm 5 Kg 50 Kg	280 2320 POR
332	**FERRIC CHLORIDE (ANH.), AR GRADE** CAS 7705-08-0 $FeCl_3$ F. Wt. 162.20	500 gm 50 Kg	480 POR
756	**FERRIC CITRATE, (Mono), for Bacteriology** CAS 2338-05-8 $C_6H_5FeO_7$ F. Wt. 244.94	500 gm	1195
4068	**FERRIC NITRATE, EXTRA PURE** CAS 7782-61-8 FeN_3O_9 F. wt. 241.86	500 gm	500
228	**FERRIC ORTHOPHOSPHATE (Tetra), EXTRA PURE** CAS 10045-86-0 $FePO_4$ F. Wt. 150.82	500 gm	1000
990	**FERRIC OXIDE RED (Iron Oxide Red), EXTRA PURE** CAS 1309-37-1 Fe_2O_3 F. Wt. 159.69	500 gm	440
845	**FERRIC SULPHATE (Hydrate), EXTRA PURE** CAS 10028-22-5 $Fe_2(SO_4)_3.xH_2O$ F. Wt. 399.87	500 gm	460
243	**FERROUS AMMONIUM SULPHATE, EXTRA PURE** CAS 7783-85-9 $(NH_4)_2Fe(SO_4)_2.6H_2O$ F. wt. 392.16	500 gm 50 Kg	250 POR
244	**FERROUS AMMONIUM SULPHATE, AR GRADE** CAS 7783-85-9 $FeH_{20}N_2O_{14}S_2$ F. Wt. 392.14	500 gm 50 Kg	320 POR
513	**FERROUS SULPHATE (Hepta), EXTRA PURE** CAS 7782-63-0 $FeSO_4.7H_2O$ F. Wt. 278.01	500 gm 5 Kg 50 Kg	210 1500 POR
514	**FERROUS SULPHATE (Hepta), AR GRADE** CAS 7782-63-0 $FeSO_4.7H_2O$ F. Wt. 278.01	500 gm 50 Kg	335 POR
1879	**FERROUS SULPHIDE STICKS** (Iron sulphide sticks) CAS 1317-37-9 FeS F. Wt. 87.91	1 Kg	535
1682	**FIELD'S STAIN A, POWDER**	25 gm 1 Kg	600 17020
1683	**FIELD'S STAIN B, POWDER**	25 gm 1 Kg	430 12200
1880	**FLUORESCEIN** CAS 2321-07-5 C.I. 45350 $C_{20}H_{12}O_5$ F. Wt. 332.31	25 gm 100 gm	270 900

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
149	**FLUORESCEIN COMPLEXONE, (Calcein)** **AR GRADE** CAS 1461-15-0 **$C_{30}H_{26}N_2O_{13}$ F. Wt. 622.55**	**1 gm** **5 gm**	**260** **840**
2616	**FLUORESCEIN SODIUM** CAS 518-47-8 **$C_{20}H_{10}Na_2O_5$ F. Wt. 376.27**	**25 gm** **100 gm**	**320** **1020**
3147	**5-FLUOROURACIL** CAS 51-21-8 **$C_4H_3FN_2O_2$ F. Wt. 130.08**	**1 gm** **5 gm**	**530** **1680**
335	**FOLIC ACID (Vitamin B_9)** * CAS 59-30-3 **$C_{19}H_{19}N_7O_6$ F. Wt. 441.40**	**5 gm** **25 gm**	**260** **650**
4212	**FORCHLORFENURON (4-CPPU)** N-(2-chloro-4-pyridinyl)-N'- phenyl CAS 68157-60-8 **$C_{12}H_{10}ClN_3O$ F. wt. 247.68**	**5 gm**	**7350**
1301	**D-FRUCTOSE, (Levulose), EXTRA PURE** CAS 57-48-7 **$C_6H_{12}O_6$ F. Wt. 180.16**	**100 gm** **500 gm** **25 Kg**	**210** **710** **POR**
1315	**D-FRUCTOSE, (Levulose)** (Bacteriological Grade) CAS 57-48-7 **$C_6H_{12}O_6$ F. Wt. 180.16**	**100 gm** **500 gm**	**310** **1380**
1640	**FUCHSIN ACID (Acid Fuchsin)** CAS 3244-88-0 C.I. 42685 **$C_{20}H_{17}N_3Na_2O_9S_3$ F. Wt. 585.55**	**25 gm** **100 gm**	**650** **2160**
1603	**FUCHSIN BASIC, (Rosaniline HCl)** (Basic Fuchsin) CAS 632-99-5 C.I. 42510 **$C_{20}H_{20}N_3.HCl$ F. Wt. 337.86**	**25 gm** **100 gm** **1 Kg**	**275** **780** **6290**
771	**FUMARIC ACID, EXTRA PURE** CAS 110-17-8 **$C_4H_4O_4$ F. Wt. 116.07**	**500 gm**	**590**
4071	**FUSION MIXTURE**	**500 gm**	**430**
TC 010	**D-GALACTOSE** CAS 59-23-4 **$C_6H_{12}O_4$ F. Wt. 180.16**	**25 gm** **100 gm** **500 gm**	**600** **1870** **8650**
337	**GALLIC ACID (Mono)** (3,4,5, Trihydroxybenzoic Acid) CAS 5995-86-8 **$C_7H_6O_5.H_2O$ F. Wt. 188.14**	**100 gm** **500 gm**	**1220** **3630**
3318	**GELLAN GUM** Plant Tissue Culture Grade CAS 71010-52-1	**100 gm** **500 gm** **1 Kg**	**2010** **8650** **14500**
3342	**GELZAN-CM® (GELRITE®)** For Tissue Culture **(Regd. Trade mark of CP Kelco USA)** CAS 7110-51-1	**100 gm** **1 Kg** **5 Kg**	**4225** **37600** **POR**
3526	**GELATIN CRYSTAL, Bloom Type B** (Bacteriological Grade) CAS 9000-70-8	**500 gm** **5 Kg** **50 Kg**	**1335** **11850** **POR**
4072	**GELATIN POWDER (For Bacteriology)** CAS 9000-70-8	**500 gm**	**1340**
1606	**GENTIAN VIOLET, EXTRA PURE** (Crystal violet or Methyl Violet) CAS 548-62-9 C.I. 42555 **$C_{25}H_{30}ClN_3$ F. Wt. 407.99**	**25 gm** **100 gm** **1 Kg**	**660** **2510** **19385**
1620	**GENTIAN VIOLET, AR GRADE** (Crystal Violet or Methyl Violet) CAS 548-62-9 C.I. 42555 **$C_{25}H_{30}ClN_3$ F. Wt. 407.98**	**25 gm** **100 gm** **1 Kg**	**770** **2840** **22090**
849	**GIBBERELLIC ACID (GA_3)** (Plant growth regulator) CAS 77-06-5 **$C_{19}H_{22}O_6$ F. Wt. 346.37**	**1 gm** **10 gm** **100 gm** **1 kg**	**140** **1330** **10520** **POR**
3547	**GIBBERELLIC ACID (GA_{4+7})** CAS 202467-69-4 **$C_{20}H_{19}N_3O_7S$ F. wt. 445.45**	**1 gm** **5 gm** **100 gm**	**1100** **4500** **72500**
2591	**GIBBS REAGENT** * (2,6, Dichloroquinone-4-chlorimide) CAS 101-38-2 **$C_6H_2Cl_3NO$ F. Wt. 210.45**	**5 gm** **25 gm**	**1610** **6530**
1672	**GIEMSA'S STAIN** (Azur Eosin Methylene Blue) CAS 51811-82-6	**10 gm** **25 gm** **100 gm** **1 Kg**	**285** **665** **2590** **20830**
1303	**D-GLUCOSE (Mono), (Dextrose)** CAS 5996-10-1 **$C_6H_{12}O_6.H_2O$ F. Wt. 198.17**	**500 gm** **5 Kg** **25 Kg**	**220** **1690** **POR**
1304	**D-GLUCOSE (ANH.), (Dextrose)** CAS 50-99-7 **$C_6H_{12}O_6$ F. Wt. 180.15**	**500 gm** **5 Kg** **25 Kg**	**290** **2370** **POR**
1145	**L-GLUTAMIC ACID 99%, EXTRA PURE** (2- Amino Glutaric Acid) CAS 56-86-0 **$C_5H_9NO_4$ F. Wt. 147.13**	**100 gm** **500 gm**	**280** **825**

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1111	**L-GLUTAMIC ACID, 99%+Crystalline AR GRADE** CAS 56-86-0 **$C_5H_9NO_4$ F. Wt. 147.13**	100 gm 500 gm 25 Kg	1380 5540 POR
1112	**L-GLUTAMIC MONO SODIUM, AR GRADE** (Sodium Glutamate) 99%+Crystalline CAS 142-47-2 **$C_5H_5NNaO_4$ F. Wt. 169.11**	100 gm 500 gm 25 Kg	135 470 POR
1114	**L-GLUTAMINE, 99%+Crystalline** CAS 56-85-9 **$C_5H_{10}N_2O_3$ F. Wt. 146.14**	25 gm 100 gm 500 gm	360 1120 5460
793	**GLUTARIC ACID** * CAS 110-94-1 **$C_5H_8O_4$ F. Wt. 132.12**	100 gm 500 gm	960 4390
850	**GLUTATHIONE (Oxidized)** * CAS 27025-41-8 **$C_{20}H_{32}N_6O_{12}S_2$ F. Wt. 612.60**	500 mg	2500
757	**GLUTATHIONE (Reduced)** * CAS 70-18-8 **$C_{10}H_{17}N_3O_6S$ F. Wt. 307.32**	1 gm 5 gm 25 gm	220 850 3800
598	**GLYCEROL, (Glycerine), EXTRA PURE** CAS 56-81-5 **$C_3H_8O_3$ F. Wt. 92.09**	500 ml 2.5 Ltr 5 Ltr 25 Ltr	660 2840 5450 POR
597	**GLYCEROL, (Glycerine), AR GRADE** CAS 56-81-5 **$C_3H_8O_3$ F. Wt. 92.09**	500 ml 2.5 Ltr 5 Ltr 25 Ltr	710 3060 5650 POR
851	**GLYCEROL TRIBUTYRATE (Tributyrin)** CAS 60-01-5 **$C_{15}H_{26}O_3$ F. Wt. 302.36**	100 ml 500 ml	1470 6270
1110	**GLYCINE, EXTRA PURE (Amino Acetic Acid)** CAS 56-40-6 **$C_2H_5NO_2$ F. Wt. 75.07**	100 gm 500 gm 5 Kg 25 Kg	295 990 9490 POR
1109	**GLYCINE 99%+CRYSTALLINE, AR GRADE** CAS 56-40-6 **$C_2H_5NO_2$ F. Wt. 75.07**	100 gm 500 gm 5 Kg 25 Kg	280 1040 9710 POR
2650	**CHLOROAURIC ACID, min.49% Au (Gold chloride)**	1 gm	13500
4701	**GOLD CHLORIDE, ACS GRADE** CAS 16903-35-8 **$HAuCl_4.3H_2O$ F. Wt. 339.79**	1 gm	17870
1672 A	**GRAM'S IODINE** CAS 12298-68-9 **I_3K F. Wt. 419.81**	25 gm	810
TK 004	**GRAM'S STAIN KIT** I Crystal Violet Gram 15-125 ml II Decolourizer Gram 15-125 ml III Iodine Gram 15-125 ml IV Safranine 0.5% w/v OR Basic Fuchsin 0.1%-125 ml	1 Kit	1280
227	**GUANIDINE HYDROCHLORIDE, AR GRADE** (2-Amino-6-hydroxypurine HCl) CAS 50-01-1 **$CH_5N_3.HCl$ F. Wt. 95.33**	25 gm 100 gm	305 660
697	**GUANINE** (2-Amino 6-Hydroxypurine) CAS 73-40-5 **$C_5H_5N_5O$ F. Wt. 151.13**	5 gm 25 gm	230 735
600	**GUANINE HCl** * (2- Amino 6-Hydroxy Purine HCl) CAS 635-39-2 **$C_5H_5N_5O.HCl$ F. Wt. 187.59**	5 gm 25 gm	330 1410
3346	**GUANOSINE** CAS 118-00-3 **$C_{10}H_{13}N_5O_5$ F. Wt. 283.241**	10 gm 25 gm	655 1330
210	**GUM ACACIA, PHARMA GRADE** Spray Dried Powder CAS 9000-01-5	500 gm 25 Kg	560 POR
1890	**GUM XANTHAN (Xanthan Gum), AR GRADE** CAS 11138-66-2	100 gm 500 gm 25 Kg	430 1325 POR
1673	**HAEMATOXYLIN** CAS 517-28-2 C.I. 75290 **$C_{16}H_{14}O_6$ F. Wt. 302.28**	5 gm 25 gm 1 Kg	2095 9870 POR
603	**HEMIN (From Bovine)** CAS 16009-13-5 **$C_{34}H_{32}ClFeN_4O_4$ F. Wt. 651.95**	1 gm	1470
341	**HEPARIN SODIUM SALT, 20,000 I.U./Vial** CAS 9041-08-1	1 vl	1300
1891	**HEPARIN SODIUM SALT** * 1,00,000 I.U./Vial CAS 9041-08-1	1 vl	3360
503	**HEPES, FREE ACID** CAS 7365-45-9 **$C_8H_{18}N_2O_4S$ F. Wt. 238.30**	25 gm 100 gm 500 gm 1 Kg	530 1680 7350 13650
599	**HEPES SODIUM (For Tissue Culture)** CAS 75277-39-3 **$C_8H_{17}O_4N_2SNa$ F. Wt. 260.29**	25 gm 100 gm 1 Kg	790 2100 19000
1894	**1-HEPTANE SULPHONIC ACID SODIUM (ANH.),** (For HPLC) AR GRADE CAS 22767-50-6 **$C_7H_{15}NaO_3S$ F. Wt. 202.24**	25 gm 100 gm	1200 4360
4073	**1-HEPTANE SULPHONIC ACID SODIUM SALT (MONO), (For HPLC)** CAS 207300-90-1 **$C_7H_{15}NaO_3S.H_2O$ F. wt. 220.24**	25 gm 100 gm	1200 4360
3351	**HEXAMINE** CAS 100-97-0 **$C_6H_{12}N_4$ F. Wt. 140.19**	500 gm 50 Kg	430 POR
4074	**1-HEXANE SULPHONIC ACID SODIUM SALT (ANH), (For HPLC)** CAS 2832-45-3 **$C_6H_{13}NaO_3S$ F. wt. 188.22**	25 gm 100 gm	1200 4360
4075	**1-HEXANE SULPHONIC ACID SODIUM SALT** (Monohydrate), (For HPLC) CAS 207300-91-2 **$C_6H_{13}NaO_3S$ F. wt. 188.22**	25 gm 100 gm	1200 4360

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
792	**HIPPURIC ACID, 99%+Crystalline** CAS 495-69-2 $C_9H_9NO_3$ F. Wt. 179.17	100 gm 500 gm	620 2440
4213	**2, 8 HOMOBRASSINOLIDE** CAS 80483-89-2 $C_{29}H_{50}O_6$ F. wt. 494.70	10 mg 100 mg	3000 10500
1115	**L-HISTIDINE, 99%+Crystalline** CAS 71-00-1 $C_6H_9N_3O_2$ F. Wt. 155.15	25 gm 500 gm	970 15000
1116	**L-HISTIDINE HCl (Mono)** 99%+Crystalline CAS 5934-29-2 $C_6H_9N_3O_2.HCl.H_2O$ F. Wt. 209.63	25 gm 100 gm 1 Kg 25 Kg	710 2610 24860 POR
1899	**HYDRAZINE SULPHATE, EXTRA PURE** CAS 10034-93-2 $H_4N_2.H_2SO_4$ F. Wt. 130.12	100 gm 500 gm 25 Kg	440 1640 POR
2631	**HYDRAZINE SULPHATE, AR GRADE** CAS 10034-93-2 $H_4N_2H_2SO_4$ F. Wt. 130.12	100 gm 500 gm 25 Kg	540 2215 POR
1907	**HYDROXYLAMINE HYDROCHLORIDE, EXTRA PURE** CAS 5470-11-01 $NH_2OH.HCl$ F. Wt. 69.49	100 gm 500 gm 25 Kg	330 1310 POR
1908	**HYDROXYLAMINE HYDROCHLORIDE, AR GRADE** CAS 5470-11-1 ClH_4NO F. wt. 69.49	100 gm 500 gm	500 1680
4077	**HYDROXYLAMINE SULPHATE, EXTRA PURE** (Hydroxylammonium Sulphate) CAS 10039-54-0 $H_8N_2O_6S$ F. wt. 164.14	500 gm	650
4078	**HYDROXYLAMINE SULPHATE, AR GRADE** (Hydroxylammonium Sulphate) CAS 10039-54-0 $H_8N_2O_6S$ F. wt. 164.14	500 gm	830
1911	**HYDROXY NAPHTHOL BLUE, SODIUM, AR GRADE** CAS 63451-35-4 $C_{20}H_{12}N_2Na_2O_{11}S_3$ F. Wt. 598.50	5 gm 25 gm	570 1790
1117	**L-HYDROXY-L-PROLINE, 99%+Crystalline** CAS 51-35-4 $C_5H_9NO_3$ F. Wt. 131.13	5 gm 25 gm	420 1490
1912	**HYDROXY PROPYL METHYL CELLULOSE** (HPMC) E 15 LV CAS 9004-65-3 $C_{32}H_{60}O_{19}$ F. Wt. 748.81	500 gm	2900
2632	**8-HYDROXYQUINOLINE, AR GRADE, (Oxine)** CAS 148-24-3 C_9H_7NO F. Wt. 145.16	100 gm 500 gm	1070 4500
1015	**HYDROQUINONE, EXTRA PURE (Quinol)** CAS 123-31-9 $C_6H_6O_2$ F. wt.110.11	500 gm	2370
1904	**HYDROQUINONE, AR GRADE (Quinol)** CAS 123-31-9 $C_6H_6O_2$ F. wt.110.11	500 gm	2470
3151	**HYPOXANTHINE** CAS 68-94-0 $C_5H_4N_4O$ F. Wt. 136.112	5 gm 100 gm	270 3350
342	**IMIDAZOLE, AR GRADE** (Buffer Substance for pH 6.0-7.8) CAS 288-32-4 $C_3H_4N_2$ F. Wt. 68.08	100 gm 500 gm	550 2070
345	**IMMERSION OIL** Optically clear non fluoroscent for microscopy	25 ml 100 ml 500 ml	240 620 2550
346	**IMMERSION OIL, AR GRADE** Optically clear non fluoroscent for microscopy	25 ml 100 ml 500 ml	275 825 3000
1915	**INDIGO CARMINE, AR GRADE** CAS 860-22-0 C.I. 73015 $C_{16}H_8N_2Na_2O_8S_2$ F. Wt. 466.36	25 gm 100 gm	350 1050
1916	**INDOLE, AR GRADE (1-Benzo-Pyrrole)** CAS 120-72-9 C_8H_7N F. Wt. 117.15	10 gm 100 gm	240 1510
606	**INDOLE-3-ACETIC ACID (IAA)** * (3-Indoleacetic acid) CAS 87-51-4 $C_{10}H_9NO_2$ F. Wt. 175.18	5 gm 25 gm 100 gm 1 Kg	430 1390 4900 31000
606A	**INDOLE-3-ACETIC ACID POTASSIUM SALT** CAS 2338-19-4 $C_{10}H_8KNO_2$ F. Wt. 213.27	25 gm 100 gm 1 Kg	1350 3675 28000
607	**INDOLE-3-BUTYRIC ACID (IBA)** * (3-Indolebutyric acid) CAS 133-32-4 $C_{12}H_{13}NO_2$ F. Wt. 203.33	5 gm 25 gm 100 gm 1 Kg	520 1760 5530 35000
607A	**INDOLE-3-BUTYRIC ACID POTASSIUM SALT** CAS 60096-23-3 $C_{12}H_{12}KNO_2$ F. Wt. 241.33	25 gm 100 gm 1 Kg	1690 5170 35000

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
604	**INOSITOL (Meso Inositol)** CAS 87-89-8 $C_6H_{12}O_6$ F. Wt. 180.16	25 gm 100 gm 1 Kg	300 800 7000
TC 014	**INULIN, AR GRADE** CAS 9005-80-5 $(C_6H_{10}O_5)_n$ F. Wt. Approx. 5,000	25 gm 100 gm	1050 3520
347	**IODINE (Resublimed), EXTRA PURE** CAS 7553-56-2 I_2 F. Wt. 253.81	100 gm 500 gm 25 Kg	2750 12900 POR
348	**IODINE (Resublimed), AR GRADE** CAS 7553-56-2 I_2 F. wt. 253.81	100 gm 500 gm	2990 14030
4079	**2-IODOBENZOIC ACID, MIN.98%** CAS 88-67-5 $C_7H_5IO_2$ F. wt. 248.02	100 gm	3000
1927	**IRON METAL POWDER (300 Mesh)** **Electrolytic Grade** CAS 7439-89-6 Fe F. Wt. 55.85	1 Kg	1000
3154	**ISATIN (Indole-2,3-dione), AR GRADE** CAS 91-56-5 $C_8H_5NO_2$ F. Wt. 147.13	25 gm 100 gm	1030 3540
1119	**L-ISOLEUCINE, 99%+Crystalline** CAS 73-32-5 $C_6H_{13}NO_2$ F. Wt. 131.17	5 gm 25 gm	135 490
4215	**N6-(2-ISOPENTENYL)ADENINE; (2IP)** [6-(g-g-Dimethyllallylamino)purine] CAS 2365-40-4 $C_{10}H_{13}N_5$ F. wt. 203.24	1 gm 5 gm	10680 47285
3156	**ISOPROPYL β-D-THIOGALACTOPYRANOSIDE** (IPTG Dioxan Free) CAS 367-93-1 $C_9H_{18}O_5S$ F. Wt. 238.30 **(Store Below 8℃)**	1 gm 5 gm 25 gm	400 1780 8070
1933	**JACK BEAN MEAL (Uric Acid activator)** CAS 9002-13-5	100 gm 500 gm	270 1220
1934	**JANUS GREEN B** CAS 2869-83-2 $C_{30}H_{31}ClN_6$ F. Wt. 511.06	5 gm 25 gm	760 3040
1935	**JENNER'S STAIN (Eosin Methylene Blue)** CAS 62851-42-7	25 gm 100 gm	630 2390
4158	**JASMONIC ACID** NEW CAS 77026-92-7 $C_{12}H_{18}O_3$ F. Wt. 210.27	100 mg 250 mg	10300 22700
1937	**KAOLIN LIGHT, EXTRA PURE (as per IP)** CAS 1332-58-7 $H_2Al_2Si_2O_8.H_2O$ F. Wt. 258.16	500 gm	200
1120	**α-KETOGLUTARIC ACID** * **(2 Oxo Glutaric Acid)** 99%+Purity, Crystalline CAS 328-50-7 $C_5H_6O_5$ F. Wt. 146.10	25 gm 100 gm	610 2110

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
863	**KINETIN (6-Furfurylaminopurine)AR GRADE** * CAS 525-79-1 $C_{10}H_9N_5O$ F. Wt. 215.21	1 gm 5 gm	270 1050
1938	**KOJIC ACID** CAS 501-30-4 $C_6H_6O_4$ F. Wt. 142.11	1 gm 25 gm	210 550
TR 008	**KOVAC'S INDOLE REAGENT** Indole test for Microbiology	100 ml	330
1940	**LACTIC ACID, (Hydroxy Propionic Acid), EXTRA PURE** CAS 50-21-5 $C_3H_6O_3$ F. Wt. 90.08	500 ml(Pb) 2.5 Ltr 25 Ltr	780 3270 POR
1305	**LACTOSE (Mono)** CAS 10039-26-6 $C_{12}H_{22}O_{11}.H_2O$ F. Wt. 360.31	500 gm 25 Kg	525 POR
1316	**LACTOSE (Mono) 99%+Crystalline** Bacteriological Grade CAS 10039-26-6 $C_{12}H_{22}O_{11}.H_2O$ F. Wt. 360.31	500 gm 25 Kg	660 POR
3158	**LAURIC ACID** CAS 143-07-7 $C_{12}H_{24}O_2$ F. Wt. 200.32	500 gm	660
444	**LAURYL SULPHATE SODIUM, EXTRA PURE** (Sodium Dodecyl Sulphate) CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	500 gm 25 kg	655 POR
445	**LAURYL SULPHATE SODIUM, AR GRADE** CAS 151-21-3 $C_{12}H_{25}NaO_4S$ F. Wt. 288.38	100 gm 500 gm	1340 5340
1943	**LEAD METAL POWDER** CAS 7439-92-1 Pb F. Wt. 207.19	500 gm	1000
351	**LEAD ACETATE (Trihydrate), EXTRA PURE** CAS 6080-56-4 $C_6H_6O_4Pb.3(H_2O)$ F. Wt. 379.33	500 gm	530
352	**LEAD ACETATE BASIC** (Lead Subacetate Basic) for Sugar Analysis by Horne CAS 51404-69-4 $C_2H_4O_3Pb$ F. Wt. 283.25	500 gm 2.5 Kg	780 3240
1944	**LEAD CARBONATE BASIC, MIN 98%** CAS 1344-36-1 $C_2H_2O_6Pb$ F. wt. 329.23	500 gm	1105
2639	**LEAD (II) CHLORIDE (ANH.),** **(for Synthesis)** CAS 7758-95-4 $PbCl_2$ F. Wt. 278.11	500 gm	840

L Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
1946	**LEAD DIOXIDE, EXTRA PURE (Lead Peroxide)** CAS 1309-60-0 **O_2Pb F. wt. 239.19**	500 gm	1255
1947	**LEAD MONOXIDE** (Litharge, Lead Oxide Yellow) CAS 1317-36-8 **PbO F. Wt. 223.20**	500 gm	670
864	**LEAD NITRATE, EXTRA PURE** 10099-74-8 **N_2O_6Pb F. wt. 331.2**	500 gm	560
1674	**LEISHMAN'S STAIN C.I. 881038** (Eosin Methylene Blue) CAS 12627-53-1	25 gm 100 gm 1 Kg	660 2490 POR
1121	**L-LEUCINE, 99%+Crystalline** CAS 61-90-5 **$C_6H_{13}NO_2$ F. Wt. 131.17**	25 gm 100 gm 500 gm	330 970 4840
1950	**LIGHT GREEN** CAS 7114-03-06 C.I. 42040 **$C_{27}H_{34}N_2O_4S$ F. Wt. 482.63**	25 gm 100 gm	1360 4055
1686	**LIGHT GREEN SF** CAS 5141-20-8 C.I. 42095 **$C_{37}H_{34}N_2Na_2O_9S_3$ F. Wt. 792.85**	25 gm 100 gm	2000 7200
2640	**LIPASE** * CAS 9001-62-1	25 gm 100 gm	800 2300
4085	**LITHIUM BROMIDE, (ANH.), EXTRA PURE** CAS 7550-35-8 **LiBr F. wt. 86.85**	500 gm	5500
668	**LITHIUM CARBONATE, EXTRA PURE** CAS 554-13-2 **Li_2Co_3 F. Wt. 73.89**	100 gm 500 gm 25 Kg	1320 6120 POR
4140	**LITHIUM CARBONATE, AR GRADE** CAS 554-13-2 **Li_2CO_3 F. wt. 73.89**	100 gm 500 gm	1440 6300
3322	**LITHIUM CHLORIDE, (ANH.), EXTRA PURE** CAS 7447-41-8 **LiCl F. Wt. 42.39**	500 gm	4725
1955	**LITHIUM HYDROXIDE, (Mono) EXTRA PURE** CAS 1310-66-3 **$LiOH.H_2O$ F. Wt. 41.96**	500 gm 25 Kg	8680 POR
4086	**LITHIUM NITRATE, (ANH.), EXTRA PURE** CAS 7790-69-4 **$LiNO_3$ F. wt. 68.95**	500 gm	5030
613	**LITHIUM SULPHATE (Mono), EXTRA PURE** CAS 10102-25-7 **$LiSO_4.H_2O$ F. Wt. 121.01**	100 gm 500 gm	1230 5590
4087	**di-LITHIUM TETRABORATE, AR GRADE** CAS 12007-60-2 **$B_4Li_2O_7$ F. wt. 169.12**	100 gm 500 gm	2830 13740
1634	**LITMUS BLUE, Indicator paper** (10 books of 20 Leaves in Box)	200 lvs	300
1636	**LITMUS RED, Indicator paper** (10 books of 20 leaves in box)	200 lvs	300
1688	**LITMUS INDICATOR, EXTRA PURE** CAS 1393-92-6	10 gm 25 gm 100 gm	340 575 2080
1122	**L-LYSINE, MONO HCl, 99%+Crystalline** CAS 657-27-2 **$C_6H_{14}N_2O_2.HCl$ F. Wt. 182.65**	100 gm 500 gm 25 Kg	250 1070 POR
4233	**LYSOL** (Cresol and Soap Solution) CAS 12772-68-8	500 ml 5 Ltr	480 3120
2951	**LYSOZYME** * CAS 12650-88-3	1 gm 5 gm	840 3090
2950	**LYSOZYME CHLORIDE** * CAS 52219-07-5	1 gm 5 gm	985 4445
4088	**MAGNESIUM (Metal Turning)** CAS 7439-95-4 **Mg F. wt. 24.31**	500 gm	1900
1964	**MAGNESIUM ACETATE, (Tetra), EXTRA PURE** CAS 16674-78-5 **$C_4H_{14}MgO_8$ F. wt. 214.45**	500 gm	940
355	**MAGNESIUM CARBONATE BASIC (Light) EXTRA PURE** CAS 546-93-0 **$MgCO_3$ F. Wt. 84.31**	500 gm	870
2393	**MAGNESIUM CARBONATE (Heavy), EXTRA PURE** CAS 546-93-0 **$MgCO_3$ F. Wt. 84.31**	500 gm	1010
2394	**MAGNESIUM CHLORIDE, (ANH.), EXTRA PURE** CAS 7786-30-3 **$MgCl_2$ F. Wt. 95.21**	500 gm	1320
356	**MAGNESIUM CHLORIDE (Hexa), EXTRA PURE** CAS 7791-18-6 **$MgCl_2.6H_2O$ F. Wt. 203.30**	500 gm 5 Kg 50 Kg	250 1700 POR
614	**MAGNESIUM CHLORIDE (Hexa), AR GRADE** CAS 7791-18-6 **$MgCl_2.6H_2O$ F. Wt. 203.30**	500 gm 5 Kg 50 Kg	310 2260 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
758	**MAGNESIUM CITRATE (Nonahydrate)** CAS 153531-96-5 $MG_3(C_6H_5O_7)_2.9H_2O$ F. Wt. 613.25	500 gm	1550
357	**MAGNESIUM NITRATE, (Hexa), EXTRA PURE** CAS 13446-18-9 $Mg(NO_3)_2.6H_2O$ F. Wt. 256.41	500 gm	420
1968	**MAGNESIUM OXIDE (Light), EXTRA PURE** CAS 1309-48-4 MgO F. wt. 40.30	500 gm	1380
2953	**PHOSPHATE DI-BASIC TRIHYDRATE** CAS 7782-75-4 $MgHPO_4.3H_2O$ F. Wt. 174.33	500 gm	695
358	**MAGNESIUM SULPHATE, (Hepta), EXTRA PURE** CAS 10034-99-8 $MgSO_4.7H_2O$ F. Wt. 246.48	500 gm 5 Kg 50 Kg	225 1380 POR
359	**MAGNESIUM SULPHATE, (Hepta), AR GRADE** CAS 10034-99-8 $MgSO_4.7H_2O$ F. Wt. 246.48	500 gm 5 Kg 50 Kg	340 2185 POR
871	**MAGNESIUM SULPHATE (ANH.), EXTRA PURE** CAS 7487-88-9 $MgSO_4$ F. Wt. 120.37	500 gm 50 Kg	470 POR
1973	**MAGNESIUM TRISILICATE (Hydrate)** CAS 39365-87-2 $2MgO.3SiO_2.xH_2O$ F. Wt. 260.86+xH_2O	500 gm	235
1974	**MAGNESON I, AR GRADE** (Reagent for Mg) CAS 74-39-5 $C_{12}H_9N_3O_3$ F. Wt. 259.22	25 gm 100 gm	550 1920
1975	**MAGNESON II, AR GRADE (Reagent for Mg)** CAS 5290-62-0 $C_{16}H_{11}N_3O_3$ F. Wt. 293.28	25 gm 100 gm	750 2195
1641	**MALACHITE GREEN** (Malachite Green Oxalate) CAS 2437-29-8 C.I. 42000 $C_{25}H_{26}N_2O_4$ F. Wt. 927.03	25 gm 100 gm 500 gm	180 530 1800
360	**MALEIC ACID, EXTRA PURE** CAS 110-16-7 $C_4H_4O_4$ F. Wt. 116.07	500 gm 25 Kg	650 POR
362	**MALEIC ANHYDRIDE [2,5-Furandione]** CAS 108-31-6 $C_4H_2O_4$ F. Wt. 98.06	500 gm 5 Kg 25 Kg	515 4200 POR
3556	**MALEIC HYDRAZIDE** CAS 123-33-1 $C_4H_4N_2O_2$ F. Wt. 112.09	100 gm	660
363	**DL-MALIC ACID** (DL-Hydroxysuccinic Acid) CAS 6915-15-7 $C_4H_6O_5$ F. Wt. 134.09	500 gm 5 Kg	630 4940
2955	**MALONIC ACID, EXTRA PURE** CAS 141-82-2 $C_3H_4O_4$ F. Wt. 104.06	100 gm 500 gm	475 2110
446	**MALONIC ACID SODIUM** CAS 141-95-7 $C_3H_2Na_2O_4$ F. Wt. 148.03	25 gm 100 gm	250 900
3527	**MALT EXTRACT PASTE (Food Grade)** CAS 8002-48-0	500 gm 50 Kg	845 POR
3506	**MALT EXTRACT POWDER (Food Grade)** CAS 8002-48-0	500 gm 5 Kg 25 Kg	1000 9500 POR
4142	**MALT EXTRACT POWDER** Bacteriological Grade CAS 8002-48-0	500 gm 25 Kg	1070 POR
1321	**MALTODEXTRINE POWDER, (D/E 20)** (Maltodextrin) CAS 9050-36-6 $C_4H_{12}O_6$ F. Wt. 180.16	500 gm 5 Kg 25 Kg	310 2670 POR
1244	**MALTOSE (Mono), EXTRA PURE** (For Bacteriology) CAS 6363-53-7 $C_{12}H_{24}O_{12}$ F. Wt. 360.31	100 gm 500 gm 25 Kg	280 1150 POR
766	**MALTOSE (Mono), AR GRADE** (For Bacteriology) CAS 6363-53-7 $C_{12}H_{12}O_{11}.H_2O$ F. Wt. 360.31	100 gm 500 gm	325 1400
1979	**DL-MANDELIC ACID** CAS 90-64-2 $C_8H_8O_3$ F. Wt. 152.15	100 gm 500 gm	1050 3860
2396	**MANGANESE CARBONATE, EXTRA PURE** CAS 598-62-9 $MnCO_3$ F. Wt. 114.95	500 gm 25 Kg	520 POR
704	**MANGANESE (II) CHLORIDE, (Tetra), EXTRA PURE** CAS 13446-34-9 $MnCl_2.4H_2O$ F. Wt. 197.91	500 gm 50 Kg	590 POR
705	**MANGANESE (II) CHLORIDE, (Tetra), AR GRADE** CAS 13446-34-9 $MnCl_2.4H_2O$ F. Wt. 197.91	500 gm 50 Kg	770 POR
1980	**MANGANESE DIOXIDE, (Black), TECH.** CAS 1313-13-9 MnO_2 F. Wt. 86.94	500 gm	780
702	**MANGANESE (II) SULPHATE, (Mono), EXTRA PURE** CAS 10034-96-5 $MnSO_4.H_2O$ F. Wt. 169.02	500 gm 5 Kg 50 Kg	430 3740 POR

M Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
703	**MANGANESE (II) SULPHATE, (Mono), AR GRADE** CAS 10034-96-5 **$MnSO_4.H_2O$ F. Wt. 169.02**	500 gm 50 Kg	610 POR
1245	**D-MANNITOL, EXTRA PURE** CAS 69-65-8 **$C_6H_{14}O_6$ F. Wt. 182.17**	100 gm 500 gm 5 Kg 25 Kg	400 1285 11525 POR
1246	**D-MANNITOL, AR GRADE** CAS 69-65-8 **$C_6H_{14}O_6$ F. Wt. 182.17**	100 gm 500 gm 25 Kg	475 1385 POR
365	**D+MANNOSE** CAS 3458-28-4 **$C_6H_{12}O_6$ F. Wt. 180.16**	25 gm 100 gm	1160 4410
1982	**D-MELIBIOSE 99% (Mono)** CAS 585-99-9 **$C_{12}H_{22}O_{11}$ F. Wt. 342.30**	5 gm	14230
1710	**MENADIONE, *** **(2-Methyl-1-4-nephthoquinone)** (VITAMIN K_3) CAS 58-27-5 **$C_{11}H_8O_2$ F. Wt. 172.18**	25 gm	1210
1716	**MENADIONE SODIUM BISULPHITE *** (Vitamin K_3Sodium Sulphate) CAS 130-37-0 **$C_{11}H_9NaO_5S$ F. Wt. 276.24**	25 gm 100 gm	850 2495
3513	**MERCAPTOACETIC ACID SODIUM SALT** (Sodium Thioglycollate) CAS 367-51-1 **$C_2H_3NaO_2S$ F. Wt. 114.10**	100 gm 500 gm	970 2880
1988	**2-MERCAPTOETHANOL, AR GRADE** CAS 60-24-2 **C_2H_6OS F. Wt. 78.13**	100 ml 500 ml	520 2180
1989	**MERCURIC ACETATE, EXTRA PURE** CAS 1600-27-7 **$C_6H_6HgO_4$ F. Wt. 318.70**	100 gm 500 gm	4560 19500
1990	**MERCURIC ACETATE, AR GRADE** CAS 1600-27-7 **$C_6H_6HgO_4$ F. Wt. 318.70**	100 gm	4860
369	**MERCURIC CHLORIDE, EXTRA PURE** (Mercury (II) Chloride) CAS 7487-94-7 **$HgCl_2$ F. Wt. 271.52**	100 gm 250 gm 500 gm	4560 11040 21600
370	**MERCURIC CHLORIDE, AR GRADE** (Mercury (II) Chloride) CAS 7487-94-7 **$HgCl_2$ F. Wt. 271.52**	100 gm 250 gm	4800 11520
789	**MERCURIC IODIDE RED, EXTRA PURE** CAS 7774-29-0 **HgI_2 F. Wt. 454.40**	100 gm	4260
880	**MERCURIC NITRATE (Mono), EXTRA PURE** CAS 7783-34-8 **$Hg(NO_3)_2.H_2O$ F. Wt. 342.62**	100 gm 250 gm	6120 15000
616	**MERCURIC OXIDE RED, EXTRA PURE** CAS 21908-53-2 **HgO F. Wt. 216.59**	100 gm 500 gm	4410 19480
618	**MERCURIC OXIDE YELLOW, EXTRA PURE** CAS 21908-53-2 **HgO F. Wt. 216.59**	100 gm	4410
882	**MERCURIC SULPHATE, EXTRA PURE** (Mercury (II) Sulphate) CAS 7783-35-9 **$HgSO_4$ F. Wt. 296.65**	100 gm 250 gm 500 gm	3900 9480 17400
883	**MERCURIC SULPHATE, AR GRADE** CAS 7783-35-9 **HgO_4S F. wt. 296.65**	250 gm	9840
4090	**MERCURIC THIOCYANATE, EXTRA PURE** CAS 592-85-8 **$C_2HgN_2S_2$ F. wt. 316.75**	100 gm	4540
4091	**MERCUROUS CHLORIDE, AR GRADE** CAS 10112-91-1 **Cl_2Hg_2 F. wt. 472.08**	100 gm	4680
1996	**MERCUROUS NITRATE, (Dihydrate), EXTRA PURE** CAS 14836-60-3 **$Hg_2(NO_3)_2.2H_2O$ F. Wt. 561.22**	100 gm	5160
2414	**MERCURY (Metal), EXTRA PURE** CAS 7439-97-6 **Hg F. Wt. 200.59**	100 gm	6000
4214	**META-TOPOLINE** CAS 75737-38-1 **$C_{12}H_{10}N_5OH$ F. wt. 241.25**	25 mg 100 mg	4315 15400
1124	**DL-METHIONINE** 99%+Purity, Crystalline CAS 59-51-8 **$C_5H_{11}NO_2S$ F. Wt. 149.21**	100 gm 500 gm 1 Kg 25 Kg	510 1900 3680 POR
1123	**L-METHIONINE** 99%+Purity, Crystalline CAS 63-68-3 **$C_5H_{11}NO_2S$ F. Wt. 149.21**	25 gm 100 gm 500 gm 25 Kg	330 1190 5900 POR
4260	**4-METHYLUMBELLIFERYL-β-D-GALACTOPYRANOSIDE (MUGA: MU-GAL)** CAS 6160-78-7 **$C_{16}H_{18}O_8$ F. Wt. 338.31**	250 mg	2450
1687	**METHYL BLUE, (Water Blue)** CAS 28983-56-4 C.I. 42780 **$C_{37}H_{27}N_3Na_2O_9S_3$ F. Wt. 799.82**	25 gm 100 gm	700 2430
2433	**METHYL CELLULOSE** (High Viscosity) 4000 CPS CAS 9004-67-5	500 gm	5450

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4257	**METHYL-α-D-GALACTOPYRANOSIDE (METHYL-α-D-GALACTOSIDE)** * CAS 3396-99-4 **$C_7H_{14}O_6$ F. Wt. 194.18**	1 gm 5 gm	2030 8575
4258	**METHYL-β-D-GALACTOPYRANOSIDE (METHYL-β-D-GALACTOSIDE)** * CAS 97-30-3 **$C_7H_{14}O_6$ F. Wt. 194.18**	1 gm	2130
4259	**METHYL-α-D-GLUCOPYRANOSIDE (METHYL-α-D-GLUCOSIDE)** * CAS 1824-94-8 **$C_7H_{14}O_6$ F. Wt. 194.18**	100 gm	4575
4225	**METHYL EUGENOL** CAS 93-15-2 **$C_{11}H_{14}O_2$ F. Wt. 178.23**	500 ml	5570
2103	**METHYL GREEN, AR GRADE** CAS 7114-03-6 C.I. 42590 **$C_{27}H_{35}Cl_4N_3Zn$ F. Wt. 608.79**	10 gm 25 gm	1700 4000
1604	**METHYL ORANGE** (ORANGE III) CAS 547-58-0 C.I. 13025 **$C_{14}H_{14}N_3NaO_3S$ F. Wt. 327.33**	25 gm 100 gm 1 Kg	210 585 4625
884	**METHYL PARABEN** (Methyl 4-Hydroxy Benzoate) CAS 99-76-3 **$C_8H_8O_3$ F. Wt. 152.15**	500 gm	1420
619	**METHYL PARABEN SODIUM** (Methyl-P-Hydroxy Benzoate Sodium) CAS 5026-62-0 **$C_8H_7NaO_3$ F. Wt. 174.13**	500 gm 25 Kg	1190 POR
1605	**METHYL RED** CAS 493-52-7 C.I. 13020 **$C_{15}H_{15}N_3O_2$ F. Wt. 269.30**	25 gm 100 gm	250 890
1633	**METHYL THYMOL BLUE SODIUM** (Methyl Red Thymol Blue) CAS 1945-77-3 **$C_{37}H_{43}N_2O_{13}NaS$ F. Wt. 778.82**	5 gm 25 gm	235 845
1606	**METHYL VIOLET, EXTRA PURE** (Crystal Violet or Gentian Violet) CAS 548-62-9 C.I. 42555 **$C_{25}H_{30}ClN_3$ F. Wt. 407.99**	25 gm 100 gm 1 Kg	660 2510 19385
1620	**METHYL VIOLET** (Crystal Violet or Gentian Violet10B) CAS 548-62-9 C.I. 42555 **$C_{25}H_{30}ClN_3$ F. Wt. 407.98**	25 gm 100 gm 1 Kg	770 2840 22090
371	**N,N-METHYLENE BISACRYLAMIDE,** For Electrophoresis, AR GRADE CAS 110-26-9 **$C_7H_{10}N_2O_2$ F. Wt.154.17**	25 gm 100 gm 500 gm	520 1030 2900
1607	**METHYLENE BLUE, EXTRA PURE** CAS 61-73-4 **$C_{16}H_{18}N_3SCl$ F. Wt. 319.85**	25 gm 100 gm 1 Kg	490 1885 16190
2651	**METHYLENE BLUE, AR GRADE** CAS 61-73-4 **$C_{16}H_{18}N_3SCl$ F. Wt. 319.85**	25 gm 100 gm 1 Kg	600 2045 18125
4092	**METHYL GREEN** (For Microscopical) Staining (C.I.42590) CAS 22383-16-0 **$C_{26}H_{33}Cl_2N_3$ F. wt. 458.47**	10 gm 25 gm	1515 3140
4093	**MOLYBDENUM DISULPHIDE** CAS 1317-33-5 **MoS_2 F. wt. 160.09**	100 gm	1230
4094	**MOLYBDENUM TRIOXIDE** CAS 1313-27-5 **MoO_3 F. wt. 143.95**	100 gm 500 gm	1600 6960
948	**MOLYBDIC ACID** (Mono), **EXTRA PURE** CAS 7782-91-4 **MoO_3H_2O F. Wt. 1161.95**	100 gm 25 Kg	1620 POR
4095	**MOLYBDIC ACID,** (Hydrate), **AR GRADE** CAS 7782-91-4 **H_2MoO_4 F. wt. 161.95**	100 gm 500 gm	1750 7080
1112	**MONO SODIUM GLUTAMATE** CAS 142-47-2 **$C_5H_5NNaO_4$F. Wt. 169.11**	100 gm 500 gm 25 Kg	150 530 POR
1542	**MORIN DIHYDRATE, AR GRADE** CAS 6472-38-4 C.I. 75660 **$C_{15}H_{10}O_7.2H_2O$ F. Wt. 338.27**	1 gm 5 gm	1140 4440
2110	**2-MORPHOLINO ETHANE SULPHONIC ACID** (MES) BUFFER CAS 4432-31-9 **$C_6H_{13}NO_4S$ F. Wt. 195.2**	25 gm 100 gm 1 Kg	1050 3780 25500
3596	**3-MORPHOLINOPROPANE SULPHONIC ACID** (MOPS-BUFFER) CAS 1132-61-2 **$C_7H_{15}NO_4S$ F. wt. 209.26**	25 gm 1 Kg	1000 18200
3564	**MTT** * (Methyl Thiazolyl Diphenyl Tetrazolium Bromide) CAS 298-93-1 **$C_{18}H_{16}N_5SBr$ F. Wt. 414.32**	1 gm	4320
060	**MUREXIDE,** (Ammonium Purpurate) CAS 3051-09-0 C.I. 56085 **$C_8H_8N_6O_6$ F. Wt. 284.19**	5 gm 25 gm	295 975
1602	**MUREXIDE,** (Ammonium Purpurate), **AR GRADE** CAS 3051-09-0 C.I. 56085 **$C_8H_8N_6O_6$ F. Wt. 284.19**	5 gm 25 gm	370 1090
2379	**NAPHTHALENE** CAS 91-20-3 **$C_{10}H_8$ F. Wt. 128.17**	500 gm	550
2122	**α-NAPTHALENE ACETIC ACID** CAS 86-87-3 **$C_{12}H_{10}O_2$ F. Wt. 128.17**	25 gm 100 gm 500 gm 25 kg	210 640 2825 POR
2122A	**α-NAPTHALENE ACETIC ACID POTASSIUM SALT** CAS 15165-79-4 **$C_{12}H_9O_2K$ F. Wt. 224.30**	25 gm 100 gm 1 Kg	240 755 6520

N Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
893	**1-NAPHTHOL** (1-Hydroxynapthalene) CAS 90-15-3 **$C_{10}H_8O$ F. Wt. 144.17**	100 gm 500 gm	370 1480
2381	**2-NAPHTHOL** (β-Naphthol) CAS 135-19-3 **$C_{10}H_8O$ F. Wt. 144.17**	500 gm	1400
2465	**1-NAPHTHOLBENZEIN** (pH Indicator) CAS 145-50-6 **$C_{27}H_{18}O_2$ F. Wt. 374.43**	5 gm 25 gm	725 3380
1632	**α-NAPHTHOLPHTHALEIN** CAS 596-01-0 **$C_{27}H_{18}O_2$ F. Wt. 418.44**	1 gm 5 gm	965 3495
2656	**1,2-NAPHTHOLQUINONE-4 SULPHONIC ACID SODIUM SALT** CAS 521-24-4 **$C_{10}H_5NaO_5S$ F. Wt. 260.19**	5 gm 25 gm	640 2540
3565	**β-NAPHTHOXY ACETIC ACID** CAS 120-23-0 **$C_{12}H_{10}O_3$ F. Wt. 202.21**	25 gm 100 gm	300 980
2121	**1-NAPHTHYLACETATE, AR GRADE** (Naphthol free) CAS 830-81-9 **$C_{12}H_{10}O_2$ F. Wt. 186.21**	5 gm 25 gm	1000 3660
2122	**1-NAPHTHYLACETIC ACID** (α-Naphthalene Acetic Acid) CAS 86-87-3 **$C_{12}H_{10}O_2$ F. Wt.186.21**	25 gm 100 gm 500 gm 25 Kg	210 640 2825 POR
2124	**1-NAPHTHYLAMINE, AR GRADE** CAS 134-32-7 **$C_{10}H_9N$ F. Wt. 143.19**	100 gm 500 gm	1410 5550
TR 028	**α-NAPHTHYLAMINE SOLN.** CAS 134-32-7 **$C_{10}H_9N$ F. Wt. 143.19**	100 ml	290
1913	**N-(1-NAPHTHYL) ETHYLENE DIAMINE DIHYDROCHLORIDE (2-NEDA)** CAS 1465-25-4 **$C_{12}H_{14}N_2$ F. Wt. 259**	5 gm 25 gm	770 2520
2126	**NEOCUPROINE, AR GRADE** (2,9, Dimethyl-1-10 Phenanthroline) CAS 484-11-7 **$C_{14}H_{12}N_2$ F. Wt. 208.26**	1 gm 5 gm	1310 6410
2127	**NEOCUPROINE HYDROCHLORIDE** (Mono) (2,9, Dimethyl-1-10 Phenanthroline HCl) **AR GRADE** CAS 7296-20-0 **$C_{14}H_{12}N_2.HCl.H_2O$ F. Wt. 262.72**	1 gm 5 gm	1640 7600
1643	**NEUTRAL RED** (pH Indicator) CAS 553-24-2 C.I.50040 **$C_{15}H_{17}ClN_4$ F. Wt. 288.78**	5 gm 25 gm 100 gm	355 1530 5560
1643 A	**NEUTRAL RED, AR GRADE** CAS 553-24-2 **$C_{15}H_{17}ClN_4$ F. Wt. 288.78**	5 gm 25 gm 100 gm	325 1395 5330
3178	**NEW METHYLENE BLUE** (Basic Blue 24) CAS 6586-05-0 C.I.52030 **$C_{18}H_{22}Cl\,N_3S.\,ZnCl_2$ F. Wt. 416.05**	5 gm	3925
759	**NIACIN** (Nicotinic Acid) CAS 59-67-6 **$C_6H_5NO_2$ F. Wt. 123.11**	25 gm 100 gm 1 Kg	180 420 2900
685	**NIACINAMIDE** (Nicotinamide) CAS 98-92-0 **$C_6H_6N_2O$ F. Wt. 122.12**	25 gm 100 gm 1 Kg	140 390 2900
2130	**NICKEL CARBONATE BASIC PURIFIED** CAS 12607-70-4 **$CH_4Ni_3O_7$ F. Wt. 304.18**	500 gm	2875
2131	**NICKEL CHLORIDE**, (Hexa), **EXTRA PURE** CAS 7791-20-0 **$NiCl_2.6H_2O$ F. wt. 237.69**	500 gm	2100
3323	**NICKEL (II) NITRATE** (Hexa), **EXTRA PURE** CAS 13478-00-7 **$N_2NiO_6.6H_2O$ F. Wt. 290.79**	500 gm	1470
2135	**NICKEL OXIDE BLACK, EXTRA PURE** CAS 1314-06-3 **NiO F. wt. 74.69**	100 gm 500 gm	2275 10000
3324	**NICKEL SULPHATE** (Hexa) CAS 10101-97-0 **$NiSO_4.6H_2O$ F. Wt. 262.85**	500 gm	2600
3179	**NICOTINAMIDE ADENINE DINUCLEOTIDE** * (DPN;NAD) CAS 53-84-9 **$C_{21}H_{27}N_7O_{14}P_2$ F. Wt. 663.43**	1 gm 5 gm	900 4330
3180	**NICOTINAMIDE ADENINE DINUCLEOTIDE** * **REDUCED SODIUM** (NADH Disodium) CAS 606-68-8 **$C_{21}H_{27}N_7Na_2O_{14}P_2$ F. Wt. 709.41**	1 gm 5 gm	2250 10200
3181	**NICOTINAMIDE ADENINE DINUCLEOTIDE** * **PHOSPHATE DISODIUM** (NADP Disodium) CAS 24292-60-2 **$C_{21}H_{26}N_7Na_2O_{17}P_3$ F. Wt. 787.37**	100 mg 1 gm	850 5610
1678	**NIGROSINE B (A/S)** CAS 8005-02-5 C.I. 50415	25 gm 100 gm 1 Kg	160 540 5050
1645	**NIGROSINE, (W/S)** CAS 8005-02-5 C.I. 50420	25 gm 100 gm	165 565
2143	**NILE BLUE CHLORIDE** CAS 2381-85-3 C.I. 51180 **$C_{20}H_{20}ClN_3O$ F. Wt. 353.85**	25 gm	1340

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2144	**NILE BLUE SULPHATE** (Nile Blue A), **AR GRADE** CAS 3625-57-8 C.I. 51180 $C_{40}H_{40}N_6O_6S$ **F. Wt. 732.84**	**25 gm**	**1640**
2145	**NINHYDRIN, 99%, EXTRA PURE** CAS 485-47-2 $C_9H_4O_3.H_2O$ **F. Wt. 178.14**	**10 gm** **25 gm** **100 gm**	**640** **1340** **4610**
1608	**NINHYDRIN, AR GRADE** for detection and assay of Amino Acid CAS 485-47-2 $C_9H_4O_3.H_2O$ **F. Wt. 178.14**	**10 gm** **25 gm** **100 gm**	**790** **1640** **4860**
2146	**NIOBIUM PENTOXIDE 99.9%, AR GRADE** CAS 1313-96-8 Nb_2O_5 **F. Wt. 265.81**	**25 gm**	**1280**
2892	**2-NITROBENZALDEHYDE, AR GRADE** CAS 552-89-6 $C_7H_5NO_3$ **F. Wt. 151.11**	**10 gm** **25 gm**	**315** **740**
2702	**4-(4-NITROBENZYL) PYRIDINE, AR GRADE** CAS 1083-48-3 $C_{12}H_{10}N_2O_2$ **F. Wt. 214.22**	**5 gm** **25 gm**	**2940** **13460**
3385	**4-NITROBENZOIC ACID** CAS 62-23-7 $C_7H_5NO_4$ **F. Wt. 167.12**	**500 gm**	**1780**
2153	**NITRO B.T., AR GRADE** * (Nitro Blue Tetrazolium Chloride) CAS 298-83-9 $C_{40}H_{30}Cl_2N_{10}O_6$ **F. Wt. 817.64**	**100 mg** **250 mg** **1 gm**	**610** **1100** **3300**
2155	**P-NITROPHENOL, EXTRA PURE** CAS 100-02-7 $C_6H_5NO_3$ **F. Wt. 139.12**	**500 gm** **5 Kg** **25 Kg**	**1350** **POR** **POR**
3184	**O-NITROPHENYL-β-D GALACOPYRANOSIDE** * **(ONPG)** CAS 369-07-3 $C_{12}H_{15}NO_8$ **F. Wt. 301.25**	**500 mg** **1 gm** **5 gm**	**730** **1370** **5715**
1974	**4-(4-NITRO PHENYL AZO)-1-NAPHTHOL, (Magneson- I), AR GRADE** CAS 74-39-5 $C_{12}H_9N_3O_4$ **F. Wt. 259.22**	**25 gm** **100 gm**	**550** **1920**
1975	**4-(4-NITROPHENYL AZO) RESORCINOL,** (Magneson-II), AR GRADE CAS 5290-62-0 $C_{16}H_{11}N_3O_3$ **F. Wt. 293.28**	**25 gm** **100 gm**	**750** **2195**
2158	**4-NITROPHENYL PHOSPHATE DISODIUM, HEXAHYDRATE, AR GRADE** CAS 333338-18-4 $C_6H_4NO_6PNa_2.6H_2O$ **F. Wt. 371.14**	**5 gm** **25 gm**	**690** **3080**
2159	**1-NITROSO-2-NAPHTHOL, AR GRADE** CAS 131-91-9 $C_{10}H_7NO_2$ **F. Wt. 173.17**	**25 gm** **100 gm**	**1265** **4840**
2161	**NITROSO-R-SALT, AR GRADE** CAS 525-05-3 $C_{10}H_5NNa_2O_8S_2$ **F. Wt. 377.26**	**25 gm** **100 gm**	**410** **1230**
2463	**NYSTATIN** (10,00,000 Units/vl) * CAS 1400-61-9 $C_{47}H_{75}NO_{17}$ **F. Wt. 926.10**	**1 vl**	**450**
3386	**1-OCTANE SULPHONIC ACID SODIUM SALT (MONO),** (For HPLC) CAS 207596-29-0 $C_8H_{17}NaO_3S.H_2O$ **F. wt. 234.29**	**25 gm**	**1200**
3387	**1-OCTANE SULPHONIC ACID SODIUM SALT (ANH),** (For HPLC) CAS 5324-84-5 $C_8H_{17}NaO_3S$ **F. wt. 216.28**	**25 gm**	**1200**
4098	**OCTYL SULPHATE SODIUM SALT, AR GRADE,** (For HPLC) CAS 142-31-4 $C_8H_{17}NaO_4S$ **F. wt. 232.3**	**5 gm**	**2330**
1693	**OIL RED IV** (Sudan IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 $C_{24}H_{20}N_4O$ **F. Wt. 380.44**	**25 gm** **100 gm**	**290** **820**
2163	**OLEIC ACID,** (Elainic Acid), **EXTRA PURE** (For Biochemistry) CAS 112-80-1 $C_{18}H_{34}O_2$ **F. Wt. 282.46 (Store at 2-8°C)**	**500 ml**	**490**
3520	**OLIVE OIL** CAS 8001-25-0	**100 ml** **500 ml**	**500** **1680**
1639	**ORANGE G** (Acid Orange 10) CAS 1936-15-8 C.I. 16230 $C_{16}H_{10}N_2O_7S_2Na_2$ **F. Wt. 452.38**	**25 gm** **100 gm** **1 Kg**	**260** **810** **POR**
2165	**ORCEIN** (For Microscopy) 1400-62-0 $C_{28}H_{24}N_2O_7$ **F. wt. 500.49**	**5 gm** **10 gm**	**1370** **2630**
1125	**L-ORNITHINE MONOHYDROCHLORIDE 99%+PURITY, CRYSTALLINE** CAS 3184-13-2 $C_5H_{12}N_2O_2.HCl$ **F. Wt. 168.62**	**25 gm** **100 gm** **500 gm**	**710** **2510** **11185**
2166	**ORCINOL** (Mono) (3,5-Dihydroxytoluence Mono) CAS 6153-39-5 $C_7H_8O_2.H_2O$ **F. Wt. 142.15**	**10 gm** **25 gm**	**970** **2300**

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
372	**OXALIC ACID**, (Dihydrate), **EXTRA PURE** CAS 6153-56-6 **$C_2H_2O_4.2H_2O$ F. Wt. 126.07**	**500 gm** **5 Kg** **50 Kg**	**380** **3370** **POR**
TR 020	**OXIDASE REAGENT** (Gorden - Mcleod Reagent)	**100 ml**	**450**
3570	**PACLOBUTRAZOL** CAS 76738-62-0 **$C_{15}H_{20}ClN_3O$ F. Wt. 293.80**	**5 gm** **25 gm**	**1300** **4750**
3186	**PAN, INDICATOR** 1-(2-Pyridylazo)-2-Naphthol CAS 85-85-8 **$C_{15}H_{11}N_3O$ F. Wt. 249**	**1 gm** **5 gm**	**1340** **5720**
4100	**PAR INDICATOR, AR GRADE** CAS 16593-81-0 **$C_{11}H_8N_3NaO_2.H_2O$ F. wt. 255.21**	**1 gm** **5 gm**	**860** **3680**
1401	**PANCREATIN 1NF** CAS 8049-47-6	**100 gm** **500 gm**	**1435** **4530**
1403	**PANCREATIN 4 NF** * CAS 8049-47-6	**100 gm**	**2900**
1404	**PAPAIN (SPRAY DRIED)** (Activity 100 T.U./gm or 6,000 usp/gm) CAS 9001-73-4	**100 gm** **500 gm**	**400** **1730**
609	**PARAFFIN LIQUID, (HEAVY)** CAS 8012-95-1	**500 ml** **2.5 Ltr** **25 Ltr**	**410** **1590** **POR**
622	**PARAFFIN LIQUID (LIGHT)** CAS 8012-95-1	**500 ml** **2.5 Ltr** **25 Ltr**	**350** **1260** **POR**
375	**PARAFFIN WAX** (Block Form) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	**1 Kg**	**1130**
4173	**PARAFFIN WAX** (Solid) Congealing point about 58-60°C (Packed in stainless Steel Box) CAS 8002-74-2	**1 Kg**	**1140**
4174	**PARAFFIN WAX** (Block Form) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	**1 Kg**	**1200**
2175	**PARAFFIN WAX**, (Solid) Congealing point about 60-62°C (Packed in SS Box) CAS 8002-74-2	**1 Kg** **2 Kg**	**1265** **1835**
4175	**PARAFFIN WAX** (With Ceresin) (Block Form) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	**1 Kg**	**1200**
376	**PARAFFIN WAX** (With Ceresin) (Solid) Congealing point about 60°-62°C (Packed in stainless Steel Box) CAS 8002-74-2	**500 gm** **1 Kg** **2 Kg**	**745** **1200** **2095**
623	**PARAFORMALDEHYDE 96%** (For Synthesis) CAS 30525-89-4 **$(CH_2O)_4$ F. wt. 90.08**	**500 gm**	**305**
2178	**PARAROSANILINE** (BASE) (Para Fuchsin) CAS 25620-78-4 C.I. 42500 **$C_{19}H_{19}N_3O$ F. Wt. 305.37**	**25 gm**	**1735**
2179	**PARAROSANILINE HYDROCHLORIDE** (Para Fuchsin HCl) CAS 569-61-9 C.I. 42500 **$C_{19}H_{17}N_3.HCl$ F. Wt. 323.82**	**25 gm** **100 gm**	**1390** **5040**
1025	**PATTON & REEDER'S REAGENT, AR GRADE** (Calcon Carboxylic Acid) CAS 3737-95-9 **$C_{21}H_{14}N_2O_7S$ F. Wt. 438.42**	**5 gm** **25 gm**	**200** **810**
1405	**PECTIN, PURE** (Poly-D-galaeturonic acid methyl ester) CAS 9000-69-5	**100 gm** **500 gm**	**820** **3850**
3392	**PECTINASE** * CAS 9032-75-1	**25 gm**	**3925**
3188	**1-PENTANE SULPHONIC ACID SODIUM SALT** (ANH.), (For HPLC) CAS 22767-49-3 **$C_5H_{11}NaO_3S$ F. wt. 192.21**	**25 gm**	**1200**
3395	**1-PENTANE SULPHONIC ACID SODIUM SALT (MONO)**, (For HPLC) CAS 207605-40-1 **$C_5H_{11}NaO_3S{\cdot}H_2O$ F. wt. 192.2**	**25 gm**	**1200**
1406	**PEPSIN 1:3,000** * CAS 9001-75-6	**100 gm** **500 gm** **5 Kg**	**2310** **10500** **POR**
2185	**PEPSIN 1:10,000** * CAS 9001-75-6	**25 gm** **100 gm**	**1890** **6720**
1266	**PEPTONE, PHARMA GRADE** (See more Peptones in Biological Media Base)	**500 gm** **25 Kg**	**1150** **POR**
3518	**PEPTONE, BACTO GRADE** (See more Peptones in Biological Media Base)	**500 gm** **5 Kg** **25 Kg**	**1480** **14170** **POR**
3521	**PEPTONE PASTE** Bacteriological Grade	**500 gm** **50 Kg**	**1090** **POR**

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3519	**PEPTONE GR** (Granular), **BACTO GRADE**	500 gm 5 Kg 25 Kg	1520 14020 POR
2197	**1,10, PHENANTHROLINE** (Mono), **AR GRADE** CAS 5144-89-8 **$C_{12}H_8N_2.H_2O$ F. Wt. 198.22**	5 gm 25 gm	560 2240
2198	**1,10, PHENANTHROLINE HYDROCHLORIDE, AR GRADE** CAS 3829-86-5 **$C_{12}H_8N_2.H_2O$ F. Wt. 234.69**	5 gm 25 gm	730 2850
2519	**PHENAZONE** (Antipyrine) CAS 60-80-0 **$C_{11}H_{12}N_2O$ F. Wt. 188.23**	100 gm 500 gm	1830 8800
293	**PHENOL CRYSTAL, EXTRA PURE** CAS 108-95-2 **C_6H_6O F. Wt. 94.11**	500 gm	580
1670	**PHENOLPHTHALEIN** (White) (pH 8.2-10.0) CAS 77-09-8 **$C_{20}H_{14}O_4$ F. Wt. 318.32**	25 gm 100 gm 500 gm 25 Kg	210 590 2830 POR
TBL 070	**PHENOLPHTHALEIN, 1% W/V** CAS 77-09-8 **$C_{20}H_{14}O_4$ F. Wt. 318.32**	125 ml 500 ml	160 440
1671	**PHENOL RED** (pH Indicator) CAS 143-74-8 **$C_{19}H_{14}O_5S$ F. Wt. 354.38**	5 gm 25 gm 100 gm	190 530 1860
1671A	**PHENOL RED SODIUM, (w/s) AR GRADE** CAS 34487-61-1 **$C_{19}H_{13}NaO_5S$ F. Wt. 376.36**	25 gm	650
906	**PHENYLACETIC ACID** (α-Tolylic Acid) CAS 103-82-2 **$C_8H_8O_2$ F. Wt. 136.15**	500 gm	760
1126	**DL-PHENYLALANINE** 99%+Crystalline CAS 150-30-1 **$C_9H_{11}NO_2$ F. Wt. 165.19**	25 gm 100 gm	710 2410
1127	**L-PHENYLALANINE** 99%+Crystalline CAS 63-91-2 **$C_9H_{11}NO_2$ F. Wt. 165.19**	25 gm 100 gm 500 gm	350 1040 3820
2669	**N-PHENYLANTHRANILIC ACID, AR GRADE** (Redox Indicator) CAS 91-40-7 **$C_{13}H_{11}NO_2$ F. Wt. 213.23**	25 gm 100 gm	1430 5340
2208	**PHENYLHYDRAZINE HYDROCHLORIDE, EXTRA PURE** CAS 59-88-1 **$C_6H_8N_2$.HCl F. Wt. 144.60**	100 gm 250 gm	760 1710
903	**PHENYLMERCURIC ACETATE** CAS 62-38-4 **$C_8H_8HgO_2$ F. wt. 336.74**	25 gm 100 gm	4100 16280
904	**PHENYLMERCURIC NITRATE, AR GRADE** CAS 8003-05-02 **$C_6H_5HgNO_3$ F. Wt. 634.40**	25 gm 100 gm	9900 37400
2457	**PHLOROGLUCINOL, AR GRADE** (1,3,5, Trihydroxybenzene) CAS 108-73-6 **$C_6H_6O_3$ F. Wt. 126.11**	25 gm 100 gm	1970 6950
2211	**PHLOXIN B** (Cyanosine, Eosin 10 B) CAS 18472-87-2 **$C_{20}H_2Br_4Cl_4Na_2O_5$ F. Wt. 829.64**	25 gm 100 gm	550 1890
2972	**PHOSPHOMOLYBDIC ACID, EXTRA PURE** CAS 51429-74-4 **$H_3PO_4.12MoO_3.xOH_2O$ F. Wt. 1825.25**	25 gm	1150
773	**PHOSPHOMOLYBDIC ACID, AR GRADE** CAS 51429-74-4 **$H_3PO_4.12MoO_3.xOH_2O$ F. Wt. 1825.25**	25 gm	1250
2000	**PHOSPHOROUS PENTOXIDE, AR GRADE** CAS 1314-56-3 **P_2O_5 F. wt. 283.89**	500 gm	1090
981	**PHOSPHOTUNGSTIC ACID, EXTRA PURE** CAS 12501-23-4 **$H_3PO_4.12WO_3.XH_2O$ F. Wt. 2880.05**	100 gm 500 gm	2470 12020
2673	**PHTHALIC ACID, EXTRA PURE** CAS 88-99-3 **$C_8H_6O_4$ F. wt. 166.13**	500 gm	550
907	**PHTHALIC ANHYDRIDE, EXTRA PURE** CAS 85-44-9 **$C_8H_4O_3$ F. Wt. 148.1**	500 gm 25 Kg	430 POR
2450	**PHTHALIMIDE** CAS 85-41-6 **$C_8H_5NO_2$ F. Wt. 147.13**	500 gm	580
3576	**PICLORAM** CAS 1918-02-1 **$C_6H_3Cl_3N_2O_2$ F. Wt. 241.46**	1 gm 5 gm	2620 8540
4101	**PICRIC ACID, EXTRA PURE** (Moistened With Water) CAS 88-89-1 **$C_6H_3N_3O_7$ F. wt. 229.10**	500 gm	1040
770	**PIPERAZINE (ANH)** CAS 110-85-0 **$C_4H_{10}N_2$ F. Wt. 86.14**	100 gm 500 gm 25 Kg	320 1170 POR
2219	**PIPES** (Buffer) (Piperazine-N,N-bis (2 ethane sulphonic acid) CAS 5625-37-6 **$C_8H_{18}N_2O_6S_2$ F. Wt. 302.4**	5 gm 25 gm	320 1000

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
908	**POLYETHYLENE GLYCOL-4000** (PEG-4000) CAS 25322-68-3	500 gm 25 Kg	500 POR
1013	**POLYETHYLENE GLYCOL-6000** (PEG-6000) CAS 25322-68-3	500 gm 25 Kg	550 POR
2224	**POLYVINYL ALCOHOL** M.W. 125,000 CAS 9002-89-5 $(C_2H_4O)_n$ F. Wt. 165.19	500 gm	710
2115	**POLYVINYL PYRROLIDINE K-30** (PVP) CAS 9003-39-8 $(C_6H_9O)_n$ F. Wt. 165.19	100 gm 500 gm 25 Kg	660 2950 POR
1675	**PONCEAU S,** Sodium Salt CAS 6226-79-5 C.I 27195 $C_{22}H_{12}N_4Na_4O_{13}S_4$ F. Wt. 760.57	25 gm	790
380	**POTASSIUM ACETATE, EXTRA PURE** CAS 127-08-2 $C_2H_3KO_2$ F. Wt. 98.15	500 gm 50 Kg	480 POR
381	**POTASSIUM ACETATE, AR GRADE** CAS 127-08-2 $C_2H_3KO_2$ F. Wt. 98.15	500 gm 50 Kg	660 POR
753	**POTASSIUM ALUM, EXTRA PURE** CAS 7784-24-9 $ALKO_8S_2.12H_2O$ F. Wt. 474.39	500 gm 5 Kg 50 Kg	275 2000 POR
230	**POTASSIUM ALUM, AR GARDE** CAS 7784-24-9 $ALKO_8S_2.12H_2O$ F. Wt. 74.39	500 gm 5 Kg 50 Kg	330 3015 POR
2517	**POTASSIUM ANTIMONY TARTRATE,** (Trihydrate), EXTRA PURE CAS 28300-74-5 $C_8H_4K_2O_{12}Sb_2.3H_2O$ F. Wt. 667.87	100 gm 500 gm	515 2300
811	**POTASSIUM ANTIMONY TARTRATE,** (Trihydrate), AR GRADE CAS 28300-74-5 $C_8H_4K_2O_{12}Sb_2.3H_2O$ F. Wt. 667.87	100 gm 500 gm	615 2540
382	**POTASSIUM BICARBONATE, EXTRA PURE** (Potassium Hydrogen Carbonate) CAS 298-14-6 $KHCO_3$ F. Wt. 100.115	500 gm 50 Kg	430 POR
4226	**POTASSIUM BICARBONATE,** **AR GRADE** CAS 298-14-6 $KHCO_3$ F. Wt. 100.12	500 gm	470
3511	**POTASSIUM BICARBONATE (R.O. SPL)** For R.O. Water CAS 298-14-6 $KHCO_3$ F. Wt. 100.12	500 gm 5 Kg 50 Kg	535 4480 POR
2686	**POTASSIUM BISULPHATE, EXTRA PURE** (Potassium Hydrogen Sulphate) CAS 7646-93-7 $KHSO_4$ F. Wt. 136.17	500 gm	440
3128	**POTASSIUM BISULPHITE, EXTRA PURE** (Potassium Hydrogen Sulphite) CAS 7773-03-7 $KHSO_3$ F. Wt. 120.16	500 gm 5 Kg	450 4250
919	**POTASSIUM BITARTRATE** (Potassium Hydrogen Tartrate) CAS 868-14-4 $Kc_4H_5O_6$ F. Wt. 188.18	500 gm	1150
711	**POTASSIUM BROMATE, EXTRA PURE** CAS 7758-01-2 $KBrO_3$ F. Wt. 167.00	500 gm 50 Kg	1050 POR
628	**POTASSIUM BROMIDE, EXTRA PURE** CAS 7758-02-03 KBr F. Wt. 119.002	500 gm 50 Kg	750 POR
2680	**POTASSIUM BROMIDE, AR GRADE** CAS 7758-02-03 KBr F. Wt. 119.002	500 gm	880
4102	**POTASSIUM BROMIDE IR** FOR SPECTROSCOPY CAS 7758-02-3 Kbr F. wt. 119.00	100 gm	4270
383	**POTASSIUM CARBONATE** (ANH.), **EXTRA PURE** CAS 584-08-7 K_2CO_3 F. Wt. 138.21	500 gm 50 Kg	4270 POR
384	**POTASSIUM CARBONATE** (ANH.), **AR GRADE** CAS 584-08-7 K_2CO_3 F. Wt. 138.21	500 gm 50 Kg	450 POR
385	**POTASSIUM CHLORIDE, EXTRA PURE** CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg	305 2395 POR
386	**POTASSIUM CHLORIDE, AR GRADE** CAS 7447-40-7 KCl F. Wt. 74.55	500 gm 5 Kg 50 Kg	340 3045 POR
2226	**POTASSIUM CHLOROPLATINATE** (Hexa) **(40% Platinum)** CAS 16921-30-5 K_2PtCl_6 F. Wt. 485.98	1 gm	8160
911	**POTASSIUM CHROMATE, EXTRA PURE** CAS 7789-00-6 K_2CrO_4 F. Wt. 194.19	500 gm 50 Kg	920 POR
912	**POTASSIUM CHROMATE, AR GRADE** CAS 7789-00-6 K_2CrO_4 F. wt. 194.19	500 gm	1000
913	**tri-POTASSIUM CITRATE** (Mono) CAS 6100-05-6 $C_6H_5K_3O_7.H_2O$ F. Wt. 324.41	500 gm 50 Kg	500 POR

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
387	**POTASSIUM DICHROMATE, EXTRA PURE** CAS 7778-50-9 **$K_2Cr_2O_7$ F. Wt. 294.18**	**500 gm 5 Kg 50 Kg**	**980 8745 POR**
388	**POTASSIUM DICHROMATE, AR GRADE** CAS 7778-50-9 **$K_2Cr_2O_7$ F. Wt. 294.18**	**500 gm 50 Kg**	**1010 POR**
389	**POTASSIUM DIHYDROGENORTHOPH POSPHATE** (Mono Potassium Phosphate), (ANH.), **EXTRA PURE** CAS 7778-77-0 **KH_2PO_4 F. Wt. 136.09**	**500 gm 5 Kg 50 Kg**	**790 7260 POR**
220	**POTASSIUM DIHYDROGEN ORTHOPHPOSPHATE** (Mono Potassium Phosphate), (ANH), **AR GRADE** CAS 7778-77-0 **KH_2PO_4 F. Wt. 329.25**	**500 gm 5 Kg 50 Kg**	**970 9220 POR**
737	**POTASSIUM FERRICYANIDE, EXTRA PURE** CAS 13746-66-2 **$K_3Fe(CN)_6$ F. Wt. 329.25**	**100 gm 500 gm 50 Kg**	**540 1950 POR**
631	**POTASSIUM FERROCYANIDE, EXTRA PURE** CAS 13943-58-3 **$K_4Fe(CN)_6$ F. Wt. 368.35**	**500 gm 50 Kg**	**1070 POR**
916	**POTASSIUM FLUORIDE** (ANH.), **EXTRA PURE** CAS 7789-23-3 **KF F. Wt. 58.10**	**500 gm**	**1120**
2229	**POTASSIUM FORMATE, EXTRA PURE** CAS 590-29-4 **$CHKO_2$ F. Wt. 84.12**	**100 gm 500 gm**	**310 950**
636	**di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH), EXTRA PURE** CAS 7758-11-4 **K_2HPO_4 F. Wt. 174.17**	**500 gm 5 Kg 50 Kg**	**950 9140 POR**
218	**di-POTASSIUM HYDROGEN ORTHOPHOSPHATE** (ANH.), AR GRADE CAS 7758-11-14 **K_2HPO_4 F. Wt. 174.17**	**500 gm 5 Kg 50 Kg**	**1090 10440 POR**
509	**POTASSIUM HYDROGEN PHTHALATE** (Potassium Biphthalate), EXTRA PURE CAS 877-24-7 **$C_8H_5KO_4$ F. Wt. 204.22**	**500 gm 50 Kg**	**710 POR**
877	**POTASSIUM HYDROGEN PHTHALATE,** **AR GRADE** CAS 877-24-7 **$C_8H_5KO_4$ F. Wt. 204.22**	**500 gm 50 Kg**	**760 POR**
2686	**POTASSIUM HYDROGEN SULPHATE,** **EXTRA PURE** CAS 7646-93-7 **$KHSO_4$ F. Wt. 136.17**	**500 gm 50 Kg**	**440 POR**
392	**POTASSIUM HYDROGEN SULPHATE,** **AR GRADE** CAS 7646-93-7 **$KHSO_4$ F. Wt. 136.17**	**500 gm 50 Kg**	**640 POR**
919	**POTASSIUM HYDROGEN TARTRATE,** (Potassium Bitartrate) CAS 868-14-4 **$C_4H_5KO_6$ F. Wt. 188.18**	**500 gm 50 Kg**	**1150 POR**
2230	**POTASSIUM HYDROXIDE FLAKES,** **EXTRA PURE** CAS 1310-58-3 **KOH F. Wt. 56.11**	**500 gm 5 Kg 50 Kg**	**400 3020 POR**
504	**POTASSIUM HYDROXIDE PELLETS,** **EXTRA PURE** CAS 1310-58-3 **KOH F. Wt. 56.11**	**500 gm 5 Kg 50 Kg**	**410 3090 POR**
511	**POTASSIUM HYDROXIDE PELLETS,** **AR GRADE** CAS 1310-58-3 **KOH F. Wt. 56.11**	**500 gm 5 Kg 50 Kg**	**530 3790 POR**
393	**POTASSIUM IODATE, EXTRA PURE** CAS 7758-05-6 **KIO_3 F. Wt. 214.001**	**100 gm 500 gm 25 Kg**	**1560 6900 POR**
2231	**POTASSIUM IODATE, AR GRADE** CAS 7758-05-06 **KIO_3 F. Wt. 214.001**	**100 gm 500 gm 25 Kg**	**1610 7130 POR**
394	**POTASSIUM IODIDE** (Confirming IP), **EXTRA PURE** CAS 7681-11-0 **KI F. Wt. 166.00**	**100 gm 500 gm 25 Kg**	**2190 10120 POR**
634	**POTASSIUM IODIDE, AR GRADE** CAS 7681-11-0 **KI F. Wt. 166.00**	**100 gm 500 gm 25 Kg**	**2300 10580 POR**
3200	**POTASSIUM LACTATE 50%** CAS 996-31-6 **$C_3H_5KO_3$ F. Wt. 128.17**	**500 ml**	**660**
3128	**POTASSIUM METABISULPHITE,** (Potassium Pyrosulphite), EXTRA PURE CAS 16731-55-8 **$K_2S_2O_5$ F. Wt. 222.32**	**500 gm 5 Kg 50 Kg**	**450 4250 POR**
397	**POTASSIUM METAPERIODATE, AR GRADE** CAS 7790-21-8 **KIO_4 F. Wt. 230**	**100 gm 500 gm**	**2420 11500**
761	**POTASSIUM NITRATE, EXTRA PURE** CAS 7757-79-1 **KNO_3 F. Wt. 101.10**	**500 gm 5 Kg 50 Kg**	**345 2425 POR**
399	**POTASSIUM NITRATE, AR GRADE** CAS 7757-79-1 **KNO_3 F. wt. 101.1**	**500 gm 50 Kg**	**390 POR**
2687	**POTASSIUM NITRITE, EXTRA PURE** CAS 7758-09-0 **KNO_2 F. Wt. 85.10**	**500 gm 50 Kg**	**1570 POR**

P Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
505	**POTASSIUM OXALATE** (Mono), (Dipotassium Oxalate), EXTRA PURE CAS 6487-48-5 **$C_2K_2O_4.H_2O$ F. Wt. 85.10**	500 gm 50 Kg	580 POR
920	**POTASSIUM OXALATE, AR GRADE** CAS 6487-48-5 **$C_2K_2O_4.H_2O$ F. Wt. 85.10**	500 gm 50 Kg	650 POR
400	**POTASSIUM PERMANGANATE, EXTRA PURE** CAS 7722-64-7 **$KMnO_4$ F. Wt. 158.03**	500 gm 5 Kg 50 Kg	670 5240 POR
2236	**POTASSIUM PERMANGANATE, AR GRADE** CAS 7722-64-7 **$KMnO_4$ F. Wt. 158.03**	500 gm	725
2237	**POTASSIUM PERSULPHATE, EXTRA PURE** (Potassium Peroxodisulphate) CAS 7727-21-1 **$K_2S_2O_8$ F. Wt. 270.32**	500 gm 50 Kg	535 POR
2238	**POTASSIUM PERSULPHATE, AR GRADE** CAS 7727-21-1 **$K_2O_8S_2$ F. wt. 270.32**	500 gm	600
636	**POTASSIUM PHOSPHATE DIBASIC** (ANH.), (Dipotassium Hydrogen Orthophosphate), **EXTRA PURE** CAS 7758-11-4 **K_2HPO_4 F. Wt. 174.18**	500 gm 5 Kg 50 Kg	950 9140 POR
218	**POTASSIUM PHOSPHATE DIBASIC** (ANH.), (Dipotassium Hydrogen Orthophosphate), **AR GRADE** CAS 7758-11-4 **K_2HPO_4 F. Wt. 174.18**	500 gm 5 Kg 50 Kg	1090 10440 POR
389	**POTASSIUM PHOSPHATE MONOBASIC, EXTRA PURE** CAS 7778-77-0 **KH_2PO_4 F. Wt. 174.18**	500 gm 5 Kg 50 Kg	790 7260 POR
3259	**tri-POTASSIUM PHOSPHATE** CAS 7778-53-2 **K_3PO_4 F. Wt. 212.27**	500 gm	1470
3258	**POTASSIUM SILICATE POWDER** CAS 1312-76-1 **K_2O_3Si F. Wt. 154.28**	500 gm 50 Kg	495 POR
403	**POTASSIUM SODIUM TARTRATE** (Tetra), **EXTRA PURE** CAS 6381-59-5 **$C_4H_4KNaO_6.4H_2O$ F. Wt. 282.22**	100 gm 500 gm 25 Kg	270 880 POR
404	**POTASSIUM SODIUM TARTRATE** (Tetra), **AR GRADE** CAS 6381-59-5 **$C_4H_4KNaO_6.4H_2O$ F. Wt. 282.22**	100 gm 500 gm 25 Kg	315 1050 POR
405	**POTASSIUM SORBATE** (Granular) **AR GRADE** CAS 24634-61-5 **$C_6H_7KO_2$ F. Wt. 150.22**	500 gm 25 Kg	1100 POR
4018	**POTASSIUM STEARATE** CAS 593-29-3 **$C_{18}H_{35}KO_2$ F. Wt. 322.57**	500 gm	550
406	**POTASSIUM SULPHATE, EXTRA PURE** CAS 7778-80-5 **K_2SO_4 F. Wt. 174.26**	500 gm 50 Kg	380 POR
407	**POTASSIUM SULPHATE, AR GRADE** CAS 7778-80-5 **K_3SO_4 F. wt. 101.1**	500 gm 50 Kg	410 POR
408	**POTASSIUM TELLURITE, EXTRA PURE** (for bacteriology) CAS 7790-58-1 **K_2TeO_3 F. Wt. 253.81**	25 gm 100 gm	3360 13180
2225	**POTASSIUM TERT-BUTOXIDE** (For Synthesis) CAS 865-47-4 **C_4H_9KO F. wt. 112.21**	100 gm 500 gm 25 kg	890 3940 POR
699	**POTASSIUM TETRAOXALATE** (Dihydrate) CAS 6100-20-5 **$C_4H_3KO_8.2H_2O$ F. Wt. 254.19**	500 gm	675
409	**POTASSIUM THIOCYANATE, EXTRA PURE** (Potassium Sulphocyanide) CAS 333-20-0 **KSCN F. Wt. 97.18**	500 gm 50 Kg	910 POR
410	**POTASSIUM THIOCYANATE, AR GRADE** CAS 333-20-0 **KSCN F. Wt. 97.18**	500 gm	1280
2694	**POTASSIUM TITANIUM OXALATE, AR GRADE** CAS 14402-67-6 **$C_4K_2O_9Ti.2H_2O$ F. Wt. 354.13**	100 gm 500 gm	1495 5950
1309	**POTATO STARCH** (Invaluable) CAS 9005-84-9	500 gm	360
1128	**L-PROLINE, 99%+**Purity, Crystalline CAS 147-85-3 **$C_5H_9NO_2$ F. Wt. 115.13**	5 gm 25 gm 500 gm	125 420 4935
211	**n-PROPYL GALLATE** (Antioxidant & Preservative) CAS 121-79-9 **$C_{10}H_{12}O_5$ F. Wt. 212.20**	100 gm 500 gm	1150 4260
922	**PROPYL PARABEN** (Propyl-P-Hydroxybenzoate) CAS 94-13-3 **$C_{10}H_{12}O_3$ F. Wt. 180.2**	500 gm	1340
637	**PROPYL PARABEN SODIUM** (Propyl-P-Hydroxy Benzoate Sodium) CAS 35285-69-9 **$C_{10}H_{11}NaO_3$ F. Wt. 202.00**	500 gm	1820
648	**PROPYLENE GLYCOL** (1,2-Propanediol) CAS 57-55-6 **$C_3H_8O_2$ F. Wt. 76.09**	500 ml 5 Ltr 50 Ltr	1040 8320 POR

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
639	**PYRIDOXAL HYDROCHLORIDE** CAS 65-22-5 **$C_8H_9NO_3.HCl$ F. Wt. 203.62**	1 gm 5 gm	580 2850
1705	**PYRIDOXINE HYDROCHLORIDE (VITAMIN B_6)** CAS 58-56-0 **$C_8H_{11}NO_3.HCl$ F. Wt. 205.64**	10 gm 25 gm 100 gm	210 510 1870
171	**PYROCATECHOL** (1, 2 Dihydroxybenzene) CAS 120-80-9 **$C_6H_6O_3$ F. Wt. 110.10**	100 gm 500 gm	450 1080
2148	**PYROGALLOL, EXTRA PURE** CAS 87-66-1 **$C_6H_6O_3$ F. Wt. 126.11**	100 gm 500 gm	2000 9400
925	**PYROGALLOL, AR GRADE** (Pyrogallic Acid,1,2,3, Trihydroxybenzene) CAS 87-66-1 **$C_6H_6O_3$ F. Wt. 126.11**	100 gm 500 gm	2080 9750
3204	**PYRONINE G** (PYRONINE) CAS 92-32-0 C.I. 45005 **$C_{17}H_{19}ClN_2O$ F. Wt. 302.8**	5 gm	2700
659	**PYRUVIC ACID SODIUM, AR GRADE** (Sodium Pyruvate) CAS 113-24-6 **$C_3H_3NaO_3$ F. Wt. 110.0**	100 gm 500 gm	1030 3050
3207	**QUININE HYDROCHLORIDE** (Dihydrate) CAS 6119-47-7 **$C_{20}H_{24}N_2O_2.HCl.2H_2O$ F. Wt. 396.92**	25 gm	3025
2632	**8-QUINOLINOL** (8-Hydroxyquinoline), (Oxine) CAS 148-24-3 **C_9H_7NO F. Wt. 145.16**	100 gm 500 gm	1070 4500
2252	**QUINOLINE YELLOW** (Water Soluble) CAS 8004-92-0 C.I. 47005 **$C_{18}H_9NNa_2O_8S_2$ F. Wt. 477.38**	5 gm 25 gm	290 1315
698	**RNA** (From Torula Yeast) CAS 63231-63-0	25 gm 100 gm 500 gm	1750 6730 26920
TC 018	**D-RAFFINOSE** (Penta) CAS 17629-30-0 **$C_{18}H_{32}O_{16}.5H_2O$ F. Wt. 594.52**	10 gm 25 gm	880 1785
507	**RESAZURIN SODIUM** CAS 62758-13-8 **$C_{12}H_6NO_4Na$ F. Wt. 251.18**	1 gm 5 gm	1210 5780
2981	**RESORCINOL, (1,3 Dihydroxybenzene), EXTRA PURE** CAS 108-46-3 **$C_6H_6O_2$ F. Wt. 110.1**	250 gm 500 gm	2350 4440
411	**L-RHAMNOSE 99% PURITY** CAS 10030-85-0 **$C_6H_{12}O_5.H_2O$ F. Wt. 182.17**	5 gm 25 gm 1 Kg	650 2690 POR
1609	**RHODAMINE B** CAS 81-88-9 C.I. 45170 **$C_{28}H_{31}ClN_2O_3$ F. Wt. 479.02**	25 gm 100 gm	250 870
1703	**RIBOFLAVIN (Vitamin B_2), Vitamin G** CAS 83-88-5 **$C_{17}H_{20}N_4O_6$ F. Wt. 376.36**	10 gm 25 gm 100 gm	320 760 2870
929	**RIBOFLAVIN-5-PHOSPHATE, EXTRA PURE** * CAS 130-40-5 **$C_{17}H_{20}N_4NaO_9P.2H_2O$ F. Wt. 514.36**	5 gm 25 gm	200 660
1306	**D-RIBOSE** CAS 50-69-1 **$C_5H_{10}O_5$ F. Wt. 150.13**	10 gm 25 gm 100 gm	260 550 1520
1603	**ROSANILINE HCl** CAS 632-99-5 **$C_{20}H_{20}N_3.HCl$ F. Wt. 337.86**	25 gm 100 gm 1 Kg	275 780 6290
1677	**ROSE BENGAL** (Acid red 94) CAS 632-69-9 C.I. 45440 **$C_{20}H_2Cl_4I_4Na_2O_5$ F. Wt. 1017.64**	25 gm 100 gm	1470 5370
1664	**p-ROSOLIC ACID** (Aurin) CAS 603-45-2 C.I. 43800 **$C_{19}H_{14}O_3$ F. Wt. 290.32**	25 gm	1530
2435	**RUTIN** (Trihydrate) (Vitamin P) (for Biochemistry) CAS 153-18-4 **$C_{27}H_{30}O_{16}.3H_2O$ F. Wt. 628.50**	25 gm 100 gm 1 Kg	950 3470 25580
1646	**SAFRANINE-T** (Safranin-O) CAS 477-73-6 C.I. 50240 **$C_{20}H_{19}ClN_4$ F. Wt. 350.85**	25 gm 100 gm 500 gm	540 1870 9050
TC 019	**D-SALICIN** CAS 4138-52-3 **$C_{13}H_{18}O_7$ F. Wt. 286.28**	5 gm 10 gm 25 gm	1800 2935 4800
691	**SALICYLIC ACID, EXTRA PURE** (2-Hydroxy Benzoic Acid) CAS 69-72-7 **$C_7H_6O_3$ F. Wt. 138.12**	500 gm 25 Kg	790 POR
680	**SALICYCLIC ACID, AR GRADE** (2-Hydroxy Benzoic Acid) CAS 69-72-7 **$C_7H_6O_3$ F. Wt. 138.12**	500 gm	850
4227	**SAPONIN** CAS 8047-15-2	100 gm 500 gm	5900 26500
553	**SELENIUM DIOXIDE** CAS 7446-08-4 **SeO_2 F. Wt. 110.96**	100 gm 500 gm	3680 16600

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3620	**L-SELENOMETHIONINE** CAS 3211-76-5 **$C_6H_{11}No_2Se$ F. Wt. 196.11**	1 gm	20600
1130	**L-SERINE 99%+**Purity, Crystalline CAS 56-45-1 **$C_3H_7NO_3$ F. Wt. 105.09**	10 gm 25 gm 1 Kg	350 600 18000
412	**SILICA GEL** (Self Indicating Blue) **5-8 mm** CAS 63231-67-4	500 gm 5 Kg 50 Kg	530 4990 POR
2257	**SILICA GEL** (Self Indicating White) **5-8 mm** CAS 63231-67-4	500 gm 5 Kg	345 2890
414	**SILICA GEL, 60- 120 mesh** (for column chromatography) For CC CAS 63231-67-4	500 gm	470
2258	**SILICA GEL, 100-200 mesh** CAS 63231-67-4	500 gm	470
2259	**SILICA GEL, 60-200 mesh** CAS 63231-67-4	500 gm	560
2260	**SILICA GEL, 200-400 mesh** For TLC CAS 63231-67-4	500 gm	560
415	**SILICA GEL G** For TLC CAS 112926-00-8	500 gm	540
416	**SILICA GEL HF 254** For TLC CAS 112926-00-8	500 gm	3900
417	**SILICA GEL, H** for TLC w/o Binder CAS 63231-67-4	500 gm	540
418	**SILICA GEL, GF 254** for TLC w/o Binder CAS 63231-67-4	500 gm	3900
642	**SILICONE, High Vacuum GREASE** (Vacuum Grease)	500 gm	1910
932	**SILICONE ANTIFOAMING AGENT** (NON IONIC)	100 ml 500 ml	350 1100
644	**SILICONE OIL** (for Oil Bath, upto 250°C) CAS 63148-62-9 **$C_6H_{18}OSi_2$ F. Wt. 162.38**	100 ml 500 ml	340 1500
645	**SILICOTUNGSTIC ACID, EXTRA PURE** CAS 12027-38-2 **$H_4O_{40}SiW_{12}$ F. wt. 2878.17**	25 gm 100 gm	940 3430
2708	**SILICOTUNGSTIC ACID**, 99.5%, **AR GRADE** CAS 12027-38-2 **$H_4O_{40}SiW_{12}$ F. wt. 2878.17**	25 gm 100 gm	1040 3880
2709	**SILVER ACETATE**, (Acetic Acid Silver Salt), **EXTRA PURE** CAS 563-63-3 **$C_2H_3AgO_2$ F. Wt. 166.91**	25 gm	6000
954	**SILVER CARBONATE, EXTRA PURE** CAS 534-16-7 **CAg_2O_3 F. wt. 275.75**	25 gm	7130
512	**SILVER CHLORIDE, EXTRA PURE** CAS 7783-90-6 **AgCl F. Wt. 143.32**	25 gm	7130
2982	**SILVER IODIDE** CAS 7783-96-2 **AgI F. Wt. 234.77**	25 gm	6200
419	**SILVER NITRATE, EXTRA PURE** CAS 7761-88-8 **$AgNO_3$ F. Wt. 169.87**	10 gm 25 gm	2530 5470
649	**SILVER NITRATE, AR GRADE** CAS 7761-88-8 **$AgNO_3$ F. Wt. 169.87**	10 gm 25 gm	2760 5700
2266	**SILVER OXIDE, EXTRA PURE** CAS 20667-12-3 **AgO F. wt. 123.87**	25 gm	8050
2267	**SILVER SULPHATE, EXTRA PURE** CAS 10294-26-5 **Ag_2SO_4 F. Wt. 311.80**	25 gm 5 Kg	5930 POR
650	**SILVER SULPHATE, AR GRADE** CAS 10294-26-5 **Ag_2SO_4 F. Wt. 311.80**	25 gm	6100
651	**SKIM MILK POWDER** **(Fat Free)**	500 gm	990
422	**SODIUM ACETATE** (ANH.), **EXTRA PURE** CAS 127-09-3 **$C_2H_3NaO_2$ F. Wt. 82.03**	500 gm 5 Kg 50 Kg	310 2400 POR
221	**SODIUM ACETATE** (ANH.), **AR GRADE** CAS 127-09-3 **$C_2H_3NaO_2$ F. Wt. 82.03**	500 gm 5 Kg 50 Kg	460 3600 POR
420	**SODIUM ACETATE** (Trihydrate), **EXTRA PURE** CAS 6131-90-4 **$C_2H_3NaO_2.3H_2O$ F. Wt. 100.04**	500 gm 5 Kg 50 Kg	300 1865 POR
2270	**SODIUM ACETATE** (Trihydrate), **AR GRADE** CAS 6131-90-4 **$C_2H_3NaO_2.3H_2O$ F. Wt. 136.08**	500 gm 5 Kg 50 Kg	320 2290 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
435	**SODIUM ACID PHOSPHATE** (Sodium dihydrogen orthophosphate) CAS 13472-35-0 **$NaH_2PO_4.2H_2O$ F. Wt. 156.01**	**500 gm 5 Kg 50 Kg**	**540 5110 POR**
3623	**SODIUM ACID PYROPHOSPHATE,** (SAPP) (Food Grade) CAS 7758-16-9 **$Na_2H_2P_2O_7$ F. Wt. 221.94**	**500 gm 5 Kg**	**880 6735**
423	**SODIUM ALGINATE, EXTRA PURE** (Sodium Polymannuronate) CAS 9005-38-3	**500 gm 5 Kg 25 Kg**	**2200 21500 POR**
2983	**SODIUM ALGINATE** (Alginic Acid Sodium Salt), AR GRADE CAS 9005-38-3 **$C_{14}H_{22}O_{13}$ F. wt. 101.1**	**500 gm**	**1945**
3424	**SODIUM ARSENATE** (Hepta), **EXTRA PURE** CAS 10048-95-0 **$Na_2HAsO_4.7H_2O$ F. Wt. 312.01**	**25 gm 100 gm**	**845 1475**
4104	**SODIUM ARSENATE** (Hepta), **AR GRADE** CAS 10048-95-0 **$Na_2HAsO_4.7H_2O$ F. Wt. 312.01**	**25 gm 100 gm**	**915 1500**
2273	**SODIUM ARSENITE, AR GRADE** CAS 7784-46-5 **$NaAsO_2$ F. Wt. 129.91**	**100 gm 500 gm**	**2305 9240**
1714	**SODIUM ASCORBATE** (Ascorbic Acid Sodium) CAS 134-03-2 **$C_2H_7NaO_6$ F. Wt. 198.11**	**100 gm 500 gm**	**360 1725**
424	**SODIUM AZIDE, EXTRA PURE** CAS 26628-22-8 **NaN_3 F. Wt. 65.01**	**100 gm 500 gm**	**620 3200**
425	**SODIUM AZIDE, AR GRADE** CAS 26628-22-8 **NaN_3 F. Wt. 65.01**	**100 gm 500 gm**	**720 3400**
426	**SODIUM BENZOATE, EXTRA PURE** CAS 532-32-1 **$C_7H_5NaO_2$ F. Wt. 144.11**	**500 gm 25 Kg**	**440 POR**
427	**SODIUM BENZOATE, AR GRADE** CAS 532-32-1 **$C_7H_5NaO_2$ F. Wt. 144.11**	**500 gm 25 Kg**	**710 POR**
429	**SODIUM BICARBONATE, EXTRA PURE** (Sodium Hydrogen Carbonate) CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm 5 Kg 50 Kg**	**220 1580 POR**
430	**SODIUM BICARBONATE, AR GRADE** CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm 5 Kg 50 Kg**	**250 1995 POR**
2984	**SODIUM BICARBONATE 'SPL'** (for R.O. Water) CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm 5 Kg 50 Kg**	**290 2240 POR**
428	**SODIUM BISELENITE** (Sodium Hydrogen Selenite) CAS 7782-82-3 **$NaHSeO_3$ F. Wt. 150.95**	**100 gm 1 Kg**	**4330 38380**
780	**SODIUM BISULPHATE, EXTRA PURE** (Sodium Hydrogen Sulphate) CAS 10034-88-5 **$NaHSO_4.H_2O$ F. Wt. 138.07**	**500 gm**	**380**
2292	**SODIUM BISULPHATE, AR GRADE** (Sodium Hydrogen Sulphate) CAS 10034-88-5 **$NaHSO_4.H_2O$ F. Wt. 138.07**	**500 gm**	**440**
946	**SODIUM BISULPHITE, EXTRA PURE** (Sodium Hydrogen Sulphite) CAS 7631-90-5 $NaHSO_3$ **F. Wt. 104.06**	**500 gm**	**275**
655	**SODIUM BISULPHITE, AR GRADE** (Sodium Hydrogen Sulphite) CAS 7631-90-5 $NaHSO_3$ **F. Wt. 104.06**	**500 gm**	**450**
2275	**SODIUM BROMATE, EXTRA PURE** CAS 7789-38-0 **$NaBrO_3$ F. Wt. 150.89**	**500 gm 50 Kg**	**1110 POR**
936	**SODIUM BROMIDE, EXTRA PURE** CAS 7647-15-6 **NaBr F. Wt. 102.89**	**500 gm 50 Kg**	**860 POR**
2276	**SODIUM BROMIDE, AR GRADE** CAS 7647-15-6 **NaBr F. Wt. 102.89**	**500 gm 50 Kg**	**1090 POR**
4008	**SODIUM BUTYRATE** CAS 156-54-7 **C4H7NaO2 F. Wt. 110.09**	**100 gm 500 gm 25 Kg**	**710 3050 POR**
2278	**SODIUM CACODYLATE** (Trihydrate) CAS 6131-99-3 **$C_2H_6AsNaO_2.3H_2O$ F. Wt. 214.03**	**25 gm 100 gm**	**5580 22320**
431	**SODIUM CARBONATE** (ANH.), **EXTRA PURE** CAS 497-19-8 **Na_2CO_3 F. Wt. 105.99**	**500 gm 5 Kg 50 Kg**	**245 2100 POR**
432	**SODIUM CARBONATE** (ANH.), **AR GRADE** CAS 497-19-8 **Na_2CO_3 F. Wt. 105.99**	**500 gm 5 Kg 50 Kg**	**330 3000 POR**
938	**SODIUM CARBONATE** (Mono), **EXTRA PURE** CAS 5968-11-6 **$Na_3CO_3.H_2O$ F. Wt. 124.00**	**500 gm 50 Kg**	**315 POR**
2280	**SODIUM CARBONATE** (Mono), **AR GRADE** CAS 5968-11-6 **$Na_3CO_3.H_2O$ F. Wt. 124.00**	**500 gm 50 Kg**	**400 POR**

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
215	**SODIUM CHLORIDE, EXTRA PURE** CAS 7647-14-5 **NaCl F. Wt. 58.44**	**500 gm** **5 Kg** **50 Kg**	**170** **1045** **POR**
216	**SODIUM CHLORIDE, AR GRADE** CAS 7647-14-5 **NaCl F. Wt. 58.44**	**500 gm** **5 Kg** **50 Kg**	**210** **1300** **POR**
924	**SODIUM CHLORIDE** for Tissue Culture, Molecular Biology Grade CAS 7647-14-5 **NaCl F. Wt. 58.44**	**500 gm** **5 Kg** **50 Kg**	**660** **5560** **POR**
4178	**SODIUM CHOLATE** (Cholic Acid Sodium) CAS 361-09-1 **$C_{24}H_{39}NaO_5$ F. Wt. 430.56**	**25 gm** **100 gm** **25 Kg**	**2320** **8750** **POR**
2281	**SODIUM CHROMATE** (Tetra) **EXTRA PURE** CAS 10034-82-9 **$Na_2CrO_4.4H_2O$ F. Wt. 234.03**	**500 gm** **25 Kg**	**645** **POR**
2882	**SODIUM CHROMATE** (Tetra) **AR GRADE** CAS 10034-82-9 **$Na_2CrO_4.4H_2O$ F. Wt. 234.03**	**500 gm**	**745**
541	**tri-SODIUM CITRATE,** (Dihydrate), **EXTRA PURE** CAS 6132-04-3 **$C_6H_5Na_3O_7.2H_2O$ F. Wt. 294.10**	**500 gm** **5 Kg** **25 Kg**	**440** **4150** **POR**
542	**tri-SODIUM CITRATE,** (Dihydrate), **AR GRADE** CAS 6132-04-3 **$C_6H_5Na_3O_7.2H_2O$ F. Wt. 294.10**	**500 gm** **5 Kg** **25 Kg**	**510** **4690** **POR**
653	**tri-SODIUM CITRATE,** (ANH.), **EXTRA PURE** CAS 68-04-2 **$C_6H_5Na_3O_7$ F. Wt. 258.07**	**500 gm** **5 Kg** **25 Kg**	**460** **4425** **POR**
2291	**SODIUM CITRATE DIBASIC, EXTRA PURE** (Di Sodium Hydrogen Citrate) CAS 6132-05-4 **$C_6H_6Na_2O_7$ F. Wt. 236.09**	**500 gm** **50 Kg**	**460** **POR**
2283	**SODIUM COBALTINITRITE, EXTRA PURE** CAS 13600-98-1 **$Na_3Co(NO_2)_6$ F. wt. 403.94**	**100 gm**	**2175**
434	**SODIUM DICHROMATE,** (Dihydrate), **EXTRA PURE** CAS 7789-12-0 **$Na_2Cr_2O_7.2H_2O$ F. Wt. 298.00**	**500 gm** **50 Kg**	**840** **POR**
2286	**SODIUM DIETHYLDITHIOCARBAMATE,** **AR GRADE** CAS 20624-25-3 **$(C_2H_5)_2.NCS_2Na.3H_2O$ F. Wt. 225.31**	**100 gm** **500 gm**	**610** **2530**
435	**SODIUM DIHYDROGEN ORTHOPHOSPHATE,** (Mono Sodium Phosphate Dihydrate), **EXTRA PURE** CAS 13472-35-0 **$NaH_2PO_4.2H_2O$ F. Wt. 156.01**	**500 gm** **5 Kg** **50 Kg**	**540** **5110** **POR**
763	**SODIUM DIHYDROGEN ORTHOPHOSPHATE,** (Mono Sodium Phosphate Dihydrate), **AR GRADE** CAS 13472-35-0 **$NaH_2PO_4.2H_2O$ F. Wt. 156.01**	**500 gm** **5 Kg** **50 Kg**	**590** **5670** **POR**
688	**SODIUM DIPHENYLAMINE SULPHONATE,** **AR GRADE** CAS 6152-67-6 **$C_{12}H_{10}NNaO_3S$ F. Wt. 271.27**	**5 gm** **25 gm**	**350** **1460**
436	**SODIUM DITHIONITE, EXTRA PURE** CAS 7775-14-6 **$Na_2S_2O_4$ F. Wt. 174.11**	**500 gm**	**575**
444	**SODIUM DODECYL SULPHATE,** (Sodium Lauryl Sulphate), EXTRA PURE CAS 151-21-3 **$C_{12}H_{25}NaO_4S$ F. Wt. 288.38**	**500 gm** **10 Kg**	**655** **POR**
445	**SODIUM DODECYL SULPHATE, AR GRADE** CAS 151-21-3 **$C_{12}H_{25}NaO_4S$ F. wt. 298.38**	**100 gm** **500 gm**	**1340** **5340**
777	**SODIUM FLUORIDE, EXTRA PURE** CAS 7681-49-4 **NaF F. Wt. 41.99**	**500 gm** **50 Kg**	**880** **POR**
706	**SODIUM FLUORIDE, AR GRADE** CAS 7681-49-4 **NaF F. Wt. 41.99**	**500 gm**	**940**
2289	**SODIUM FORMATE, EXTRA PURE** CAS 141-53-7 **$CHNaO_2$ F. Wt. 68.01**	**500 gm**	**310**
4105	**SODIUM FORMATE, AR GRADE** CAS 141-53-7 **$CHNaO_2$ F. Wt. 68.01**	**500 gm**	**310**
941	**SODIUM GLUCONATE** CAS 527-07-1 (D-Gluconic Acid Sodium Salt) **$C_6H_{11}NaO_7$ F. Wt. 218.14**	**500 gm** **50 Kg**	**400** **POR**
943	**SODIUM β-GLYCEROPHOSPHATE,** **AR GRADE** CAS 819-83-0 **$C_3H_9O_6P.2Na$ F. Wt. 306.11**	**25 gm** **100 gm** **500 gm**	**425** **1385** **6585**
944	**SODIUM HEXAMETAPHOSPHATE, 62%** (Sodium Polyphosphate, Graham's Salts), **EXTRA PURE** CAS 68915-31-1 **$(NaPO_3)_{12\text{-}13}NaO_2$ F. Wt. 611.78**	**500 gm** **5 Kg** **50 Kg**	**650** **6000** **POR**
429	**SODIUM HYDROGEN CARBONATE,** **EXTRA PURE** CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm** **5 Kg** **50 Kg**	**220** **1580** **POR**
430	**SODIUM HYDROGEN CARBONATE,** **AR GRADE** CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm** **5 Kg** **50 Kg**	**250** **1995** **POR**
2984	**SODIUM HYDROGEN CARBONATE 'SPL'** For R.O Water CAS 144-55-8 **$NaHCO_3$ F. Wt. 84.01**	**500 gm** **5 Kg** **50 Kg**	**290** **2240** **POR**

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2291	**di-SODIUM HYDROGEN CITRATE, EXTRA PURE** CAS 6132-05-4 **$C_6H_6Na_2O_7$ F. Wt. 236.09**	500 gm 25 Kg	505 POR
460	**di-SODIUM HYDROGEN ORTHOPHOSPHATE** (Dihydrate), EXTRA PURE CAS 10028-24-7 **$Na_2HPO_4.2H_2O$ F. Wt. 177.99**	500 gm 5 Kg 50 Kg	620 6000 POR
658	**di-SODIUM HYDROGEN ORTHOPHOSPHATE** (Dihydrate), AR GRADE CAS 10028-24-7 **$Na_2HPO_4.2H_2O$ F. Wt. 177.99**	500 gm 5 Kg 50 Kg	810 7650 POR
459	**di-SODIUM HYDROGEN ORTHOPHOSPHATE** (ANH), EXTRA PURE CAS 7558-79-4 **Na_2HPO_4 F. Wt. 141.96**	500 gm 5 Kg 50 Kg	660 6230 POR
217	**di-SODIUM HYDROGEN ORTHOPHOSPHATE** (ANH), AR GRADE CAS 7558-79-4 **Na_2HPO_4 F. Wt. 141.96**	500 gm 5 Kg 50 Kg	740 6750 POR
446	**SODIUM MALONATE** CAS 141-95-7 **$C_3H_2Na_2O_4$ F. Wt. 148.03**	25 gm 100 gm	255 900
4221	**di-SODIUM OCTABORATE TETRAHYDRATE** CAS 12280-03-4 **$Na_2B_8O_{13}\cdot4H_2O$ F. Wt. 412.53**	500 gm	495
2309	**di-SODIUM TARTRATE** (Dihydrate) CAS 6106-24-7 **$C_4H_4Na_2O_6.2H_2O$ F. Wt. 230.08**	500 gm	980
428	**SODIUM HYDROGEN SELENITE for Bacteriology** CAS 7782-82-3 **$NaHSeO_3$ F. Wt. 150.95**	100 gm 1 Kg	4330 38380
780	**SODIUM HYDROGEN SULPHATE** (Mono), **EXTRA PURE** CAS 10034-88-5 **$NaHSO_4.H_2O$ F. Wt. 138.07**	500 gm	380
2292	**SODIUM HYDROGEN SULPHATE,** (Mono), **AR GRADE** CAS 10034-88-5 **$NaHSO_4.H_2O$ F. Wt. 138.07**	500 gm	440
946	**SODIUM HYDROGEN SULPHITE, EXTRA PURE (SODIUM BISULPHITE)** CAS 7631-90-5 **$NaHSO_3$ F. Wt. 104.061**	500 gm	275
655	**SODIUM HYDROGEN SULPHITE, AR GRADE (SODIUM BISULPHITE)** CAS 7631-90-5 **$NaHSO_3$ F. Wt. 104.061**	500 gm	450
779	**SODIUM HYDROXIDE FLAKES** CAS 1310-73-2 **NaOH F. Wt. 40.00**	500 gm 5 Kg 50 Kg	265 1720 POR
439	**SODIUM HYDROXIDE PELLETS, EXTRA PURE** CAS 1310-73-2 **NaOH F. Wt. 40.00**	500 gm 5 Kg 50 Kg	290 1820 POR
440	**SODIUM HYDROXIDE PELLETS, AR GRADE** CAS 1310-73-2 **NaOH F. Wt. 40.00**	500 gm 5 Kg 50 Kg	310 2240 POR
2718	**SODIUM HYPOPHOSPHITE** (Mono), CAS 10039-56-2 **$NaH_2PO_2.H_2O$ F. Wt. 105.99**	500 gm	675
544	**SODIUM IODIDE, EXTRA PURE** CAS 7681-82-5 **NaI F. Wt. 149.89**	100 gm 250 gm	2150 5200
2294	**SODIUM LACTATE 60%** CAS 72-17-3 **$C_3H_5NaO_3$ F. Wt. 112.06**	500 ml	500
444	**SODIUM LAURYL SULPHATE, EXTRA PURE** (Sodium Dodecyl Sulphate) CAS 151-21-3 **$C_{12}H_{25}NaO_4S$ F. Wt. 288.38**	500 gm	655
445	**SODIUM LAURYL SULPHATE 99%+ AR GRADE** CAS 151-21-3 **$NaC_{12}H_{25}SO_4$ F. Wt. 288.38**	100 gm 500 gm	1340 5340
447	**SODIUM METABISULPHITE, EXTRA PURE** CAS 7681-57-4 (Sodium Pyrosulfite) **$Na_2S_2O_5$ F. Wt. 190.11**	500 gm 5 Kg 50 Kg	240 2250 POR
448	**SODIUM METABISULPHITE, AR GRADE** CAS 7681-57-4 **$Na_2S_2O_5$ F. Wt. 190.11**	500 gm 5 Kg 50 Kg	280 2600 POR
2296	**SODIUM METABORATE** (Tetra) CAS 10555-76-7 **$BNaO_2.4H_2O$ F. Wt. 137.86**	500 gm	460
2722	**SODIUM METAPERIODATE, EXTRA PURE** CAS 7790-28-5 **$NaIO_4$ F. Wt. 213.89**	100 gm 500 gm 25 Kg	1650 8250 POR
4106	**SODIUM METAPERIODATE, AR GRADE** (Sodium Periodate) CAS 7790-28-5 **INa_4 F. wt. 213.89**	100 gm 500 gm	1750 8500
2298	**SODIUM METAVANADATE** (ANH.), **AR GRADE** CAS 13718-26-8 **$NaVO_3$ F. Wt. 121.93**	100 gm 500 gm	3300 15600
2299	**SODIUM METHOXIDE, EXTRA PURE** CAS 124-41-4 **$NaOCH_3$ F. Wt. 54.02**	500 gm 5 Kg 25 Kg	730 6570 POR
449	**SODIUM MOLYBDATE,** (Dihydrate), **EXTRA PURE** CAS 10102-40-6 **$Na_2MoO_4.2H_2O$ F. Wt. 241.95**	100 gm 500 gm 25 Kg	900 3900 POR

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
656	**SODIUM MOLYBDATE** (Dihydrate), **AR GRADE** CAS 10102-40-6 **$Na_2MoO_4.2H_2O$ F. wt. 241.9**	100 gm 500 gm 25 Kg	990 4380 POR
450	**SODIUM NITRATE, EXTRA PURE** CAS 7631-99-4 **$NaNO_3$ F. Wt. 84.99**	500 gm 5 Kg 50 Kg	310 2205 POR
3430	**SODIUM NITRATE** (Food Grade) CAS 7631-99-4 **$NaNO_3$ F. Wt. 84.99**	500 gm 5 Kg 50 Kg	460 3940 POR
451	**SODIUM NITRATE, AR GRADE** CAS 7631-99-4 **$NaNO_3$ F. wt. 85.0**	500 gm 50 Kg	520 POR
452	**SODIUM NITRITE, EXTRA PURE** CAS 7632-00-0 **$NaNO_2$ F. Wt. 68.99**	500 gm 5 Kg	360 2520
772	**SODIUM NITROPRUSSIDE, EXTRA PURE** (Sodium Nitroferricyanide dihydrate) CAS 13755-38-9 **$Na_2[Fe(CN)_5NO].2H_2O$ F. Wt. 297.95**	100 gm 500 gm 10 Kg	920 4480 POR
2720	**SODIUM OLEATE** (Pure), **EXTRA PURE** CAS 143-19-1 **$C_{18}H_{33}NaO_2$ F. Wt. 304.44**	500 gm 50 Kg	1115 POR
2300	**tri-SODIUM ORTHOPHOSPHATE** (ANH.), **EXTRA PURE** CAS 7601-54-9 **$Na_3.PO_4$ F. Wt. 163.94**	500 gm 50 Kg	840 POR
4107	**tri-SODIUM ORTHO-PHOSPHATE,** (Dodecahydrate), EXTRA PURE CAS 10101-89-0 **$H_{24}Na_3O_{16}P$ F. wt. 380.12**	500 gm 5 kg 50 kg	370 3360 POR
4108	**tri-SODIUM ORTHO-PHOSPHATE** (Dodecahydrate), AR GRADE CAS 10101-89-0 **$H_{24}Na_3O_{16}P$ F. wt. 380.12**	500 gm 5 kg 50 kg	450 4340 POR
455	**SODIUM OXALATE,** (di Sodium Oxalate), **EXTRA PURE** CAS 62-76-0 **$Na_2C_2O_4$ F. Wt. 133.999**	500 gm	420
456	**SODIUM OXALATE, AR GRADE** CAS 62-76-0 **$C_2Na_2O_4$ F. Wt. 133.999**	500 gm	460
2721	**SODIUM PENTACHLOROPHENATE** CAS 131-52-2 **C_6Cl_5NaO F. Wt. 288.32**	500 gm 50 Kg	485 POR
2301	**SODIUM PERBORATE** (Tetra), **EXTRA PURE** CAS 10486-00-7 **$NaBO_3.4H_2O$ F. Wt. 153.86**	500 gm 50 Kg	280 POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4154	**SODIUM PERCARBONATE** (Granules) CAS 15630-89-4 **$Na_2CO_3.1.5H_2O$ F. wt. 156.98**	1 Kg	475
4097	**SODIUM PERCARBONATE** (Tablet) CAS 15630-89-4 **$Na_2CO_3.1.5H_2O_2$ F. Wt. 157.01**	1 Kg	475
2304	**SODIUM PERSULPHATE, EXTRA PURE** CAS 7775-27-1 **$Na_2S_2O_8$ F. Wt. 238.03**	500 gm 50 Kg	490 POR
459	**SODIUM PHOSPHATE DIBASIC,** (ANH.) (Disodium Hydrogen Orthophosphate), **EXTRA PURE** CAS 7558-79-4 **Na_2HPO_4 F. Wt. 141.96**	500 gm 5 Kg 50 Kg	660 6230 POR
217	**SODIUM PHOSPHATE DIBASIC,** (ANH.) (Disodium Hydrogen Orthophosphate), **AR GRADE** CAS 7558-79-4 **Na_2HPO_4 F. Wt. 141.96**	500 gm 5 Kg 50 Kg	740 6750 POR
460	**SODIUM PHOSPHATE DIBASIC,** (Dihydrate) (Disodium Hydrogen Orthophosphate), **EXTRA PURE** CAS 10028-24-7 **$Na_2HPO_4.2H_2O$ F. Wt. 177.99**	500 gm 5 Kg 50 Kg	620 6000 POR
658	**SODIUM PHOSPHATE DIBASIC,** (Dihydrate) (Disodium Hydrogen Orthophosphate), **AR GRADE** CAS 10028-24-7 **$NaHPO_4.2H_2O$ F. Wt. 177.99**	500 gm 5 Kg 50 Kg	810 7650 POR
692	**SODIUM POLYANETHOL SULPHONATE, (SPS), AR GRADE** CAS 55963-78-5	1 gm 5 gm	500 2270
403	**SODIUM POTASSIUM TARTRATE,** (Tetra), **EXTRA PURE** CAS 6381-59-5 **$C_4H_4KNaO_6.4H_2O$ F. Wt. 282.22**	100 gm 500 gm 25 Kg	270 880 POR
404	**SODIUM POTASSIUM TARTRATE,** (Tetra), **AR GRADE** CAS 6381-59-5 **$C_4H_4KNaO_6.4H_2O$ F. Wt. 282.22**	100 gm 500 gm 25 kg	315 1050 POR
955	**SODIUM PROPIONATE, EXTRA PURE** CAS 137-40-6 **$C_3H_5NaO_2$ F. Wt. 96.07**	500 gm 50 Kg	550 POR
2724	**tetra-SODIUM PYROPHOSPHATE** (ANH.), **(TSPP), EXTRA PURE** CAS 7722-88-5 **$Na_4P_2O_7$ F. Wt. 265.90**	500 gm 50 Kg	1250 POR
659	**SODIUM PYRUVATE, AR GRADE** CAS 113-24-6 **$C_3H_3NaO_3$ F. Wt. 110.0**	100 gm 500 gm	1030 3050
4110	**SODIUM RHODIZONATE, AR GRADE** (Sensitivity To BA 1:200000)	1gm 5gm	580 1380

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2727	**SODIUM SALICYLATE, EXTRA PURE** CAS 54-21-7 **$C_7H_5NaO_3$ F. Wt. 160.11**	500 gm 25 Kg	880 POR
2728	**SODIUM SELENATE**, (ANH.), **AR GRADE** CAS 13410-01-0 **Na_2SeO_4 F. Wt. 188.94**	100 gm	3270
683	**SODIUM SELENITE**, (ANH.) (Culture Media Ingredient) CAS 10102-18-8 **Na_2SeO_3 F. Wt. 172.96**	25 gm 100 gm 500 gm	780 2610 10210
2240	**SODIUM SUCCINATE**, (Hexa), **EXTRA PURE** CAS 6106-21-4 **$C_4H_4Na_2O_4.6H_2O$ F. Wt. 270.15**	100 gm 500 gm	190 690
701	**SODIUM SULPHATE** (ANH.), **EXTRA PURE** CAS 7757-82-6 **Na_2SO_4 F. Wt. 142.04**	500 gm 5 Kg 50 Kg	250 1950 POR
543	**SODIUM SULPHATE** (ANH.), **AR GRADE** CAS 7757-82-6 **Na_2SO_4 F. Wt. 142.04**	500 gm 5 Kg 50 Kg	280 2130 POR
661	**SODIUM SULPHIDE FLAKES** (Iron Free) CAS 1313-84-4 **Na_2S F. Wt. 78.05**	500 gm	290
952	**SODIUM SULPHITE** (ANH.), **EXTRA PURE** CAS 7757-83-7 **Na_2SO_3 F. Wt. 126.04**	500 gm 5 Kg 50 Kg	360 2950 POR
662	**SODIUM SULPHITE** (ANH.), **AR GRADE** CAS 7757-83-7 **Na_2SO_3 F. Wt. 126.04**	500 gm 5 Kg 50 Kg	370 2945 POR
3260	**SODIUM STEARATE** (Stearic Acid Sodium Salt) CAS 822-16-2 **$C_{18}H_{35}NaO_2$ F. Wt. 306.46**	500 gm	425
2309	**di-SODIUM TARTRATE** (Dihydrate) CAS 6106-24-7 **$C_4H_4Na_2O_6.2H_2O$ F. Wt. 230.08**	500 gm 50 Kg	980 POR
279	**SODIUM TETRABORATE**, (Decahydrate) **(BORAX), EXTRA PURE** CAS 1303-96-4 **$Na_2B_4O_7.10H_2O$ F. Wt. 381.37**	500 gm 5 kg 50 kg	210 2000 POR
280	**SODIUM TETRABORATE**, (Decahydrate) **(BORAX), AR GRADE** CAS 1303-96-4 **$Na_2B_4O_7.10H_2O$ F. Wt. 381.37**	500 gm 5 kg 50 kg	350 3100 POR
4083	**SODIUM TETRAPHENYL BORON, AR GRADE** (Kalignost) CAS 143-66-8 **$C_{24}H_{20}BNa$ F. wt. 342.22**	10 gm 25 gm	850 2070
464	**SODIUM THIOCYANATE, EXTRA PURE** CAS 540-72-7 **NaSCN F. Wt. 81.07**	500 gm 50 Kg	620 POR
2730	**SODIUM THIOCYANATE, AR GRADE** CAS 540-72-7 **NaSCN F. Wt. 81.07**	500 gm 50 Kg	980 POR
3513	**SODIUM THIOGLYCOLLATE** (for Bacteriology) * CAS 367-51-1 **$C_2H_3NaO_2S$ F. Wt. 114.10**	100 gm 500 gm 10 Kg	970 2880 POR
469	**SODIUM THIOSULPHATE** (Penta), **EXTRA PURE** CAS 10102-17-7 **$Na_2S_2O_3.5H_2O$ F. Wt. 248.18**	500 gm 5 Kg 50 Kg	250 2050 POR
4111	**SODIUM THIOSULPHATE**, (Penta), **AR GRADE** CAS 10102-17-7 **$Na_2S_2O_3·5H2O$ F. wt. 248.18**	500 gm	270
2235	**SODIUM THIOSULPHATE** (ANH.), **EXTRA PURE** CAS 7772-98-2 **$Na_2S_2O_3$ F. Wt. 158.11**	500 gm 50 Kg	235 POR
663	**SODIUM THIOSULPHATE** (ANH.), **AR GRADE** CAS 7772-98-2 **$Na_2S_2O_3$ F. Wt. 158.11**	500 gm 50 Kg	380 POR
2895	**SODIUM TRIPOLYPHOSPHATE (STPP)** (ANH.) CAS 7758-29-4 **$Na_2S_2O_3$ F. Wt. 367.86**	500 gm 50 Kg	325 POR
953	**SODIUM TUNGSTATE** (Dihydrate), **EXTRA PURE** CAS 10213-10-2 **$Na_2O_4W.2H_2O$ F. Wt.329.86**	100 gm 500 gm 10 Kg	1140 5000 POR
2298	**SODIUM (META) VANADATE** (ANH.), **AR GRADE** CAS 13718-26-8 **$NaVO_3$ F. Wt. 121.93**	100 gm 500 gm	3300 15600
1623	**SOLOCHROME BLACK T** (ERICHROME BLACK T) CAS 1787-61-7 **$C_{20}H_{12}N_3NaO_7S$ F. Wt. 461.38**	25 gm 100 gm	300 950
1855	**SOLOCHROME CYANINE R, AR GRADE** CAS 1787-61-7 C.I. 14645 **$C_{20}H_{12}N_3NaO$, S F. Wt. 461.38**	25 gm 100 gm	350 1040
1856	**SOLOCHROME CYANINE R, AR GRADE** CAS 3564-18-9 C.I. 43820 **$C_{23}H_{15}Na_3O_9S$ F. Wt. 536.40**	5 gm 25 gm	830 4600
2995	**SOLOCHROME DARK BLUE**, (Calcon) CAS 2538-85-4 C.I. 15705 **$C_{20}H_{13}N_2NaO_5S$ F. Wt. 416.38**	5 gm 25 gm 100 gm	340 990 3200
2732	**SORBIC ACID, EXTRA PURE** * CAS 110-44-1 **$C_6H_8O_2$ F. Wt. 112.12**	500 gm	1400
465	**D-SORBITOL POWDER** (D-Glucitol) CAS 50-70-4 **$C_6H_{14}O_6$ F. Wt. 182.17**	100 gm 500 gm 25 Kg	145 540 POR

S Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
3065	**L-SORBOSE** CAS 87-79-6 **$C_6H_{12}O_6$ F. Wt. 180.16**	**25 gm 100 gm**	**4300 16500**
466	**SOYABEAN MEAL (Defatted)** (Non GMO Powder)	**500 gm 25 Kg**	**360 POR**
467	**SOYA LECITHIN POWDER** * (L-α-phosphatidyl choline 22%) CAS 8002-43-5 **$C_{36}H_{72}NO_8P$ F. Wt. 677.93**	**100 gm 500 gm**	**1600 3490**
4205	**SOYA PEPTONE (REGULAR GRADE)** (For General Purpose For Bactriological Work) CAS 91079-38-8	**500 gm 50 Kg**	**1610 POR**
2733	**SPADNS, AR GRADE** CAS 23647-14-5 **$C_{16}H_9N_2O_{11}S_3Na_3$ F. Wt. 570.41**	**1 gm 5 gm**	**365 1500**
3436	**SPERMIDINE** * CAS 124-20-9 **$C_7H_{19}N_3$ F. Wt. 145.25**	**1 gm 5 gm**	**2140 8930**
2317	**STANNOUS CHLORIDE** (Dihydrate), **EXTRA PURE** CAS 10025-69-1 **$SnCl_2 \cdot 2H_2O$ F. wt. 225.63**	**100 gm 250 gm**	**960 2350**
2318	**STANNOUS CHLORIDE** (Dihydrate), **AR GRADE** CAS 10025-69-1 **$SnCl_2 \cdot 2H_2O$ F. wt. 225.63**	**100 gm 250 gm**	**1070 2460**
3006	**STANNOUS FLOURIDE** (ANH.) CAS 7783-47-3 **SnF_2 F. Wt.156.69**	**500 gm**	**3025**
2734	**STANNOUS OXIDE, EXTRA PURE** CAS 21651-19-4 **SnO F. Wt. 134.71**	**500 gm**	**4720**
1310	**STARCH CORN** (Maize) (Insoluble) CAS 9005-84-9 **$(C_6H_{10}O_5)_n$ F. Wt. 162.14**	**500 gm 25 Kg**	**300 POR**
1309	**STARCH POTATO** (Insoluble) CAS 9005-84-9 **$(C_6H_{10}O_5)_n$ F. Wt. 162.14**	**500 gm**	**360**
1311	**STARCH SOLUBLE, EXTRA PURE** CAS 9000-84-9 **$(C_6H_{10}O_5)_n$**	**500 gm 25 Kg**	**1040 POR**
1318	**STARCH SOLUBLE, AR GRADE** CAS 9004-84-9 **$(C_6H_{10}O_5)_n$**	**500 gm**	**1090**
2321	**STEARIC ACID, FLAKES** (Carboxylic Acid) CAS 57-11-4 **$C_{18}H_{36}O_2$ F. Wt. 284.48**	**500 gm 25 Kg**	**410 POR**
2322	**STRONTIUM CARBONATE** CAS 1633-05-2 **$SrCO_3$ F. Wt. 147.63**	**500 gm 50 Kg**	**650 POR**
2323	**STRONTIUM CHLORIDE,** (Hexa), **EXTRA PURE** CAS 10025-70-4 **$SrCl_2.6H_2O$ F. Wt. 266.61**	**500 gm 50 Kg**	**760 POR**
2325	**STRONTIUM NITRATE,** (ANH.), **EXTRA PURE** CAS 10042-76-9 **$Sr(NO_3)_2$ F. Wt. 211.63**	**500 gm 50 Kg**	**600 POR**
2735	**STRONTIUM SULPHATE** (ANH.) CAS 7759-02-6 **$SrSO_4$ F. Wt. 183.68**	**500 gm**	**460**
1016	**SUCCINIC ACID, EXTRA PURE** CAS 110-15-6 **$C_4H_6O_4$ F. Wt. 118.09**	**500 gm 25 Kg**	**570 POR**
2328	**SUCCINIC ANHYDRIDE** CAS 108-30-5 **$C_4H_4O_3$ F. Wt.100.07**	**100 gm 500 gm 25 Kg**	**330 1250 POR**
4702	**SUCROSE, ACS GRADE** CAS 57-50-1 **$C_{12}H_{22}O_{11}$ F. Wt. 342.30**	**500 gm**	**600**
1307	**SUCROSE, EXTRA PURE** CAS 57-50-1 **$C_{12}H_{22}O_{11}$ F. Wt. 342.30**	**500 gm 5 Kg 50 Kg**	**290 2265 POR**
1308	**SUCROSE, AR GRADE** (Bacto Grade, Reducing Sugar absent.) CAS 57-50-1 **$C_{12}H_{22}O_{11}$ F. Wt. 342.30**	**500 gm 5 Kg 50 Kg**	**440 3930 POR**
TC 023	**SUCROSE,** for Tissue Culture and Molecular Biology CAS 57-50-1 **$C_{12}H_{22}O_{11}$ F. Wt. 342.30**	**500 gm 5 Kg**	**390 3270**
3503	**SUCRALOSE** (600 Times Sweeter Than Sugar) CAS 56038-13-2 **$C_{12}H_{22}O_{11}$ F. Wt. 397.64**	**25 gm 100 gm**	**1925 5775**
2737	**SUDAN (I)** CAS 842-07-9 **$C_{16}H_{12}N_2O$ F. Wt. 248.28**	**25 gm 100 gm**	**160 575**
1692	**SUDAN (III)** CAS 85-86-9 C.I. 26100 **$C_{22}H_{16}N_4O$ F. Wt. 352.39**	**25 gm 100 gm**	**210 610**
1693	**SUDAN (IV)** (Oil Red IV) (Seavlet-R) CAS 85-83-6 C.I. 26105 **$C_{24}H_{20}N_4O$ F. Wt. 380.44**	**25 gm 100 gm**	**290 820**
1647	**SUDAN BLACK B,** (for Microscopy) CAS 4197-25-5 C.I. 26150 **$C_{29}H_{24}N_6$ F. Wt. 456.54**	**10 gm 25 gm**	**800 1600**
2333	**SULPHAMIC ACID,** (Amido Sulfonic Acid), **EXTRA PURE** CAS 5329-14-6 **NH_2SO_3H F. Wt. 97.10**	**500 gm 50 Kg**	**300 POR**

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2407	**SULPHANILAMIDE, EXTRA PURE** CAS 63-74-1 $C_6H_8N_2O_2S$ F. Wt. 172.20	500 gm	3695
2741	**SULPHANILAMIDE, AR GRADE** CAS 63-74-1 $C_6H_8N_2O_2S$ F. Wt. 172.20	100 gm 500 gm	900 4090
468	**SULPHANILIC ACID, EXTRA PURE** CAS 121-57-3 $C_6H_7NO_3S$ F. Wt. 173.19	100 gm 500 gm 50 Kg	300 1150 POR
470	**SULPHANILIC ACID, AR GRADE** (4-Aminobenzene Sulphonic Acid) CAS 121-57-3 $C_6H_7NO_3S$ F. Wt.173.19	100 gm 500 gm 50 Kg	330 1310 POR
776	**5-SULPHOSALICYLIC ACID DIHYDRATE, EXTRA PURE** CAS 5965-83-3 $C_7H_6O_6S.2H_2O$ F. Wt. 254.22	100 gm 500 gm 50 Kg	280 1090 POR
2412	**SULPHUR POWDER, EXTRA PURE** CAS 7704-34-9 S F. Wt. 32.07	500 gm	250
665	**TABOLENE GL** (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr 50 Ltr	360 2235 POR
666	**TABOLENE GLW** (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) For Glassware Cleaning	500 ml 5 Ltr 50 Ltr	330 2100 POR
667	**TABOLENE GP** General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr	360 2235 POR
2742	**TALCUM POWDER** (400 mesh) (Magnesium Silicate) CAS 14807-96-6 $3MgO.4SiO_2.H_2O$ F. Wt. 379.29	500 gm	150
3226	**TALCUM POWDER** (700 mesh) CAS 14807-96-6 $3MgO.4SiO_2.H_2O$ F. Wt. 379.29	500 gm	180
2782	**TANNIC ACID,** (Gallotannin), **EXTRA PURE** CAS 1401-55-4 $C_{76}H_{52}O_{46}$ F. Wt. 1701.20	100 gm 500 gm 25 Kg	1050 4565 POR
4112	**TANNIC ACID, AR GRADE** CAS 1401-55-4 $C_{76}H_{52}O_{46}$ F. wt. 1701.2	100 gm 250 gm	1210 2370
4261	**TAPS BUFFER** **(N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID)** CAS 29915-38-6 $C_7H_{17}NO_6S$ F. Wt. 243.28	25 gm 100 gm	1190 3140
472	**L (+) TARTARIC ACID, EXTRA PURE** CAS 87-69-4 $C_4H_6O_6$ F. Wt. 150.09	100 gm 500 gm 25 Kg	345 1135 POR
4262	**L-(+)-TARTARIC ACID, AR GRADE** CAS 87-69-4 $C_4H_6O_6$ F. Wt. 150.09	500 gm	960
474	**DL-TARTARIC ACID (SYNTHETIC)** CAS 133-37-9 $C_4H_6O_6$ F. Wt. 150.09	500 gm 50 Kg	530 POR
474	**DL-TARTARIC ACID (SYNTHETIC)** CAS 133-37-9 $C_4H_6O_6$ F. Wt. 150.09	500 gm 50 Kg	530 POR
1648	**TARTRAZINE,** (for Microcopy) CAS 1934-21-0 C.I. 19140 $C_{16}H_9N_4Na_3O_9S_2$ F. Wt. 534.3	25 gm 100 gm	130 410
956	**TAURINE** (2-Aminoethanesulphonic Acid) CAS 107-35-7 $C_2H_7NO_3S$ F. Wt. 125.15	25 gm 100 gm	480 1430
4113	**TBTU** (2-(1H-Benzotriazole-1-YL)-1,1,3,3 Tetramethyluronium Tetrafluoroborate) CAS 125700-67-6 $C_{11}H_{16}N_5O.BF_4$ F. wt. 321.08	5 gm 25 gm	475 1600
4263	**TEICOPLANIN** * CAS 61036-62-2	1 gm	11900
4264	**TELLURIUM DIOXIDE** CAS 7446-07-3 TeO_2 F. Wt. 159.60	50 gm	17240
4265	**TELLURIUM (IV) CHLORIDE** CAS 10026-07-0 $TeCl_4$ F. Wt. 269.41	25 gm	29500
775	**TEMED, AR GRADE** (N,N,N,N-Tetra-Methylethylene Diamine) CAS 110-18-9 $C_6H_{16}N_2$ F. Wt. 116.21	100 ml 500 ml	840 2280
4266	**TERGITOL-7** CAS 68131-40-8	100gm 500gm	5450 24400
2743	**TERPINEOL** (Mixture of Isomers) **(PHARMA GRADE)** CAS 8006-39-1 $C_{10}H_{18}O$ F. Wt. 154.25	500 ml 2.5 Ltr	840 3525
4114	**TETRABUTYL AMMONIUM BROMIDE, AR GRADE** CAS 1643-19-2 $C_{16}H_{36}BrN$ F. wt. 322.37	500 gm	3110
4117	**TETRABUTYL AMMONIUM FLUORIDE** CAS 87749-50-6 $C_{16}H_{36}FN$ F. wt. 261.46	25 gm 100 gm	1690 5010
4118	**TETRABUTYL AMMONIUM IODIDE, AR GRADE** CAS 311-28-4 $C_{16}H_{36}IN$ F. wt. 369.37	25 gm 100 gm	570 2000
4119	**TETRABUTYL R** (For HPLC) CAS 32503-27-8 $(CH_3CH_2CH_2CH_2)_4N(HSO_4)$ F. wt. 339.53	100 gm	1800
144	**Tert-BUTYL HYDROQUINONE (TBHQ)** CAS 1948-33-0 $C_{10}H_{14}O_2$ F. Wt. 166.22	100 gm 500 gm 25 Kg	575 2505 POR

T Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
775	**N,N,N,N-TETRA METHYLETHYLENEDIAMINE** (TEMED), AR GRADE CAS 110-18-9 $C_6H_{16}N_2$ F. Wt. 116.21	100 ml 500 ml	840 2280
4267	**N,N,N',N'-TETRAACETYLETHYLENEDIAMINE** CAS 10543-57-4 F. Wt. 228.25	50 gm 100 gm	3570 6410
654	**N,N,N,N-TETRAMETHYL-p-PHENYLENEDIAMINE DIHYDROCHLORIDE, AR GRADE** CAS 637-01-4 $C_{10}H_{16}N_2.2HCl$ F. Wt. 237.17	5 gm 25 gm	1240 5600
4268	**TETRABUTYL AMMONIUM CHLORIDE** CAS 1112-67-0 $C_{16}H_{36}ClN$ F. Wt. 261.46	25 gm	17150
821	**TETRAZOLIUM BLUE CHLORIDE, AR GRADE** CAS 1871-22-3 $C_{40}H_{32}Cl_2N_8O_8$ F. Wt. 731.67	1 gm 5 gm	1430 6220
475	**TETRAZOLIUM RED SALT (TTC), AR GRADE** (2,3,5,Triphenyl Tetrazolium Chloride) CAS 298-96-4 $C_{19}H_{15}ClN_4$ F. Wt. 334.81	10 gm 25 gm	1780 4390
4269	**TETRAZOLIUM VIOLET** CAS 1719-71-7 $C_{23}H_{17}ClN_4$ F. Wt. 384.86	1 gm	2950
2906	**THALLIUM ACETATE** CAS 563-68-8 $C_2H_3O_2T_1$ F. Wt. 263.43	1 gm 10 gm	700 6466
4270	**THIABENDAZOLE** CAS : 148-79-8 $C_{10}H_7N_3S$ F.Wt : 201.25	50 gm 100 gm	27670 50300
1702	**THIAMINE HYDROCHLORIDE** * (Vitamin B_1 Hydrochloride) CAS 67-03-8 $C_{12}H_{17}ClN_4OS.HCl$ F. Wt. 337.27	25 gm 100 gm 500 gm	820 2730 12815
3584	**THIDIAZURON** * CAS 51707-55-2 $C_9H_8N_4OS$ F. Wt.220.25	250 mg 1 gm	4140 13100
4272	**THIOACETAMIDE (Ethanethioamide), AR GRADE** CAS 62-55-5 C_2H_5NS F. Wt.75.13	100gm	2180
959	**THIOACETAMIDE** (Ethanethioamide), * **EXTRA PURE** CAS 62-55-5 C_2H_5NS F. Wt.75.13	100 gm	1900
4273	**THIOACETIC ACID** CAS 507-09-5 C_2H_4OS F. Wt.76.12	100gm	1050
2750	**2-THIOBARBITURIC ACID, AR GRADE** CAS 504-17-6 $C_4H_4N_2O_2S$ F. Wt.144.15	25 gm 100 gm	1330 4580
4274	**THIOGLYCOLIC ACID, 80% SOLUTIONN IN WATER** CAS 68-11-1 $C_2H_4O_2S$ F. Wt.92.12	100 ml 500 ml	385 1410
2341	**1-THIOGLYCEROL 98%** (Mono Thioglycerol) CAS 96-27-5 $C_3H_8O_2S$ F. Wt. 108.15	100 ml 500 ml	3510 16940
4275	**2-THIOURACIL (4-HYDROXY-2-MERCAPTOPYRIMIDINE)** CAS 141-90-2 $C_4H_4N_2OS$ F. Wt.128.15	25 gm 100 gm	1050 3890
3513	**THIOGLYCOLLIC ACID SODIUM SALT** (For Bacteriology) CAS 367-51-1 $C_2H_3NaO_2S$ F. Wt. 114.1	100 gm 500 gm 10 Kg	970 2880 POR
478	**THIOMERSAL, EXTRA PURE** CAS 54-64-8 $C_9H_9HgNaO_2S$ F. wt. 404.81	25 gm 100 gm	20000 75000
2751	**THIOSEMICARBAZIDE, AR GRADE** CAS 79-19-6 CH_5N_3S F. Wt. 91.14	25 gm 100 gm	680 1800
479	**THIOUREA, EXTRA PURE** CAS 62-56-6 CH_4N_2S F. Wt. 76.12	500 gm 50 Kg	620 POR
4120	**THIOUREA, AR GRADE** CAS 62-56-6 $C_7H_7ClN_2S$ F. wt. 186.66	500 gm	850
4276	**THORIN INDICATOR OCTAHYDRATE, AR GRADE** CAS 3688-92-4 $C_{16}H_{11}AsN_2Na_2O_{10}S_2$ F. Wt.576.3	5 gm 10 gm	7380 13270
1131	**L-THREONINE,** 99%+ Crystalline CAS 72-19-5 $C_4H_9NO_3$ F. Wt. 119.12	5 gm 25 gm 500 gm	170 650 4910
4277	**THROMBIN** From Bovine plasma CAS 9002-04-4	1 gm	42700
961	**THYMIDINE** (2-Deoxyriboside Thymidine) CAS 50-89-5 $C_{10}H_{14}N_2O_5$ F. Wt. 242.22	1 gm 5 gm	440 1730
963	**THYMINE,** (5-Methyluracil) CAS 65-71-4 $C_5H_6N_2O_2$ F. Wt. 126.11	5 gm 25 gm	350 1320
1668	**THYMOL BLUE** CAS 76-61-9 $C_{27}H_{30}O_5S$ F. Wt. 466.59	5 gm 25 gm	220 1010
4278	**THYMOL BLUE SODIUM SALT** CAS 62625-21-2 $C_{27}H_{29}NaO_5S$ F. Wt.488.57	5 gm	1335
2343	**THYMOL, CRYSTAL, EXTRA PURE** CAS 89-83-8 $C_{10}H_{14}O$ F. Wt. 150.22	100 gm 500 gm 50 Kg	780 2770 POR
4123	**THYMOLPHTHALEIN, AR GRADE** CAS 125-20-2 $C_{28}H_{30}O_4$ F. wt. 430.53	5 gm 25 gm	190 770

Laboratory Chemicals (EP & AR Grade)

T

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
964	**THYMOLPHTHALEIN COMPLEXONE** for E.D.T.A. Titration CAS 1913-93-5 $C_{38}H_{38}N_2Na_4O_{12}$ F. Wt. 808.71	1 gm 5 gm	3050 11620
1667	**THYMOLPHTHALEIN** (pH Indicator) CAS 125-20-2 $C_{28}H_{30}O_4$ F. Wt. 430.53	5 gm 25 gm	190 790
2752	**THYMOL VIOLET** (Indicator) CAS 7512-38-1 $C_{40}H_{39}N_2NaO_9S$ F. Wt. 746.8	5 gm 25 gm	470 1680
2988	**TIN (METAL) GRANULATED** CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	2240 10250
760	**TIN (METAL) POWDER** CAS 7440-31-5 Sn F. Wt. 118.71	100 gm 500 gm	2020 9350
2318	**TIN (II) CHLORIDE DIHYDRATE, AR GRADE** CAS 10025-69-1 $SnCl_2.2H_2O$ F. Wt. 225.65	100 gm 500 gm	1070 2460
4281	**TIN (IV) CHLORIDE PENTAHYDRATE** CAS 10026-06-9 $SnCl_4.5H_2O$	500 gm	4475
4282	**TIN(IV) OXIDE, AR GRADE** CAS 18282-10-5 SnO_2 F. Wt. 150.71	250 gm	16250
4283	**TIRON, AR GRADE** (4,5-Dihydroxy-1,3-benzenedisulfonic acid disodium salt) CAS 149-45-1 $C_6H_4O_8S_2Na_2$ F. Wt. 314.2	10 gm 25 gm	1215 2675
4284	**TITANIUM (IV) BUTOXIDE** CAS 5593-70-4 $C_{16}H_{36}O_4Ti$ F. Wt. 340.30	500 gm	26800
482	**TITANIUM DIOXIDE, EXTRA PURE** CAS 13463-67-7 TiO_2 F. Wt. 79.87	500 gm 5 Kg 25 Kg	540 4240 POR
4285	**TITANIUM METAL POWDER** CAS 7440-32-6 Ti F. Wt. 47.87	100 gm	13000
483	**TITANIUM DIOXIDE, AR GRADE** CAS 13463-67-7 TiO_2 F. wt. 79.87	100 gm	1500
1650	**TITAN YELLOW** CAS 1829-00-1 C.I. 19540 $C_{28}H_{19}N_5Na_2O_6S_4$ F. Wt. 695.71	10 gm 25 gm	430 920
1666	**O-TOLIDINE, AR GRADE** (Reagent for Halogen and gold) CAS 119-93-7 $C_{14}H_{16}N_2$ F. Wt. 212.29	25 gm 100 gm	790 2520
2345	**O-TOLIDINE DIHYDROCHLORIDE, AR GRADE** CAS 612-82-8 $C_{14}H_{16}N_2.2HCl$ F. Wt. 285.22	25 gm 100 gm	655 2150

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4286	**TOLUENE-3,4-DITHIOL, AR GRADE** CAS 496-74-2 $C_7H_8S_2$ F. Wt. 156.27	5 gm	51600
4287	**p-TOLUENESULPHONIC ACID MONOHYDRATE, AR GRADE** CAS 6192-52-5 $C_7H_8SO_3.H_2O$ F. Wt. 190.22	100 gm 500 gm	320 1280
TR 009	**O-TOLIDINE REAGENT** (Free Chloride)	500 ml	325
4288	**p-TOLUIDINE, EXTRA PURE** CAS 106-49-0 C_7H_9N F. Wt. 107.15	500 gm	820
4290	**TOMATO POWDER**	250 gm	600
1676	**TOLUIDINE BLUE** CAS 92-31-9 C.I. 52040 $(C_{15}H_6C_1N_3S)_2ZnCl_2$ F. Wt. 305.83	25 gm 100 gm	770 2660
TC 024	**D-TREHALOSE DIHYDRATE** CAS 6138-23-4 $C_{12}H_{22}O_{11}.2H_2O$ F. Wt. 378.33	5 gm 25 gm	370 1280
4703	**D-TREHALOSE DIHYDRATE, ACS GRADE** CAS 6138-23-4 $C_{12}H_{22}O_{11}.2H_2O$ F. Wt. 378.33	5 gm 25 gm	550 1950
4124	**1,2,4-TRIAZOLE** (For Synthesis) CAS 288-88-0 $C_2H_3N_3$ F. wt. 69.07	100 gm 500 gm	580 2630
851	**TRIBUTYRIN** (Glycerol Tributyrate) CAS 60-01-5 $C_{15}H_{26}O_6$ F. Wt. 302.36	100 ml 500 ml	1470 6270
484	**TRICHLORO ACETIC ACID, EXTRA PURE** CAS 76-03-9 $C_2HCl_3O_2$ F. Wt. 163.39	100 gm 500 gm 25 Kg	180 710 POR
4292	**2,4,6-TRICHLOROPHENOL** CAS 88-06-2 $C_6H_3Cl_3O$ F. Wt. 197.45	500 gm	6650
3587	**2,4,5 TRICHLOROPHENOXY ACETIC ACID** CAS 93-76-5 $C_8H_5Cl_3O_3$ F. Wt. 255.49	5 gm 25 gm	1875 7500
966	**TRICINE** (N-[Tris(Hydroxymethyl Methyl] Glycine) CAS 5704-04-1 $C_6H_{13}NO_5$ F. Wt. 179.17	25 gm 100 gm	1350 5165
4293	**TRICLOSAN** CAS 3380-34-5 $C_{12}H_7Cl_3O_2$ F. Wt. 289.54	100 gm	2940
2354	**TRIETHANOLAMINE 85%** CAS 102-71-6 $C_6H_{15}NO_3$ F. Wt. 149.19	500 ml 5 Ltr 50 Ltr	610 5370 POR

T Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
2356	**TRIETHYLAMINE 99%** CAS 121-44-8 **$C_6H_{15}NO_3$ F. Wt. 101.19**	**500 ml** **2.5 Ltr** **25 Ltr**	**420** **1860** **POR**
4294	**2,3,5-TRIIODOBENZOIC ACID (TIBA)**	**5 gm**	**1020**
4125	**TRIETHYLBENZYLAMMONIUM CHLORIDE, EXTRA PURE** 56-37-1 **$C_{13}H_{22}CIN$ F. wt. 227.77**	**500 gm**	**660**
2031	**TRIMETHOPRIM** CAS 738-70-5 **$C_{14}H_{18}N_4O_3$ F. Wt. 290.30**	**5 gm**	**750**
4101	**2,4,6-TRINITROPHENOL** CAS 88-89-1 **$C_6H_3N_3O_7$ F. Wt. 229.1**	**500 gm**	**1040**
4129	**TRIMETHYL SULPHOXONIUM IODIDE,** MIN 99% (For Synthesis) CAS 1774-47-6 **C_3H_9IOS F. wt. 220.07**	**100 gm** **500 gm**	**1680** **7200**
486	**TRIS, EXTRA PURE** (Tris Hydroxymethyl Aminomethane) CAS 77-86-1 **$C_{14}H_{18}N_4O_3$ F. Wt. 121.14**	**100 gm** **500 gm** **25 Kg**	**960** **3870** **POR**
487	**TRIS, 99.9%+ PURITY** (Biological Buffer), AR GRADE CAS 77-86-1 **$C_4H_{11}NO_3$ F. Wt. 121.14**	**100 gm** **500 gm** **25 Kg**	**1040** **4580** **POR**
4130	**TRIS ULTRAPURE** (For HPLC) CAS 77-86-1 **$C_4H_{11}NO_3$ F. wt. 121.14**	**500 gm**	**6540**
672	**TRIS-HYDROCHLORIDE, EXTRA PURE** (Tris Hydroxymethayl Aninomethane HCl) CAS 1185-53-1 **$C_4H_{11}NO_3.HCI$ F. Wt. 157.60**	**100 gm** **500 gm** **25 Kg**	**905** **3665** **POR**
488	**TRIS-HYDROCHLORIDE, AR GRADE** CAS 1185-53-1 **$C_4H_{17}NO_3.HCI$ F. Wt. 157.60**	**100 gm** **500 gm** **25 Kg**	**1090** **5240** **POR**
4297	**TRIS(HYDROXYMETHYL) AMINOMETHANE SULPHATE** CAS 6992-38-7 **$C_4H_{11}NO_3.0.5H_2SO_4$ F. Wt. 170.17**	**25 gm** **100 gm**	**310** **1090**
4261	**N-[TRIS(HYDROXYMETHYL) METHYL] -3-AMINOPROPANESULPHONIC ACID (TAPS BUFFER)** CAS 29915-38-6 **$C_7H_{17}NO_6S$ F. Wt. 243.28**	**25 gm** **100 gm**	**1740** **5755**
669	**TRITON X 100®** CAS 9002-93-1 **$C_{34}H_{62}O_{11}$ F. Wt. 646.86**	**100 ml** **500 ml**	**395** **1100**
4298	**TROPAEOLIN-O** CAS 547-57-9 **$C_{12}H_9N_2NaO_5S$ F. Wt. 316.27**	**25 gm**	**640**
1651	**TRYPAN BLUE,** CAS 72-57-1 C.I. 23850 **$C_{34}H_{28}N_6O_{14}S_4$ F. Wt. 872.88**	**25 gm** **100 gm**	**1060** **3340**
4300	**TRYPSIN INHIBITOR** (From Soyabean) * CAS 9035-81-8	**500 mg**	**17100**
489	**TRYPSIN 2000 U/G** (0.2 anson U/G) * CAS 9002-07-7 **$C_6H_{15}O_{12}P_3$ F. Wt. 372.10**	**100 gm** **500 gm**	**2325** **10335**
490	**TRYPSIN 1: 250** * CAS 9002-07-7 **$C_6H_{15}O_{12}P_3$ F. Wt. 372.10**	**25 gm** **100 gm**	**2900** **8830**
4301	**TRYPSIN 1: 250** (Gamma-irradiated) * CAS 9002-07-7 **$C_6H_{15}O_{12}P_3$ F. Wt. 372.10**	**25 gm** **100gm** **500 gm**	**4910** **11050** **25000**
3514	**TRYPTONE** (Regular Grade) General Purpose For Bactriology	**500 gm**	**1780**
1133	**DL-TRYPTOPHAN,** **99%+PURITY, CRYSTALLINE** CAS 54-12-6 **$C_{11}H_{12}N_2O_2$ F. Wt. 204.22**	**5 gm** **25 gm**	**490** **2310**
1134	**L-TRYPTOPHAN,** **99% + PURITY, CRYSTALLINE** CAS 73-22-3 **$C_{11}H_{12}N_2O_2$ F. Wt. 204.23**	**5 gm** **25 gm** **500 gm**	**260** **880** **12500**
4131	**TUNGSTIC ACID 99%, AR GRADE** CAS 7783-03-1 **H_2O_4W F. wt. 249.85**	**100 gm**	**1500**
4302	**DODECA-TUNGSTOPHOSPHORIC ACID HYDRATE, AR GRADE** CAS 12501-23-4 **$H_3PO_4.12WO_3.XH_2O$ F. Wt. 2880.05**	**100 gm** **500 gm**	**3330** **14650**
981	**TUNGSTOPHOSPHORIC ACID, EXTRA PURE** CAS 12501-23-4 **$H_3PO_4.12WO_3.XH_2O$ F. Wt. 2880.05**	**100 gm** **500 gm**	**2470** **12020**

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
4156	**TWEEN 20, EXTRA PURE** CAS 9005-64-5 $C_{58}H_{113}O_{26}$ F. Wt. 1226.5	500 ml 25 Ltr	850 POR
670	**TWEEN 20®** (Regd. Trademark ICI UK) CAS 9005-64-5 $C_{58}H_{113}O_{26}$ F. Wt. 1226.5	500 ml 25 Ltr	1160 POR
4155	**TWEEN 80, EXTRA PURE** CAS 9005-65-6 $C_{32}H_{60}O_{10}$ F. Wt. 604.8	100 ml 500 ml	235 910
673	**TWEEN 80®** (Regd. Trademark ICI UK), CAS 9005-65-6 $C_{32}H_{60}O_{10}$ F. Wt. 604.8	100 ml 500 ml 25 Ltr	325 1050 POR
3234	**DL-TYROSINE** CAS 556-03-6 $C_5H_{11}NO_3$ F. Wt. 181.19	5 gm	730
1135	**L-TYROSINE,** 99%+Crystalline CAS 60-18-4 $C_5H_{11}NO_3$ F. Wt. 181.19	25 gm 100 gm 500 gm	320 1040 4780
4303	**UNIVERSAL INDICATOR**	100 ml 500 ml	165 720
1663	**UNIVERSAL INDICATOR POWDER** * **(pH 2 to 10)**	25 gm 100 gm	450 1335
674	**URACIL** CAS 66-22-8 $C_4H_4N_2O_2$ F. Wt. 112.09	5 gm 25 gm	135 430
4304	**UREA** (Meets USP/EP/JP/BP Testing specifications) CAS 57-13-6 N_2H_4CO F. Wt. 60.06	500 gm 1 Kg 5 Kg	1430 2130 6900
491	**UREA, EXTRA PURE** CAS 57-13-6 CH_4N_2O F. Wt. 60.06	500 gm 5 Kg 50 Kg	280 2290 POR
492	**UREA, AR GRADE** CAS 57-13-6 CH_4N_2O F. Wt. 60.06	500 gm 5 Kg 50 Kg	660 6330 POR
4305	**UREA PHOSPHATE** CAS 4861-19-12 $CN_2H_7PO_5$ F. Wt. 158.05	500 gm	1725
1933	**UREASE** (Jackbean Meal) CAS 9002-13-5	100 gm 500 gm 25 kg	270 1220 POR
2768	**URIC ACID, AR GRADE** CAS 69-93-2 $C_5H_4N_4O_3$ F. Wt. 168.0	25 gm 100 gm	2310 8930
3451	**URIDINE 99%** (For Biochemistry) CAS 58-96-8 $C_9H_{12}N_2O_6$ F. wt. 244.2	1 gm 5 gm 25 gm	220 870 3530
642	**VACCUM GREASE SILICONE** (High Vaccum Grease)	500 gm	1995
4306	**D-VALINE** CAS 640-68-6 $C_5H_{11}NO_2$ F. Wt. 117.15	1 gm 5 gm 25 gm	195 860 2710
4307	**L-VALINE** (From non-animal source) CAS 72-18-4 $C_5H_{11}NO_2$ F. Wt. 117.15	25 gm 100 gm 1 kg	320 1125 10145
1136	**DL-VALINE** CAS 516-06-3 $C_5H_{11}NO_2$ F. Wt. 117.15	25 gm 100 gm	1310 4750
1137	**L-VALINE,** 99%+Purity, Crystalline CAS 72-18-4 $C_5H_{11}NO_2$ F. Wt. 117.15	25 gm 100 gm	350 1090
4308	**VANADIUM (III) CHLORIDE** CAS 7718-98-1 VCl_3 F. Wt. 157.3	10 gm	30450
2769	**VANADIUM PENTOXIDE, EXTRA PURE** CAS 1314-62-1 V_2O_5 F. wt. 181.88	100 gm 500 gm	1100 5250
4309	**VANADYL SULPHATE HYDRATE** CAS 27774-13-6 $VOSO_4.xH_2O$ F. Wt. 163.00	100 gm	2760
2770	**VANILLIN** (4-Hydroxy-3-Methoxy Benzaldehyde) CAS 121-33-5 $C_8H_8O_3$ F. Wt. 152.15	100 gm 500 gm	1150 5400
1711	**VITAMIN A ACETATE,** (Retinol acetate) * CAS 127-47-9 $C_{22}H_{32}O_2$ F. Wt. 328.5	25 gm 100 gm	3640 13790
1702	**VITAMIN B_1** (Thiamine hydrochloride) * CAS 67-03-8 $C_{12}H_{17}ClN_4OS.HCl_2$ F. Wt. 337.27	25 gm 100 gm 500 gm	820 2730 12815
1703	**VITAMIN B_2**(Riboflavin), Vitamin G CAS 83-88-5 $C_{17}H_{20}N_4O_6$ F. Wt. 376.36	10 gm 25 gm 100 gm	320 760 2870
759	**VITAMIN B_3** (Nicotinic Acid) CAS 59-67-6 $C_6H_5NO_2$ F. Wt. 123.11	25 gm 100 gm 1 Kg	180 420 2900
561	**VITAMIN B_4**(Adenine 99%) (6-Aminopurine) CAS 73-24-5 $C_5H_5N_5$ F. Wt. 135.13	5 gm 25 gm 1 Kg	325 1290 30940
1701	**VITAMIN B_5** (Calcium-D-Pantothenate) * CAS 137-08-6 $C_{18}H_{32}CaN_2O_{10}$ F. wt. 476.53	25 gm 100 gm	950 3120
1705	**VITAMIN B_6**(Pyridoxine Hydrochloride) * CAS 58-56-0 $C_8H_{11}No_3.HCl$ F. Wt. 205.64	10 gm 25 gm 100 gm	210 510 1870
1709	**VITAMIN B_7** Coenzyme (D-Biotin) * CAS 58-85-5 $C_{10}H_{16}N_2O_3S$ F. Wt. 244.31	1 gm 10 gm 25 gm	650 4850 9350
604	**VITAMIN B_8** (Inositol) * CAS 61-19-8 $C_6H_{12}O_6$ F. Wt. 180.16	25 gm 100 gm 1 Kg	300 800 7000
335	**VITAMIN B_9**(Folic Acid) * CAS 59-30-3 $C_{19}H_{19}N_7O_6$ F. Wt. 441.40	5 gm 25 gm	260 650

V Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
233	**VITAMIN B_{10}** (PABA) CAS 150-13-0 **$C_7H_7NO_2$ F. Wt. 137.14**	100 gm 500 gm	600 2395
1704	**VITAMIN B_{12}** (Cyanocobalamin) * CAS 68-19-9 **$C_{63}H_{88}CoN_{14}O_{14}P$ F. Wt. 1355.38**	1 gm 10 gm	3860 33360
1721	**VITAMIN B_T**(L-Carnitine) * CAS 541-15-1 **$C_7H_{15}NO_3$ F. Wt. 161.20**	5 gm 25 gm	1080 4620
1706	**VITAMIN C** (Ascorbic Acid) CAS 50-81-7 **$C_6H_8O_6$ F. Wt.176.12**	100 gm 500 gm	345 1375
1715	**VITAMIN C, AR GRADE** CAS 50-81-7 **$C_6H_8O_6$ F. Wt. 176.13**	25 gm 100 gm 500 gm	245 360 1510
1707	**VITAMIN D_3** (Cholecalciferol) * CAS 67-97-0 **$C_{27}H_{44}O$ F. Wt. 384.64**	1 gm	1210
1708	**VITAMIN E, POWDER** * (DL-Tocopherol Acetate) 50% Powder CAS 10191-41-0 **$C_{29}H_{50}O_2$ F. Wt. 430.71**	50 gm	825
1709	**VITAMIN H** (D-Biotin) * CAS 58-85-5 **$C_{10}H_{16}N_2O_3S$ F. Wt. 244.31**	1 gm 10 gm 25 gm	650 4850 9350
1710	**VITAMIN K_3**(Menadione) CAS 58-27-5 **$C_{11}H_8O_2$ F. Wt. 172.18**	25 gm	1210
1716	**VITAMIN K_3SODIUM BISULPHITE** * Water Soluble CAS 130-37-0 **$C_{11}H_9NaO_5S$ F. Wt. 276.24**	25 gm 100 gm	850 2495
1665	**WRIGHT'S STAIN** (Wright's Eosin Methylene Blue) CAS 68988-92-1	25 gm 100 gm	620 2340
3004	**XYLENE CYANOL FF** (ACID BLUE 147) CAS 2650-17-1 **$C_{25}H_{27}N_2NaO_6S_2$ F. Wt. 538.61**	5 gm 25 gm	1780 6540
4310	**XYLENOL ORANGE TETRASODIUM SALT, PRACTICAL GRADE** CAS 3618-43-7 **$C_{31}H_{28}N_2O_{13}SNa$ F. Wt. 760.58**	5 gm 10 gm	645 1165
4311	**XYLIDINE PONCEAU** CAS 3761-53-3 **$C_{18}H_{14}N_2Na_2O_7S_2$**	25 gm	7155
4312	**XYLIDYL BLUE I SODIUM SALT, EXTRA PURE** CAS 14936-97-1 **$C_{25}H_{20}N_3NaO_6S$ F.Wt. 513.50**	1 gm	7430
3093	**X-GAL (5-BROMO-4-CHLORO-3 INDOLYL-β-D-GALACTOPYRANOSIDE)** * CAS 7240-90-6 **$C_{14}H_{15}BrClNO_6$ F. Wt. 408.63**	100 mg 500 mg 1 gm	1650 7835 15175
3095	**X-GLUCOSIDE** * CAS 15548-60-4 **$C_{14}H_{15}BrClNO_6$ F. Wt. 408.63**	100 mg	5300
4146	**XANTHAN GUM, EXTRA PURE** CAS 11138-66-2	100 gm 500 gm 25 Kg	410 1180 POR
1890	**XANTHAN GUM, AR GRADE** CAS 11138-66-2	100 gm 500 gm 25 Kg	430 1325 POR
3237	**XANTHINE** (2,4 Dihydroxypentane) CAS 69-89-6 **$C_5H_5N_4O_2$ F. Wt. 152.11**	5 gm 25 gm	820 3280
2772	**XYLENOL ORANGE, AR GRADE** CAS 1611-35-4 **$C_{31}H_{32}N_2O_{13}S$ F. Wt. 672.67**	5 gm 10 gm	475 865
1312	**D(+)XYLOSE** CAS 58-86-6 **$C_5H_{10}O_5$ F. Wt. 150.13**	25 gm 100 gm 500 gm	200 430 1790
3515	**YEAST EXTRACT PASTE** For Bactriology	500 gm	1010
4204	**YEAST EXTRACT POWDER** **(Bacto Grade)** For General Purpose For Bacteriology	500 gm	1450
4132	**YTTRIUM OXIDE 99.9% AR** CAS 1314-36-9 **Y_2O_3 F. wt. 225.81**	10 gm 25 gm	530 1240
516	**ZEATIN** (Plant Growth Regulator) * CAS 1637-39-4 **$C_{10}H_{13}N_5O$ F. Wt. 219.25**	100 mg 500 mg 1 gm	9500 36600 74700
4313	**TRANS-ZEATIN RIBOSIDE** CAS 6025-53-2 **$C_{15}H_{21}N_5O_5$ F.Wt. 351.36**	10 mg	6300
493	**ZINC ACETATE** (Dihydrate), **EXTRA PURE** CAS 5970-45-6 **$C_4H_6O_4Zn.2H_2O$ F. Wt. 219.51**	500 gm 50 Kg	800 POR
494	**ZINC ACETATE** (Dihydrate), **AR GRADE** CAS 5970-45-6 **$C_4H_6O_4Zn.2H_2O$ F. Wt. 219.51**	500 gm 50 Kg	870 POR
4314	**ZINC BORATE, EXTRA PURE** CAS 1332-07-6 **$2ZnO.3B_2O_3.3.5H_2O$ F.Wt. 434.62**	1 kg	5230
677	**ZINC CARBONATE BASIC** CAS 5970-47-8 **$3Zn(OH)_3.2ZnCO_3$ F. Wt. 549.01**	500 gm	720
2369	**ZINC CHLORIDE** (ANH.), **EXTRA PURE** CAS 7646-85-7 **$ZnCl_2$ F. Wt. 136.30**	500 gm 50 Kg	495 POR
4315	**ZINC CHLORIDE (ANH)** Meets USP/EP/JP/BP CAS 7646-85-7 **$ZnCl_2$ F.Wt. 136.30**	100 gm 500 gm 1 kg	1260 3555 5335
2371	**ZINC METAL,** (Granules) CAS 7440-66-6 **Zn F. Wt. 65.37**	500 gm 50 Kg	1375 POR

Laboratory Chemicals (EP & AR Grade)

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
700	**ZINC METAL** (Powder) (325 mesh) CAS 7440-66-6 Zn F. Wt. 65.38	500 gm 50 Kg	830 POR
4133	**ZINC (METAL)** DUST 325 MESH, **EXTRA PURE** CAS 7440-66-6 **Zn F. wt. 65.38**	500 gm	1080
4134	**ZINC (METAL)** DUST 325 MESH, **AR GRADE** CAS 7440-66-6 (Pharma Grade) **Zn F. wt. 65.38**	500 gm	1260
3507	**ZINC CHLORIDE DRY, AR GRADE** CAS 7646-85-7 **$ZnCl_2$ F. wt. 136.28**	500 gm	915
4316	**ZINC CITRATE TRIBASIC DIHYDRATE** CAS 5990-32-9 **$C_{12}H_{10}O_{14}Zn_3.2H_2O$ F. Wt. 610.4**	500 gm	1370
4317	**ZINC DIBENZYLDITHIOCARBAMATE, AR GRADE** CAS 14726-36-4 **$C_{30}H_{28}N_2S_4Zn$ F. Wt. 610.19**	25 gm	22400
4318	**ZINC GLUCONATE** CAS 4468-02-4 **$C_{12}H_{22}O_{14}Zn$ F. Wt. 455.68**	500 gm	2325
4136	**ZINC NITRATE** (Hexahydrate), **EXTRA PURE** CAS 10196-18-6 **$Zn(NO_3)_2 \cdot 6H_2O$ F. wt. 297.49**	500 gm	800
4319	**ZINC OXALATE HYDRATE, EXTRA PURE** CAS 547-68-2 **$ZnC_2O_4.xH_2O$ F. Wt. 153.41**	500 gm	3750

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
495	**ZINC OXIDE, EXTRA PURE** CAS 1314-13-2 **ZnO F. Wt. 81.38**	500 gm 5 Kg 50 Kg	850 8200 POR
496	**ZINC OXIDE, AR GRADE** CAS 1314-13-2 **ZnO F. wt. 81.38**	500 gm	950
2785	**ZINC PICOLINATE** CAS 17949-65-4 **$C_{12}H_8N_2O_4Zn_2$ F. Wt. 309.61**	100 gm	4670
2445	**ZINCON SODIUM, AR GRADE** CAS 62625-22-3 **$C_{20}H_{15}N_4NaO_6S$ F. wt. 480.43**	1 gm 5 gm	630 2890
2777	**ZINC STEARATE**, Pharma Grade CAS 557-05-1 **$2(C_{18}H_{35}O_2).Zn$ F. Wt. 632.33**	500 gm	460
497	**ZINC SULPHATE** (HEPTA), **EXTRA PURE** CAS 7446-20-0 **$ZnSO_4.7H_2O$ F. Wt. 287.55**	500 gm 5 Kg 50 Kg	340 2770 POR
3508	**ZINC SULPHATE** (HEPTA), **AR GRADE** CAS 7446-20-0 **$ZnSO_4.7H_2O$ F. Wt. 287.55**	500 gm 5 Kg 50 Kg	460 4365 POR
499	**ZINC SULPHATE** (Monohydrate), Pharma Grade CAS 7446-19-7 **$ZnSO_4.H_2O$ F. Wt. 179.48**	500 gm 5 Kg 50 Kg	495 4345 POR
4001	**ZINC SULPHATE** (Monohydrate), **AR GRADE** CAS 7446-19-7 **$ZnSO_4.H_2O$ F. Wt. 179.48**	500 gm 5 Kg	635 5365

pH Indicator Paper Strips

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 031	pH INDICATOR PAPER 1.0 - 14.0	200 lvs	400
TBL 036	pH INDICATOR PAPER 2.0 - 10.5	200 lvs	380
TBL 037	pH INDICATOR PAPER 2.0 - 4.5	200 lvs	430
TBL 044	pH INDICATOR PAPER 3.8 - 5.3	200 lvs	400
TBL 047	pH INDICATOR PAPER 3.5 - 6.0	200 lvs	380
TBL 048	pH INDICATOR PAPER 5.0 - 7.5	200 lvs	380

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
TBL 057	pH INDICATOR PAPER 6.5 - 9.0	200 lvs	380
TBL 061	pH INDICATOR PAPER 8.0 - 10.5	200 lvs	400
1634	LITMUS PAPER - BLUE	200 lvs	300
1636	LITMUS PAPER - RED	200 lvs	300
1635	STARCH IODIDE PAPERS	200 lvs	400

pH Buffer Capsules

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
284	**BUFFER CAPSULES pH 4.0**	10 Cap. 10x10	205 1840
285	**BUFFER CAPSULES pH 7.0**	10 Cap. 10x10	205 1840
284	**BUFFER CAPSULES pH 9.2**	10 Cap. 10x10	205 1840

Acids & Solvents

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
569	**ACETIC ACID, Glacial** CAS 64-19-7 **CH_3COOH F. wt. 60.05**	500 ml 2.5 ltr 5 ltr 25 ltr	290 1350 POR POR
568	**ACETONE** CAS 67-64-1 **$(CH_3)_2CO$ F. wt. 58.08**	500 ml 2.5 ltr 25 ltr	310 1380 POR
049	**AMMONIA SOLUTION 25%** CAS 1336-21-6 **NH_3 F. wt. 17.03**	500 ml 2.5 ltr 5 ltr 25 ltr	210 650 1045 POR
133	**BRIJ 35** (Polyoxyethylene Lauryl ether) CAS 9002-92-0 **$C_{12}H_{25}O.(C_2H_4O)_n$**	500 ml	970
023	**BENZALKONIUM CHLORIDE 50%** CAS 63449-41-2	500 ml 5 ltr 25 ltr	480 3450 POR
4169	**BENZALKONIUM CHLORIDE 80%** CAS 63449-41-2	25 ltr 50 ltr	POR POR
1861	**ETHYL ACETATE** CAS 141-78-6 **$CH_3COO_3H_5$ F. wt. 88.11**	500 ml 2.5 ltr 25 ltr	310 1450 POR
1940	**LACTIC ACID,** (Hydroxy Propionic Acid), **EXTRA PURE** CAS 50-21-5 **$C_3H_6O_3$ F. Wt. 90.08**	500 ml 2.5 ltr 25 ltr	780 3270 POR
718	**FORMALDEHYDE SOLUTION 37-41%** CAS 50-00-0 **CH_2O F. wt. 30.03**	500 ml 2.5 ltr 5 ltr 30 ltr	220 755 1380 POR
353	**ISO PROPYL ALCOHOL** CAS 67-63-0 **C_3H_8O F. wt. 60.10**	500 ml 25 ltr 5 ltr	570 1680 3550
2163	**OLEIC ACID,** (Elainic Acid), **EXTRA PURE** (For Biochemistry) CAS 112-80-1 **$C_{18}H_{34}O_2$ F. Wt. 282.46 (Store at 2-8°C)**	500 ml	490
876	**ORTHO-PHOSPHORIC ACID** CAS 7664-38-2 **H_3PO_4 F. wt. 98.00**	500 ml 2.5 ltr 5 ltr 25 ltr	720 3490 POR POR
3200	**POTASSIUM LACTATE 50%** CAS 996-31-6 **$C_3H_5KO_3$ F. Wt. 128.17**	500 ml	660
4143	**PROPIONIC ACID** CAS 79-09-4 **$C_3H_6O_2$ F. wt. 74.08**	500 ml 2.5 ltr 25 ltr	480 2290 POR
2401	**SODIUM HYPOCHLORITE 4%** CAS 7681-52-9 **NaClO F. wt. 74.44**	500 ml 1 ltr 5 ltr 25 ltr	150 275 665 POR
2294	**SODIUM LACTATE 60%** CAS 72-17-3 **$C_3H_5NaO_3$ F. Wt. 112.06**	500 ml	500
696	**SOLUTION FOR LEISHMAN STAIN (S.F.L)** CAS 67-56-1 **CH_4O F. wt. 32.04**	500 ml 2.5 ltr 25 ltr	250 670 POR
665	**TABOLENE GL** (With Dispenser) For Glass & Computer Equipment Cleaning	500 ml 5 Ltr	360 2235
666	**TABOLENE GLW** (DETERGENT TABOLENE) (With Neutral pH Phosphate Free Detergent) ForGlassware Cleaning	500 ml 5 Ltr	330 2100
667	**TABOLENE GP** General Purpose Detergent Lab Floor Cleaning, Like Teepol	500 ml 5 Ltr 50 Ltr	360 2235 POR
2743	**TERPINEOL** (Mixture of Isomers) **(PHARMA GRADE)** CAS 8006-39-1 **$C_{10}H_{18}O$ F. Wt. 154.25**	500 ml 2.5 Ltr	840 3525
2354	**TRIETHANOLAMINE 85%** CAS 102-71-6 **$C_6H_{15}NO_3$ F. Wt. 149.19**	500 ml 5 Ltr 50 Ltr	610 5370 POR
2356	**TRIETHYLAMINE 99%** CAS 121-44-8 **$C_6H_{15}NO_3$ F. Wt. 101.19**	500 ml 2.5 Ltr 25 Ltr	420 1860 POR
670	**TWEEN 20®** (Regd. Trademark ICI UK) CAS 9005-64-5 **$C_{58}H_{113}O_{26}$ F. Wt. 1226.5**	500 ml 25 Ltr	1160 POR
673	**TWEEN 80®** (Regd. Trademark ICI UK) CAS 9005-65-6 **$C_{32}H_{60}O_{10}$ F. Wt. 604.8**	100 ml 500 ml 25 Ltr	325 1050 POR

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5000	ACETIC ACID	25 Kg	POR
5100	ACETIC ACID GLACIAL	25 Kg	POR
5122	ACETIC ACID (9000)	25 Kg	POR
5001	ACETONE	25 Ltr	POR
TBF 095	AGAR AGAR (TYPE-I)	25 Kg	POR
TBF 104	AGAR AGAR (TYPE-II)	25 Kg	POR
5002	AMMONIUM BICARBONATE, (Ammonium Hydrogen Carbonate)	50 Kg	POR
5003	AMMONIUM CHLORIDE	50 Kg	POR
5132	tri-AMMONIUM CITRATE	25 Kg	POR
5123	AMMONIUM DIHYDROGEN ORTHOPHOSPHATE	50 Kg	POR
5021	di-AMMONIUM HYDROGEN ORTHOPHOSPHATE (DAP)	50 Kg	POR
5095	AMMONIUM HYDROXIDE (Ammonia Solution)	25 Ltr	POR
5004	AMMONIUM PERSULPHATE (For Distillery)	50 Kg	POR
5139	L-ARABINOSE	25 Kg	POR
5113	L-ASCORBIC ACID	25 Kg	POR
5005	BENZOIC ACID	25 Kg	POR
5006	BUTYLATED HYDROXY ANISOLE, (B.H.A.)	25 Kg	POR
5007	BUTYLATED HYDROXY TOLUENE, (B.H.T.)	25 Kg	POR
5008	CAFFEINE (ANH) (Food Grade)	25 Kg	POR
5009	CALCIUM ACETATE, (Dried) (For Atorvastatin)	25 Kg	POR
5112	CALCIUM BUTYRATE	25 Kg	POR
5010	CALCIUM CARBONATE (Precipitated)	50 Kg	POR
5011	CALCIUM CHLORIDE (ANH.)	50 Kg	POR
5096	CALCIUM CHLORIDE (Dihydrate)	50 Kg	POR
5012	CALCIUM CITRATE (Tetrahydrate)	50 Kg	POR
TBF 155	CALCIUM DIACETATE	25 Kg	POR
5124	CALCIUM GLUCONATE (Mono)	50 Kg	POR
5013	CALCIUM HYDROXIDE (Purified)	50 Kg	POR
5014	CALCIUM LACTATE POWDER (Penta)	25 Kg	POR
5088	CALCIUM PEROXIDE	25 Kg	POR
5118	MONO CALCIUM PHOSPHATE (Monobasic) (MCP)	25 Kg	POR
5022	di-CALCIUM PHOSPHATE (Dihydrate) (DCP)	25 Kg	POR
5015	tri-CALCIUM PHOSPHATE (ANH.)	25 Kg	POR
5016	CALCIUM PHOSPHATE (TCP)	25 Kg	POR
5017	CALCIUM PROPIONATE	25 Kg	POR
5109	CALCIUM SULPHATE (ANH.)	50 Kg	POR
5086	CALCIUM SULPHATE (Dihydrate)	50 Kg	POR
TBF 206	CARRAGEENAN (Kappa)	25 Kg	POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5019	CITRIC ACID (ANH.)	25 Kg	POR
5020	CITRIC ACID, (Mono)	25 Kg	POR
5098	COPPER SULPHATE (Penta)	50 Kg	POR
5125	DEGREASER	25 Kg	POR
5024	EDTA DISODIUM	25 Kg	POR
5025	FERRIC CHLORIDE (ANH.)	50 Kg	POR
5026	FERROUS SULPHATE (Hepta)	50 Kg	POR
5027	FOLIC ACID (Vitamin B)	25 Kg	POR
5137	GALACTOSE	25 Kg	POR
5028	GLYCEROL, (Glycerine)	35 Kg	POR
TBF 158	GLYCINE (Amino Acetic Acid)	25 Kg	POR
5126	GLUCO DELTA LACTONE, (For Cheese)	25 Kg	POR
5133	HYDROGEN PEROXIDE 35%	25 Kg	POR
5099	ISOPROPYL ALCOHOL	25 Ltr	POR
5030	LACTIC ACID, (Hydroxy Propionic Acid)	25 Ltr	POR
5031	MAGNESIUM CHLORIDE (Hexa)	50 Kg	POR
5032	MAGNESIUM SULPHATE, (Hepta)	50 Kg	POR
5134	MANGANESE CHLORIDE	25 Kg	POR
5033	DL-MALEIC ACID	25 Kg	POR
5034	MANGANESE (II) SULPHATE, (Mono)	50 Kg	POR
5138	MANNOSE	25 Kg	POR
5127	METHYL PARABEN	10 Kg 25 Kg	POR POR
5035	METHYL PARABEN SODIUM	10 Kg 25 Kg	POR POR
5128	MICROSIL (Food Grade Sterilizer)	25 Ltr	POR
5036	NIACIN (Nicotinic Acid) (Vitamin B)	25 Kg	POR
5037	NIACINAMIDE (Nicotinamide) (Vitamin PP)	25 Kg	POR
5038	n-PROPYL GALLATE	25 Kg	POR
5039	ortho PHOSPHORIC ACID	25 Kg	POR
5040	POLYVINYL PYRROLIDINE K-25 (PVP)	25 Kg	POR
5041	POLYVINYL PYRROLIDINE K-30 (PVP)	25 Kg	POR
5042	POTASSIUM ACETATE	25 Kg	POR
5101	POTASSIUM BENZOATE	25 Ltr	POR
5043	POTASSIUM BICARBONATE	50 Kg	POR
5090	POTASSIUM BROMATE	50 Kg	POR
5044	POTASSIUM CARBONATE (ANH.)	50 Kg	POR
5045	POTASSIUM CHLORIDE	50 Kg	POR

Food Grade Chemicals

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5079	tri-POTASSIUM CITRATE (Mono)	25 Kg	POR
5046	POTASSIUM DIHYDROGEN ORTHOPHOSPHATE (Mono Potassium Phosphate), (ANH.)	50 Kg	POR
5063	di-POTASSIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	POR
5047	POTASSIUM HYDROXIDE, FLAKES	50 Kg	POR
5048	POTASSIUM HYDROXIDE, PELLETS	50 Kg	POR
5135	POTASSIUM HYDROXIDE POWDER	25 Kg	POR
5049	POTASSIUM IODATE	25 Kg	POR
5050	POTASSIUM IODIDE	25 Kg	POR
5051	POTASSIUM METABISULPHITE	50 Kg	POR
5052	POTASSIUM NITRATE	50 Kg	POR
5091	POTASSIUM PERSULPHATE	50 Kg	POR
5107	POTASSIUM PROPIONATE	25 Kg	POR
5092	POTASSIUM SODIUM TARTRATE	25 Kg	POR
TBF 197	POTASSIUM SORBATE (GRANULAR)	25 Kg	POR
5054	POTASSIUM SULPHATE	50 Kg	POR
5055	PROPYLENE GLYCOL (1,2-Propanediol)	25 Ltr	POR
5103	PROPYLENE GLYCOL ALGINATE (PGA)	25 Kg	POR
5056	PROPYL PARABEN	25 Kg	POR
5057	PROPYL PARABEN SODIUM	25 Kg	POR
5058	SODIUM ACETATE (ANH.)	50 Kg	POR
5059	SODIUM ACETATE (Trihydrate)	50 Kg	POR
5060	SODIUM ACID PYROPHOSPHATE (SAPP)	50 Kg	POR
5114	SODIUM ALGINATE	50 Kg	POR
5102	SODIUM ASCORBATE	25 Kg	POR
5061	SODIUM BENZOATE	25 Kg	POR
5062	SODIUM BICARBONATE	50 Kg	POR
5064	SODIUM BUTYRATE	25 Kg	POR
5065	SODIUM CARBONATE (ANH.)	50 Kg	POR
5066	SODIUM CARBONATE (Mono)	50 Kg	POR
5067	SODIUM CHLORIDE	50 Kg	POR
5068	SODIUM CITRATE DIBASIC (Di Sodium Hydrogen Citrate)	50 Kg	POR

CODE	PRODUCT NAME	PACK SIZE	PRICE (₹)
5080	tri-SODIUM CITRATE, (ANH.)	50 Kg	POR
5115	tri-SODIUM CITRATE, (Dihyrate)	50 Kg	POR
TBF 006	SODIUM DIACETATE, (Dry Vinegar)	25 Kg	POR
5069	SODIUM DIHYDROGEN ORTHOPHOSPHATE, (Mono Sodium Phosphate Dihydrate)	50 Kg	POR
5023	di-SODIUM HYDROGEN ORTHOPHOSPHATE (Dihydrate)	50 Kg	POR
5119	di-SODIUM HYDROGEN ORTHOPHOSPHATE (ANH.)	50 Kg	POR
5085	SODIUM HYDROSULPHITE	50 Kg	POR
5104	SODIUM HYPOCHLORITE 4%	25 Ltr	POR
5070	SODIUM HYDROXIDE FLAKES	50 Kg	POR
5071	SODIUM HYDROXIDE PELLETS	50 Kg	POR
5117	SODIUM LAURYL SULPHATE	25 Kg	POR
5072	SODIUM METABISULPHITE	50 Kg	POR
5073	SODIUM NITRATE	50 Kg	POR
5074	SODIUM NITRITE	50 Kg	POR
5121	SODIUM OLEATE	25 Kg	POR
5075	SODIUM POTASSIUM TARTRATE, (Tetra)	25 Kg	POR
TBF 127	SODIUM PROPIONATE	50 Kg	POR
5120	SODIUM SULPHATE (ANH.)	50 Kg	POR
5076	SODIUM SULPHITE (ANH.)	50 Kg	POR
5136	SODIUM TRIPOLYPHOSPHATE	25 Kg	POR
TBF 2732	SORBIC ACID POWDER	25 Kg	POR
5110	SORBITOL LIQUID	25 Kg	POR
5093	SORBITOL POWDER	25 Kg	POR
5078	TITANIUM DIOXIDE	25 Kg	POR
5082	POLYSORBATE 20	50 Kg	POR
5083	POLYSORBATE 80	50 Kg	POR
5108	UREA	50 Kg	POR
5094	XANTHAM GUM	25 Kg	POR
5129	YEAST EXTRACT	25 Kg	POR
5130	ZINC CARBOANTE	50 Kg	POR
5131	ZINC CHLORIDE	50 Kg	POR
5084	ZINC SULPHATE (Hepta)	50 Kg	POR
5105	ZINC SULPHATE (Mono)	50 Kg	POR

Our all Food Products are Produced under FSSC and FSSAI Approved facilities.

Food Additives

Food Preservative

CODE	PRODUCT NAME
TBF 218	**BUFFERED LACTIC ACID**
TBF 226	**POTASSIUM LACTATE** (Liquid)
TBF 227	**SODIUM LACTATE** (Liquid)
TBF 128	**CALCIUM PROPIONATE POWDER (VICTORY CAP)**
TBF 127	**SODIUM PROPIONATE POWDER (VICTORY NAP)**
TBF 137	**CALCIUM LIQUID (VICTORY NA)**
TBF 223	**NATAMYCIN**
TBF 224	**NISIN**
TBF 197	**POTASSIUM SORBATE (VIMULX SORBATE)**
TBF 2732	**SORBIC ACID POWDER (VIMULX SORBIC)**

Seasoning / Flavoring Purpose

CODE	PRODUCT NAME
TBF 205	**DI SODIUM SUCCINATE** (Hexa)
TBF 006	**SODIUM DIACETATE** (Dry Vinegar)
TBF 082	**HYDROLYSED VEGETABLE PROTEIN** (Soya) (High/Low Salt)
TBF 083	**HYDROLYSED VEGETABLE PROTEIN** (Yeast) (High/Low Salt)
TBF 134	**YEAST EXTRACT PASTE**
TBF 100	**YEAST EXTRACT POWDER** (Chicken Flavor)
TBF 098 A	**YEAST EXTRACT POWDER - R** (High Salt)
TBF 098	**YEAST EXTRACT POWDER - R** (Low Salt)
TBF 108	**YEAST EXTRACT POWDER - R PLUS** (Savoury Taste)
TBF 109	**YEAST EXTRACT POWDER - R EXTRA PLUS** (Savoury Taste)

Disinfectants For Food Industry

CODE	PRODUCT NAME
TBF 222	**MICROSIL** (Nano Silver Disinfectant)
TBF 159	**STREPTO SOLENE** (Disinfectant)

Gumming/thickening Agents

CODE	PRODUCT NAME
TBF 095	**AGAR AGAR POWDER** (TYPE-I)
TBF 104	**AGAR AGAR POWDER** (TYPE-II)
TBF 206	**CARRAGEENAN** (Kappa) Refined
TBF 156	**CARRAGEENAN** (Kappa) Semi Refined
TBF 157	**GELLAN GUM** (Uses Milk, Juice Thicker & Smoother)
1890	**XANTHAN GUM**

Nutritional Products

CODE	PRODUCT NAME
TBF 010	**BREWER YEAST PROTEIN**
TBF 219	**COLLAGEN PEPTIDE** (Bovine)
TBF 220	**COLLAGEN PEPTIDE** (Fish/Marine)
TBF 016	**DRIED YEAST INACTIVE** (for Biscuits)
TBF 005	**DARK MALT EXTRACT POWDER** (Caramel Colour Replacer)
TBF 129	**MALT EXTRACT PASTE**
TBF 037	**MALT EXTRACT POWDER**
TBF 114	**MALT EXTRACT POWDER** (Chocolate Flavor)
TBF 221	**METHYL SULFONYL METHANE (MSM)**
TBF 225	**PEA PROTEIN ISOLATE**
TBF 105	**SODIUM CASEINATE** (PROTEIN 90%)
TBF 207	**SOYA LECITHIN LIQUID**
TBF 066	**SOYA LECITHIN POWDER**
TBF 107	**SOYA PROTEIN ISOLATE**
TBF 148	**WHEY PROTEIN CONCENTRATE 35%**
TBF 149	**WHEY PROTEIN CONCENTRATE 70%**
TBF 150	**WHEY PROTEIN CONCENTRATE 80%**

Agro Products

PRODUCT NAME
FORMULATED BIO-STIMULATORS
Nano AMINOFERT GOLD
AMINOFERT GOLD
Brassinolides 0.01% (PEP BASSIL DOUBLE)
Potassium Humate 20% (ECO GOLD LIQUID 20%)
Root Development Base (RDB BASE)
Seaweed Liquid 20% (SEA-PEP)
BASIC BIO-STIMULATORS
Amino Acid Mixture 40% (AMINOFERT- 400)
Amino Acid Mixture 50% (AMINOFERT- 500)
Amino Acid Mixture 70% (AMINOFERT- 700)
Amino Acid Mixture 80% (AMINOFERT- 800)
AMINO ACID CHELATED MINERALS
Boron Amino Acid Chelate-B 12% (AMINOFERT- B)
Calcium Amino Acid Chelate-Ca 12% (AMINOFERT- Ca)
Calcium Boron Amino Acid Chelate-CB 6:1 (AMINOFERT- CB)
Copper Amino Acid Chelate-Cu 12% (AMINOFERT- Cu)
Ferrous Amino Acid Chelate-Fe 12% (AMINOFERT- Fe)
Magnesium Amino Acid Chelate-Mg 6% (AMINOFERT- Mg)
Manganese Amino Acid Chelate-Mn 12% (AMINOFERT- Mn)
Molybdenum Amino Acid Chelate - Mo 2% (AMINOFERT- Mo)
Zinc Amino Acid Chelate-Zn 12% (AMINOFERT- Zn)
BIO-FUNGICIDES/ BIO-NEMATICIDES/ BIOPESTICIDES
Trichoderma Viride 1.5% W.P. (TRICHO PEP-V)
Trichoderma Harzianum 1.0% W.P. (TRICHO PEP-H)
Pseudomonas Fluorescens 1.0% W.P. (PSEUDO PEP)
Paecilomyces Lilacinus 1.0% W.P. (PAECILO PEP)
BEAUVERIA BASSIANA
BACILLUS SUBTILIS
METARHIZIUM ANISOPLIAE
BIO-FERTILIZERS
Mycorrhiza (Endo & Ecto 60 Spores/1200 IP/gm) (MYCO-PEP)
Mycorrhiza, Concentrated (3500 ip/gm) (MYCO KING)
Acetobacter (ACETO-PEP)
Azospirilum (AZOS-PEP)

PRODUCT NAME
Azotobacter (AZOTO-PEP)
Rhizobium (RHIZO-PEP)
Phosphate Solubilizing Bacteria (PSB PEP)
Potassium Solubilizing Bacteria (KSB PEP)
Zinc Solubilizing Bacteria (ZSB PEP)
Sulphur Solubilizing Bacteria (SSB PEP)
BIO-NPK (Consortium Of Nitrogen, Potassium & Phosphate Solubilising Bacteria)
ADJUVANTS & SPREADERS
SIL-ONE
PEP APSA 80
WATER SOLUBLE FERTILIZERS
SOLUBLE SULPHUR WITH CALCIUM
SOLUBLE SILICA WITH POTASSIUM
CROP TIGER
PLANT GROWTH REGULATORS (TECHNICAL)
POTASSIUM HUMATE 98%
SEAWEED EXTRACT
PLANT GROWTH REGULATORS (FORMULATIONS) (AS PER CIB & RC)
ANA 4.5% α-Napthyl Acetic Acid 4.5%) (PEP FRUIT FIX)
Forchlorfenuron (CPPU) 0.1% W/W
Gibberellic Acid (GA) 0.001% (PEP GIBB)
Gibberellic Acid (GA) 0.186% (PEP GIBB)
Paclobutrazol 23% SC (PEP STAR)
FUNGICIDES
COPPER OXYCHLORIDE 50% WP
COPPER OXYCHLORIDE 50% WG
COPPER OXYCHLORIDE 56% OP
TEBUCONAZOLE 2% D.S.
TEBUCONAZOLE 5.36% FS
INSECTICIDES
ACETAMIPRID 20% SP
CYPERMETHRIN 1.0% CHALK
CYPERMETHRIN 10% E.C.
CYPERMETHRIN 25% E.C.

Agro Products

PRODUCT NAME	PRODUCT NAME
INSECTICIDES	PROFENOPHOS 50% EC
CARTAP HYDROCHLORIDE 4% GR	THIAMETHOXAM 25% WG
EMAMECTIN BENZOATE 5% SG	**PESTICIDES**
EMAMECTIN BENZOATE 1.9% EC	CHLORPYRIPHOS 2% RTU
FIPRONIL 5% SC	CHLORPYRIPHOS 20% EC
FIPRONIL 80% WG	CHLORPYRIFOS 50% EC
IMIDACLOPRID 0.3% GR	LIME SULPHUR 22% SC
IMIDACLOPRID 2.15% GEL	**HERBICIDES**
IMIDACLOPRID 17.8% SL	CLODINAFOP PROPARGYL 15% WP
IMIDACLOPRID 70% WS	METRIBUZIN 70% W.P.
IMIDACLOPRID 70% WG	**ACARICIDES**
IMIDACLOPRID 30.5% SC	FENPYROXIMATE 5% EC
LAMBDA CYHALOTHRIN 2.5% EC	FENPYROXIMATE 5% SC
LAMBDA CYHALOTHRIN 5% EC.	TRIAZOPHOS 20% E.C.
LAMBDA CYHALOTHRIN 10% WP	TRIAZOPHOS 40% E.C.
LAMBDA-CYHALOTHRIN 4.9% (Capsule Suspension)	

Customized & formulations packagings are also available for our B 2 B Customers

For more Formulations/Technicals, Please Contact Us

mail@peptechbio.com

PEPTECH BIOSCIENCES LIMITED

www.peptechbio.com

Biotechnology & Fermentation Products

(Bacteriological Grade)

CODE	PRODUCT NAME
242 M	**AGAR AGAR TYPE-I** For General Purpose, Bacteriological Grade
1201	**AGAR AGAR POWDER** Bacteriological Grade
1202	**AGAR AGAR POWDER** Highly Purified
1243	**AGAR AGAR POWDER** (HIGH GEL) At low temp. like NMT 38°C
1228	**AGAR SPECIAL** Equivalent to Agar Noble
1203	**AGAR AGAR POWDER**(as per IP) Bacteriological Grade
3540	**AGAR AGAR** For Molecular Biology
1525	**B. MEAT EXTRACT PASTE** For General Purpose, Bacteriological Grade
1204	**B. MEAT EXTRACT POWDER** (TYPE-I) For General Purpose, Bacteriological Grade
1205 V	**VEG. BE EXTRACT POWDER** Equivalent to Beef Extract Powder
1205	**B. MEAT EXTRACT POWDER** Bacteriological Grade
1206	**B. MEAT EXTRACT (STD) TBL POWDER** Bacteriological Grade
1207	**BILE SALT POWDER** Bacteriological Grade
1234	**BILE SALT (STD) TBL POWDER** Bacteriological Grade
1208	**BILE SALT MIXTURE** Equivalent to Bile Salt No.3, Bacteriological Grade
1235	**BILE SALT MIXTURE (STD) TBL POWDER** Bacteriological Grade
1236 V	**VEG. BIOPEPTONE** Equivalent to Biopeptone
1236	**BIOPEPTONE (MIXTURE OF CASEIN & MEAT PEPTONE)** Used as Additional Enrichment of Microorganisms
1240 V	**VEG. BH INFUSION POWDER** Equivalent to Brain Heart Infusion Powder
1240	**BRAIN HEART INFUSION POWDER** Bacteriological Grade
1262 V	**VEG. CA HYDROLYSATE** Equivalent to Casein Acid Hydrolysate
1262	**CASEIN ACID HYDROLYSATE** (Technical) Bacteriological Grade
1230	**CASEIN ACID HYDROLYSATE (STD) TBL POWDER** Bacteriological Grade
1231	**CASEIN ACID HYDROLYSATE** Less than 3% NaCl
1232	**CASEIN ACID HYDROLYSATE** Special for Pertussis Vaccine production
1233	**CASEIN ACID HYDROLYSATE** (Vitamin Free) Bacteriological Grade
1501	**CASITONE** Peptic Digest Casein With Dipeptides and Tripeptides
1512 V	**VEG. CEH ENZYMATIC HYDROLYSATE (TYPE I)** Equivalent to Casein Enzymatic Hydrolysate
1512	**CASEIN ENZYMATIC HYDROLYSATE (TYPE I)** Tryptic Digest Casein With Dipeptides (Tryptone Type I)
1513	**CASEIN ENZYMATIC HYDROLYSATE (STD) TBL POWDER** Bacteriological Grade
1216	**CORN MEAL EXTRACT POWDER** Culture Media Ingredient
3531	**CORN STEEP LIQUOR** Bacteriological Grade
3533	**DRIED YEAST POWDER (ACTIVE)** Bacteriological Grade
1210	**GELATIN CRYSTAL, Bloom Type B** Bacteriological Grade
1502 V	**VEG. GEL PEPTONE** Equivalent to Gelatin Peptone
1502	**GELATONE (Gelatin Peptone)** Bacteriological Grade
3534	**GELATONE (STD.) TBL POWDER** Bacteriological Grade
1251 V	**VEG. H. INFUSION POWDER** Equivalent to Heart Infusion Powder
1251	**HEART INFUSION POWDER** Bacteriological Grade
1242 V	**VEG. LB HYDROLYSATE** Equivalent to Lactalbumin Hydrolysate
1242	**LACTALBUMIN HYDROLYSATE** Rich in All Essential Amino Acids and Suitable for Vaccine Production

- For more Laboratory Chemicals, please turn to page no. 232 - 277

Biotechnology & Fermentation Products
(Bacteriological Grade)

CODE	PRODUCT NAME
3535	**LACTOSE (Mono)** (Gamma Irradiated) Bacteriological Grade
4509	**LACTOSE** (MONO), Sterile (Gamma Irradiated) (Triple Pack) Culture Media Ingredient
1297	**LIVER EXTRACT PASTE** Bacteriological Grade
1212 V	**VEG. Liv. EXTRACT POWDER** Equivalent to Liver Extract Powder
1212	**LIVER EXTRACT POWDER** Bacteriological Grade
1241	**LIVER EXTRACT POWDER** (Protolysed) For Cultivation of Fastidious Anaerobes and Bulk Production Vaccines, Steroids and Enzymes
1239 V	**VEG. LIVER HYDROLYSATE POWDER** Hydrolysis of Liver by Enzyme, Bacteriological Grade
1239	**LIVER HYDROLYSATE POWDER** Hydrolysis of Liver by Enzyme, Bacteriological Grade
1213 V	**VEG. Liv INFUSION POWDER** Equivalent to Liver Infusion Powder
1213	**LIVER INFUSION POWDER** Suitable for Vaccine Production
3537	**D-MANNITOL** (Gamma Irradiated) Bacteriological Grade
1298	**MALT EXTRACT PASTE** Bacteriological Grade
1214	**MALT EXTRACT POWDER** Bacteriological Grade
1215	**MALT EXTRACT (STD) TBL POWDER** Bacteriological Grade
1299	**MEAT EXTRACT PASTE** Bacteriological Grade
1217 V	**VEG. M. EXTRACT POWDER** Equivalent to Meat Extract Powder
1217	**MEAT EXTRACT POWDER** Bacteriological Grade
1218	**MEAT EXTRACT (STD) TBL POWDER** Bacteriological Grade
1219 V	**VEG. M. INFUSION POWDER** Equivalent to Meat Infusion Powder

CODE	PRODUCT NAME
1219	**MEAT INFUSION POWDER** For Vaccine Production
1504 V	**VEG. MP PEPTONE** Equivalent to Meat Peptone
1504	**MEAT PEPTONE** Bacteriological Grade
1259	**MEAT PEPTONE - P** Peptic Digest Animal Meat Tissue (Bacteriological Grade)
1260	**MEAT PEPTONE - T** Tryptic Digest Animal Meat Tissue (Bacteriological Grade)
1507 V	**VEG. MYCO PEPTONE** Equivalent to Mycological Peptone
1507	**MYCOLOGICAL PEPTONE** Bacteriological Grade
1518	**MYCOLOGICAL PEPTONE (STD) TBL POWDER** Bacteriological Grade
1524	**OAT MEAL POWDER** Bacteriological Grade
1220	**OX BILE POWDER** General Purpose (Bacteriological Grade)
4506	**PEA PROTEIN HYDROLYSATE** (PEA PEPTONE) Bacteriological Grade
1527	**PEPTONE PASTE** Bacteriological Grade
3542	**PEPTONE - F** Bacteriological Grade
1506	**PEPTONE - R** Bacteriological Grade
1578	**PEPTONE - RG (Granular)** Bacteriological Grade
1505 V	**VEG. PEPTONE-TBL** Equivalent to Peptone TBL
1505	**PEPTONE - TBL** Bacteriological Grade
1519	**PEPTONE (STD) TBL POWDER** Bacteriological Grade
1508	**PEPTONE SPECIAL** Equivalent to Neopeptone
1581	**PEPTONE TYPE-III** Bacteriological Grade

Biotechnology & Fermentation Products
(Bacteriological Grade)

CODE	PRODUCT NAME
1221 V	**VEG. PM HYDROLYSATE** Equivalent to Peptonized Milk
1221	**PEPTONIZED MILK** Suitable for Lactobacilli, Yeast & Molds
1509 V	**VEG. PP PEPTONE** Equivalent to Proteose Peptone
1509	**PROTEOSE PEPTONE** (Tryptic Digest Animal Tissue) Rich in Proteose's Peptides
1523	**PROTEOSE PEPTONE (STD) TBL POWDER** Bacteriological Grade
221 M	**SODIUM CHOLATE (Cholic Acid Sodium)** Bacteriological Grade
220 M	**SODIUM DEOXYCHOLATE** Bacteriological Grade
212 M	**SODIUM TAUROCHOLATE** Bacteriological Grade
1261	**SODIUM TAUROGLYCOCHOLATE** Bacteriological Grade
3543	**SOLUBLE STARCH** Bacteriological Grade
3548	**SOYATONE (HN) (Soya Peptone HN)** Bacteriological Grade
1510	**SOYATONE (SOYA PEPTONE)** Peptic Digest of Soyabean Meal, Bacteriological Grade
1511	**SOYATONE (STD) TBL POWDER (Soya Peptone)** Bacteriological Grade
3544	**SOYATONE PASTE (Soya Peptone Paste)** Bacteriological Grade
1528	**SOYATONE - R (Soya Peptone - R)** Bacteriological Grade
3546	**SOYATONE TYPE-I (Soya Peptone TYPE-I)** Bacteriological Grade
1522	**TRYPTONE - D** Tryptic Digest Casein for Vaccine Production
1529	**TRYPTONE - R** General purpose for Bacteriology
1520	**TRYPTONE - T** For tetanus Toxin

CODE	PRODUCT NAME
1512 V	**VEG. TRYPTONE (TYPE-I)** Veg. Enzymatic Digestive with Dippeptides
1512	**TRYPTONE (TYPE-I)** Tryptic enzymatic degest of casein with dipeptides
1513	**TRYPTONE (STD) TBL POWDER** Bacteriological Grade
1521 V	**VEG. TRYP HYDROLYSATE** Enzymatic Hydrolysate of Protein, that replace Meat Infusion
1521	**TRYPTOSE** Enzymatic hydrolysate of Protein that Replace Meat Infusion
1265	**TRYPTOSE (STD) TBL POWDER** To promote excellent growth of highly fastidious microorganisms
1629	**WHEAT PEPTONE** Bacteriological Grade
1631	**WHEAT EXTRACT TYPE-I** Bacteriological Grade
1637	**WHEAT EXTRACT TBL POWDER** Bacteriological Grade
1300	**YEAST AUTOLYSATE POWDER** Autolysate of Fresh Yeast For Bacteriology
1531	**YEAST EXTRACT PASTE** For Bacteriology
3550	**YEAST EXTRACT POWDER - F** Bacteriological Grade
1532	**YEAST EXTRACT POWDER - R** Bacteriological Grade
1224	**YEAST EXTRACT POWDER TYPE-I** Bacteriological Grade
1225	**YEAST EXTRACT TBL POWDER** Low salt content refined rich in B-group of Vitamins
1264	**YEAST EXTRACT (STD) TBL POWDER** Bacteriological Grade
4141	**YEAST EXTRACT (ULTRA PURIFIED)** Cell Culture Media Ingredients
1628	**YEAST PEPTONE** Bacteriological Grade

Pharmaceuticals, Healthcare & Nutraceutical Products

CODE	PRODUCT NAME
TBF 007	**BILE EXTRACT POWDER** (Ox Bile Desicated)
TBF 010	**BREWER YEAST PROTEIN**
TBF 128	**CALCIUM PROPIONATE POWDER (VICTORY CAP)**
TBF 211	**CEREBROPROTEIN HYDROLYSATE POWDER** (Tablet/Capsule Grade)
TBF 089	**COLLAGEN PEPTIDE** (TYPE - I)
TBF 202	**COLLAGEN PEPTIDE** (TYPE - I) (Instant)
TBF 200	**COLLAGEN PEPTIDE** (TYPE - I) (Super)
TBF 216	**COLLAGEN PEPTIDE** (TYPE-I & III)
TBF 090	**COLLAGEN PEPTIDE** (TYPE - II)
TBF 185	**DRIED YEAST POWDER** (Active)
TBF 016	**DRIED YEAST POWDER** (Inactive)
TBF 092	**ESSENTIAL PHOSPHOLIPIDS**
TBF 213	**HEPATOHYDROLYSATE** (Liver Protein Hydrolysate)
TBF 077	**IRON PROTEIN SUCCINYLATE** (Syrup / Tablet Form)
TBF 187	**LIVER EXTRACT PASTE**
TBF 188	**LIVER EXTRACT POWDER**
TBF 129	**MALT EXTRACT PASTE**
TBF 037	**MALT EXTRACT POWDER**
TBF 208	**MARINE COLLAGEN PEPTIDE** (Fish Collagen)
TBF 130	**MEAT EXTRACT POWDER**
TBF 003	**MEDICINAL YEAST**
TBF 094	**METHYL SULFONYL METHANE (MSM)**
TBF 001	**Di SODIUM GLYCINE CARBONATE** (For Effervscent Tablet)
TBF 002	**MONO SODIUM GLYCINE CARBONATE** (For Effervscent Tablet)
TBF 040	**PANCREATIN 1NF**
TBF 041	**PANCREATIN 4NF**
TBF 106	**PANCREATIN 8NF**
TBF 047	**PEPTONE** (Pharma Grade)
TBF 215	**PEPTONE PASTE**
TBF 054	**PROTEIN HYDROLYSATE LIQUID 20%** (Casein)
TBF 056	**PROTEIN HYDROLYSATE LIQUID 30%** (Casein)
TBF 058	**PROTEIN HYDROLYSATE LIQUID 40%** (Casein)
TBF 053	**PROTEIN HYDROLYSATE POWDER 55-60%** (Casein)
TBF 052	**PROTEIN HYDROLYSATE POWDER 75-80%** (Casein)
TBF 051	**PROTEIN HYDROLYSATE POWDER 90%** (Casein)
TBF 163	**PROTEIN HYDROLYSATE LIQUID 20%** (Soya)
TBF 164	**PROTEIN HYDROLYSATE LIQUID 30%** (Soya)
TBF 165	**PROTEIN HYDROLYSATE LIQUID 40%** (Soya)
TBF 166	**PROTEIN HYDROLYSATE POWDER 55-60%** (Soya)
TBF 167	**PROTEIN HYDROLYSATE POWDER 75-80%** (Soya)
TBF 171	**PH PROTEIN CASITONE 20%** (Liquid)
TBF 172	**PH PROTEIN CASITONE 30%** (Liquid)
TBF 173	**PH PROTEIN CASITONE 40%** (Liquid)
TBF 168	**PH PROTEIN CASITONE 55-60%** (Powder)
TBF 169	**PH PROTEIN CASITONE 75-80%** (Powder)
TBF 170	**PH PROTEIN CASITONE 90%** (Powder)
TBF 176	**PH PROTEIN SOYATONE 20%** (Liquid)
TBF 177	**PH PROTEIN SOYATONE 30%** (Liquid)
TBF 179	**PH PROTEIN SOYATONE 40%** (Liquid)
TBF 174	**PH PROTEIN SOYATONE 55-60%** (Powder)
TBF 175	**PH PROTEIN SOYATONE-75-80%** (Powder)
TBF 127	**SODIUM PROPIONATE POWDER (VICTORY NAP)**
TBF 178	**SODIUM CASEINATE** (Protein 90%)
TBF 066	**SOYA LECITHIN POWDER**
TBF 148	**WHEY PROTEIN CONCENTRATE 35%**
TBF 149	**WHEY PROTEIN CONCENTRATE 70%**
TBF 150	**WHEY PROTEIN CONCENTRATE 80%**
TBF 134	**YEAST EXTRACT PASTE**
TBF 136	**YEAST EXTRACT POWDER - F**
TBF 098	**YEAST EXTRACT POWDER - R**
TBF 186	**YEAST EXTRACT POWDER** (Type-1)

CHELATED MINERALS

TBF 138	**CALCIUM AMINO ACID CHELATE 12%**
TBF 214	**CALCIUM MAGNESIUM CHELATE 6:1 %**
TBF 139	**CHROMIUM AMINO ACID CHELATE 5%**
TBF 140	**COBALT AMINO ACID CHELATE 2%**
TBF 141	**COPPER AMINO ACID CHELATE 12%**
TBF 204	**FERROUS BISGLYCINATE**
TBF 153	**IODINE AMINO ACID CHELATE 1%**
TBF 142	**IRON AMINO ACID CHELATE 12%**
TBF 143	**MAGNESIUM AMINO ACID CHELATE 6%**
TBF 144	**MANGANESE AMINO ACID CHELATE 12%**
TBF 145	**POTASSIUM AMINO ACID CHELATE 20%**
TBF 146	**SELENIUM AMINO ACID CHELATE 2%**
TBF 147	**ZINC AMINO ACID CHELATE 12%**
TBF 201	**ZINC ASCORBATE**
TBF 203	**ZINC BISGLYCINATE**

Veterinary & Animal Feed Ingredients

CODE	PRODUCT NAME

CONTRIBUTING NUTRITION TO FEED

TVA 001	**NUTRIVET - 2000** Protein Hydrolysate Liquid-20% (Casein / Soya)
TVA 002	**NUTRIVET - 3000** Protein Hydrolysate Liquid-30% (Casein / Soya)
TVA 003	**NUTRIVET - 4000** Protein Hydrolysate Liquid-40% (Casein / Soya)
TVA 004	**NUTRIVET - 5560** Protein Hydrolysate Powder 55-60% (Casein / Soya)
TVA 005	**NUTRIVET - 7580** Protein Hydrolysate Powder 75-80% (Casein / Soya)
TVA 006	**NUTRIVET - 9000** Protein Hydrolysate Powder 90% (Casein)
TVA 007	**NUTRIVET - BEP** Meat Extract Powder
TVA 008	**NUTRIVET - BP** Meat Extract Paste
TVA 009	**NUTRIVET - BY** Brewer Yeast Protein
TVA 010	**NUTRIVET - DYI** Dried Yeast Inactive
TVA 011	**NUTRIVET - LC 2 mcg** Liver Crude (1:15) (Injectible)
TVA 012	**NUTRIVET - LC 8 mcg** Liver Crude (1:50) (Injectible)
TVA 013	**NUTRIVET - LYC-20** Live Yeast Culture
TVA 014	**NUTRIVET - LEP** Liver Extract Powder
TVA 015	**NUTRIVET - LP** Liver Extract Paste
TVA 016	**NUTRIVET - MOS** (Mannan Oligosaccharides)
TVA 017	**NUTRIVET - OBP** Ox Bile Extract Powder (Ox-Bile Desicated)
TVA 018	**PANCREATIN 1NF**
TVA 019	**NUTRIVET - PEP** Peptone Powder
TVA 020	**NUTRIVET - PP** Peptone Paste
TVA 021	**NUTRIVET - ST** Stomach Extract Powder
TVA 022	**NUTRIVET - YCW** Yeast Cell Wall
TVA 023	**NUTRIVET - YEP** Yeast Extract Powder
TVA 024	**NUTRIVET - YP** Yeast Extract Paste
TVA 025	**NUTRIVET - CA** Calcium Amino Acid Chelate 12%
TVA 026	**NUTRIVET - CH** Chromium Amino Acid Chelate 5%
TVA 027	**NUTRIVET - CO** Cobalt Amino Acid Chelate 0.2%. & 2%


CODE	PRODUCT NAME

TVA 028	**NUTRIVET - CU** Copper Amino Acid Chelate 12%
TVA 029	**NUTRIVET - FE** Iron Amino Acid Chelate 12%
TVA 030	**NUTRIVET - I** Iodine Amino Acid Chelate 1%
TVA 031	**NUTRIVET - MG** Magnesium Amino Acid Chelate 6%
TVA 032	**NUTRIVET - MN** Manganese Amino Acid Chelate 12%
TVA 033	**NUTRIVET - SE** Selenium Amino Acid Chelate 0.02%/ 0.05%
TVA 034	**NUTRIVET - ZN** Zinc Amino Acid Chelate 12%
TVA 035	**NUTRIVET - CAP** Calcium Propionate Powder
TVA 037	**NUTRIVET - NAP** Sodium Propionate Powder
TVA 036	**NUTRIVET - CBT** Calcium Butyrate Powder
TVA 038	**NUTRIVET - SBT** Sodium Butyrate Powder
TVA 039	**NUTRIVET - CAGL** Calcium Glycinate
TVA 040	**NUTRIVET - CUGL** Copper Glycinate
TVA 041	**NUTRIVET - FEGL** Ferrous Glycinate
TVA 042	**NUTRIVET - MGGL** Magnesium Glycinate
TVA 043	**NUTRIVET - MNGL** Manganese Glycinate
TVA 044	**NUTRIVET - ZNGL** Zinc Glycinate
TVA 045	**NUTRIVET-DYA** Dried Yeast Active
TVA 046	**AQUATIC PROTEIN 40%** Protein 40% (for Aquatic Animals like Fish & Shrimps)
1110	**GLYCINE**

AMINO ACID CHELATED MINERALS

TVA 025	**CALCIUM AMINO ACID CHELATE 12%**
TVA 026	**CHROMIUM AMINO ACID CHELATE 5%**
TVA 027	**COBALT AMINO ACID CHELATE 0.2%. & 2%**
TVA 028	**COPPER AMINO ACID CHELATE 12%**
TVA 030	**IODINE AMINO ACID CHELATE 1%**
TVA 029	**IRON AMINO ACID CHELATE 12%**
TVA 031	**MAGNESIUM AMINO ACID CHELATE 6%**
TVA 032	**MANGANESE AMINO ACID CHELATE 12%**
TVA 033	**SELENIUM AMINO ACID CHELATE 0.02%/ 0.05%**
TVA 034	**ZINC AMINO ACID CHELATE 12%**

TM MEDIA®



REMARKABLE PRESENCE IN MORE THAN 77 COUNTRIES

13485:2016 | 9001:2015 | 11133:2014 | Certified | Marking | Certified | Approved

TITAN BIOTECH LIMITED

Manufacturer & Exporter

www.tmmedia.in | marketing@titanbiotechltd.com

For Online Shopping mymicrolab.com